DAILY RAINFALL 1911 1920

MONMOUTHSHIRE

ABERCARN.	CWMCARN.	1918	1920
ABERGAVENNY		1915	1920
"	LARCHFIELD	1913, 15 -	1920
"	LINDA VISTA	1911	1913
"	MANSEL PLACE	1919	1920
"	THE CHAIN	1911	1920
ABERSYCHAN	GLANSYCHAN.	1919	1920
"	THE HAWTHORNS		1915
ABERTILLERY	CWMTILLERY	1911	1920
"	THE PARK	1912	1920
BLAENAVON	ESTATE OFFICE	1912	1920
CAERLEON	LLANWERN HOUSE	1912	1913
CHEPSTOW	ITTON COURT	1911	1920
"	PIERCEFIELD PARK	1911	1920
"	THE CEDARS		1915
COEDKERNEW	CEFNLLOGELL	1913	1915
DEVAUDEN	TREDEAN	1911	1917
DRYBRIDGE			1920
EBBW VALE	IRON WORKS	1911	1920
GOYTRE	GOYTRE HALL	1917	1920
GRIFFITHSTOWN	SHIRLEY	1913	1914
GRWYNE FAWR	COED DIAS	1911	1920
" "	FWTHOG FFWYDD	1911	1915
LITTLE MILL	MONMOUTH. REFORM	1918	1920
LLANFRECHFA.	GRANGE	1911	1920
LLANTHONY	NEW FARM HOUSE	1917	1920
"	ABBEY	1911	1916
LLANTILIO	COURT	1911-12, 14-15,	1920
" "	CROSSENY	1912	1913
LLANVIHANGEL	CRUCORNEY DEPOT	1918	1920
MARSHFIELD	VICARAGE	1913	1917
MONMOUTH	THE ELMS	1912 - 16, 18 -	1920
" "	HENDRE	1911	1917
NANT-Y-BWCH	SHON SHEFFREY'S WKS	1911	1920
NEWPORT	MALPAS COURT		1915
"	TREDEGAR PARK	1911	1916
"	PENTWYN	1911	1920

NEWPORT	W.W.	FRIARS STREET YARD		1911	1920
"	"	LLANVACHES		1911, 15 –	1920
"	"	NANT-Y-PRIDD		1911, 15 -	1920
"	"	NEWCHURCH		1911	1920
"	"	PANT-Y-REOS RES	OLD GAUGE	1911-13, 15 -	1920
"	"	" " " "	NEW "	1917	1920
"	"	YNIS-Y-FRO RES	OLD GAUGE	1911-14, 16 -	1920
"	"	" " " "	NEW "	1911, 15 -	1920
PORTSKEWETT		SUDBROOK		1911	1920
PANDY		TREWYN		1911	1912.
RAGLAN		LLANARTH COURT			1913
RHYMNEY		BLAIN			1911
ROGERSTONE		BRYNHEDYDD			1916
"		RHIWERN		1911	1920
RUMNEY		WITLA COURT		1912	1920
TINTERN				1919	1920
TREDEGAR		LABORATORY		1914 -16, 18-	1920
"		LLYSWEDOG			1914
"		REDESDALE		1911	1920
USK		CASTLE PARADE HOUSE		1916	1920

5

REGISTE 18

ABERCARN
CWMCARN.
1918–1920

FORM A.
BRITISH RAINFALL.

30 6. 19

Kept at Maesderwen
in the County of Monm
by J. Williams

ong.
9 am
on Abercarn
Rain Gauge 12 in.
e above Ground 3 ft. 2 in.
„ Sea Level 428·16 ft.

IMPORTANT NOTE.—Ra and the result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at year in the space provided for it at the end of this parag surement of rain, the selection and placing of ra British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·23		·13				·38					1
2		·32	·06		·15			·80			1·17	1·21	2
3		·36		·41				·05	·80	·14	·10		3
4		·08			·04			·09	·35	·33	1·43	1·18	4
5				·18				·49	1·80	·95	·18	·14	5
6	·07	·84		·28				·03		·33	·	·12	6
7		·31			·29				·95	·	·48	·15	7
8	·02	·15					·02		·18	·19	·07		8
9		·23		·59		·28	·16		·95	·33	·06	·45	9
10	·05	·05		·12			·47		·68	·10		·37	10
11	·02	·14	·24				·25		·25	·45	·15	·10	11
12		·28	·16		·15				·03	·			12
13							·36		1·06	·25		·13	13
14	1·08		·15		·10		·12		·40	·		·60	14
15							·52		·03	·12		·61	15
16	1·49			·54			·07	·15	·03			·03	16
17	1·51		·13				·15	·12	·75	·03		·	17
18	·18					1·23	·08		1·28			·85	18
19	·03		·27				·27		·03	·08		·07	19
20	·07	·40		·10		·07	·53		·70				20
21		·17		·01			·05		·68	·07			21
22	·40						·85		·28				22
23	·08	·05			·46		·28		·	·07	·08		23
24		·11			·05		·70	·30	·13		·18	·37	24
25							·82	·80	·				25
26							·50		·34	·05		·51	26
27			·20					·45	·31			·07	27
28			·45						·		·30	·15	28
29			·27						1·70			·08	29
30		X	·65								·08	·16	30
31		X	·39	X		X			X		X		31
Total	5·00	3·72	2·97	2·36	1·24	1·58	6·20	3·66	13·71	3·49	4·28	7·35	YEAR'S TOTAL 55·56
Rain Days.	12	15	11	9	7	3	18	11	23	15	12	20	156

W. 6,500. VII. 18. W W C

5

FORM A.
BRITISH RAINFALL.

30 6. 19

REGISTE 8

Kept at Maesderwen, Cwmcarn
in the County of Monmouth
by J. Williams

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Abercarn
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 3 ft. 2 in.
" " " " Sea Level 428·16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·23		·13				·38					1
2		·32	·06		·15			·80			1·17	1·21	2
3		·36		·41				·05	·80	·14	·10		3
4		·08			·04			·09	·35	·33	1·43	1·18	4
5				·18				·49	1·80	·95	·18	·14	5
6	·07	·84		·28				·03		·33	·	·12	6
7		·31			·29				·95	·	·48	·15	7
8	·02	·15					·02		·18	·19	·07		8
9		·23		·59		·28	·16		·95	·33	·06	·45	9
10	·05	·05		·12			·47		·68	·10		·37	10
11	·02	·14	·24				·25		·25	·45	·15	·10	11
12		·28	·16		·15				·03	·			12
13							·36		1·06	·25		·13	13
14	1·08		·15		·10		·12		·40	·		·60	14
15							·52		·03	·12		·61	15
16	1·49			·54			·07	·15	·03			·03	16
17	1·51		·13				·15	·12	·75	·03		·	17
18	·18					1·23	·08		1·28			·85	18
19	·03		·27				·27		·03	·08		·07	19
20	·07	·40		·10		·07	·53		·70				20
21		·17		·01			·05		·68	·07			21
22	·40						·85		·28				22
23	·08	·05			·46		·28		·	·07	·08		23
24		·11			·05		·70	·30	·13		·18	·37	24
25							·82	·80	·				25
26							·50		·34	·05		·51	26
27			·20					·45	·31			·07	27
28			·45						·		·30	·15	28
29			·27						1·70			·08	29
30		X	·65								·08	·16	30
31		X	·39	X		X			X		X		31
Total	5·00	3·72	2·97	2·36	1·24	1·58	6·20	3·66	13·71	3·49	4·28	7·35	YEAR'S TOTAL 55·56
Rain Days.	12	15	11	9	7	3	18	11	23	15	12	20	156

W. 6,500. VII. 18. w w c

3536

ABER. CARN

CWMCARN

"~~MAESDERWEN~~"

MONMOUTHSHIRE

1919 - 20

19 JAN 20

Form A. 1. METEOROLOG ATION.

REG

Kept at "MAESDERWEN." O' WEST.

in the County of MON CARN. MON.

by J. Williams e 12 in.

und 3 ft. 2 in.

Level 428·16 ft.

IMPORTANT NOTE.— to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·83		·21		·29		·29		·44	·25			1
2	·41		·18	·07			·23		·25			·37	2
3			·22		·08				·04			1·10	3
4			·46				·19		·83			·04	4
5		·94	·53						·12		·20	·40	5
6	·71	·19	·54			·10			·02	·02		·15	6
7	·28		·76	·13									7
8	·27		·18	·08									8
9	·68			·05							·47		9
10			1·01									·95	10
11	·16		·56	·13	·27	·04	·26			·02		·17	11
12				·13		·43							12
13	·80			·68					·03				13
14	1·15	·15		·33			·05		·02			·14	14
15	·44	·12			·06			·05					15
16	·22	1·30									·21		16
17		·50									·45		17
18			·30				·22	·74			·22	·08	18
19	·82		1·04				·71	·78			·07		19
20	·84	·98	·33			·31		·06	·05		·08		20
21		1·16						·02					21
22		1·69							·72			·60	22
23										1·45	·02		23
24						·08				1·04	·30	·51	24
25				·05				·77			·34	·07	25
26			·23	·16		·03		·04	·27		·07	·92	26
27			·12	·14				·61					27
28			·12					·14				·66	28
29				·04							·31	·41	29
30		X				·19		·29			·71	·82	30
31		X		X		X	·04		X		X	·22	31
Total	7·61	7·03	6·79	1·99	·70	1·18	1·99	3·50	2·79	2·78	3·45	7·61	Year's Total 47·42
Days with ·01 in. or more	13	9	16	12	4	7	8	10	11	5	13	17	125

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3536

Form A. 1. METEOROLOG ATION.

30 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at "Maesderwen" Cwmcarn.

in the County of Monmouth

by J. Williams.

Lat. 51° 40' Long. 3° 10' West.

Time of Observation 9 a.m.

Nearest Railway Station Abercarn. Mon.

Diameter of Funnel of Rain Gauge 12 in.

Height of top of Gauge above Ground 3 ft. 2 in.

" " " " Sea Level 428·16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·83		·21		·29		·29		·44	·25			1
2	·41		·18	·07			·23		·25			·37	2
3			·22		·08				·04			1·10	3
4			·46				·19		·83			·04	4
5		·94	·53						·12		·20	·40	5
6	·71	·19	·54			·10			·02	·02		·15	6
7	·28		·76	·13									7
8	·27		·18	·08									8
9	·68			·05							·47		9
10			1·01									·95	10
11	·16		·56	·13	·27	·04	·26			·02		·17	11
12				·13		·43							12
13	·80			·68					·03				13
14	1·15	·15		·33			·05		·02			·14	14
15	·44	·12			·06			·05					15
16	·22	1·30									·21		16
17		·50									·45		17
18			·30				·22	·74			·22	·08	18
19	·82		1·04				·71	·78			·07		19
20	·84	·98	·33			·31		·06	·05		·08		20
21		1·16						·02					21
22		1·69							·72			·60	22
23										1·45	·02		23
24						·08				1·04	·30	·51	24
25				·05				·77			·34	·07	25
26			·23	·16		·03		·04	·27		·07	·92	26
27			·12	·14				·61					27
28			·12					·14				·66	28
29				·04							·31	·41	29
30						·19		·29			·71	·82	30
31							·04					·22	31
Total	7·61	7·03	6·79	1·99	·70	1·18	1·99	3·50	2·79	2·78	3·45	7·61	Year's Total 47·42
Days with ·01 in. or more	13	9	16	12	4	7	8	10	11	5	13	17	125

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex M.R. 3423

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

12 JAN 1921

Kept at "MAESDERWEN" CWMCARN

in the County of MONMOUTH

by J. WILLIAMS.

Lat. 51° 40' Long. 3° 10'

Time of Observation 9 A.M.

Nearest Railway Station ABERCARN

Diameter of Funnel of Rain Gauge 12 in.

Height of top of Gauge above Ground 3 ft. 2 in.

" " " " Sea Level 428·16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·26	·79		1·46	·12		·39	·51	·97	1
2	·41			~~·26~~ ·07			·30	·08		·50	·06	·69	2
3	·05			~~·07~~ ·12			·45		·05	·76		·12	3
4				~~·12~~				1·42		·24			4
5			·66	·15	·30		·40	·06	·10	·45			5
6			·17	~~·15~~	·63		·14			·12			6
7	·41			·10	·14		·43						7
8		·06		~~·10~~ ·74	·15			·13		·02			8
9	1·07	·54		~~·74~~ ·65			·50	·03					9
10	1·76	·59		~~·65~~ ·13		1·30	·50						10
11	·35		·60	~~·13~~ ·61	·69		·10						11
12	·67	·51		~~·61~~ ·57	·06	0·26	·10			·04	·22		12
13	·10	·07	·77	~~·57~~ ·51							·10		13
14	·17	·16	·68	1·07		·08	·23		·63	·16	1·74		14
15				·94	·07				·14	·15	·16		15
16			·02	·09	·12	·35	·24		1·08	·65	·20		16
17	·20				·41	·05	·24	·04	·93				17
18	·25			·06	·20	·09		·20					18
19		·23		·63	·12	·35							19
20				·47		·05						1·00	20
21							·10					·15	21
22	·18			·28			·33	·06				·45	22
23							·45					·89	23
24	·14		·78								·13	1·08	24
25			·26				1·45						25
26	·40		·42								·29	·17	26
27	·86	·33	·25		·06	·55					·05	·87	27
28	1·15	·03	·14		·12	·17						·18	28
29	·61		·15		·26	·05	·32				·54	1·10	29
30		✕	·12	·05		·36			·84		·75	1·25	30
31	·92	✕	·24	✕		✕			✕		✕	·59	31
TOTAL	9·70	2·52	5·26	7·50	4·12	3·66	7·74	2·14	3·77	3·48	4·75	9·51	YEAR'S TOTAL 64·15
Days with ·01 in. or more	18	9	14	19	15	12	18	9	7	11	12	14	158
Days with ·04 in. or more	18	8	13	19	15	12	18	8	7	10	12	14	154

ABERGAVENNY

MONMOUTH

1915 - 1920

FORM A.
BRITISH RAINFALL.

2 - MAR 1916

Kept at Aber … -57′W.

… am

in the County of … ille

by Frank … uge 5 in.

… round one ft. … in.

… ~~Sea Level~~ 194-0 A.O.D ft.

IMPORTANT … e result entered to the previous day. If … sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·65	·08	·05	·00	·20	·00	·05	·14	trace ·00	·35	·00	·13	1
2	·15	·35	·10	·21	·00	·00	·00	·97	trace ·00	·10	·00	·12	2
3	·10	·26	·02	·00	·07	·00	·04	·04	·00	·00	·00	·27	3
4	·12	·25	·00	·00	·25	·00	X 1·00	·00	·00	·00	·00	·52	4
5	·04	1·06	·00	·20	·00	·00	·00	·25	·00	·00	·00	1·72	5
6	·20	·05	·00	·15	·00	·00	·88	·06	·00	·00	·00	·50	6
7	·13	·82	trace ·00	·00	·00	·00	·04	·00	·00	trace ·00	·00	·34	7
8	·40	·69	·00	·15	·00	·00	·00	·08	·00	·00	·12	·00	8
9	·00	·23	·00	·13	·00	·00	·00	·00	·00	·00	·52	1·07	9
10	·26	·14	trace ·00	·06	·00	·00	·00	trace ·00	·00	·11	·14	·00	10
11	·05	·00	·12	trace ·00	·00	·00	·00	·00	·00	·00	1·32	·14	11
12	·11	·35	·00	·10	·36	·00	·00	·00	·00	·19	·90	·00	12
13	·00	·64	·00	·00	Snow 1·27	·00	·00	·00	·18	·00	·00	·05	13
14	trace ·00	·00	·00	·00	·00	·00	·00	·09	trace ·00	·08	·00	·26	14
15	·79	·00	·00	·00	·18	·00	·05	trace ·00	·00	·09	·09	·21	15
16	·06	1·50	·00	·00	·72	·00	1·50	·01	·00	·00	·00	·00	16
17	·00	·50	·00	·00	·95	·00	·00	·20	·00	·00	·00	·00	17
18	·00	1·09	·00	·00	·00	·00	trace ·00	trace ·00	·00	·00	·00	·00	18
19	·00	·00	·00	·00	·22	·00	·14	·00	·00	·00	·00	·00	19
20	·17	·06	·00	·00	·00	·00	·00	·00	·00	·15	·00	·07	20
21	·10	Snow ·04	·00	·00	·00	·00	·04	·00	trace ·00	·14	·00	·00	21
22	·00	·00	·26	·10	·00	·00	·54	·00	·00	·08	·00	·46	22
23	·12	·00	·09	·00	·00	·00	·08	·00	trace ·00	·92	·00	·48	23
24	·00	·00	·03	·03	·00	·00	·17	·00	·20	1·08	·00	·80	24
25	·00	·00	·00	·00	·00	·91	·00	·00	·00	·00	·00	·49	25
26	·00	·23	·00	·00	·00	trace ·00	·23	·00	·00	·00	·00	·20	26
27	·00	·10	·00	·00	·00	·32	·00	·00	·00	·49	·00	1·04	27
28	·00	Snow ·14	·00	·00	·00	·05	·00	·02	·29	·08	·00	·00	28
29	·00	·00	·00	·00	·00	trace ·00	·08	trace ·00	·00	·00	·30	·40	29
30	Rain & Snow ·24	X	·00	·00	·00	·55	trace ·00	·00	·00	·74	·32	·58	30
31	·00	X	·00	X	·00	X	·07	·00	X	1·16	X	1·03	31
Total	3·69	8·56	·67	1·13	4·22	1·83	4·91	1·96	·67	5·76	3·71	10·88	YEAR'S TOTAL 47·99
Rain Days.	14	20	7	9	9	4	15	11	3	15	8	22	140

W. 8,000. X. 15. X. Cloud burst over Rholben N.W. of Town
Heavy Hail storm & Rain.

FORM A.
BRITISH RAINFALL.

2 - MAR 1916

Kept at Abergavenny
in the County of Monmouth
by Frank Mansfield, Boro' Surveyor.

Lat. 51°-49-25 Long. 3°-57' W.
Time of Observation 9.30 am
Nearest Railway Station 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground One ft. in.
" " " " ~~Sea Level~~ 194-0 A.O.D ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.65	.08	.05	.00	.20	.00	.05	.14	trace .00	.35	.00	.13	1
2	.15	.35	.10	.21	.00	.00	.00	.97	trace .00	.10	.00	.12	2
3	.10	.26	.02	.00	.07	.00	.04	.04	.00	.00	.00	.27	3
4	.12	.25	.00	.00	.25	.00	X 1.00	.00	.00	.00	.00	.52	4
5	.04	1.06	.00	.20	.00	.00	.00	.25	.00	.00	.00	1.72	5
6	.20	.05	.00	.15	.00	.00	.88	.06	.00	.00	.00	.50	6
7	.13	.82	trace .00	.00	.00	.00	.04	.00	.00	trace .00	.00	.34	7
8	.40	.67	.00	.15	.00	.00	.00	.08	.00	.00	.12	.00	8
9	.00	.23	.00	.13	.00	.00	.00	.00	.00	.00	.52	1.07	9
10	.26	.14	trace .00	.06	.00	.00	.00	trace .00	.00	.11	.14	.00	10
11	.05	.00	.12	trace .00	.00	.00	.00	.00	.00	.00	1.32	.14	11
12	.11	.35	.00	.10	.36	.00	.00	.00	.00	.19	.90	.00	12
13	.00	.64	.00	.00	snow 1.27	.00	.00	.00	.18	.00	.00	.05	13
14	trace .00	.00	.00	.00	.00	.00	.00	.09	trace .00	.08	.00	.26	14
15	.79	.00	.00	.00	.18	.00	.05	trace .00	.00	.09	.09	.21	15
16	.06	1.50	.00	.00	.72	.00	1.50	.01	.00	.00	.00	.00	16
17	.00	.50	.00	.00	.95	.00	.00	.20	.00	.00	.00	.00	17
18	.00	1.09	.00	.00	.00	.00	trace .00	trace .00	.00	.00	.00	.00	18
19	.00	.00	.00	.00	.23	.00	.14	.00	.00	.00	.00	.00	19
20	.17	.06	.00	.00	.00	.00	.00	.00	.00	.15	.00	.07	20
21	.10	snow .04	.00	.00	.00	.00	.04	.00	trace .00	.14	.00	.00	21
22	.00	.00	.26	.10	.00	.00	.54	.00	.00	.08	.00	.46	22
23	.12	.00	.09	.00	.00	.00	.08	.00	trace .00	.92	.00	.48	23
24	.00	.00	.03	.03	.00	.00	.17	.00	.20	1.08	.00	.80	24
25	.00	.00	.00	.00	.00	.91	.00	.00	.00	.00	.00	.49	25
26	.00	.23	.00	.00	.00	trace .00	.23	.00	.00	.00	.00	.20	26
27	.00	.10	.00	.00	.00	.32	.00	.00	.00	.49	.00	1.04	27
28	.00	snow .14	.00	.00	.00	.05	.00	.02	.29	.08	.00	.00	28
29	.00	.00	.00	.00	.00	trace .00	.08	trace .00	.00	.00	.30	.40	29
30	Rain & Snow .24	╳	.00	.00	.00	.55	trace .00	.00	.00	.74	.32	.58	30
31	.00	╳	.00	╳	.00	╳	.07	.00	╳	1.16	╳	1.03	31
Total	3.69	8.56	.67	1.13	4.22	1.83	4.91	1.96	.67	5.76	3.71	10.88	YEAR'S TOTAL 47.99
Rain Days.	14	20	4	9	9	4	15	11	3	15	8	22	140

W. 8,000. X. 15. X: Cloud burst over Rholben N.W. of Town
Heavy Hail storm & Rain.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Abergavenny
in the County of Monmouth
by Frank A. Ansfield, Borough Surveyor.

Lat. 51° 49' 25" Long. 3° 57' W
Time of Observation 9.30 am
Nearest Railway Station 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
" " " " ~~Sea Level~~ 194·0 A.O.D ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·27	trace ·00	snow ·06	·00	·06	·10	·20	·00	·00	·23	·15	·00	1
2	·43	·15	snow ·34	·00	·05	·09	·00	·00	·25	1·21	·14	·00	2
3	·00	1·74	snow ·00	·00	·22	·23	·00	·00	·20	·64	·94	·00	3
4	·28	·20	·00	·01	·32	·05	·00	·00	·03	·20	·62	·00	4
5	·00	·05	snow ·00	·00	·38	·10	trace ·00	·00	·00	·30	·62	·00	5
6	·07	·29	snow ·11	·00	·13	·10	·67	·00	·00	·507	·98	·00	6
7	·00	·00	snow ·12	·00	·16	·13	·00	·00	·00	·19	·17	·02	7
8	·00	·00	snow ·07	·00	·42	·33	·00	·00	·00	·00	·04	·23	8
9	·00	trace ·00	·02	·00	·02	trace ·00	·00	·00	·00	·00	·04	·30	9
10	trace ·00	·36	·04	·12	·02	·00	trace ·00	·00	·00	·04	trace ·00	·01	10
11	·13	trace ·00	·06	·05	·01	·05	·00	·00	·00	·00	·00	trace ·00	11
12	trace ·00	trace ·00	·04	·11	·24	·00	·10	trace ·00	·00	·06	·00	·00	12
13	trace ·00	·32	·28	·17	·00	·00	·00	·61	·00	·00	·00	·00	13
14	·00	2" snow ·36	·39	·12	·02	·00	trace ·00	·06	·00	·07	trace ·00	·00	14
15	·00	·63	·15	·10	·01	·00	·00	·08	·00	·04	·00	·00	15
16	·00	·05	·00	·12	·00	·00	trace ·00	·04	·00	·05	·00	·00	16
17	·17	·20	·00	·11	·00	·00	·00	trace ·00	·19	·35	·24	·00	17
18	·00	·02	·22	·04	·00	·00	·00	·00	·06	·16	·25	snow 2½" ·19	18
19	·20	trace ·00	·97	·07	·00	·00	·04	·00	·00	·00	·11	·00	19
20	·11	·11	·22	·00	·00	·00	·00	·00	·00	·00	·00	·59	20
21	trace ·00	·00	·36	·02	·06	·00	·00	·00	·00	·00	·00	·01	21
22	·00	·00	·01	·00	·00	·07	·00	·00	·00	·56	·00	snow ·73	22
23	·00	4" snow ·501	·00	·01	·00	·00	·00	·15	·00	·10	·14	·35	23
24	·00	snow ·14	·01	·02	1·57	·00	·00	·11	·00	·47	·00	·00	24
25	·00	snow ·21	·24	·00	·00	·00	·00	1·01	·00	·10	·55	·00	25
26	·00	snow ·32	·05	·00	·00	·11	·00	·12	·50	·69	·01	·00	26
27	trace ·00	snow ·59	snow 1·33	·00	·00	·00	trace ·00	·15	·23	·50	trace ·00	·00	27
28	·00	·00	·01	·00	·00	·00	·00	·00	·31	·502	·00	·33	28
29	·00	·27	·00	·00	·00	·19	·00	·62	·00	·40	trace ·00	·15	29
30	·00	✕	·00	·00	·01	·00	·00	·03	·00	·505	·00	·00	30
31	·00	✕	·00	✕	·00	✕	·00	·01	✕	·68	✕	·11	31
Total	1·66	6·711	5·10	1·07	3·70	1·55	1·01	2·99	1·77	8·554	5·00	3·02	YEAR'S TOTAL 42·135
Rain Days.	8	19	22	14	17	12	4	12	8	24	15	12	167

W. 8,000, VIII. 16

3752

FORM A.
BRITISH RAINFALL.

JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Abergavenny
in the County of Monmouth.
by Frank Mansfield,

Lat. 50°-49' Long. 30°-57 W.
Time of Observation 9.30 a.m.
Nearest Railway Station L&NW Rly & G.W Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 194'-0" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·17	·49	·00	·32	·00	·00	·21	·00	·08	·00	1
2	·00	·00	·02	·00	·00	·01	·00	·00	·00	·00	·35	·00	2
3	·00	·15	·00	·30	·00	·00	·00	·95	·00	·62	·00	·00	3
4	·00	·00	·55	·00	·00	·00	·13	·01	·00	·55	·00	·00	4
5	·15	·00	·52	·00	·00	·17	·00	·00	·69	·36	·14	·00	5
6	·00	·00	·53	·16	·00	·12	·00	·00	·00	·40	·38	·00	6
7	·24	·00	·00	·00	·00	·00	·03	·19	·00	·36	·20	·00	7
8	·50	·00	·70	·00	·00	·00	·77	·70	·00	·36	·00	·00	8
9	·00	·00	㉕ ·25	·15	·14	·00	·00	·35	·28	·00	·45	·00	9
10	·27	·00	·50	·33	·13	·00	·00	·36	·00	·00	·00	·00	10
11	·16	·00	·15	·18	·01	·00	·00	·35	·00	·40	·09	·00	11
12	·24	·00	·00	·00	1·32	·00	·00	·01	·00	·27	·00	·00	12
13	·00	·00	·20	·00	·00	·00	·00	1·31	·00	·00	·00	·00	13
14	·00	·00	·10	·01	·00	·00	·00	·12	·00	·00	·00	·00	14
15	·00	·00	·00	·11	·01	·00	·23	·00	·00	·16	·00	·48	15
16	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·06	16
17	·00	·05	·00	·00	·52	·00	·32	·37	·29	·05	·00	·00	17
18	·00	·50	·00	·00	·08	·00	·39	·00	1·46	·00	·00	·00	18
19	·00	·00	·17	·00	·00	·32	·00	·04	·00	·00	·00	·00	19
20	·00	·08	·06	·00	·46	·00	·00	·00	·17	·00	·00	·00	20
21	·00	·00	·21	·00	·06	·00	·00	·00	·00	·00	·00	·00	21
22	·00	·00	·00	·00	·00	·00	·00	·74	·00	·00	·00	·00	22
23	·00	·14	·00	·00	·16	·00	·00	·31	·00	·08	·00	·00	23
24	·00	·05	·00	·00	·00	·00	·00	·00	·00	·35	·00	·00	24
25	·00	·00	·14	·00	·00	·00	·01	·29	·00	·00	·00	·00	25
26	·00	·00	·00	·00	·26	·00	·00	·46	·00	·00	·05	·00	26
27	·00	·00	·00	·00	·87	·65	·00	1·04	·00	·00	·07	·00	27
28	·00	·00	·10	·00	·00	·45	·03	·24	·00	·00	·00	·00	28
29	·00	·00	·15	·00	·00	·31	·00	·09	·00	1·21	·00	·45	29
30	·00	X	·00	·00	·00	·00	·15	·32	·00	·10	·00	·00	30
31	·00	X	·00	X	·25	X	·00	·14	X	·08	X	·00	31
Total	1·56	·97	4·52	1·73	4·27	2·35	2·06	8·69	3·10	5·35	1·81	·99	YEAR'S TOTAL 37·40
Rain Days.	6	6	14	8	13	8	9	21	6	15	9	3	121

W. 8,000, IX. 17.

Exd 9R.S.

27

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

30. 1 19

Kept at Abergavenny
in the County of Monmouth
by Frank Mansfield / Boro' Engineer.

Lat. 50°-49′ Long. 30°-57′
Time of Observation 9.30 am.
Nearest Railway Station 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 194 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·14	·10	·05	·00	·00	·00	·22	·00	·00	1·83	·00	1
2	·00	·23	·00	·12	·00	·00	·00	·39	·09	·00	·03	·19	2
3	·00	·35	·00	·25	·42	·00	·00	·00	·46	·13	·04	·00	3
4	·00	·06	·00	·05	·00	·00	·00	·05	·90	·18	1·28	·73	4
5	·00	·05	·00	·08	·21	·00	·00	·16	·27	·40	·08	·03	5
6	·00	·20	·00	·00	·00	·12	·00	·00	·00	·25	·00	·12	6
7	·00	·00	·00	·00	·45	·00	·00	·00	·51	·21	·42	·00	7
8	·03	·28	·00	·00	·00	·00	·00	·00	·28	·09	·00	·36	8
9	·00	·22	·00	·46	·00	·33	·15	·00	·45	·01	·03	·14	9
10	·07	·12	·00	·29	·00	·00	·38	·00	·17	·05	·00	·45	10
11	·00	·00	·00	·03	·00	·00	·53	·00	·07	·07	·08	·02	11
12	·00	·12	·21	·00	·08	·00	·34	·00	·01	·00	·00	·00	12
13	·00	·00	·00	·00	·00	·00	·10	·00	·31	·07	·00	·05	13
14	·66	·00	·02	·00	·00	·03	·12	·00	·53	·04	·00	·20	14
15	1·31	·00	·00	·10	·00	·00	·57	·00	·00	·04	·00	·34	15
16	·39	·00	·00	·82	·00	·00	·00	·00	·48	·00	·00	·15	16
17	·32	·00	·07	·00	·00	·00	·05	·00	·65	·09	·00	·27	17
18	·61	·00	·00	·00	·00	·98	·02	·00	1·14	·06	·00	·58	18
19	·26	·00	·12	·00	·00	·00	·17	·00	·02	·06	·00	·13	19
20	·34	·11	·00	·22	·00	·01	·00	·00	·26	·00	·00	·00	20
21	·24	·07	·00	·17	·00	·05	·06	·00	·67	·00	·00	·12	21
22	·08	·00	·00	·00	·20	·00	·00	·00	·07	·14	·00	06	22
23	·00	·00	·00	·00	·35	·00	·20	·00	·09	·00	·05	·00	23
24	·00	·04	·00	·00	·00	·00	·11	·13	·00	·00	·10	·00	24
25	·00	·00	·00	·05	·00	·00	·32	·73	·00	·08	·07	·00	25
26	·00	·00	·00	·00	·00	·00	·20	·01	·00	·00	·04	·17	26
27	·00	·00	·00	·00	·00	·00	·00	·17	·26	·00	·05	·00	27
28	·00	·00	·78	·00	·00	·00	·00	·00	·00	·00	·03	·00	28
29	·00	·00	·14	·00	·00	·00	·00	·00	1·39	·05	·00	·11	29
30	·00	✕	·58	·00	·00	·00	·00	·00	·00	·04	·00	·26	30
31	·00	✕	·27	✕	·00	✕	·00	·00	✕	·00	✕	·34	31
Total	4·31	1·99	2·29	2·69	1·71	1·52	3·32	1·86	9·08	2·06	4·13	482	YEAR'S TOTAL 39·78
Rain Days.	11	13	9	13	6	6	15	8	22	19	14	21	157

W. 6,500, VII. 18. w w c

4 122 356

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Abergavenny

in the County of Monmouth

by F. Mansfield

Lat. 51°-49' Long. 30°-57W

Time of Observation 9.0 am

Nearest Railway Station GWR & L&NWRly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 194 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·17	·00	·00	·00	·10	·00	·25	·27	·00	·67	1
2	·18	·00	·10	·00	·00	·00	·33	·00	·24	·00	·06	·12	2
3	·00	·00	·13	·00	·00	·13	·00	·00	·00	·00	·09	·17	3
4	·00	·44	·26	·00	·00	·01	·08	·00	·55	·00	·00	·17	4
5	·00	·45	·16	·00	·00	·00	·00	·00	·22	·00	·00	·19	5
6	·41	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·22	6
7	·27	·00	·37	·00	·00	·00	·00	·00	·00	·00	·00	·00	7
8	·53	·00	·08	·00	·00	·00	·00	·00	·00	·00	·00	·00	8
9	·94	·00	·00	·00	·00	·00	·00	·00	·00	·00	·18	·00	9
10	·06	·00	·65	·00	·09	·00	·00	·00	·00	·00	·12	·95	10
11	·00	·00	·75	·00	·25	·00	·21	·00	·00	·00	·00	·12	11
12	·05	·00	·08	·12	·00	·41	·00	·00	·00	·11	·00	·00	12
13	·15	·00	·00	·59	·00	·00	·00	·00	·11	·13	·00	·30	13
14	·31	·17	·00	·38	·00	·00	·00	·00	·12	·00	·00	·27	14
15	·28	·30	·00	·03	·00	·00	·00	·00	·00	·17	·00	·54	15
16	·08	1·26	·00	·00	·00	·00	·00	·04	·00	·00	·05	·00	16
17	·00	1·10	·00	·00	·00	·00	·00	·00	·00	·00	·19	·00	17
18	·00	·00	·57	·00	·00	·00	·00	·11	·00	·00	·05	·00	18
19	·32	·49	·46	·00	·00	·12	·41	·40	·06	·00	·08	·08	19
20	·71	·13	·41	·00	·00	·00	·00	·00	·00	·00	·16	·00	20
21	·05	1·15	·05	·00	·00	·00	·00	·00	·02	·00	·00	·15	21
22	·00	·00	·00	·00	·00	·00	·00	·00	·15	·00	·00	·00	22
23	·00	·00	·00	·00	·02	·10	·00	·00	·00	1·08	·18	·00	23
24	·00	·00	·00	·00	·00	·00	·14	·05	·00	·81	·24	·00	24
25	·08	·00	·00	·00	·00	·01	·00	·60	·00	·00	·00	·37	25
26	·00	·00	·13	·00	·00	·00	·00	·03	·00	·00	·09	·22	26
27	·00	·00	·12	·29	·00	·00	·00	·00	·00	·00	·00	·00	27
28	·00	·00	·21	·00	·00	·00	·00	·90	·00	·00	·23	·33	28
29	·00		·12	·06	·00	·00	·00	·27	·00	·11	·00	·29	29
30	·00	✕	·02	·00	·00	·17	·00	·44	·00	·00	·82	·53	30
31	·00	✕	·00	✕	·00	✕	·00	·00	✕	·00	✕	·05	31
Total	4·42	5·49	4·84	1·47	·36	·95	1·27	2·84	1·72	2·68	2·54	5·74	Year's Total 34·32
Days with ·01 in. or more	15	9	19	6	3	7	6	9	9	7	14	19	123

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3447

JUN 1921

FORM X 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Abergavenny
in the County of Monmouth
by F. Hansfield

Lat. 51° 49′ Long. 3° 57 W
Time of Observation 9-30 a.m.
Nearest Railway Station Midway GW & L&NW Rlys
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 194 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.00	.00	.18	.54	.00	.75	.04	.08	.18	.00	1.0	1
2	.27	.00	.00	.04	.00	.00	.25	.00	.00	.23	.00	.34	2
3	.12	.13	.00	.11	.07	.00	.93	.05	.00	1.89	.00	.00	3
4	.00	.00	.00	.00	.00	.00	.00	.68	.00	.56	.00	.00	4
5	.00	.00	.35	.12	.05	.00	.60	.00	.00	.20	.00	.00	5
6	.00	.00	.29	.00	.15	.00	.12	.00	.00	.25	.00	.00	6
7	.00	.00	.00	.06	.00	.00	.08	.00	.00	.00	.00	.00	7
8	.00	.00	.00	.56	.00	.00	.38	.06	.00	.00	.00	.00	8
9	.27	.08	.00	.57	.00	.00	.04	.00	.00	.00	.00	.00	9
10	1.12	.19	.05	.00	.00	1.26	.07	.00	.00	.00	.00	.00	10
11	.26	.00	.41	1.19	.43	.00	.05	.00	.00	.00	.00	.00	11
12	.15	.15	.02	.49	.00	1.00	.00	.00	.00	.00	.17	.00	12
13	.08	.00	.71	.50	.00	.00	.05	.00	.00	.03	.00	.00	13
14	.03	.00	.65	1.04	.00	.17	.00	.00	.54	.00	.53	.17	14
15	.00	.16	.21	1.08	.15	.23	.00	.00	.00	.25	.11	.00	15
16	.00	.00	.00	.06	.13	.33	.00	.00	.32	.63	.00	.00	16
17	.00	.00	.00	.28	.24	.00	.09	.00	.49	.32	.00	.00	17
18	.08	.00	.00	.05	.20	.07	.10	.00	.65	.00	.00	.00	18
19	.00	.22	.00	.48	.00	.13	.00	.00	.00	.00	.00	.00	19
20	.00	.00	.00	.40	.00	.00	.00	.00	.00	.00	.00	.40	20
21	.00	.00	.00	.13	.00	.00	.00	.00	.00	.00	.00	.30	21
22	.02	.00	.00	.00	.00	.00	.10	.18	.00	.00	.00	.42	22
23	.00	.00	.00	.00	.00	.00	.40	.00	.00	.00	.00	.51	23
24	.10	.00	.53	.00	.00	.00	.00	.00	.00	.00	.20	.25	24
25	.03	.00	.32	.00	.00	.00	.47	.05	.00	.00	.36	.07	25
26	.24	.00	.65	.00	.00	.05	.06	.00	.00	.00	.00	.00	26
27	1.12	.00	.67	.07	.00	.21	.06	.00	.00	.00	.00	1.02	27
28	1.04	.00	.14	.00	.50	.12	.00	.00	.00	.00	.00	.04	28
29	.69	.00	.23	.00	.01	.00	.13	.00	.00	.00	.30	1.03	29
30	.14		.35	.04	.00	.09	.00	.00	.55	.00	.62	.54	30
31	.05		.28		.00		.00	.00		.44		.11	31
TOTAL	5.81	.93	5.86	7.45	2.47 ~~2.27~~	3.66	4.73	1.06	2.63	4.98	2.29	6.20	YEAR'S TOTAL 48.07 ~~47.87~~
Days with ·01 in. or more	18	6	16	20	11	11	19	6	6	11	7	14	145
Days with ·04 in. or more	15	6	16	20	10	11	19	6	6	10	7	14	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

4028

ABERGAVENNY, ~~LARCHFIELD~~

1913, — ~~15~~ -1920

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

RE

Kept at Larchfield 3° W

a.m.

in the County of Abergavenny. 4

5 in.

by Dr. Glendinni

Ground 1. ft. 0. in.

Sea Level 240. ft.

IMPORTANT NO the result entered to the previous day. If an C universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·09.	·34.	·10.	·12.				·25		·20.		1
2	·05.	·55.	·16.	·22.	·28.				·03.	·55.	·20·	·02.	2
3	·15.		·06.	·01.	·19.					·16.		·13.	3
4	1·11.	·02.			·11.				2·06.	·67.	·09.	·20.	4
5	·14.	·07.	·03.		·16.	·12.			·16.	·04.	·10	·09.	5
6	·10.	·14.	·33.		·09.	·06.	·11.			·53.	·37.	·49.	6
7	·07.	·70.			·65	·13.				1·13.	·19.	·02.	7
8	·11.	·33.		·02.	·62.	·02.				·21.			8
9		·22.			·24.	·06.	·12.	·09.	·02.	·05	·67.		9
10	·63.			·01.	·19.			·22.		·41.	·14.		10
11	1·42.			·28.	·21.					·07.	·79.		11
12					·70			·02.			·58.	·02.	12
S. 13	·15.		·12.	·03.				·04.	·40.		·32.		13
14	·47.		·41.	·03.					·16.	·09.	·05		14
15	·04.	·04.	1·12.	1·29.					·01.		·03.		15
16	·31.		·81.	·06.									16
17	·18.		·11.	·16.			·02.	·09.			·02.		17
18	·09.		·47.	·19.	·01.						·04.	·01.	18
19	·29.		·12.	·01.		·16.	·02.		·12.	·02.		·01.	19
20	·49.		·46	·26.			·03.			·10.	·40.		20
21			·31.	·24.	·21.		·08.	·01.			·19.		21
22	·64.		·99.			·07.		·25.	·28.				22
23			·05.	·03.		·03.					·09.	·14.	23
24	·04.	·13.									·03	·01.	24
25		·02.		·43.						·05.	·01.	·02.	25
26		·06.		1·64.		·03.		·12.	·05.	·02.		·21.	26
27	·03.		·16.	·48.						·87.		·03.	27
28	·36.			·70.	·05.					·32.		·10.	S. 28
29			·92.	·53.				·08.		·55.			29
30	·24.									·95.	·02		30
31	·07.		·07.		·06.			·04.		·09.			31
Total	7·13.	2·37.	6·92.	6·62.	3·98.	·68.	·38.	·96.	3·54.	6·88.	4·53.	1·50.	YEAR'S TOTAL ~~45·66.~~
Rain Days.	23.	12.	19.	21.	16.	9.	6.	10.	11.	20.	21.	15.	183.

7·13 2·37 ·68 45·39

W.7,000, XI. 13

REGISTER

FORM A. BRITISH RAINFALL.

4 - JAN 191

Kept at Larchfield. Abergavenny.

in the County of Monmouth

by Dr. Glendinning & Dr. Phillips.

3

3° W

Time of Observation 9 a.m.

Nearest Railway Station Abergavenny. G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1. ft. 0. in.

" " " " Sea Level 240. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·09.	·34.	·10.	·12.				·25		·20.		1
2	·05.	·55.	·15.	·22.	·28.				·03.	·55.	·20.	·02.	2
3	·15.		·05.	·01.	·19.					·16.		·13.	3
4	1·11.	·02.			·11.				2·06.	·67.	·09.	·20.	4
5	·14.	·07.	·03.		·15.	·12.			·16.	·04.	·10	·09.	5
6	·10.	·14.	·33.		·09.	·06.	·11.			·53.	·37.	·49.	6
7	·07.	·70.			·65	·13.				1·13.	·19.	·02.	7
8	·11.	·33.		·02.	·62.	·02.				·21.			8
9		·22.			·24.	·06.	·12.	·09.	·02.	·05	·67.		9
10	·63.			·01.	·19.			·22.		·41.	·14.		10
11	1·42.			·23.	·21.					·07.	·79.		11
12					·70			·02.			·58.	·02.	12
S. 13	·15.		·12.	·03.				·04.	·40.		·32.		13
14	·47.		·41.	·03.					·16.	·09.	·05		14
15	·04.	·04.	1·12.	1·29.					·01.		·03.		15
16	·31.		·81.	·06.									16
17	·13.		·11.	·16.			·02.	·09.			·02.		17
18	·09.		·47.	·19.	·01.						·04.	·01.	18
19	·29.		·12.	·01.		·16.	·02.		·12.	·02.		·01.	19
20	·49.		·46.	·26.			·03.			·10.	·40.		20
21			·31.	·24.	·21.		·08.	·01.			·19.		21
22	·64.		·99.			·07.		·25.	·28.				22
23			·05.	·03.		·03.					·09.	·14.	23
24	·04.	·13.									·03	·01.	24
25		·02.		·43.						·05.	·01.	·02.	25
26		·06.		1·64.		·03.		·12.	·05.	·02.		·21.	26
27	·03.		·16.	·43.						·87.		·03.	27
28	·36.			·70.	·05.					·32.		·10.	S. 28
29			·82.	·53.				·08.		·55.			29
30	·24.									·95.	·02		30
31	·07.		·07.		·06.			·04.		·09.			31
Total	7·13.	2·37.	6·92.	6·62.	3·88.	·68.	·38.	·96.	3·54.	6·88.	4·53.	1·50.	YEAR'S TOTAL ~~45·56.~~
Rain Days.	23.	12.	19.	21.	16.	9.	6.	10.	11.	20.	21.	15.	183.
	7·13	2·37				·68							45·39

W.7,000, XI. 13

3987

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

5. JAN

Kept at Larchfield, Abergavenny.
in the County of Monmouth.
by N. R. Phillips.

Lat. 51° 49′ N. Long. 3° W.
Time of Observation 9 am.
Nearest Railway Station Abergavenny (G.W.R.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1. ft. 0. in.
" " " " Sea Level 240. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·65.	·09.	·07.		·15.			·22.	·04.	·34.		·11.	1
2	·19.	·29.	·09.	·20.				·73.	·01.	·10.		·09.	2
3	·07.	·24.	·03.	·05.	·14.		·30.	·06.				·23.	3
4	·13.	·23.			·24.		·59.	·03.				·60.	4
5		·97.		·11.				·18.				1·40.	5
6	·23.	·04.		·17.			·72.	·07.				·36.	6
7	·14.	·74.		·02.			·03.	·01.				·27.	7
8	·40.	·55.		·11.				·05.			·18.		8
9	·04.	·20.		·14.							·29.	·84.	9
10	·20.	·13.	·03.	·06.						·11.	·12.	·02.	10
11	·06.		·09.	·02.				·02.			1·20.		11
12	·11.	·28.		·10.	·42.					·18.	·57.		12
13	·01.	·73.			1·08.				·09.			·15.	13
14			·01.					·05.	·01.	·06.		·60.	14
15	·63.				·09.		·07.	·02.		·11.	·08.	·21.	15
16	·06.	1·56.			·82.		1·37.	·02.				·03.	16
17		·33.			·84.			·14.					17
18													18
19		1·00.		·01.	·22.		·10.						19
20	·18.	·02.		·04.						·13.		·05.	20
21	·11.	·08.					·05.			·18.			21
22	·05.		·33.	·07.			·64.		·03.	·03.		·42.	22
23	·08.		·09.				·03.		·01.	·89.		·44.	23
24			·04.	·03.			·13.		·19.	·91.		·66.	24
25			·01.			·66.						·22.	25
26		·21.				·02.	·12.					·92.	26
27		·03.				·28.	·04.			·46.		·10.	27
28		·22.				·04.		·01.	·27.	·05.		·06.	28
29						·01.	·03.	·02.			·26.	·21.	29
30	·23.			·01.		·54.				·68.	·30.	·61.	30
31							·16.	·09.		1·05.		·81. T.H.	31
Total	3·57.	7·94.	·78.	1·14.	4·00.	1·55.	4·38.	1·72.	·65.	5·28.	3·00.	9·41.	YEAR'S TOTAL 43·42.
Rain Days.	19.	20.	10.	15.	9.	6.	15.	16.	8.	15.	8.	24.	166.

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3916

FORM A.
BRITISH RAINFALL

5 JAN 19

REGISTER OF RAINFALL IN 1916.

Kept at Larchfield, Abergavenny

in the County of Monmouth

by A. R. Phillips.

Lat. 51° 49′ N. Long. 3° W.
Time of Observation 9 am.
Nearest Railway Station Abergavenny (G.W.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0. in.
" " " " Sea Level 240. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07.		.06.		.06.	.10.	.19.			.23.	.20.		1
2	.36.	.09.	.23. S.		.05.	.05.			.26.	1.05.	.21.		2
3		1.49.			.08.				.06.	.35.	.85.		3
4	.25.	.20.			.41.	.30.			.03.	.20.	1.17.		4
5		.02.	.02.		.39.	.03.				.19.	.25.		5
6	.04.	.27.	.06. S.		.21.	.02.	.67.			.42.	.89.		6
7	.10.		.10. S		.14.	.01.				.12.	.17.	.16.	7
8		.01.	.06. S		.44.	.25. T.					.04.	.23.	8
9			.01.		.03.					.02.	.04.	.07.	9
10		.37.	.02. S.	.08.	.03.				.01.	.02.		.05.	10
11	.04.			.05.		.05.						.01.	11
12	.01.	.03.	.09.	.13.	.24.		.10.	.02.		.05.			12
13		.31.	.27.	.20.				.52.					13
14		.76. S.	.44.	.09.	.02.			.07.		.06.		.01.	14
15		.34.	.12.	.09.				.11.	.01.	.03.			15
16	.03.	.04.		.10.			.01.	.03. T.		.04.			16
17	.14.	.19.		.09.					.17.	.37.	.27. S.		17
18		.04.		.02.					.06.	.17.	.22.	.14. S.	18
19	.18.		1.16.	.08.							.11.		19
20	T. H. .06.	.08.	.23.								.01.	.54.	20
21			.26.	.08.	.07.		.07.					.12.	21
22						.10.				.48.		.60. S.	22
23		.25. S.		.01.		.02.		.17.		.14.	.13.	.13.	23
24		.12. S.	.01.	.03.	1.57. T.			.11.		.49.		.28.	24
25		.25. S.	.21.			.01.		.81.		.07.	.42.		25
26		.15. S.	.05.			.06.		.13.	.47.	.53.	.04.		26
27	.03.	.04. S.	.94. S.					.15.	.21.	.47.			27
28	.01.	.22. S.	.02.						.28.	.56.		.27.	28
29		(30)				.23.		.62.		.30.	.01.	.13.	29
30						.03.		.01.		.48.		.11.	30
31								.02.		.53.			31
Total	1.32.	5.57.	4.36.	1.05.	3.74.	1.26.	1.04.	2.77.	1.56.	7.37.	5.03.	2.85.	YEAR'S TOTAL 37.92.
Rain Days.	13.	22.	20.	13.	14.	14.	5.	13.	10.	25.	17.	15.	181.

W. 8,000, VIII. 16

3753

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

Kept at Larchfield, Abergavenny
in the County of Monmouth
by N. R. Phillips.

Lat. 51° 49′ N. Long. 3° W.
Time of Observation 9 am.
Nearest Railway Station Abergavenny. (G.W.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.17.	.30. S		.29.		.91.	.23.		.07.	.07. S	1
2			.03.	.01.		.04.		.02.		.02.	.28.		2
3				.10. S						.58.	.01.	.03.	3
4		.10. S	.10. S				.13.			.29.			4
5	.15.		1.04. S	.06.		.16.		.03.	.64.	.36.	.10.		5
6	.03.		.51.			.13. T				.14.	.34.		6
7	.20.						.10.	.10.		.30.	.20.	.03.	7
8	.43.		.23. S	.15.		.02.	.73.	.68.		.32.	.04.		8
9			.23. S	.14. S	.13.			.22.	.23.	.03.	.42.		9
10	.27.		.47.	.25. S	.09.			.34.	.01.		.04.	.02.	10
11	.16.		.07.	.20. S	.05.			.39.		.39.	.05.		11
12	.22.				1.17. T	.01.		.01.		.22.			12
13			.20.	.05.				.87.	.04.	.04.			13
14			.09.	.06.				.14.		.01.			14
15				.03.	.03.		.06.		.01.	.13.			15
16				.04.		.01. T		.02.		.01.		.20.	16
17				.06.	.52.		.31.	.34.	.13.	.06.		.21. S	17
18	.02.	.09.			.08.		.38.	.01.	1.40.				18
19		.40.	.20.			.30.		.01.	.01.				19
20		.06.	.03.		.46.	.05.			.12.				20
21		.01.	.24. S		.07.			.11.					21
22						.04.		.62.			.01.		22
23		.14.			.07.	.03.		.25.		.09.			23
24		.03.				.01.	.07.	.12.		.31.	.05.		24
25			.06.					.20.	.01.	.02.	.05.		25
26					.09.			.67.		.01. S			26
27			.01.		.73.	.42.	.03.	1.04.	.10.				27
28		.02.	.10.		.03.	.45.		.19.				.03.	28
29			.18.			.31.	.01.	.12.		.87.		.37.	29
30		X						.32.		.10.	.02.		30
31		X		X	.25.	X		.06.	X	.08.	X	.01.	31
Total	1.48.	.85.	3.96.	1.45.	3.77.	2.27.	1.82.	7.79.	2.93.	4.38.	1.68.	.97.	YEAR'S TOTAL 33.35.
Rain Days.	8.	8.	18.	13.	14.	15.	9.	26.	12.	22.	14.	9.	168.

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Larchfield, Abergavenny
in the County of Monmouth
by N. R. Phillips.

Lat. 51° 49′ N. Long. 3° W.
Time of Observation 9 a.m.
Nearest Railway Station Abergavenny (G W R)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 240. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·14		·05				·21		·01	1·55		1
2		·26		·03				·40			·05	·14	2
3		·30		·24	·12			·08	·47	·10	·03		3
4		·04	·01	·01				·04	·75	·16	1·15	·74	4
5		·03		·04	·50			·10	·25	·21	·08	·06	5
6	·03	·16		·17		·03		·01	·01	·26		·09	6
7					·47				·59	·16	·38	·34	7
8		·20							·24	·09	·01		8
9	·03	·31		·34		·32	·15		·45	·01		·17	9
10	·05			·30			·38		·18	·05	·01	·32	10
11	·01		·08	·03	·03		·42		·07	·09	·08	·02	11
12		·11	·12		·08		·30		·02				12
13	·06 S					·01	·15		·23	·08		·05	13
14	·50 S		·04			·02	·06		·52			·18	14
15	1·54 S	·04		·08			·54		·01	·09		·32	15
16	·26 S			·83			·03		·45			·15	16
17	·23		·06	·01			·02	·01	·49	·04		·24	17
18	·59		·02			1·02	·18		1·07	·10		·57 S	18
19	·30	·01	·09				·06		·03	·05		·11	19
20	·28	·04		·30		·01	·01		·24			·01	20
21	·21	·03		·06			·13		·44	·01		·20	21
22	·05				·27 T H				·14	·11		·35	22
23	·03				·35		·20		·09		·06	·01	23
24	·01	·04					·10	·04			·06		24
25				·08 T	·08		·25	·66		·08	·06	·04	25
26				·01 T			·24	·02		·01	·07	·11	26
27		·02	·29					·15	·21		·02	·02	27
28		·06 S	·54								·02	·01	28
29			·08						1·29	·03		·06	29
30			·60						·01	·03	·03	·26	30
31			21					·06				·01	31
Total	4·18	1·79	2·14	2·58	1·90	1·41	3·22	1·78	8.25	1·79	3·66	4·58.	YEAR'S TOTAL 37·28.
Rain Days.	16	16	12	16	8	6	17	12	24	21	16	26	190.

1·77

W. 8,000, IX. 17.

East 9° 3502

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

7 JAN 20

Kept at Larchfield, Abergavenny
in the County of Monmouth
by N. R. Phillips.

Lat. 51° 49' N. Long. 3° W.
Time of Observation 9 am.
Nearest Railway Station Abergavenny (G.W.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 240. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32.	·01.^{S}	·12.		·02.		·10.		·11.	·20.		·64.	1
2	·18.		·01.		·02.		·23.	·01.	·18.	·03.	·08.	·06.	2
3			·10.			·05.					·10.	·11.	3
4	·04^{S}	·27.	·30.			·18.	·03.	·01.	·43.		·005.	·14.	4
5		·47.^{S}	·13.						·08.		·04.	·13.	5
6	·38.	·11.	·34.									·23.	6
7	·25.		·31.	·06.	·02.							·005.	7
8	·47.		·03.		·01.	·01.							8
9	·57.		·10.	·04.					·01.		·11.^{S}		9
10	·02.		·50.		·08.							·72.	10
11	·01.		·72.	·01.	·15.		·20.			·02.		·14.	11
12	·01.		·06.	·03.		·26.	·01.		·01.	·07.		·05.	12
13	·17.			·43.					·10.	·13.		·13.	13
14	·29.	·12.		·30.					·01.			·26.	14
15	·33.	·16.		·04.				·06.^{T}		·15.		·52.	15
16	·09.	1·17.						~~·01.~~			·10.		16
17	·02.	·73.^{S}				·01.		·01.			·16.	·03.	17
18	·05.		·55.				·04.	·10.	·01.		·05.		18
19	·32.	·51.^{S}	·43.			·11.	·71.	·33.	·05.		·07	·05	19
20	·63.	·10.	·43.					·14.			·19.	·02.	20
21	·02.	·97.	·03.^{S}			·01.	·02.		·02.			·13	21
22		·02.					·01.		·13.			·17.	22
23								·01.		·72.	·12.	·08.	23
24				·04.		·09.	·08.	·01.		·83	·20.	·10.	24
25	·08.			·01.	·04.			·53.					25
26	·01.		·09.	·02.		·02.		·04.	·06.			·37.	26
27	·03.		·13.^{S}	·19.			·01.	·76.			·02.	·02.	27
28	·07.^{S}		·15.^{S}	·01.				·45.			·22^{S}	·31.	28
29	·02.		·06.^{S}	·05.						·11.		·28.	29
30		✕	·06.^{S}	·01.		·14.		·44.			·69.	·52	30
31		✕		✕		✕			✕		✕	·05.	31
TOTAL	4·38.	4·64.	4·65.	1·23.	·34.	·88.	1·44.	2·90.	1·20.	2·26.	2·055.	6·065.	YEAR'S TOTAL 31·04.
Days with ·01 in. or more	24.	12.	21.	14.	7.	10.	11.	14.	13.	9.	16.	~~26.~~ 25	~~176.~~ 175

175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

H M L [illegible] 3449

4 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Larchfield, Abergavenny
in the County of Monmouth
by N. R. Phillips

Lat. 51° 49′ N. Long. 3° W.
Time of Observation 9 am
Nearest Railway Station Abergavenny (G.W.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0. in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·005.	·19.	·54.		·94.	·05.	·08.	·27.	·005.	·86.	1
2	·30.			·04.	·005.		·27.	·01.	·02.	·25.		·39.	2
3	·11.	·05		·16.	·08.		·94.			1·69.		·09.	3
4								·85.		·60.			4
5			·29.	·06.	·07.		·40.	·03.		·17.			5
6			·30.		·15.		·12.			·30.			6
7				·05.	·05.		·08.						7
8	·03.	·04.		·57.	·02.		·51.	·07.					8
9	·21.	·01.		·55.		·02.	·04.						9
10	·95.	·07.	·05.	·04.		1·18. T.H.	·12.				·04.	·02.	10
11	·22.	·03.	·36. S.	1·00.	·41.	·04.	·04.						11
12	·10.	·05.	·02.	·52.	·01.	1·11.	·01.				·09.		12
13	·09.		·61. S	·48.						·02.		·03. S	13
14	·03.	·04.	·69. S	·79.		·06.	·05.		·24.	·12.	·48.	·04.	14
15		·11.	·17.	1·14.	·10.	·25.			·06.	·27.	·08.		15
16		·02.	·01.	·03.	·20.	·35. T.	·19.		·27.	·60.	·03.		16
17	·02.			·27.	·25.	T.			·57.	·39.		·005.	17
18	·04.			·06.	·08.	·03.		·14.	·54.			·005.	18
19		·21. S		·49.		·13.		·02.					19
20		·02.		·47.		·10.						·34.	20
21				·01.			·02.			·01.		·35.	21
22	·03.			·13.			·06.	·06.				·40.	22
23			·03.				·47.					·40.	23
24	·10.		·45.								·20.	·26.	24
25	·03.	·06.	·31.				·58.	·02.				·04.	25
26	·24.	·005.	·58.			·08.	·05.				·34.	·09.	26
27	·98.	·005.	·52.	·08.	·06.	·22.	·09.				·10.	·88.	27
28	·85. S		·11.	·02.	·54.	·08.	·02.					·03.	28
29	·54.		·18.		·03.		·12.				·25.	·95.	29
30	·14.	✕	·35.	·05		·12.	·04.		·51.		·54.	·64.	30
31	·05.	✕	·26.	✕		✕			✕	·44.	✕	·13.	31
TOTAL	5·07 ~~4·97.~~	·72.	5·295.	7·20.	2·595.	3·77.	5·16.	1·25.	2·29.	5·13.	2·155.	5·94.	YEAR'S TOTAL 46·575 ~~46·475.~~
Days with ·01 in. or more	20.	13/12.	19/18.	23.	15.	14.	22.	9.	8.	13.	11/10.	19/18.	~~182~~! 186
Days with ·04 in. or more	15	8	15	20	12	12	19	5	7	11	9	15	148

ABERGAVENNY
LINDA VISTA.
MONMOUTH

1911 - 13

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Abe
in the County of M
by A. J. C

nowdon
n.
d 1 ft. 6 in.
evel 180 ft.
Abergavenny L. & N.W.R.
ce ½m Direction N.N.W.

IMPORTANT N result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								14			06	03	1
2	02			02	26			29		04	10	42	2
3				07	65			01	01		16	13	3
4			12	01	01			05	04	06	37	77	4
5	11		01					14		07	06	04	5
6	43		02	02				01			29	78	6
7	01			12							70	01	7
8	03		08								31	1·08	8
9	05		04								28	52	9
10	07	05	35								05	96	10
11	10	01			38						58	04	11
12			33		02				20		82	03	12
13					05				33		03	43	13
14										01	02	1·46	14
15		03				04					54	53	15
16			01			31					32	20	16
17		02		03		44					29	1·16	17
18		47	08	44		05				09	02	80	18
19	01	09		35		07		01	49	21	10	60	19
20		06		06					37	81		72	20
21		35	28	01		04		44	18	71		27	21
22	01	09	05	03		07			06	31	02	76	22
23		53	08						17	15		31	23
24		07				38		23	01	07		32	24
25		05	01	02		04			14	02		05	25
26		18		27	1·37	05		07		36	10	10	26
27		18	34	04				30	11	01	10	11	27
28		32	02	19				07			34		28
29				04		18	04		13	31	01		29
30			01	01	07	02	10	03	02	38	15	01	30
31							06			04			31
Total	·84	2·50	1·83	1·73	2·81	1·69	·20	1·79	2·26	3·05	5·82	12·64	TOTAL for year 37·16
No. of Rain Days	10	15	16	17	8	12	3	13	14	17	25	28	178

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Abergavenny

in the County of Monmouth 3

by A. J. Whitehead

RAIN GAUGE
Pattern Symons Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6
" " " Sea Level 180 ft.

Time of Observation 7·45

Nearest Railway Station
Name Abergavenny L.&.W.R.
Distance ½m Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								14			06	03	1
2	02			02	26			29		04	10	42	2
3				07	65			01	01		16	13	3
4			12	01	01			05	04	06	37	77	4
5	11		01					14		07	06	04	5
6	43		02	02				01			29	78	6
7	01			12							70	01	7
8	03		08								31	1·08	8
9	05		04								28	52	9
10	07	05	35								05	96	10
11	10	01			38						58	04	11
12			33		02				20		82	03	12
13					05				33		03	43	13
14										01	02	1·46	14
15		03				04					54	53	15
16			01			31					32	20	16
17		02		03		44					29	1·16	17
18		47	08	44		05				09	02	80	18
19	01	09		35		07		01	49	21	10	60	19
20		06		06					37	21		72	20
21		35	28	01		04		44	18	71		27	21
22	01	09	05	03		07			06	31	02	76	22
23		53	08						17	15		31	23
24		07				38		23	01	07		32	24
25		05	01	02		04			14	02		05	25
26		18		27	1·37	05		07		36	10	10	26
27		18	34	04				30	11	01	10	11	27
28		32	02	19				07			34		28
29				04		18	04		13	31	01		29
30			01	01	07	02	10	03	02	38	15	01	30
31							06			04			31
Total	·84	2·50	1·83	1·73	2·81	1·69	·20	1·79	2·26	3·05	5·82	12·64	TOTAL for year 37·16
No. of Rain Days	10	15	16	17	8	12	3	13	14	17	25	28	178

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

-1 JAN 1913

Kept at Abergavenny

in the County of Monmouth 3

by A. J. Whitehead

Lat. Long.

Time of Observation 7. 45

Nearest Railway Station Abergavenny

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6" in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·42			·54		·05	·02	·55		·21	1
2		·02	·78	·03		·27	·18			·02		~~·03~~	2
3	01		·21		·19	·30	·04	1·16	·02		·04	·03	3
4	17	·01	1·27		·20	·04		·13			·07	·01	4
5	23	·10	·11		·11	·02		·48	·01			·09	5
6	1·05	·34			·02	·28		·79				·05	6
7	·04	·45	·20		·04	·31		·01				·12	7
8	·65	·50	·32			·14	·04	·22	·02		·09		8
9	·08	·07	·46	·09		·29	·01	·24			·01	·39	9
10	·23	·20		·03		·08	·01	·07			·36	·01	10
11	·08	·09					·02	·01			·11	·54	11
12	·02	·16	·05	·06	·10	·44	·05					·09	12
13	·07			·04		·01		·03		·05		·11	13
14	·17		·43					·03	·03	·01		·06	14
15	1·18	·09	·01		·38	26		·01				·22	15
16	·79	·01	·35		·05			·10		·05	·04		16
17	·66		·09			07		·35			·02	·61	17
18	·16	·04	·08					·22		·01		·10	18
19	·07	·06	·01				·04	·45		·03		·04	19
20	·18		·72				·02	·08		·25	·01	·02	20
21	·01	·05	·63		·56		~~1·26~~	·24		·17			21
22	·20	·26	·06		·69	·01	1·26	·09		·02		·10	22
23	·37	·42	·35			·18	~~·03~~	·14		·10	·04	·20	23
24	·12	·03	·01			·43	·03	·09		·08	·02	·29	24
25						·57	·~~16~~ 03	·90			·51	·45	25
26	·01	·18	·02				·16	·65		1·01	·68	·51	26
27		·04				·72	1·07	·01		1·07		·49	27
28		·11				·04	·79	·87	·07	·74	·48	·42	28
29		·27	·01				·87	·19	·93	·37	·01	·07	29
30			·04			·12	·03			·50			30
31			·20		·21		·71	·08		·01		07	31
Total	6·53	3·50	6·83	·25	2·55	6·12	5·36	7·69	1·10	5·04	2·49	5·30	YEAR'S TOTAL 51·76
Rain Days.	23	22	24	5	11	21	18	28	7	18	15	26	218

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
26 JAN 1914

Kept at Abergavenny
in the County of Monmouth
by A. S. Whitehead

3

Lat. Long.
Time of Observation 7.45 a.m.
Nearest Railway Station Abergavenny
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·36	·12	·13				·26		·20		1
2	·04	·68	·16	·22	·22				·06	·48	·22	·02	2
3	·12	·03	·09		·25							·18	3
4	1·04	·02	·06		·13				2·07	·60	·09	·18	4
5	·17	·09	·03		·11	·14			·58	·04	·12	·13	5
6	·08	·16	·31	·01	·12	·05	·14			·50	·46	·52	6
7	·06	·71			·65	·06				·65	·20	·02	7
8	·16	·28		·01	·66	·03		·01	·61	·22			8
9		·20			·24	·13	·15	·11	·03	·31	·75	·01	9
10	·41		·01	·01	·19			·23		·43	·06		10
11	1·40			·21	·15				·01	·09	·87		11
12					·74				·04		·62	·02	12
13			·14	·02				·05	·36		·38		13
14	·46		·46	·05					·18	·09	·04		14
15	·06	·03	1·13	1·22				·23	·02		·04		15
16	·34		·44	·09				·21	·02				16
17	·13		·48	·20			·01				·02	·01	17
18	·09		·47	·23	·01						·08		18
19	·30		·13	·02		·20	·06		·10	·03	·01	·02	19
20	·50		·40	·20						·12	·43		20
21			·61	·28	·21		·07	·01		·01	·24		21
22	·70		1·04			·05		·33	·29				22
23			·06			·02		·04	·02		·10	·15	23
24	·05	·12									·03	·01	24
25		·05		·56					·03	·07		·05	25
26		·02		1·30		·02		·12	·02			·31	26
27	·03		·05	·37						·50		·02	27
28	·37		·39	·63	·05					·30			28
29			·51	·56	·01			·08		·50		·10	29
30	·25				·01					·90	·02		30
31	·07		·08		·02			·04		·11			31
Total	6·83	2·42	7·46	6·31	3·90	·70	·43	1·46	4·10	5·95	4·98	1·75	YEAR'S TOTAL 46·29
Rain Days.	22	13	22	20	18	9	5	12	17	19	21	16	194

W.7,000, XI. 13

4027
ABERGAVENNY,
~~29 RICHMOND RD~~
MAHSEL PLACE
1919 – 20

FORM A. 1. **METEOROLO** … **NIZATION.**

RE … 9.

Kept at Mansal Place, … l Wed
… m.
… W. R. + L, vR. W. R. about equal
in the County of Monm… … Gauge 8 in.
… Ground 7 ft. 2 in.
by Charles Hockb… … Sea Level 207 ft. 2 in.

IMPORTANT NOTE.— … red to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	5.32	5.32	5.31	1.52	.28	1.5	1.57	2.85	1.29	2.16	2.70	6.6	YEAR'S TOTAL 35.43
Days with ·01 in. or more	21	12	21	14	6	6	9	12	10	10	13	24	158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Mansel Place, Abergavenny, Mon

in the County of Monmouthshire

by Charles Webb

Lat. 51.49 Long. 3.1 West

Time of Observation 9 a.m.

Nearest Railway Station G.W.R. + L.N.W.R. about equal

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 7 ft. 2 in.

" " " " Sea Level 207 ft. 2 in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	5.32	5.32	5.31	1.52	.28	1.5	1.57	2.85	1.29	2.16	2.70	6.6	YEAR'S TOTAL 35.43
Days with ·01 in. or more	21	12	21	14	6	6	9	12	10	10	13	24	158

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

[illegible] 3448

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Kept at Mansel Place, Oxford St Abergavenny
in the County of Monmouth
by Charles Webb

Lat. 51. 49 Long. 3 · 1 W
Time of Observation 9 a'm
Nearest Railway Station G. W. R & L & N W. R equal distances
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 7 ft. 2 in.
" " " " Sea Level 207 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·95	·5	·7	·31		·96	1
2							·27			·23		·46	2
3							1·2		·2	1·98		·12	3
4								·85		·60			4
5							·43	·3		·23			5
6							·14			·24			6
7							·7						7
8							·43	·6			·8		8
9							·3						9
10							·11						10
11						1.30	·3					·3	11
12						·4	·1			·3	·9		12
13						1·16							13
14							·6		(·44)	·11	·62		14
15						·8				·30	·14		15
16						·26	·20		·30	·60	·2		16
17						·33			·56	·38		·7	17
18						·8	·2	·14	·58				18
19						·3		·2					19
20						·14						·38	20
21						·10	·2					·35	21
22							·8	·7				·47	22
23							·46					·57	23
24											·22	·25	24
25							·61	·2				·7	25
26						·6	·7				·35	·15	26
27						·23	·8				·8	·98	27
28						·7	·2					·3	28
29							·12				·27	1·17	29
30		X				·11	·8		·52		·73	·68	30
31		X		X		X	·1		X	·53	X	(·09)	31
TOTAL	4·58	·98	5·98	7·92	2,80	3.99	5·32	1·24	2,46	5·54	2,60	6·83	YEAR'S TOTAL 50.24
Days with ·01 in. or more	17	6	16	25	17	14	24	8	7	12	10	14	178
Days with ·04 in. or more						14	17	5	6	11	9	15	~~77~~

I unfortunately dropped my pocket-book in the River so that the daily details for these blank months was lost but I had the daily rainfall noted on a list Kept in the house for the purpose

CW

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ABERGAVENNY

THE CHAIN

1911 - 1920

REGISTER

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

✓

Kept at The Chain, Abe ... owdon ... 5 in.

... e Ground 1 ft. ... in.

in the County of Monmo ... Sea Level 300 ft.

... a.m

by W. Baker Ga ... Name Abergavenny

Distance 1½m Direction S

IMPORTANT NOTE.—Rain sho ... d the result entered to the previous day. If an Observer prefe ... iversal rule, he is earnestly requested to add the reading at 9 a.m ... ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.02							.05		1
2	.01			.05	.26			.30		.04	.09	.52	2
3				.01	.69			.24	.02		.14	.12	3
4			.14	.02					.03	.03	.34	.84	4
5	.21		.01	.06				.05		.09	.04	.03	5
6	.41		.02	.10				.12			.23	1.08	6
7											.58		7
8	.05		.02								.30	1.21	8
9	.02		.04								.29	.67	9
10	.05	.03	.38								.01	1.00	10
11	.10	.01			.38						.54	.03	11
12			.31		.01				.20		.77	.10	12
13			.01		.03				.26		.03	.37	13
14											.01	1.64	14
15		.01				.04					.55	.14	15
16			.01			.27					.30	.45	16
17		.01		.05		.60					.26	1.11	17
18		.41	.07	.57		.01				.09	.03	1.04	18
19		.09		.38		.08			.71	.25	.09	.71	19
20		.03	.07	.08					.21	.15		.81	20
21		.30	.23					.25	.08	.78		.17	21
22		.11	.05	.03		.06			.05	.21		.78	22
23		.45	.05			.01			.16	.17		.40	23
24		.05				.38		.17		.01		.23	24
25		.05		.01		.03			.16	.01		.07	25
26		.21		.23	1.20	.03		.04		.30	.11	.09	26
27		.18	.37	.02				.27	.11		.08	.13	27
28		.25	.01	.18				.09			.31		28
29						.14	.04	.02	.12	.31	.01		29
30			.01		.05	.01	.14			.33	.19		30
31							.06			.01			31
Total	.85	2.19	1.80	1.81	2.62	1.66	.24	1.55	2.11	2.78	5.35	13.74	TOTAL for year 36.70
No. of Rain Days	7	15	17	15	7	12	3	10	12	15	24	25	162

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Chain, Abergavenny
in the County of Monmouth 3
by W. Baker Gabb

Rain Gauge: Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 300 ft.
Time of Observation 9. a.m
Nearest Railway Station: Name Abergavenny
Distance 1½ m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.02							.05		1
2	.01			.05	.26			.30		.04	.09	.52	2
3				.01	.69			.24	.02		.14	.12	3
4			.14	.02					.03	.03	.34	.84	4
5	.21		.01	.06				.05		.09	.04	.03	5
6	.41		.02	.10				.12			.23	1.08	6
7											.58		7
8	.05		.02								.30	1.21	8
9	.02		.04								.29	.67	9
10	.05	.03	.38								.01	1.00	10
11	.10	.01			.38						.54	.03	11
12			.31		.01				.20		.77	.10	12
13			.01		.03				.26		.03	.37	13
14											.01	1.64	14
15		.01				.04					.55	.14	15
16			.01			.27					.30	.45	16
17		.01		.05		.60					.26	1.11	17
18		.41	.07	.57		.01				.09	.03	1.04	18
19		.09		.38		.08			.71	.25	.09	.71	19
20		.03	.07	.08					.21	.15		.81	20
21		.30	.23					.25	.08	.78		.17	21
22		.11	.05	.03		.06			.05	.21		.78	22
23		.45	.05			.01			.16	.17		.40	23
24		.05				.38		.17		.01		.23	24
25		.05		.01		.03			.16	.01		.07	25
26		.21		.23	1.20	.03		.04		.30	.11	.09	26
27		.18	.37	.02				.27	.11		.08	13	27
28		.25	.01	.18				.09			.31		28
29						.14	.04	.02	.12	.31	.01		29
30			.01		.05	.01	.14			.33	.19		30
31							.06			.01			31
Total	.85	2.19	1.80	1.81	2.62	1.66	.24	1.55	2.11	2.78	5.35	13.74	TOTAL for year 36.70
No. of Rain Days	7	15	17	15	7	12	3	10	12	15	24	25	162

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

Kept at "The Chain", Abergavenny
in the County of Monmouth 3
by W. Baker Gabb

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 300 ft.

Time of Observation 9. a.m

Nearest Railway Station
Name W. Baker Gabb
Distance 3/4m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.42			.48	.01	.04	.01	.53		.17	1
2			.66	.04		.28	.15					.01	2
3	.01		.27		.22	.26	.04	1.63	.01		.03	.03	3
4	.17		1.33		.12	.04		.12			.08		4
5	.43	.17	.13		.11	.01		.45				.06	5
6	.93	.25			.05	.18		.65				.03	6
7	.05	.52	.35		.01	.37	.01	.01				.13	7
8	.57	.49	.27			.15	.04	.19	.01				8
9	.04	.07	.38	.08		.30		.22				.48	9
10	.32	.18		.02		.07	.01	.06			.24	.01	10
11	.01	.11					.01				.08	.55	11
12	.02	.20	.03	.06	.13	.20	.04					.04	12
13	.09			.03				.04	.03	.03		.10	13
14	.19		.41		.06			.04				.05	14
15	1.26	.09			.32	.22						.19	15
16	.88	.01	.41		.08	.01		.07		.06	.05		16
17	.73		.09			.09		.31			.02	.50	17
18	.14	.03	.08					.20				.03	18
19	.09	.06	.01				.03	.58		.02		.07	19
20	.15	.01	.69				.01	.06		.24		.01	20
21	.01	.04	.59		.67		.01	.18		.17			21
22	.47	.28	.10		.81		1.15	.17		.03		.05	22
23	.43	.38	.34			.19		.12		.08	.03	.15	23
24	.10	.02	.04			.56	.03	.05		.12		.33	24
25	.01					.26	.06	.91		.03	.54	.48	25
26		.16	.02				.08	.66		.95	.65	.60	26
27		.04				.72	.99			.94		.59	27
28		.13				.04	1.13	.86	.07	.69	.45	.31	28
29		.39					.36	.27	.92	.34		.03	29
30			.06			.11	.14			.43		.04	30
31			.18		21		.49	.05		.01		.04	31
Total	7.10	3.63	6.86	.23	2.79	4.54	4.79	7.94	1.05	4.67	2.17	5.08	TOTAL for year 50.85
No. of Rain Days.	23	21	22	5	12	20	20	25	6	16	10	27	207

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8-JAN 1914

Kept at The Chain, Abergavenny
in the County of Monmouth 3
by W. Baker Gabb

Lat. ________ Long. ________
Time of Observation 9 a.m
Nearest Railway Station Abergavenny L&N.W.Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ____ in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		.06	.39	.13	.07				.30		.16		1
2	.05	.50	.15	.21	.25				.01	.75	.25	.01	2
3	.16	.01	.07		.21					.12	.07	.16	3
4	1.06	.02	.01	.01	.10				2.25	.72		.22	4
5	.14	.05	.03		.18	.15	.01		.06	.04	.11	.07	5
6	.13	.14	.36		.09	.05	.11			.55	.51	.46	6
7	.09	.90			.78	.10				.88	.18	.02	7
8	.17	.34			.62	.01		.01		.25			8
9		.18			.30	.11	.33	.09	.01	.03	.70		9
10	.68		.01	.01	.12			.23		.56	.12		10
11	1.40			.27	.28					.01	.83		11
12					.68			.01	.06		.63	.03	12
13	.12		.15	.01	.01			.06	.37		.35		13
14	.37		.42	.06				.21	.17	.09	.04		14
15	.04	.01	1.16	1.34					.01		.04		15
16	.29		.76	.06				.22					16
17	.10		.09	.12							.01		17
18	.13		.58	.19			.01				.06		18
19	.36		.13			.17	.02		.10		.01	.01	19
20	.32		.47	.23						.13	.43		20
21	.01		.34	.27	.14	.06	.07	.01		.01	.14		21
22	.69		.94	.01				.21	.19				22
23	.01		.04			.01		.02	.01		.08	.16	23
24	.04	.13		.02							.03	.01	24
25		.04		.46					.02	.05	.01	.04	25
26		.01		1.68				.11	.01	.01		.26	26
27	.06		.27	.39						.49		.05	27
28	.31		.20	.72	.05					.35		.14	28
29	.01		.60	.52				.06		.55			29
30	.26									.94	.01		30
31	.02		.08							.05			31
Total	7.02	2.39	7.25	6.71	3.88	.66	.55	1.24	3.57	6.58	4.77	1.64	YEAR'S TOTAL 46.26
Rain Days.	26	13	22	20	15	8	6	12	14	20	22	14	192

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at The Chain, Abergavenny
in the County of Monmouth 3
by W. Baker Gabb

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Brecon Road, L&N.W.Rly
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.04	.08	.01		.05	.49	.24			.12	.21	1
2			.04		.04	.84	.75	.01			.62	.78	2
3			.21	.17	.39		.07	.10			.02	.47	3
4	.26		.05	.23	.15		.49	.05			.88	.89	4
5	.18		.06	.20	.09		.13				.29	.50	5
6	.11	.07	.04	.09	.08						.02	.39	6
7	.01	.80	.29	.06	.35	.03	.30	.08	.01			.14	7
8	.01		.10	.12	.24	.65	.02	.04	.01				8
9	.03	.05	.20	.63	.08	1.67		.02	.07				9
10		.64	.04	.43	.01	.01			.55				10
11		.24	.29	.01	.31	.15	.16				.37	.88	11
12		.80	.06						.19		.07	.59	12
13		.50	.69				.12		.23	.42	.09	.19	13
14		.82	.44				.02	.01		.12	.38	.01	14
15	.01	.02	.30					.33		.03	.06		15
16			.05				.14		.36				16
17	.02	.42	.33				.01					1.02	17
18		.01	.09				.01		.02			.26	18
19		.03	.14				1.14		.05		.01	.21	19
20		.67	.14			.06						.36	20
21		.63				.65	.01	.09		.33			21
22		.17			.14		.01	.11		.58			22
23		.01	.16		.05		.01			.42			23
24			.09				.02	.27		.01	.03		24
25	.08		.12				.26	.45		.31	.03	.28	25
26	.02	.02					.03			.06	.33	.68	26
27	.04						.01			.03	.43	.30	27
28	.01	.05	.32		.10					.07	.04	.88	28
29	.13		.20		.05					.15	.63		29
30	.02		.21	.02						.18	.73	1.19	30
31	.44						.30			.38		.16	31
Total	1.37	5.99	4.74	1.97	2.08	3.31	4.50	1.80	1.49	3.09	5.15	10.39	YEAR'S TOTAL 45.88
Rain Days.	15	19	26	11	14	9	22	13	9	14	19	21	192

W.7,000, XI. 13

3988

FORM A.
BRITISH RAINFALL
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Chain, Abergavenny
in the County of Monmouth
by W. Baker Gabb

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Brecon Road, Abergavenny
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.73	.09	.09		.13			.65	.05	.36	.01	.13	1
2	.15	.25	.08	.22			.02	.53	.01	.12		.09	2
3	.10	.30	.01	.04	.13		.26	.03				.24	3
4	.13	.25			.18		2.20 in ½ hour	.05				.55	4
5	.03	.97		.13	.01			.16				1.52	5
6	.21	.02		.13			.81	.06				.40	6
7	.13	.80		.01			.04	.03				.29	7
8	.38	.59		.18				.05			.21		8
9	.04	.18		.12							.29	.85	9
10	.22	.11	.01	.06						.11		.01	10
11	.06		.12	.01				.02		.01	1.23	.05	11
12	.12	.30		.11	.40		.01			.14	.55	.01	12
13	.01	.73			1.40				.09		.02	.05	13
14	.02	.01	.01	.01			.01	.05	.01	.03	.01	.58	14
15	.64				.09		.08	.04		.09	.08	.23	15
16	.07	1.39			.88		1.42	.01				.01	16
17		.39			.79			.23					17
18		1.04	.01										18
19		.01		.02	.20		.13						19
20	.18	.02		.01			.01			.16		.06	20
21	.13	.04					.69			.13		.01	21
22	.07	.01	.30	.08			.04		.02	.02		.49	22
23	.08	.02	.03				.15			.93		.39	23
24			.03	.03					.14	.99		.76	24
25			.01			.61				.01		.21	25
26		.23				.01	.12					.98	26
27		.03				.31	.08			.50		.18	27
28		.27				.06			.26	.05	.01	.07	28
29						.01	.02	.01			.26	.25	29
30	.19	☒		.04		.34				.76	.32	.53	30
31	.01	☒		☒		☒	.15	.08	☒	1.28	☒	1.09	31
Total	3.70	8.05	.70	1.20	4.21	1.34	6.24	2.00	.58	5.69	2.99	10.03	YEAR'S TOTAL 46.73
Rain Days.	22	24	11	16	10	6	18	15	7	17	11	27	184

W. 8,000. X. 14.

Encl. FW

3917

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at The Chain, Abergavenny
in the County of Monmouth
by W. Baker Gabb

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Brecon Rd, Abergavenny
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		s .06		.06	.10	.17			.23	.14		1
2	.42	.08	s .38		.05	.09	.01		.30	.99	.30		2
3	.01	1.54	.01		.22				.10	.34	.70		3
4	.28	.19		.01	.32	.23			.03	.24	1.27		4
5	.01	.02	s .01		.38	.05	.01			.20	.28		5
6	.07	.25	s .06		.13	.01	.75			.41	.91		6
7	.12	.01	s .13		.16	.01				.11	.24	.17	7
8			s .07		.42	.13					.05	.18	8
9			s .02		.02					.01	.03	.04	9
10		.32	s .04	.12	.02					.05		.16	10
11	.05		s .06	.05	.01	.04						.01	11
12	.01	.03	.04	.11	.24		.11	.01		.07			12
13		.28	.28	.17				.68				.01	13
14		s .73	.39	.12	.02			.06		.08	.01		14
15		.43	.15	.10	.01			.14	.02	.05			15
16	.02	.08		.12			.01	.20		.04			16
17	.12	.26		.11				.03	.25	.34	.41		17
18	.01	.06	.22	.04					.07	.14	.17	s .15	18
19	.15		.97	.07							.10	.01	19
20	.12	.07	.22								.02	.66	20
21	.02	[illegible]	.36	.02	.06		.07					.16	21
22			.01			.06				.55		.59	22
23		s .35		.01		.01		.16		.10	.11	.11	23
24		s .13	.01	.02	1.57			.18		.61		.26	24
25		s .34	.24			.02		.79		.08	.49	.01	25
26		s .18	.05			.05		.12	.47	.82	.05		26
27	.03	s .05	s 1.33					.17	.23	.55		.01	27
28	.01	s .35	.01						.26	.67		.29	28
29		s .29				.22		.62		.46		.18	29
30		X			.01	.06		.03		.51			30
31		X		X		X		.02	X	.57	X	.12	31
Total	1.48	6.04	5.12	1.07	3.78	1.08	1.13	3.13	1.73	8.22	5.28	3.12	YEAR'S TOTAL 41.10
Rain Days.	17	22	24	14	17	14	7	14	9	25	17	18	198

W. 8,000. X. 15.

3754

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

8 JAN 1918

Kept at The Chain, Abergavenny
in the County of Monmouth
by W. Baker Gabb

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Brecon Rd (L.N.W.), Abergavenny
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.19	s .60		.30		.74	.16		.08	.07	1
2			.01	.01		.02		.01		.05	.22		2
3		s .08		.08			.05			.57	.02		3
4		s .07	s .61				.07	.13		.29			4
5	.18		s .49	.06		.14		.08	.63	.33	.06		5
6			.56			.09				.13	.37		6
7	.40						.11	.10		.33	.26	.02	7
8	.54		s .31	.19		.01	.71	.78		.33	.03	.02	8
9			s .23	s .23	.11			.23	.20	.04	.43		9
10	.19		.48	s .28	.10			.37	.03	.01	.01		10
11	.22		.07	.20	.05			.29		.36	.09		11
12	.29		.18		1.34			.01		.21			12
13	.02		.11	.04				.88	.05	.03			13
14				.06			.02	.03					14
15	.03			.05	.02		.04		.01	.07		.20	15
16	.01	.01		.07		.07		.01		.01		.17	16
17				.03	.50		.30	.25	.13	.04		.03	17
18	.01	.01		.01	.08		.31		1.32				18
19	.01	.40	.23			.31		.10	.01				19
20	.02	.04	.03		.50	.06			.18				20
21		.03	s .27		.06			.11					21
22						.05		.62		.01	.02		22
23		.11			.11			.25		.09			23
24		.03				.02	.05	.08		.40	.09		24
25		.03	.08					.23		.02	.03		25
26			.01		.14			.83	.10	.03	.01		26
27					.80	.42	.08	.98					27
28			.07		.01	.38		.32				.02	28
29			.17			.26		.05		1.04		.49	29
30		X	.06					.27		.12	.02	.01	30
31		X	.05	X	.35	X		.14	X	.07	X	.01	31
Total	1.92	.81	4.21	1.91	4.17	2.13	1.74	7.89	2.82	4.58	1.74	1.04	YEAR'S TOTAL 34.96
Rain Days.	12	10	20	14	14	13	10	26	11	23	15	10	178

W. 8,000, VIII. 16

Gxd M.S.

29

FORM A.
BRITISH RAINFALL.
8.1.19

REGISTER OF RAINFALL IN 19*18*

Kept at *The Chain, Abergavenny*
in the County of *Monmouth*
by *W. Baker Gabb*

Lat. Long.
Time of Observation *9 a.m.*
Nearest Railway Station *Brecon Rd (L&N.W.) Abergavenny*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *310* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.12	.01	.06				.20		.01	1.97	.01	1
2		.19		.03				.37	.01	.08	.01	.14	2
3		.35	—	.27	.44			.03	.38		.05	.01	3
4		.04	.01	.01				.03	.75	.19	1.32	.71	4
5		.04	.01	.19	.21			.14	.20	.27	.07	.07	5
6	.01	.20		.04		.04				.30		.07	6
7		.05		.01	.44				.57	.13	.39	.37	7
8	.04	.20							.07	.10			8
9	.03	.35		.37		.31	.10		.43	.02	.01	.15	9
10	.06	.02		.26			.34		.18	.02		.31	10
11			.07	.03	.02		.36		.05	.01	.08	.02	11
12	.01	.10	.10				.41		.03			.01	12
13	.02	.05				.01	.15		.19	.05		.06	13
14	.55		.03			.03	.14		.56	.03		.17	14
S 9ins 15	1.48	.01		.25			.59		.02	.01		.36	15
S 3ins 16	.30			.77			.03		.42			.18	16
17	.24		.06	.01			.02		.83	.08		.25	17
18	.59		.06			.81	.01		1.04	.04		.64	18
19	.23	.01	.13				.14		.02	.06		.12	19
20	.37	.06		.25		.01	.06		.26			.01	20
21	.26	.07		.14		.01	.01		.65			.21	21
22	.01	.01			.19		.19		.03	.13		.38	22
23	.06				.35		.06		.07		.06	.03	23
24	.01	.06					.16	.05	.02	—	.08	.06	24
25				.01	.07		.27	1.00		.07	.06	.03	25
26				.01			.17	.02		.01	.08	.11	26
27		.03	.35					.15	.41		.01	.04	27
28		.08	.58								.03	.02	28
29			.12						1.21	.02		.05	29
30			.56						.03	.03	.04	.16	30
31			.27					.06				.01	31
Total	4.27	2.04	2.36	2.71	1.72	1.22	3.21	2.05	8.43	1.66	4.26	4.76	YEAR'S TOTAL 38.69
Rain Days.	17	20	14	17	7	7	18	10	25	21	15	30	201

W. 8,000, IX. 17.

The wettest Septr
recorded during the 34 years
this register has been kept.
next wettest 1896 - 6.90

3563

FORM A.
BRITISH RAINFALL

7 JAN

REGISTER OF RAINFALL IN 1919

5a

Kept at The Chain, Abergavenny
in the County of Monmouth
by W. Baker Gabb

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Brecon Rd (L.N.W.) Aberg:
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
									[illegible]	[illegible]			
1	·36	·01	·08	·01	·01		·12		·13	·19	·01	·61	1
2	·19	·01	·06		·01		·36		·09	·03	·05	·05	2
3	·01		·12		·01	·17	·01		[illegible]		·12	·19	3
4	·03	·31	·25			·02	·03		·49		·01	·15	4
5		S ·42	·13						·05		·05	·25	5
6	·45	·11	·36		·02						·01	·24	6
7	·24		·32	·04	·01							·01	7
8	·50		·09	·01		·01							8
9	·75		·01	·03							·15		9
10	·02		·66		·17						·05	·88	10
11	·01		·72	·02	·15		·18			·01		·12	11
12	·02		·09	·05		·36	·01			·07	·02	·01	12
13	·14	·01		·50					·17	·15		·12	13
14	·28	·13		·30			·02		·04			·37	14
15	·41	·13		·03				·03		·18		·53	15
16	·07	1·24									·05	·01	16
17	·01	S ·94						·02			·21		17
18	·02	·01	·61					·06	·01		·05	·04	18
19	·35	·41	·52			·12	1·05	·42	·06		·11	·01	19
20	·62	·12	·46					·05			·25	·03	20
21	·01	1·00	·05				·03		·01		·01	·18	21
22		·02							·15			·20	22
23							·11			·78	·15	·08	23
24				·05		·09		·02		·77	·23	·12	24
25	·08			·01	·03			·10	·01	·01		·04	25
26	·01		·13	·02		·02		·02	·03			·34	26
27	·10		·13	·22				·93	·07		·13	·02	27
28	·03		S ·28					·24			S ·28	·34	28
29	·05		S ·06	·05				·01		·12	·01	·32	29
30	·01	X	S ·03	·03		·17		·39			·56	·54	30
31	·01	X	·01	X		X		·01	X		X	·06	31
Total	4·78	4·87	5·17	1·37	·41	·96	1·92	2·30	1·31	2·3[illegible]	2·5[illegible]	5·[illegible]6	YEAR'S TOTAL 33·77
Rain Days.	27	15	22	15	8	8	10	13	13	10	21	28	190

W. 6,500, VII. 18. W W 0

Ex ML

3450

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at The Chain, Abergavenny
in the County of Monmouth
by W. Baker Gabb

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Brecon Rd (L.N.W.) Abergavenny
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.01	.22	.57		.77	.03	.08	.13		.89	1
2	.29			.06	.01		.16		.01	.23		.28	2
3	.11	.05		.20	.09		1.24			2.18		.11	3
4	.01							.66		.63			4
5			.25	.10	.06		.35	.02		.39			5
6			.32		.14		.09			.11		.01	6
7	.01		.03	.06			.10						7
8	.01	.02		.52	.03		.40	.07					8
9	.27	.04		.58		.04	.04						9
10	.83	.11	.04	.05		1.26	.11				.02	.02	10
11	.48	.04	.44	1.35	.38	.03	.03					.03	11
12	.16	.03	.04	.41	.02	1.12	.01	.02		.01	.06		12
13	.08		.67	.43							.01	S .02	13
14	.04	.02	S .65	1.04		.04	.04		.45	.05	.47	S .06	14
15		.14	.24	.99	.07	.21				.23	.08		15
16		.01	.01	.03	.14	.40	.16		.30	.63	.01		16
17	.03			.15	.32	.01		.04	.53	.35		.04	17
18	.08			.05	.15	.05	.08	.09	.39			.01	18
19	.01	.26		.56	.01	.13		.01					19
20	.01	.02		.30		.07						.32	20
21				.02			.03			.03		.21	21
22	.04			.10			.06	.07				.39	22
23			.04				.40					.50	23
24	.02	.01	.46				.01				.22	.27	24
25	.08	.05	.34				.43	.01			~~.40~~	.07	25
26	.28		.68	.01		.05	.08				.40	.14	26
27	1.10	.02	.59	.10	.07	.24	.07				.03	.90	27
28	S .91		.16	.01	.48	.07	.02					.06	28
29	.65		.17	.02	.04		.09				.24	.70	29
30	.15	X	.35	.05		.10	.13		.55		.64	.59	30
31	.06	X	.31	X		X	.02		X	.49	X	.08	31
TOTAL	5.71	.82	5.80	7.41	2.58	3.82	4.91	1.02	2.31	5.46	2.18	5.70	YEAR'S TOTAL 47.72
Days with ·01 in. or more	24	14	20	25	16	15	25	10	7	13	11	22	202

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

11 7 17 20 12 13 19 5 6 11 7 17 151

3557

Form A. 1. METEOROL ANIZATION.

RE

4022

ABERSYCHAN

GLANSYCHAN

1919 - 20

Kept at Glansychan S.W

in the County of Mon

by G.W. James

Gauge........in.

Ground........ft........in.

Sea Level 699 ft.

IMPORTANT NOTE.— ered to the previous day.

If an Observer prefers not ed to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56		·13	·03	·12	·17	·16		·31	·34		·79	1
2	·39		·16		·07		·14	·05	·27	·03	·06	·22	2
3	·06		·40		·02	·17			·03	·01	·15	·50	3
4	·14	·48	·17			·03	·08	·02	·68	·01	·02	·37	4
5	·02	·46	·42				·01		·11	·01	·13	·59	5
6	·58	·16	·62		·01						·20	·46	6
7	·22		·46	·10						·01	·02	·01	7
8	·41		·14	·06	·02	·08				·02	·02		8
9	·83		·03	·08						·01	·42		9
10	·04		·95	·02	·08					·01	·05	·90	10
11	·07		·71	·09	·19	·04	·30			·03		·22	11
12	·04		·08	·04		·49	·01		·03	·05	·02	·02	12
13	·22			·78					·15	·04		·24	13
14	·68	·21		·40			·09		·03	·03		·26	14
15	·43	·18		·06	·02			·11		·16		·74	15
16	·27	1·58				·02		·01		·01	·23	·01	16
17	·01	·78						·16			·50	·02	17
18	·07	·03	·65			·02	·07	·43	·03	·02	·24	·08	18
19	·50	·70	·77			·30	·90	·73	·02	·01	·10	·04	19
20	·94	·27	·94					·07	·01	·01	·12	·20	20
21	·02	1·83	·08			·02	·05	·06	·09		·02	·24	21
22	·01	·06	·01				·02		·38	1·08	·03	·38	22
23	·01					·04		·01	·01	1·27	·37	·14	23
24				·14		·11	·01	·02	·01	·01	·57	·42	24
25	·15			·07	·04			·87	·09		·05	·04	25
26	·06		·24	·10		·04		·07	·15		·01	·74	26
27	·16		·21	·32			·01	1·03					27
28	·09		·31					·14	·01	·19	·44	·61	28
29	·04			·09				·01				·80	29
30	·04		·01	·06		·30		·42		·01	·61	·76	30
31	·01						·10	·01				·12	31
Total	7·07	6·74	7·49	2·44	·57	1·83	1·95	4·22	2·41	3·37	4·38	9·92	YEAR'S TOTAL 52·39
Days with ·01 in. or more	30	12	21	16	9	14	14	18	18	23	23	28	226

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3557

FORM A. 1. METEOROL ANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Glansychan

in the County of Monmouth

by G. W. James

Lat. 51·44 N Long 3·5 W

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 699 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56		·13	·03	·12	·17	·16		·31	·34		·79	1
2	·39		·16		·07		·14	·05	·27	·03	·06	·22	2
3	·06		·40		·02	·17			·03	·01	·15	·50	3
4	·14	·48	·17			·03	·08	·02	·68	·01	·02	·37	4
5	·02	·46	·42				·01		·11	·01	·13	·59	5
6	·58	·16	·62		·01						·20	·46	6
7	·22		·46	·10						·01	·02	·01	7
8	·41		·14	·06	·02	·08				·02	·02		8
9	·83		·03	·08						·01	·42		9
10	·04		·95	·02	·08					·01	·05	·90	10
11	·07		·71	·09	·19	·04	·30			·03		·22	11
12	·04		·08	·04		·49	·01		·03	·05	·02	·02	12
13	·22			·78					·15	·04		·24	13
14	·68	·21		·40			·09		·03	·03		·26	14
15	·43	·18		·06	·02			·11		·16		·74	15
16	·27	1·58				·02		·01		·01	·23	·01	16
17	·01	·78						·16			·50	·02	17
18	·07	·03	·65			·02	·07	·43	·03	·02	·24	·08	18
19	·50	·70	·77			·30	·90	·73	·02	·01	·10	·04	19
20	·94	·27	·94					·07	·01	·01	·12	·20	20
21	·02	1·83	·08			·02	·05	·06	·09		·02	·24	21
22	·01	·06	·01				·02		·38	1·08	·03	·38	22
23	·01					·04		·01	·01	1·27	·37	·14	23
24				·14		·11	·01	·02	·01	·01	·57	·42	24
25	·15			·07	·04			·87	·09		·05	·04	25
26	·06		·24	·10		·04		·07	·15		·01	·74	26
27	·16		·21	·32			·01	1·03					27
28	·09		·31					·14	·01	·19	·44	·61	28
29	·04			·09				·01				·80	29
30	·04		·01	·06		·30		·42		·01	·61	·76	30
31	·01						·10	·01				·12	31
TOTAL	7·07	6·74	7·49	2·44	·57	1·83	1·95	4·22	2·41	3·37	4·38	9·92	YEAR'S TOTAL 52·39
Days with ·01 in. or more	30	12	21	16	9	14	14	18	18	23	23	28	226

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W 9 M L 3443

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 1921

Kept at Glanwychan Abersychan
in the County of Monmouthshire
by G. W. James

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Abersychan
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 699 ft in.
" " " " Sea Level 1ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0·02	0·02	0·33	0·04	-	1·40	0·08	0·07	0·08	0·06	1·04	1
2	0·45	02	01	·13	·03	-	·35	05	·03	·47	-	·84	2
3	·20	17	-	38	·02	0·02	69	·04	·01	1·84	-	22	3
4	·01	01	01	03	-	-	01	·85	-	76	-	-	4
5	-	-	42	06	27	-	33	07	-	47	-	-	5
6	-	-	30	01	53	-	11	-	02	14	-	·03	6
7	·10	-	03	14	11	-	39	-	-	01	-	-	7
8	06	08	-	77	16	-	40	·18	-	02	-	-	8
9	73	63	·03 ~~09~~	67	-	17	19	04	·04	-	·01	-	9
10	1·63	44	19 ~~21~~	12	-	1·19	21	-	-	02	04	·03	10
11	23	04	41 ~~06~~	1·07	56	05	08	-	-	03	01	-	11
12	36	33	06 ~~83~~	47	05	99	10	05	-	-	19	-	12
13	19	08	83 ~~09~~	47	-	01	-	-	-	-	10	04	13
14	09	07	·07	1·07	-	20	18	-	·59	23	1·72	-	14
15	01	18	28	1·03	14	19	-	-	-	20	13	-	15
16	·	04	08	·09	19	73	22	-	·58	1·02	27	-	16
17	14	02	02	·16	40	23	-	15	93	·41	·01	·06	17
18	30	01	01	13	30	23	04	14	(23)	-	-	·02	18
19	02	24	-	79	15	11	-	-	01	-	-	-	19
20	03	02	-	48	-	11	-	-	-	02	-	·53	20
21	01	-	-	·02	-	-	07	-	-	06	-	25	21
22	12	02	-	17	-	01	34	07	-	01	-	55	22
23	02	-	02	01	-	-	37	-	-	-	-	71	23
24	13	02	46	03	-	-	01	02	-	-	·28	90	24
25	08	15	38	02	-	-	92	·01	-	-	-	87	25
26	31	10	59	04	-	02	03		-	-	47	19	26
27	1·17	08	47	20	01	46	02		-	-	06	1·00	27
28	1·37	01	16	08	04	21	01		-	-	-	·16	28
29	·68	01	28	12	59	15	23		-	-	38	1·38	29
30	·48	╳	09	10	17	29	07		·88	-	·84	83	30
31	·27	╳	42	╳	01	╳	05		╳	·75	╳	·38	31
TOTAL	9·19	2·79	6·24	9·19	4·37	5·37	6·82	1·75	3·38	6·54	4·57	8·93	YEAR'S TOTAL 69·14
Days with ·01 in. or more	27	24	25	30	19	19	16	13	11	18	15	20	247
Days with ·04 in. or more	21	14	17	24	15	15	21	11	7	12	12	17	186

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

check

3983

FORM A.
BRITISH RAINFALL.

9 AUG 1915

REC

ABERSYCHAN
"THE HAWTHORNS"
MONMOUTH
1915

Kept at The Ha M

in the County of M garin

in.

by J. W. Mull

round 1 ft. in.

ea Level 755 ft.

IMPORTANT NO result entered to the previous day. If an al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.96	0.30	0.03	—	0.36	—	—	1.00					1
2	0.25	0.45	0.22	0.20	—	0.02	0.03	0.94					2
3	0.11	0.15	0.18	0.08	0.15	—	0.16	—					3
4	0.06	0.30	0.01	—	0.27	0.03	0.82	—					4
5	0.10	1.05	—	0.08	0.02	—	—	0.30					5
6	0.24	0.12	—	0.42	—	—	0.85						6
7	0.38	0.83	—	0.06	—	—	0.11						7
8	0.50	0.80	—	0.02	—	—	—						8
9	0.07	0.33	—	0.06	—	—	—						9
10	0.55	0.02	—	0.07	—	—	—						10
11	0.24	—	0.15	0	—	—	—						11
12	0.14	0.21	—	0.14	0.44	—	—						12
13	0.03	0.95	—	—	1.72	—	—						13
14	0.13	—	—	—	—	—	0.05						14
15	0.65	—	—	—	0.09	—	0.06						15
16	0.04	1.68	—	—	1.05	—	1.50						16
17	—	0.70	—	—	0.75	—	—						17
18	—	0.94	—	—	—	—	0.04						18
19	—	0.10	—	0.06	0.33	—	0.67						19
20	0.38	—	—	—	—	—	0.02						20
21	0.10	0.12	—	—	—	—	0.36						21
22	0.08	—	0.50	0.15	—	—	0.59						22
23	0.11	0.04	0.12	—	—	—	0.18						23
24	—	—	—	0.05	—	0.03	0.10						24
25	—	—	0.06	—	—	0.37	—						25
26	—	0.58	—	—	—	0.14	—						26
27	—	0.07	—	—	—	0.20	0.32						27
28	—	0.32	—	—	—	0.06	—						28
29	—		—	—	—	0.14	—						29
30	0.45	X	—	0.04	—	0.11	—						30
31	—	X	—	X	—	X	—		X		X		31
Total	5.57	10.06	1.27	1.43	5.18	1.10	5.86	wf					YEAR'S TOTAL
Rain Days.	21	21	8	13	10	9	16						

W. 000. X. 14.

3983

FORM A.
BRITISH RAINFALL.

9 AUG 1915

REG

Kept at The Hawthorns Abersychan

in the County of Monmouth

by J. W. Mulligan

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Talywain

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 955 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.96	0.30	0.03	—	0.36	—	—	1.00					1
2	0.25	0.45	0.22	0.20	—	0.02	0.03	0.94					2
3	0.11	0.15	0.18	0.08	0.15	—	0.16	1					3
4	0.06	0.30	0.01	—	0.27	0.03	0.82	—					4
5	0.10	1.05	—	0.08	0.02	—	—	0.30					5
6	0.24	0.12	—	0.42	—	—	0.85						6
7	0.38	0.83	—	0.06	—	—	0.11						7
8	0.50	0.80	—	0.02	—	—	—						8
9	0.07	0.33	—	0.06	—	—	—						9
10	0.55	0.02	—	0.07	—	—	—						10
11	0.24	—	0.15	0—	—	—	—						11
12	0.14	0.21	—	0.14	0.44	—	—						12
13	0.03	0.95	—	—	1.72	—	—						13
14	0.13	1	—	—	—	—	0.05						14
15	0.65	—	—	—	0.09	—	0.06						15
16	0.04	1.68	—	—	1.05	—	1.50						16
17	—	0.70	—	—	0.75	—	—						17
18	—	0.94	—	—	—	—	0.04						18
19	—	0.10	—	0.06	0.33	—	0.67						19
20	0.38	—	—	—	—	—	0.02						20
21	0.10	0.12	—	—	—	—	0.36						21
22	0.08	—	0.50	0.15	—	—	0.59						22
23	0.11	0.04	0.12	—	—	—	0.18						23
24	—	—	—	0.05	—	0.03	0.10						24
25	—	—	0.06	—	—	0.37	—						25
26	—	0.58	—	—	—	0.14	—						26
27	—	0.07	—	—	—	0.20	0.32	—					27
28	—	0.32	—	—	—	0.06	—						28
29	—		—	—	—	0.14	—						29
30	0.45	X	—	0.04	—	0.11	—						30
31	—	X	—	X	—	X	—		X		X		31
Total	5.57	10.06	1.27	1.43	5.18	1.10	5.86	wf					YEAR'S TOTAL
Rain Days.	21	21	8	13	10	9	16						

W. 000. X. 14.

ABERTILLERY

CWMTILLERY
MONMOUTH
1911 - 1920

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

Kept at ...

in the County of ...

by ...

...ll + Boothe

... in.

...ound 1 ft. - in.

...a Level 970 ft.

...AM

...me Abertillery

...stance 1¼ mile Direction South

IMPORTANT ... result entered to the previous day. If a... observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·04	·03	-	-	·05	1·40	-	-	·35	·04	1
2	-	-	·01	·04	·72	-	-	·65	-	·09	·30	·73	2
3	-	-	-	-	1·41	-	-	·05	-	·04	·69	·19	3
4	-	-	·15	-	-	-	-	·35	·04	-	1·12	·98	4
5	·41	-	-	-	-	-	-	·29	-	·06	·10	·08	5
6	·50	-	·09	·08	-	-	-	·21	-	-	·36	1·25	6
7	·08	-	-	-	-	-	-	-	-	-	·96	-	7
8	·55	-	·22	-	-	-	-	-	-	-	·55	1·42	8
9	-	-	·03	-	-	-	-	-	-	-	·47	·78	9
10	·19	-	·88	-	-	-	-	-	·04	-	·02	1·35	10
11	·67	·06	-	-	·54	-	-	-	-	-	·62	·17	11
12	-	-	·44	-	-	-	-	-	·30	-	·98	·27	12
13	-	-	-	-	·20	-	-	-	·27	·06	·68	·63	13
14	-	·10	-	-	-	-	-	-	-	·03	·13	1·32	14
15	-	·23	-	-	-	·07	-	-	-	·04	·94	·25	15
16	-	·12	-	-	-	·24	-	-	-	-	·51	1·10	16
17	-	·20	-	·03	-	·71	-	-	-	-	-	1·32	17
18	-	1·09	·23	·51	-	·06	-	-	-	·06	07	1·56	18
19	-	·11	-	·43	-	·06	-	-	·87	·85	-	·72	19
20	-	·14	·02	·49	-	·03	-	-	·67	·25	-	1·12	20
21	-	1·15	·05	·23	-	·35	-	·20	·09	1·06	-	·06	21
22	-	·85	·21	·45	-	-	-	-	·10	·21	-	·84	22
23	-	·48	·09	-	·01	-	-	·29	·67	·39	-	·78	23
24	-	·25	-	-	-	·50	-	-	·05	·12	-	·61	24
25	·13	·13	-	·46	-	·06	-	-	·30	·08	-	·37	25
26	-	·30	-	·63	·85	-	-	·46	-	·41	·06	·26	26
27	-	1·63	·41	·23	-	-	-	·80	·43	-	-	·07	27
28	-	·59	-	·32	-	·01	-	·23	-	-	-	-	28
29	-	-	-	·03	-	·54	·08	·02	·63	1·21	·61	-	29
30	-	-	-	-	-	·03	·26	·07	-	·65	·31	-	30
31	-	-		-	·02	-	·10	-	-	·06	-	-	31
Total	2·51	7·43	2·87	3·96	3·75	2·66	·49	5·02	4·46	5·67	9·83	18·27	TOTAL for year 66·92
No. of Rain Days.	7	16	14	15	7	12	4	13	13	18	21	26	166

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

Kept at Cwmtillery

in the County of Monmouthshire 2

by W. J. Hobkirk

RAIN GAUGE
Pattern Funnel & Bottle
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 970 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Abertillery
Distance 1¼ mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·04	·03	–	–	·05	1·40	–	–	·35	·04	1
2	–	–	·01	·04	·72	–	–	·65	–	·09	·30	·73	2
3	–	–	–	–	1·41	–	–	·05	–	·04	·69	·19	3
4	–	–	·15	–	–	–	–	·35	·04	–	1·12	·98	4
5	·41	–	–	–	–	–	–	·29	–	·06	·10	·08	5
6	·50	–	·09	·08	–	–	–	·21	–	–	·36	1·25	6
7	·08	–	–	–	–	–	–	–	–	–	·96	–	7
8	·55	–	·22	–	–	–	–	–	–	–	·55	1·42	8
9	–	–	·03	–	–	–	–	–	–	–	·47	·78	9
10	·19	–	·88	–	–	–	–	–	·04	–	·02	1·35	10
11	·67	·06	–	–	·54	–	–	–	–	–	·62	·17	11
12	–	–	·44	–	–	–	–	–	·30	–	·98	·27	12
13	–	–	–	–	·20	–	–	–	·27	·06	·68	·63	13
14	–	·10	–	–	–	–	–	–	–	·03	·13	1·32	14
15	–	·23	–	–	–	·07	–	–	–	·04	·94	·25	15
16	–	·12	–	–	–	·24	–	–	–	–	·51	1·10	16
17	–	·20	–	·03	–	·71	–	–	–	–	–	1·32	17
18	–	1·09	·23	·51	–	·06	–	–	–	·06	·07	1·56	18
19	–	·11	–	·43	–	·06	–	–	·87	·65	–	·72	19
20	–	·14	·02	·49	–	·03	–	–	·67	·25	–	1·12	20
21	–	1·15	·05	·23	–	·35	–	·20	·09	1·06	–	·06	21
22	–	·85	·21	·45	–	–	–	–	·10	·21	–	·84	22
23	–	·48	·09	–	·01	–	–	·29	·67	·39	–	·78	23
24	–	·25	–	–	–	·50	–	–	·05	·12	–	·61	24
25	·13	·13	–	·46	–	·06	–	–	·30	·08	–	·37	25
26	–	·30	–	·63	·85	–	–	·46	–	·41	·06	·26	26
27	–	1·63	·41	·23	–	–	–	·80	·43	–	–	·07	27
28	–	·59	–	·32	–	·01	–	·23	–	–	–	–	28
29	–	–	–	·03	–	·54	·08	·02	·63	1·21	·61	–	29
30	–	–	–	–	–	·03	·26	·07	–	·65	·31	–	30
31	–	–		–	·02	–	·10	–	–	·06	–	–	31
Total	2·51	7·43	2·87	3·96	3·75	2·66	·49	5·02	4·46	5·67	9·83	18·27	TOTAL for Year 66·92
No. of Rain Days.	7	16	14	15	7	12	4	13	13	18	21	26	166

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

7 JAN 1913

REGISTER OF RAINFALL IN 1912

Ext. D. 13

Kept at Cwmtillery

in the County of Monmouthshire 2

by W. J. Hobkirk

RAIN GAUGE
Pattern Both & ~~Glass~~ ~~Funnel~~
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 970 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Abertillery
Distance 1½ Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.81	-	.04	.76	-	.09	.01	.69	-	.53	1
2	.	.	1.36	.02	-	.27	.10	-	-	.03	-	-	2
3	09	.	.51	-	.02	.36	03	1.84	.28	-	-	.28	3
4	.88	.	1.83	.02	.04	-	.	.22	-	-	.05	.03	4
5	-	12	.27	-	.13	.11	.	.92	-	-	.26	.11	5
6	75	.28	.02	-	.40	.01	.	1.15	-	-	.02	.13	6
7	.09	58	.33	.01	.19	.39	.19	-	-	-	-	.21	7
8	1.12	52	.39	-	-	.18	.20	.73	-	-	-	-	8
9	.10	.18	71	.22	-	.46	.16	.36	.	-	.06	1.07	9
10	.35	.26	-	-	-	.30	.11	.04	.01	-	.49	-	10
11	08	.19	-	-	-	-	.27	.08	.	-	.08	2.21	11
12	.23	.23	.26	10	.10	.03	.10	-	-	-	-	.27	12
13	.	.	-	-	-	.06	-	-	-	.42	-	.61	13
14	35	.	.95	-	-	-	-	04	.01	-	-	.14	14
15	91	.49	-	-	.39	.58	-	02	-	-	-	.63	15
16	63	.02	1.10	.03	.09	.21	-	.58	-	.27	.03	-	16
17	35	.	.13	-	.01	-	.	1.27	-	-	.06	1.11	17
18	-	.07	.13	-	-	21	.20	43	-	.16	-	.31	18
19	14	.21	.04	-	-	09	11	75	-	.13	.01	.16	19
20	.09	.03	1.29	-	-	-	03	21	-	.69	-	-	20
21	-	.13	.60	-	.66	-	.03	37	-	.24	-	-	21
22	.14	1.14	.18	-	.29	-	.61	55	-	.06	.01	.27	22
23	.19	.69	55	-	-	73	-	.80	-	.10	.34	.60	23
24	.05	.09	.15	-	-	75	-	.10	-	.19	.04	.57	24
25	.	.	.18	-	-	53	.11	1.26	-	03	.87	.73	25
26	.	.52	.04	-	-	-	.08	.59	-	1.73	1.45	.71	26
27	-	.23	.07	-	-	98	1.35	-	.	1.66	-	1.30	27
28	.	.23	.04	-	-	25	1.45	1.28	.32	1.34	.58	.39	28
29	-	.44	05	-	-	04	.53	.29	.93	.55	-	.12	29
30	.	-	.27	-	.01	.14	.18	-	-	.64	-	.03	30
31	-	-	.20	-	.28	-	.78	.12	-	-	-	.59	31
Total	6.54	6.65	12.46	.40	2.65	7.44	6.62	14.11	1.56	8.93	4.35	13.11	TOTAL for year 84.82
No. of Rain Days.	18	21	27	6	14	22	20	25	6	17	15	25	216

W. 8,000, X. '11.

W DL

7 JAN 1914

Register of Rainfall in 1913.

Kept at Cwmtillery.
in the County of Monmouthshire.
by W Y Hobkirk.

Time of Observation 9A.M.
Nearest Railway Station Abertillery G W R
Diameter of Rain Gauge 5 in
Height of top of Gauge above ground 1 ft
" " " " " " Sea Level 970ft

Date.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.05	.37	.58	.16	.05	-	-	-	.14	-	.62	-	1
2	.04	.66	.76	.38	.45	-	-	-	-	.76	.39	.30	2
3	.44	.16	.54	-	.37	---	-	-	-	-	-	.45	3
4	1.39	.05	.52	-	.06	.01	-	-	1.63	.78	.12	.17	4
5	.28	.16	.16	-	.23	.20	-	-	.48	-	.30	.07	5
6	.48	.54	.53	-	.17	.35	.16	-	-	.67	.38	.45	6
7	.28	1.38	-	-	.94	.38	.01	-	-	1.01	.29	.01	7
8	.12	.94	-	-	.88	.04	.01	-	-	.04	-	-	8
9	-	.31	.12	-	.28	.59	.17	.27	.05	-	.36	.05	9
10	.75	-	.09	-	.14	-	-	.17	-	.72	.07	-	10
11	1.42	-	.04	.33	.10	-	-	-	.01	.05	.57	.05	11
12	-	-	-	-	.64	-	-	.02	.09	-	1.07	-	12
13	.10	-	.57	.04	-	-	.02	.09	.38	-	.42	-	13
14	.76	-	.98	.44	-	-	-	-	.33	.40	.03	-	14
15	.18	.01	1.35	2.60	-	-	-	.15	-	-	.02	.04	15
16	.53	-	.79	.14	-	-	.01	.14	-	-	.03	-	16
17	.53	-	.10	.44	-	-	-	-	-	-	.29	-	17
18	.22	-	1.33	.68	-	-	-	-	-	-	.34	-	18
19	.45	-	.07	.03	.04	.28	.02	-	.19	.05	.13	.03	19
20	.95	-	.72	.21	.01	-	-	-	-	.17	1.84	-	20
21	-	-	.45	.41	.35	-	.12	.28	-	.02	.47	-	21
22	1.12	-	1.49	-	-	.12	-	1.17	.44	-	-	-	22
23	.09	-	.03	-	-	-	-	.03	.02	-	.14	.12	23
24	.32	.14	-	.11	-	.12	-	-	-	-	.11	-	24
25	-	.07	-	.78	-	-	-	-	.06	-	.05	.17	25
26	-	-	-	2.02	-	-	-	.07	.03	.04	-	.93	26
27	.07	-	.29	.52	-	-	-	-	-	.93	-	.02	27
28	.41	-	.30	.65	.06	-	-	-	-	.75	-	.09	28
29	-	-	1.13	.43	-	-	-	.10	-	.58	-	-	29
30	.96	-	-	-	-	-	-	-	-	1.08	.09	-	30
31	.17	-	.21	-	.14	-	-	.03	-	.06	-	-	31
Total	12.11	4.79	13.15	10.37	4.91	2.09	.52	2.52	3.85	8.11	8.13	2.95	
Rain Days	25	12	24	18	17	9	8	12	13	17	23	15	

Years total 73.50 ✓

Years total 193 ✓

Esc, M9

FORM A. BRITISH RAINFALL.
6 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Cwmtillery
in the County of Monmouthshire 2
by W. Y. Hookirk

Lat. 51°45 Long. 3·7
Time of Observation 9 AM
Nearest Railway Station Abertillery 1½ miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 970 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·08	·04	·04	·06	·16	·26	·47	–	–	·26	·26	1
2	–	–	·02	–		–	·67	·02	–	–	·60	·70	2
3	–	–	·28	·36	·81	–	·03	·08	–	–	–	·50	3
4	·45	–	·16	·41	48	–	·67	·04	–	–	·75	1·21	4
5	·08	–	·31	·60	·14	–	03	–	–	–	·20	·02	5
6	·01	·18	·04	·06	·19	–	–	·21	–	–	·03	1·05	6
7	·03		·60	·22	·67	–	48	·14	·03	–	–	·27	7
8	·26	1·35	·33	·10	·14	·40	06	1·14	·20	–	·01	·17	8
9	·21	·07	·18	·73	16	2·30	–	·60	·23	–	·04	–	9
10	·02	1·08	–	·49	·08	·14	–	–	·33	–	02	–	10
11	–	·27	·58	–	23	·21	·21	–	–	–	·23	1·10	11
12	–	·81	·13	–	–	–	·26	–	22	–	·26	·82	12
13	–	1·84	·88	–	–	–	·28	–	·70	·36	·47	·21	13
14	–	2·54	·64	–	–	–	·03	·10	–	·11	·53	–	14
15	·02	·04	·59	–	–	–	·05	·46	·21	·01	·39	–	15
16	·01	–	05	–	–	–	·17	–	1·22	–	–	·03	16
17	–	·80	·68	–	–	–	·02	–	·10	–	–	2·27	17
18	–	–	·29	–	–	–	·03	–	·02	–	–	·69	18
19	–	·13	·31	–	–	–	1·98	–	·03	–	·04	·48	19
20	–	·59	19	–	–	·18	·07	–	–	–	–	·53	20
21	–	83	–	–	–	–	·08	–	–	·39	–	–	21
22	–	·36	·02	·04	·03	·09	–	·25	–	·78	–	–	22
23	–	·09	·24	–	·05	–	·03	–	–	·32	–	–	23
24	·10	–	·17	–	–	–	06	·19	–	·02	·18	–	24
25	·17	–	·17	–	–	–	·08	·77	–	·62	·37	·64	25
26	–	·04	–	–	–	–	·09	·08	–	·21	·91	1·01	26
27	·02	·06	–	–	–	–	–	–	–	·06	·84	58	27
28	·11	·30	46	–	06	–	–	–	–	·08	·30	·53	28
29	·76	–	·36	–	·17	–	–	–	–	·09	2·57	–	29
30	09	✕	79	–	–	–	10	–	–	·27	·98	1·04	30
31	1·23	✕	·01	✕		✕	·49	–	✕	·97	✕	·16	31
Total	3·57	11·46	8·52	3·05	3·27	3·48	6·23	4·55	3·29	4·29	9·92	14·27	YEAR'S TOTAL 75·90 ✓
Rain Days.	16	19	27	10	14	7	24	14	11	14	21	22	199 ✓

W. 8,000. X. 14.

3963

FORM A.
BRITISH RAINFALL.
7 JAN 1916

f. Mon

REGISTER OF RAINFALL IN 1915

Kept at Cwmtillery
in the County of Monmouthshire
by W. Y. Hoskin

Lat. 51·45 Long. 3·7 W.
Time of Observation 9 - AM
Nearest Railway Station Abertillery
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ~~920~~ 970 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·08	·44	·03	-	·44	.	.	·77	·03	·35	·03	·37	1
2	·37	·63	·29	·19	-	.	·04	1·10	·05	·07	.	·10	2
3	·67	·27	·31	·12	·09	.	·06	·04	.	.	.	·26	3
4	·04	·55	-	-	·24	.	1·33	.	.	.	.	·95	4
5	·18	·92	-	·17	.	.	.	·19	.	.	.	1·33	5
6	·27	·08	.	·53	.	.	·83	·04		.	.	·88	6
7	·30	1·02	.	·02	.	.	·08	·05	.	.	.	·54	7
8	·48	·80	.	·01	.	.	.	·07	.	.	·33	-	8
9	·05	·55		·03	.	.	.	·01	.	.	·79	1·34	9
10	·65	·05	·01	·10	.	.	·02	.	.	·19	·13	·13	10
11	·67	-	·11	·02	.	.	.	·09	.	·02	1·63 +	·07	+ Snow on mountains 11
12	·17	·68	.	·05	·43	.	.	·02	.	·40	·63	.	12
13	-	1·47	.	-	·88 (Snow)	.	.	·05	·15	.	.	·14	13
14	·17	-	.	-	.	.	·02	·24	·13	·08	.	1·20	14
15	·90	-	.	.	·09	.	·05	·04	·04	.	.	·46	15
16	·03	1·87	.	-	·47	.	1·50	-	.	.	.	.	16
17	-	·54	-	.	·57	.	.	·03	.	.	.	.	17
18	-	1·28	-	-	-	.	·03	-	.	.	.	.	18
19	-	·05	-	·05	·27		·61	-	.	.	.	.	19
20	·45	-	.	·10	.	.	·02	·02	.	·13	.	·01	20
21	·05	·11	-	-	.	.	·64	.	.	·20	.	·03	21
22	-	·03	·32	·12	.	.	1·12	.	·02	.	.	·88	22
23	·13	-	·12	-	.	·01	·28	-	·09	·88		·67	23
24	.	-	·02	·03	.	-	·12	.	·07	·97	.	·94	24
25	-	-	·01	-	.	·48	·02	-	·04	.	.	·26	25
26	-	·67		-	.	·04	·22	-	·03	.		1·13	26
27	-	·06		-	.	·06	·09	.	.	·68		·31	27
28	-	·26		-	.	·09	-	.	·39 Sharp Frost	·09 Frost.		·11	28
29	-	-		-	.	·45	·01	.	- ditto	·02	·47	·19	29
30	·30	X		·05	.	·07	·05	.		1·23	·47	·58	30
31	-	X		X	.	X	·17	·07	X	1·54	X	1·37	31
Total	5·76	12·33	1·22	1·59	3·48	1·20	7·31	2·83	1·04	6·85	4·48	14·25	YEAR'S TOTAL 62·34
Rain Days.	19	21	9	15	9	7	22	16	11	15	8	25	177

W. 8,000. X. 15.

3893

FORM A. BRITISH RAINFALL.
10 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Cwmtillery

in the County of Monmouthshire

by H J Hobkirk

Lat. 51°45 Long. 3·7 W

Time of Observation 9 AM

Nearest Railway Station Abertillery (G.W.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 970 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	-	.	-	-	·45	·39	-	-	·28	·43	-	1
2	·99	·27	·06	-	·06	·05	·06	-	·24	1·59	·32	-	2
3	·07	1·79		.	·11	·13	·03	-	·07	·68	·77	·11	3
4	·72	·33		·02	·41	1·02	-	-	·04	·69	1·54	-	4
5	12	·62	·04		·19	·07	-	-	-	·90	·21	-	5
6	·22	·47			·27	·12	·85	-	-	1·22	1·29	-	6
7	·08	·01	·01		·29	·01	·01	-	-	·55	·37	·16	7
8	-	-	·01		·51	·30	-	-	-	·02	·04	·25	8
9	-	·09	·01		·03	·14	-	-	-	·11	·06	·07	9
10	01	·39	·03	·10	·09	-	·02	-	-	·19	-	·18	10
11	02	·02	·04	·20	·05	·23	-	-	-	·01	.	-	11
12	·09	·24	·11	·11	·50	-	·33	·26	-	·21	-	-	12
13	-	·57	·33	·11	-	-	·02	·84	-	·26	-	-	13
14	-	·47	·07	-	·11	-	.	·45	-	·40	·01	-	14
15	-	1·47	·26	·14	·02	-	-	·58	·05	·04	-	-	15
16	09	·06	-	·24	-	-	16	-	-	·04	.	.	16
17	·51	·24	~~·28~~	·27	-	-	-	·02	·39	·47	·30	-	17
18	04	·25	·28	·21	-	-	-	-	·14	·03	·08	·14	18
19	·64	.	1·24	25	-	-	-	-	·01	-	·07	·01	19
20	·38	·15	·22	-	-	-	.	-	-	-	·04	·68	20
21	37	-	·22	·08	·08	-		-	-	-	-	·18	21
22	-	-	·01	·03	·01	·16	-	-	-	·67	·02	·32	22
23	·06	·13	-	·08	-	08	-	·25	-	·18	·82	·40	23
24	-	08	·05	·48	1·64	04	-	·19	-	91	·07	·25	24
25	-	·06	·27	-	·04	01	-	1·51	.	·14	·52	·07	25
26	·14	-	·06	-	-	·11	·27	·42	·36	·94	11	-	26
27	·05	·08	·39	-	·04	·17	-	·34	·56	·71	-	-	27
28	·05	·05	·03	-	-	[illegible]	-	-	·23	·80	·15	·68	28
29	-	·23	·02	-	-	·71	-	·63	-	·71	·10	·70	29
30	-	X	-	.	-	·03	.	·05	-	·78	·05	·03	30
31	.	X	-	X	.	X	-	·05	X	·76	X	14	31
Total	5·02	8·01	3·76	2·32	4·45	3·83	2·14	5·59	2·09	14·29	7·37	4·37	YEAR'S TOTAL 63·24
Rain Days.	20	23	22	14	18	18	10	13	10	28	22	17	215

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Cwmtillery
in the County of Monmouthshire
by W. Y. Hobkirk

Lat. 51-45 Long. 3-7
Time of Observation 9 AM
Nearest Railway Station Abertillery
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 970 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	–	·20	·57	–	·57	–	·40	·44	–	·05	·03	1
2	·03	–	·02	·04	–	·06	–	–	–	–	·16	–	2
3	·05	·22	–	·02	–	·04	·03	–	–	·93	·14	–	3
4	–		·59		–	–	·21	·08	–	·40	–	·01	4
5	45	–	·52	·30	–	·09	–	–	·48	·34	·56	–	5
6	–		1.38		–	·03	–	–	–	·37	·58	·10	6
7	·41		–		–	–	·06	·15	–	·39	·10	–	7
8	·09		19	·30	–	–	·44	·70	–	·78	(Snow) ·31	–	8
9			·36	·11	·13	·04	–	·75	·18	·02	·28	–	9
10	·28		·55	·58	·22	–	–	·39	·04	–		·08	10
11	·05		·13	·43	·04	–	–	1·21	–	·67	·09	–	11
12	·04		–		1.18	·01	–	·04	–	·37	–	–	12
13	–	·05	·28	·28	–	–	–	·82	·17	·05	–	–	13
14	–		·09	07	–	–	–	·04	·03	–	–	·02	14
15	01		–	·01	·05	–	·13	–	·02	·60	–	·48	15
16	–	·06	–	·20	–	·04	–	·07	·02	·03	–	·29	16
17	–	·03	–	·04	40	–	·45	135	·32	·20	·02	–	17
18	·01		–	–	·12	–	1.23	·11	1·46	–	–	–	18
19	–	·57	·21	–		·38	–	–	·04	–	·03	–	19
20	–	10	·05	–	·52	·18	–	–	·20	–	–	–	20
21	–	–	·07	–	·19	·02	–	–	–	·09	–	–	21
22	–	·26		–	·17	–	–	·88	–	·12	·01	–	22
23	–	·06		–	–	·21	–	1·18	–	(Snow) ·07	·01	·01	23
24	–	·08		–	–	·17	·06	·78	–	·91	·08	–	24
25	–	·03	·07	–	–	–	·06	·20	·19	·06	·02	–	25
26	–	–	–	–	·30	·01	–	1·40	·48	·01	·11	–	26
27	–	–	–	–	·93	·31	·17	·89	–	·01	–	–	27
28	–	–	·20	–	·11	·31	–	·48	–	–	·05	·04	28
29	–	–	·15	–	·02	·33	–	·04	–	153	·02	·29 Snow	29
30	–	X	·02	–	–	–	–	·73	–	16	·18	–	30
31	–	X	·03	X	·31	X	–	·22	X	·03	X	–	31
Total	145	1·46	5·11	2·95	4·69	2·72	2·84	12·31	4·07	8·14	2·82	1·35	YEAR'S TOTAL 49·91
Rain Days.	11	10	19	13	15	17	10	23	14	23	19	10	184

W. 8,000, IX. 17.

FORM A. BRITISH RAINFALL.
6 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Cwmtillery
in the County of Monmouthshire
by N. Y. Hobkirk

Lat. 51·45 Long. 3·7 W
Time of Observation 9 AM
Nearest Railway Station Abertillery
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 970 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	26	·01	12	-	-	-	·25	·01	-	1·74	-	1
2	·01	·35	-	19	-	-	-	·44	-	·07	10	·78	2
3	-	44	-	18	·38	·02	-	·05	·31	26	06	·03	3
4	-	·19	-	03	-	-	-	·14	·65	·51	2·05	1·24	4
5	-	11	-	·09	·10	-	-	·03	·14	- {	·15	09	5
6	05	81	-	35	-	·03	-	-	-	1·61 }	-	26	6
7	07	37	-	·01	·45	-	-	-	1·05	·07	50	·30	7
8	04	47	-	-	-	-	·01	-	·18	·33	·01	04	8
9	06	76	-	48	-	·36	·22	-	77	·33	·10	·24	9
10	14	·17	-	18	-	-	·60	-	·37	·28	·07	·60	10
11	04	09	·20	·04	-	-	·20	-	·27	·07	·04	·25	11
12	01	·38	17	-	·31	-	38	-	05	-	-	14	12
13	05	·06	-	-	-	-	·06	-	·66	·12	-	21	13
14	1·00	-	09	-	10	·05	·08	-	·60	·15	-	52	14
15	68	·02	-	-	-	02	·66	-	·07	-	-	·65	15
16	20	-	-	52	-	06	·08	·10	62	{	-	19	16
17	·19	-	·20	-	-	-	·14	·06	96	05	-	55	17
18	1·36	-	·06	-	-	1·04	05	-	97	07	-	+ 54	18
19	30	-	·31	-	-	-	·34	-	63	·08	-	13	19
20	28	40	-	·19	-	08	12	-	66	-	-	{	20
21	·23	25	-	·09	-	·03	·03	-	98	·63	-	92 }	21
22	07	·03	-	-	·27	-	·57	-	+ 18	·01	-	08	22
23	·38	-	-	-	·61	-	·29	-	·05	-	·15	+ ·03	23
24	13	20	-	-	-	-	·56	·16	·15	-	16	-	24
25	·02	-	-	-	10	-	·62	1·20	-	·05	·05	-	25
26	-	·01	-	·12	-	-	·31	·03	31	·02	16	·76	26
27	·01	02	·47	-	-	-	·09	·45	·43	·02	·14	11	27
28	-	·06	·69	-	-	-	-	-	-	·04	·04	·26	28
29	-	-	14	-	-	-	-	-	+ 1·07	03	-	·68	29
30	-	X	77	-	-	-	-	-	-	11	·06	·45	30
31	-	X	41	X	-	X	-	·07	X	-	X	-	31
Total	5·29	5·45	3·52	2·59	2·32	1·69	5·41	2·98	11·54	4·31	5·58	9·45	YEAR'S TOTAL 60·13
Rain Days.	23	21	12	14	8	9	20	12	25	23	17	27	211

+ little snow (Sept.)

+ little snow (Dec.)

W. 8,000, IX. 17.

~~W~~ 3538

12 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Cwmtillery

in the County of Monmouth

by W Ystrad

Lat. 51.45 Long. 3.7 W.

Time of Observation 9 am

Nearest Railway Station Abertillery

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 970 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.71	-	.23	-	.17	-	.21	-	.31	.32	-	.75	1
2	.30	-	.24	-	.06	-	.27	.07	.44	.03	.04	.23	2
3	.11	-	.14	-	.04	-	-	-	.03	-	.11	.67	3
4	.03	.29	.36	-	-	.15	.05	.05	.75	-	-	.25	4
5	-	.27	.15	-	-	-	-	-	.35	-	.05	.75	5
6	1.16	.06	.54	-	-	-	-	-	-	-	.16	.32	6
7	.57	-	.70	.11	-	-	-	-	-	-	-	-	7
8	.46	-	.13	.02	-	.10	-	-	-	-	-	-	8
9	1.04	-	.03	.11	-	-	-	-	-	.03	.29	-	9
10	.03	-	1.20	.03	.03	-	-	-	-	-	-	1.17	10
11	.08	-	.88	-	.22	-	.22	-	-	.02	-	.27	11
12	.02	-	.03	.08	.02	.70	-	-	-	.05	-	.02	12
13	.39	-	-	.67	-	-	-	-	.09	.07	-	.23	13
14	1.18	.08	-	.50	-	-	.02	-	.01	.02	-	.26	14
15	.44	.08	-	.03	.01	-	-	.06	-	.09	-	.39	15
16	.19	1.08	-	-	-	.02	-	-	-	-	.19	-	16
17	.01	.17	-	.01	-	.02	-	.16	-	-	.54	-	17
18	.08	-	.61	-	-	-	.18	.59	-	-	.19	-	18
19	.28	.47	.61	-	-	.20	.82	.59	-	-	.26	.44	19
20	.86	.28	.37	-	-	.07	-	.21	-	-	.10	.25	20
21	-	1.29	.02	-	-	-	.11	.02	.05	-	.02	.16	21
22	-	.09	-	-	-	.01	.01	-	.51	-	.04	.46	22
23	-	-	-	-	-	.01	-	-	-	-	.42	.15	23
24	-	-	-	.10	-	.05	-	-	.01	1.20	.55	.35	24
25	.16	-	-	.04	-	.02	-	1.10	.03	.90	.05	.11	25
26	.04	-	.24	.10	-	.02	-	.15	.21	-	-	.94	26
27	.27	-	.09	.14	-	-	-	.35	-	-	-	-	27
28		-	.17	-	-	-	-	.36	-	-	.16	.68	28
29	.04	-	-	-	-	.01	-	-	-	.09	-	.75	29
30			-	.08	-	.18	-	.46	-	-	.69	1.01	30
31			.02		-		.08	-		-		.10	31
TOTAL	8.45	4.16	6.76	2.02	.55	1.56	1.97	4.17	2.79	2.82	3.86	10.41	YEAR'S TOTAL 49.52
Days with ·01 in. or more	23	16	20	14	7	14	10	13	12	11	17	24	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1.29 in on Feb 21.

3425

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 JAN 1921

Kept at Cwmtillery

in the County of Monmouthshire

by W. Y. Hobkirk

Lat. 51·45 N. Long. 3·7 W.

Time of Observation 9 AM.

Nearest Railway Station Abertillery

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 970 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·06	·02	·29	·74	–	1·86	07	07	49	05	1·31	1
2	·25	·09	–	15	04		34	07	06	38		1·07	2
3	18	24	–	·08	–		1·02	02	02	1·75		15	3
4	–	·	–	–	–		–	1·07	01	33		–	4
5	–	–	·40	10	32		25	06	06	·09		–	5
6	–	–	44	–	·67		17	–	–	45		·03	6
7	·08	–	–	28	·15		42	–					7
8	·04	–	–	66	·29		40	18					8
9	86	·70	–	67	–		07	04					9
10	2·17	57	·27	11	–	1·40	47	–			·04		10
11	·21	02	57	79	·80	07	·07	–			–	·01	11
12	·48	49	06	53	·05	91	13	01		·03	22	–	12
13	14	11	97	73	–	–	–	01		–	12	·01	13
14	21	14	52	97	–	16	21	–	54	08	2·11		14
15	–	26	19	2·02	·05	12	06	–	26	15	10		15
16	–	·02	12	·14	·10	48	26	·	67	1·37	18		16
17	·21	–	05	·07	·48	66	01	·09	1·14	·54			17
18	44	–	–	·12	·44	11	14	22	69	–			18
19	·02	·17	–	·64	·16	17	–	–	–	–			19
20	·04	–	–	·69	–	25	–	–	·	02		1·01	20
21	15	–	–	·36	–	–	·10	–	·	07		·51	21
22	14	–		–	–	–	36	11	·	·		·40	22
23	·12	–		–			49	–	·	·		·40	23
24	·18	–	94	·03			31	02	·	·	15	·97	24
25	88	·12	48	–	–		57	–	·	·	–	10	25
26	39	05	65	·03	–		05	–	·	·	15	19	26
27	1·64	24	71	24	·06	·60	02	–	·	·	08	87	27
28	36	03	19	08	·15	34	04	–	·	·	[illegible]	17	28
29	1·23	–	24	13	·10	·11	20	–	–	·	54	1·70	29
30	·43	✕	10	·09	–	35	23	–	·39	91	·68	95	30
31	39	✕	30	✕	–	✕	05	–	✕	·	✕	·66	31
													YEAR'S TOTAL
TOTAL	10·44	3·31	7·24	10·60	4·64	5·73	6·32	2·27	3·65	6·66	4·42	10·51	77·19
Days with ·01 in. or more	25	13	19	25	16	14	27	13	11	14	12	18	210
Days with ·04 in. or more	24	13	18	~~24~~ 23	16	14	25	9	9	12	12	15	190

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

4006
Abertillery
The Park
1912 – 20

FORM A2.
BRITISH RAINFALL
7.

12

Kept at The T

rdon (inverted

5 in.

in the County of

ve Ground 1 ft. – in.

Sea Level 700 ft.

by Alf. E. T

an

Name Abertillery

Distance 2/3 mile Direction ~~[illegible]~~ SE.

IMPORTANT nd the result entered to the previous day. If an Observer prefers not to conform niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·80	–	·02	·63	–	·04	·02	·72	–	·45	1
2	–	·01	·90	·01	–	·29	·08	–	–	·02	–	–	2
3	·06	–	·43	–	·01	·28	·04	1·40	·19	–	·03	·22	3
4	·65	–	1·49	–	·02	–	–	·06	–	–	·21	·01	4
5	·59	·13	·19	·01	·13	·13	–	·85	–	–	·01	·10	5
6	·41	·25	·01	–	·27	–	–	·90	–	–	·01	·90	6
7	·07	·52	·27	–	·18	·37	·23	–	–	–	–	·16	7
8	·88	·48	·35	·03	–	·24	·08	·31	·02	–	–	–	8
9	·09	·16	·81	·13	–	·42	·10	·35	–	–	·04	·96	9
10	·43	·25	·05	·01	–	·20	·10	·06	–	–	·32	·03	10
11	·01	·15	·07	–	–	–	·22	·01	–	–	·13	1·49	11
12	·07	·24	·18	·14	·12	·07	·11	–	–	–	·01	·17	12
13	·21	–	–	·04	–	·10	–	–	·02	·36	–	·48	13
14	·36	–	·84	–	·03	·02	–	·02	–	–	–	·10	14
15	·85	·39	·01	–	·34	·57	–	·03	–	–	–	·43	15
16	·62	·02	·89	–	·08	–	–	·53	–	·25	·03	·12	16
17	1·32	–	·09	–	–	·17	–	1·03	–	–	·04	·75	17
18	·09	·07	·11	–	–	–	–	·48	–	·12	–	·22	18
19	·10	·16	·03	–	–	·08	–	·61	–	·10	·02	·12	19
20	·09	·01	·86	–	–	–	·19	·11	–	·54	·04	–	20
21	–	·12	·67	–	·61	–	·01	·34	–	·28	–	–	21
22	·17	·98	·20	–	·25	–	·53	·62	–	·08	·01	·25	22
23	·57	·66	·56	–	–	·68	·03	·56	–	·09	·28	·56	23
24	·10	·09	·10	–	–	·78	–	·05	–	·14	·03	·42	24
25	–	·03	·11	–	–	·40	·19	1·51	–	·04	·74	·61	25
26	–	·49	·03	–	–	–	·50	·42	–	1·43	1·22	·65	26
27	–	·21	·03	–	–	·98	1·17	–	–	1·45	·01	1·11	27
28	–	·16	·01	–	–	·27	1·37	1·26	·25	1·12	·49	·36	28
29	–	·44	·02	–	–	·06	·31	·23	·71	·54	–	·08	29
30	–		·22	–	·01	·11	·18	–	–	·49	–	·02	30
31	–		·20		·09		·68	·11	–	–		·49	31
Total	7·68	6·02	10·53	~~2·16~~ ·37	~~6·85~~ 2·16	~~6·12~~ 6·85	~~11·89~~ 6·12	11·89	1·21	7·77	3·67	11·26	TOTAL for year 75·53
No. of Rain Days.	21 ✓	23 ✓	30 ✓	7 ✓	14 ✓	21 ✓	19 ✓	25 ✓	6 ✓	17 ✓	19 ✓	~~28~~ 27	230 229

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1912

Kept at The Park Abertillery

in the County of Monmouth

by Alf. E. Remmett Weaver M.D.; F.R.Met.Soc. Medical Officer of Health

RAIN GAUGE
Pattern Snowdon ([illegible])
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 700 ft.

Time of Observation 9 am

Nearest Railway Station
Name Abertillery
Distance 2/3 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·80	—	·02	·63	—	·04	·02	·72	—	·45	1
2	—	·01	·90	·01	—	·29	·08	—	—	·02	—	—	2
3	·06	—	·43	—	·01	·28	·04	1·40	·19	—	·03	·22	3
4	·65	—	1·49	—	·02	—	—	·06	—	—	·21	·01	4
5	·59	·13	·19	·01	·13	·13	—	·85	—	—	·01	·10	5
6	·41	·25	·01	—	·24	—	—	·90	—	—	·01	·90	6
7	·07	·52	·24	—	·18	·34	·23	—	—	—	—	·16	7
8	·88	·48	·35	·03	—	·24	·08	·31	·02	—	—	—	8
9	·09	·16	·81	·13	—	·42	·10	·35	—	—	·04	·96	9
10	·43	·25	·05	·01	—	·20	·10	·06	—	—	·32	·03	10
11	·01	·15	·04	—	—	—	·22	·01	—	—	·13	1·49	11
12	·07	·24	·18	·14	·12	·07	·11	—	—	—	·01	·17	12
13	·21	—	—	·04	—	·10	—	—	·02	·36	—	·48	13
14	·36	—	·84	—	·03	·02	—	·02	—	—	—	·10	14
15	·85	·39	·01	—	·34	·57	—	·03	—	—	—	·43	15
16	·62	·02	·89	—	·08	—	—	·53	—	·25	·03	·12	16
17	1·32	—	·09	—	—	·17	—	1·03	—	—	·04	·75	17
18	·09	·07	·11	—	—	—	—	·48	—	·12	—	·22	18
19	·10	·16	·03	—	—	·08	—	·61	—	·10	·02	·12	19
20	·09	·01	·86	—	—	—	·19	·11	—	·54	·04	—	20
21	—	·12	·64	—	·61	—	·01	·34	—	·28	—	—	21
22	·17	·98	·20	—	·25	—	·53	·62	—	·08	·01	·25	22
23	·57	·66	·56	—	—	·68	·03	·56	—	·09	·28	·56	23
24	·10	·09	·10	—	—	·78	—	·05	—	·14	·03	·42	24
25	—	·03	·11	—	—	·40	·19	1·51	—	·04	·74	·61	25
26	—	·49	·03	—	—	—	·50	·42	—	1·43	1·22	·65	26
27	—	·21	·03	—	—	·98	1·17	—	—	1·45	·01	1·11	27
28	—	·16	·01	—	—	·27	1·37	1·26	·25	1·12	·49	·36	28
29	—	·44	·02	—	—	·06	·31	·23	·71	·54	—	·08	29
30	—		·22	—	·01	·11	·18	—	—	·49	—	·02	30
31	—		·20		·09		·68	·11	—	—		·49	31
Total	7·68	6·02	10·53	~~3·16~~ ·37	~~6·85~~ 2·16	~~6·12~~ 6·85	~~11·89~~ 6·12	11·89	1·21	7·44	3·64	11·26	TOTAL for year 75·53
No. of Rain Days.	21	23	30	7	14	21	19	25	6	14	19	28 27	230 229

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

12 MAY 1914

✓ *Kept at* The Park, Abertillery

in the County of Monmouth 2

by Dr. J. B. Smith MOH. Ex. Mg

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Abertillery
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.04	0.27	0.49	0.11	0.04	–	–	–	0.17	–	0.55	–	1
2	0.05	0.62	0.53	0.36	0.36	–	–	–	–	0.61	0.35	0.30	2
3	0.35	0.12	0.31	–	0.43	–	0.03	–	–	–	–	0.36	3
4	1.35	0.50	0.39	–	0.13	0.02	–	–	1.62	0.80	0.14	0.19	4
5	0.28	0.80	0.15	–	0.27	0.21	–	–	0.41	–	0.32	0.05	5
6	0.33	0.35	0.45	–	0.73	0.31	0.15	–	–	0.74	0.38	0.45	6
7	0.10	1.22	0.02	–	0.83	0.34	–	–	–	0.90	0.31	0.02	7
8	0.11	0.79	–	–	1.05	0.07	0.02	–	–	0.05	–	–	8
9	–	0.30	0.09	0.01	0.20	0.50	0.22	0.35	0.03	0.02	0.38	0.05	9
10	0.60	–	0.07	0.01	0.14	–	–	0.16	–	0.67	0.24	–	10
11	0.95	–	0.01	0.24	0.11	–	–	–	–	0.02	0.31	0.05	11
12	–	–	–	–	0.45	–	–	0.03	0.10	–	1.02	–	12
13	0.10	–	0.51	0.04	–	–	0.05	0.09	0.37	–	0.38	–	13
14	0.42	–	0.78	0.32	–	–	–	–	0.35	0.41	0.04	–	14
15	0.20	–	0.95	2.50	–	–	–	0.13	–	–	0.02	0.03	15
16	0.48	–	0.94	0.12	–	–	–	0.16	–	–	0.13	–	16
17	0.49	–	0.09	0.32	–	–	–	–	–	–	0.26	–	17
18	0.17	–	0.93	0.52	–	–	0.02	–	–	–	0.27	–	18
19	0.34	–	0.04	0.02	0.04	0.32	–	–	0.20	0.09	0.10	0.03	19
20	0.61	–	0.61	0.20	–	–	–	–	–	0.13	1.82	–	20
21	–	–	0.31	0.25	0.38	–	0.11	0.33	–	0.03	0.26	–	21
22	0.73	–	1.22	–	–	0.15	–	0.96	0.43	–	–	–	22
23	0.07	–	0.02	–	–	0.11	–	0.05	0.02	–	0.13	–	23
24	0.23	0.13	–	0.11	–	–	–	0.04	–	–	0.11	0.03	24
25	–	0.60	–	0.85	–	–	–	–	0.07	0.06	0.60	0.14	25
26	–	–	–	1.83	–	–	–	0.07	0.03	0.03	–	0.78	26
27	0.11	–	0.32	0.51	–	–	–	–	–	0.73	–	0.03	27
28	0.38	–	0.21	0.58	0.61	–	–	–	–	0.71	–	0.17	28
29	–		1.04	0.37	–	–	–	0.10	–	0.42	–	–	29
30	0.73		–	–	0.01	–	–	–	–	1.13	0.09	–	30
31	0.16		0.21		0.15		–	0.05		0.05		–	31
Total	9.38	5.70	10.69	9.27	5.33	2.03	0.60	2.52	3.80	7.60	8.21	2.68	YEAR'S TOTAL 67.81
Rain Days.	25	11	25	20	17	9	7	13	12	19	23	15	196

-Exo DL

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.

15 MAY 1915

Kept at The Park. Abertillery

in the County of Monmouth. 2

by Mr Bailey Park Superintendent

Lat. 51° 44' 45" Long. 3·09° W.

Time of Observation 9. a.m.

Nearest Railway Station Abertillery

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 700. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	0·09	0·04	0·06	–	0·18	0·27	0·48	–	–	0·38	0·21	1
2	–	–	0·02	–	0·07	–	0·81	0·02	–	–	0·54	0·57	2
3	–	–	0·30	0·33	0·84	–	–	0·10	–	–	–	0·41	3
4	0·38	–	0·14	0·40	0·45	–	0·73	0·07	–	–	0·85	1·07	4
5	0·34	–	0·27	0·51	0·14	–	–	–	–	–	0·18	0·02	5
6	0·03	0·18	0·08	0·06	0·19	–	–	0·21	–	–	0·03	0·96	6
7	0·04	1·20	0·52	0·22	0·66	0·03	0·51	0·18	0·14	–	0·01	0·21	7
8	0·20	–	0·33	0·17	0·17	0·61	0·02	0·88	0·15	–	0·01	0·12	8
9	0·20	0·07	0·19	0·58	0·10	2·12	–	0·58	0·18	–	0·05	–	9
10	0·02	0·92	0·03	0·56	0·16	0·18	–	–	0·39	–	0·02	–	10
11	–	0·28	0·57	–	0·22	0·21	0·19	–	–	–	0·25	1·34	11
12	–	0·74	0·15	–	–	–	–	–	0·27	–	0·30	0·90	12
13	–	1·69	0·80	–	–	–	0·30	–	0·72	0·39	0·38	0·21	13
14	–	2·21	0·56	–	–	–	0·02	0·25	–	0·13	0·56	0·01	14
15	0·03	0·02	0·54	–	–	–	0·05	0·41	0·25	0·01	0·53	–	15
16	0·02	–	0·14	–	–	–	0·13	–	1·09	–	–	0·03	16
17	0·03	0·73	0·54	–	–	–	0·02	–	0·12	–	–	2·03	17
18	–	0·02	0·29	–	–	–	0·05	–	0·03	–	–	0·74	18
19	–	0·13	0·34	–	–	–	2·02	–	0·03	–	0·07	0·36	19
20	–	0·50	0·19	–	–	0·14	–	–	–	–	–	0·30	20
21	–	0·65	–	–	–	–	0·08	–	–	0·40	–	–	21
22	–	0·30	–	0·04	0·04	0·07	–	0·21	–	0·78	–	–	22
23	–	0·08	0·28	–	0·06	–	0·5	0·01	–	0·47	–	–	23
24	0·06	–	0·13	–	–	–	0·5	0·20	–	0·02	0·18	–	24
25	0·17	–	0·14	–	–	–	0·8	0·84	–	0·64	0·24	0·63	25
26	–	0·06	0·03	–	–	–	0·9	0·07	–	0·25	0·85	0·93	26
27	0·02	0·06	–	–	–	–	0·2	–	–	0·04	0·72	0·52	27
28	0·10	0·25	0·43	–	0·09	–	–	–	–	0·13	0·08	0·47	28
29	0·73	0–	0·32	–	0·13	–	0·01	–	–	0·23	1·83	0·02	29
30	0·10	╳	0·68	–	–	–	–	0·02	–	0·36	0·77	0·82	30
31	1·02	╳	–	╳	–	╳	0·62	–	╳	0·96	╳	0·21	31
Total	3·49	10·18	8·05	2·93	3·32	3·54	6·12	4·53	3·37	4·81	8·83	~~12·09~~ 13·09	YEAR'S TOTAL 72·26
Rain Days.	17	20	27	10	14	8	21	16	11	14	22	24	204

72·26

W: 8,000. X. 14.

written 30-VI-16

W.D 12.01.16

Es/MC

FORM A.
BRITISH RAINFALL.

JUN 1916

REGISTER OF RAINFALL IN 1915.

Kept at The Park. Abertillery

in the County of Monmouth

by L. E. Bailey Esq. Superintendent

Lat. 51° 44' 45" Long. 3 09'

Time of Observation 9 am

Nearest Railway Station Abertillery

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground — ft. — in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 127

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·21	—	0·05	—	0·13	—	0·09	0·17	—	—	2·0	0·42	1
2	0·75	0·43	0·28	—	0·32	—	—	0·65	0·07	0·40	0·01	0·29	2
3	0·33	0·53	0·28	0·19	—	—	—	1·10	0·11	0·07	—	0·11	3
4	0·05	0·27	0·01	0·10	0·08	—	0·08	0·04	—	—	—	0·39	4
5	0·05	0·53	—	—	0·33	—	1·43	—	—	—	—	0·38	5
6	0·16	0·78	—	0·13	—	—	—	0·21	—	—	—	1·90	6
7	0·26	0·05	—	0·45	—	—	0·80	0·07	—	—	—	0·76	7
8	0·26	1·12	—	0·03	—	—	0·07	0·02	—	—	—	0·53	8
9	0·33	0·61	—	0·02	—	—	—	0·08	—	—	0·32	—	9
10	0·06	0·51	0·02	0·07	—	—	—	0·01	—	—	0·62	1·23	10
11	0·54	0·06	0·10	0·12	—	—	—	—	—	0·13	0·09	0·11	11
12	0·09	—	—	0·02	—	—	—	0·08	—	0·05	1·50	0·10	12
13	0·18	0·92	—	0·08	0·32	—	—	0·01	—	0·35	0·82	0·03	13
14	0·05	0·90	0·01	—	1·22	—	—	0·03	0·18	—	—	0·10	14
15	0·12	0·02	—	—	—	—	0·02	0·43	0·11	0·13	—	1·21	15
16	0·74	0·03	—	—	0·10	—	0·15	0·01	0·03	0·20	0·71	0·43	16
17	0·03	1·82	—	—	0·48	—	1·46	—	—	—	—	—	17
18	—	0·35	—	—	0·52	—	—	0·01	—	—	—	—	18
19	—	1·04	—	—	—	—	0·04	—	—	—	—	—	19
20	—	0·06	—	0·09	0·27	—	0·51	—	—	—	—	—	20
21	0·43	—	—	0·03	—	—	0·01	0·02	—	0·09	—	0·03	21
22	0·14	0·15	0·36	—	0·02	—	0·58	—	—	—	—	0·02	22
23	0·04	0·04	0·12	0·15	—	—	1·12	—	0·02	0·03	—	0·76	23
24	0·11	0·02	0·02	—	—	0·03	0·21	—	0·08	0·40	—	0·66	24
25	—	—	—	0·03	—	0·01	0·15	—	0·08	1·50	—	0·74	25
26	—	—	—	—	—	0·45	0·03	—	0·01	0·02	—	0·31	26
27	—	0·55	—	—	—	0·03	0·20	—	0·01	—	—	1·08	27
28	—	0·08	—	—	—	0·12	0·09	—	—	0·60	—	0·16	28
29	—	0·25	—	—	—	0·08	—	—	0·36	0·12	—	0·07	29
30	—	✕	—	—	—	0·41	0·01	—	—	0·04	0·43	0·15	30
31	0·33	✕	—	✕	—	✕	0·02	—	✕	0·87	✕	0·48	31
Total	— ~~5·26~~ 5·05	·05 ~~11·12~~ 11·14	— ~~1·25~~ 1·20	·13 ~~1·51~~ 1·64	— ~~3·79~~ 3·66	·09 ~~1·13~~ 1·22	·17 ~~7·07~~ 7·15	— ~~2·94~~ 2·77	— ~~1·06~~ 1·06	2·00 ~~5·00~~ 7·00	·42 ~~5·90~~ 4·32	1·27 ~~12·45~~ 13·30	YEAR'S TOTAL ~~58·48~~ 59·56
Rain Days.	~~22~~ 21	~~24~~ 25	~~10~~ 9	~~14~~ 15	~~11~~ 10	~~7~~ 8	~~20~~ 20	~~16~~ 15	~~11~~ 11	~~16~~ 17	~~9~~ 9	~~26~~ 26	~~186~~ 186 ✓

W. 8,000. X. 15.

3893

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.
19. JAN 1917

Kept at The Park. Abertillery
in the County of Monmouth
by Mr E. G. Bailey. Superintendent

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station Abertillery
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ... in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·42	nil	0·01	nil	0·05	0·40	0·12	nil	nil	0·48	0·38	nil	1
2	0·65	0·23	0·30	nil	0·02	0·03	0·14	nil	0·10	1·70	0·53	nil	2
3	0·07	1·46	nil	nil	0·02	nil	0·05	nil	0·20	0·60	0·40	nil	3
4	0·60	0·33	nil	nil	0·59	1·01	nil	nil	0·02	0·65	1·20	nil	4
5	0·16	0·40	0·03	nil	0·16	0·06	nil	nil	nil	0·80	0·25	nil	5
6	0·15	0·95	0·03	nil	0·30	0·08	0·87	nil	nil	0·98	1·26	nil	6
7	0·06	0·05	0·07	nil	0·25	nil	0·02	nil	nil	0·42	0·32	0·18	7
8	nil	0·02	0·03	nil	0·55	0·30	nil	nil	nil	0·05	0·03	0·18	8
9	nil	0·07	0·03	nil	0·02	0·18	nil	nil	nil	0·08	0·07	0·06	9
10	nil	0·42	0·09	0·09	0·09	nil	0·03	nil	nil	0·15	0·03	0·13	10
11	0·02	0·02	0·03	0·19	0·05	0·04	0·01	nil	nil	nil	nil	nil	11
12	0·07	0·24	0·12	0·12	0·53	nil	0·30	0·13	nil	0·18	nil	nil	12
13	nil	0·50	0·23	nil	0·03	nil	0·02	0·90	nil	0·21	nil	nil	13
14	nil	0·55	0·08	0·07	0·09	nil	nil	0·43	nil	0·24	0·03	nil	14
15	nil	0·92	0·19	nil	0·03	nil	nil	0·49	0·04	0·06	nil	nil	15
16	0·09	0·08	nil	0·11	nil	nil	0·05	nil	0·06	0·08	nil	nil	16
17	0·46	0·27	nil	0·24	nil	nil	nil	0·03	0·22	0·46	0·42	nil	17
18	0·03	0·23	0·14	0·35	nil	nil	nil	nil	0·18	0·04	0·15	0·19	18
19	0·49	nil	1·20	0·30	nil	nil	nil	nil	nil	0·01	0·11	nil	19
20	0·34	0·11	0·19	nil	nil	nil	nil	nil	nil	nil	0·05	0·47	20
21	0·26	nil	0·40	0·07	0·09	nil	0·02	nil	nil	nil	nil	0·30	21
22	nil	nil	nil	0·01	nil	0·17	nil	nil	nil	0·58	0·02	0·52	22
23	0·05	1·03	nil	0·10	nil	0·11	nil	0·22	nil	0·15	0·74	0·22	23
24	nil	0·73	0·06	0·40	1·34	nil	nil	0·16	nil	0·82	0·03	0·31	24
25	nil	0·25	0·22	nil	nil	0·13	nil	1·56	nil	0·12	0·35	nil	25
26	0·10	0·48	0·05	nil	nil	0·15	nil	0·43	0·40	0·85	0·09	nil	26
27	0·05	0·28	1·74	nil	0·08	nil	0·28	0·33	0·60	0·53	nil	nil	27
28	0·05	0·35	nil	nil	nil	nil	nil	nil	nil	0·67	0·14	0·70	28
29	nil	0·34	0·10	nil	nil	0·73	nil	0·80	nil	0·66	0·03	0·50	29
30	nil	╳	0·01	nil	nil	0·50	nil	0·07	nil	0·67	nil	0·03	30
31	nil	╳	nil	╳	nil	╳	nil	0·16	╳	0·77	╳	0·14	31
Total	4·12	10·31	5·35	2·05	4·29	3·89	1·91	5·71	1·82	13·01	6·63	3·93	YEAR'S TOTAL 63·02
Rain Days.	19	25	23	12	18	14	12	13	9	28	22	14	209

W. 8,000, VIII. 16

P.O. TELEPHONES:-
OFFICE 77. RESIDENCE 60.
HOSPITAL 53.

URBAN DISTRICT COUNCIL OF ABERTILLERY

T. BAILLIE SMITH, M.B., Ch.B., D.P.H.,
MEDICAL OFFICER OF HEALTH
AND SCHOOL MEDICAL OFFICER.

PUBLIC HEALTH DEPARTMENT,
COUNCIL OFFICES,
ABERTILLERY, MON.

April 20, 1918.

ENCLOSURES

Carle Salter Esq.
British Rainfall Organisation
62 Camden Square
LONDON, N.W.I.

Dear Sir,

Upon enquiries made regarding the measurement of rainfall for October 30th I find that the reading should be 0·14 and not 3·14 as previously recorded.

Yours faithfully,

S. E. Thomas

2 Oct 30

17.11.04

cndby obw

Recd 8 Ed

3727

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL. 6 APR 1918

Kept at The Park. Abertillery

in the County of Monmouth.

by E. E. Thomas, Clerk to the B. H.

Lat. ______ Long. ______

Time of Observation Particulars as before

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03	nil	0.17	0.61	nil	0.46	nil	0.48	0.26	nil	0.04	0.06	1
2	0.04	nil	0.02	0.08	nil	0.06	nil	0.03	nil	0.04	0.23	0.01	2
3	0.05	0.22	nil	0.10	nil	0.05	0.05	nil	nil	0.83	0.12	nil	3
4	Nil	0.06	0.68	nil	nil	nil	0.21	0.10	nil	0.46	nil	nil	4
5	0.43	nil	0.47	0.31	nil	0.10	nil	nil	0.53	0.33	0.45	nil	5
6	Nil	nil	1.65	nil	nil	0.08	nil	nil	nil	0.59	0.52	0.11	6
7	0.48	nil	nil	nil	nil	nil	0.09	0.20	nil	0.15	0.10	nil	7
8	0.42	nil	0.30	0.25	nil	0.05	0.45	0.66	0.02	0.61	0.25	nil	8
9	Nil	nil	0.16	0.15	0.12	nil	nil	0.16	0.10	0.02	0.33	nil	9
10	0.28	nil	0.53	0.40	nil	nil	nil	0.33	0.05	0.01	nil	nil	10
11	0.08	nil	0.07	0.35	nil	nil	nil	1.45	nil	0.65	0.09	nil	11
12	0.10	nil	nil	0.03	1.25	nil	nil	0.06	nil	0.34	nil	nil	12
13	Nil	nil	0.23	0.20	nil	nil	nil	0.78	0.16	0.05	nil	nil	13
14	Nil	nil	0.08	nil	nil	nil	nil	0.05	nil	nil	nil	0.05	14
15	0.03	nil	nil	0.16	0.05	nil	0.10	nil	nil	0.52	nil	0.45	15
16	0.01	0.09	nil	0.15	nil	nil	nil	nil	0.35	0.03	nil	0.28	16
17	0.01	0.03	nil	0.05	0.30	nil	0.60	1.24	nil	0.20	0.02	nil	17
18	0.01	0.01	nil	nil	0.10	nil	1.04	0.09	1.62	nil	nil	nil	18
19	0.02	0.74	0.20	nil	nil	0.56	nil	nil	0.02	nil	0.03	nil	19
20	0.01	0.03	0.05	nil	0.55	0.11	nil	nil	0.14	nil	0.02	nil	20
21	0.01	nil	0.08	nil	0.16	0.02	nil	0.11	nil	0.10	nil	Nil	21
22	0.01	nil	nil	nil	nil	0.04	nil	0.55	0.02	0.12	0.02	Nil	22
23	Nil	0.23	nil	nil	0.21	0.24	nil	1.18	nil	0.09	0.01	nil	23
24	Nil	0.04	nil	nil	nil	0.20	0.14	0.47	nil	0.81	0.10	Nil	24
25	nil	0.04	0.10	nil	nil	nil	nil	0.52	0.18	0.08	0.06	nil	25
26	nil	nil	nil	nil	0.51	0.12	nil	1.11	0.46	0.02	0.09	nil	26
27	nil	nil	nil	nil	0.90	0.30	0.17	0.82	nil	0.02	0.02	nil	27
28	nil	nil	nil	nil	0.10	0.33	nil	0.58	nil	nil	0.03	0.04	28
29	nil	~~nil~~	0.19	nil	0.16	0.52	nil	0.02	nil	1.25	0.02	0.52	29
30	nil	X	nil	nil	nil	nil	nil	0.67	nil	~~3~~.14	0.12	nil	30
31	nil	X	0.05	X	0.33	X	nil	0.44	X	0.02	X	0.02	31
Total	2.02	1.49	5.03	2.84	4.74	3.24	2.85	12.10	3.91	~~10.48~~ 7.48	2.67	1.54	YEAR'S TOTAL 49.91 ~~52.91~~
Rain Days.	17.	10	17	13	13	16	9.	24	13	25	21.	9	187.

W. 8,000, IX. 17.

26 V.17 Exd [illegible] 6

REGISTER OF RAINFALL IN 1918

Kept at The Park, Abertillery

in the County of Monmouth

by L. E. Thomas

Lat. Long.

Time of Observation

Nearest Railway Station Abertillery

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 700 ft.

FORM A. BRITISH RAINFALL

3.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0.23	0.02	0.12	nil	nil	nil	0.26	0.03	0.04	1.30	0.06	1
2	nil	0.32	nil	0.14	nil	nil	nil	0.51	nil	0.06	0.11	0.72	2
3	nil	0.45	nil	0.22	0.30	nil	nil	nil	0.36	0.24	0.08	0.04	3
4	nil	0.10	nil	0.02	nil	nil	nil	0.06	0.64	0.43	1.78	1.21	4
5	nil	0.11	0.02	0.23	0.10	nil	nil	0.15	0.15	1.03	0.15	0.07	5
6	0.10	0.60	nil	0.20	nil	0.02	nil	nil	0.03	0.38	nil	0.26	6
7	0.01	0.33	nil	0.01	0.50	0.03	nil	nil	0.85	0.07	0.44	0.29	7
8	0.07	0.32	nil	nil	nil	0.53	0.01	nil	0.23	0.31	0.02	0.05	8
9	0.06	0.60	nil	0.47	nil	nil	0.32	nil	0.75	0.31	0.10	0.40	9
10	0.18	0.11	nil	0.25	nil	nil	0.73	nil	0.35	0.26	0.06	0.41	10
11	0.03	0.06	0.21	0.04	0.01	nil	0.13	nil	0.28	0.11	0.06	0.20	11
12	0.02	0.34	0.18	nil	0.34	nil	0.44	nil	0.12	nil	nil	0.14	12
13	0.07	0.06	0.02	nil	0.01	nil	0.03	nil	0.66	0.10	nil	0.24	13
14	0.87	nil	0.08	nil	0.10	nil	0.15	nil	0.56	0.13	nil	0.51	14
15	1.32	0.01	nil	0.09	0.01	0.09	0.67	nil	0.07	nil	nil	0.68	15
16	0.40	nil	nil	0.84	nil	0.05	0.05	0.12	0.59	nil	nil	0.16	16
17	0.41	nil	0.13	0.03	nil	nil	0.14	nil	0.92	0.04	nil	0.51	17
18	1.30	nil	0.09	nil	nil	0.85	0.04	nil	1.02	0.04	nil	0.52	18
19	0.26	0.05	0.30	nil	nil	nil	0.32	0.03	0.04	0.09	nil	0.14	19
20	0.20	0.36	nil	0.18	nil	0.08	0.14	nil	0.56	0.01	nil	0.26	20
21	0.22	0.20	nil	0.13	nil	0.04	0.04	nil	0.98	0.03	nil	0.18	21
22	0.03	0.01	nil	nil	0.23	nil	0.62	nil	0.08	0.01	nil	0.75	22
23	0.33	0.04	nil	nil	0.62	nil	0.26	nil	0.07	nil	0.07	0.02	23
24	0.12	0.16	nil	nil	nil	nil	0.71	0.29	0.15	nil	0.17	0.06	24
25	nil	nil	nil	0.03	0.10	nil	0.68	1.06	nil	0.08	0.10	nil	25
26	nil	0.01	nil	0.20	nil	nil	0.35	0.03	0.28	0.02	0.14	0.81	26
27	0.01	0.05	0.32	nil	nil	nil	0.04	0.42	0.46	0.02	0.11	0.11	27
28	nil	0.11	0.62	nil	nil	nil	nil	nil	0.22	0.04	0.07	0.25	28
29	nil	~~0.02~~	0.24	nil	nil	nil	nil	nil	1.27	0.03	nil	0.06	29
30	nil		0.60	nil	nil	nil	nil	0.01	nil	0.10	0.06	0.43	30
31	nil		0.32		nil		nil	0.09		nil		0.01	31
Total	6.03	4.63	3.15	3.20	2.32	1.69	5.87	3.03	11.52	3.98	4.82	9.55	YEAR'S TOTAL 59.79
Rain Days.	21	23	14	17	11	8	20	12	27	25	17	30	225

RL 3537

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Park. Abertillery
in the County of Monmouth
by The Urban District Council of Abertillery

Lat. Long.
Time of Observation
Nearest Railway Station Abertillery
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·20

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·67	0·01	0·21	0·06	0·14	nil	0·35	Nil	0·30	0·32	Nil	0·66	1
2	0·30	nil	0·25	nil	0·06	nil	0·36	0·11	0·35	0·04	0·07	0·26	2
3	0·10	nil	0·16	nil	0·04	nil	nil	Nil	0·02	Nil	0·13	0·60	3
4	0·07	0·26	0·38	nil	nil	0·19	0·10	0·02.	0·77	Nil	Nil	0·27	4
5	0·02	0·19	0·37.	Nil	nil	nil	nil	Nil	0·06	Nil	0·04	0·60	5
6	0·85	0·08	0·60.	Nil	nil	nil	nil	Nil	nil	0·01	0·07	0·34	6
7	0·38	nil	0·55	0·12.	nil	nil	nil	Nil	nil	Nil	Nil	0·02	7
8	0·34	nil	0·13	0·05	nil	0·10	nil	Nil	Nil	Nil	Nil	Nil	8
9	0·84	nil	0·06	0·13	nil	nil	nil	Nil	Nil	Nil	0·58	Nil	9
10	0·04	nil	1·12	0·03	0·03	nil	nil	Nil	Nil	0·03	0·06	0·97	10
11	0·10	nil	0·87	0·07.	0·23	0·01	0·27.	Nil	Nil	0·02	0·01	0·25	11
12	0·03	nil	0·05	0·05	0·03	0·58	0·01	Nil	Nil	0·04	0·04	0·02	12
13	0·48	0·02	nil	0·73	nil	nil	0·01 0·06	Nil	Nil	0·08	Nil	0·18	13
14	1·07	0·08	nil	0·35	nil	nil	Nil	Nil	Nil	0·01	Nil	0·22	14
15	0·40	0·07	nil	0·03	0·01	nil	Nil	0·09	Nil	0·10.	Nil	0·40	15
16	0·17	1·20	nil	nil	nil	0·01	Nil	Nil	Nil	Nil	0·16	Nil	16
17	0·08	0·55	nil	0·01	nil	0·03	0·14	0·24.	Nil	Nil	0·52	0·04 0·09	17
18	0·99	nil	0·70	nil	nil	nil	0·40	0·47.	0·02	Nil	0·23	0·07	18
19	0·45	0·54	0·60	nil	nil	0·25	Nil	0·61	0·05	Nil	0·14	0·25	19
20	0·81	0·34	0·47.	nil	nil	0·02	0·10	0·09	0·02	Nil	0·12	0·12	20
21	0·01	1·23	0·10	nil	nil	nil	0·02	0·02	0·11	Nil	0·06	0·47	21
22	nil	0·26	0·01	nil	nil	nil	Nil	0·03	0·40	Nil	0·04	0·13	22
23	nil	nil	nil	nil	nil	0·02	Nil	nil	nil	1·28	0·32	0·20	23
24	nil	nil	nil	nil	nil	0·08	Nil	0·01	0·02	0·90	0·49	0·29	24
25	0·15	nil	nil	0·15.	0·01	nil	Nil	1·10	0·05	0·01	0·05	0·75	25
26	0·02.	nil	0·20	0·16	nil	0·04	0·02	0·09	0·17.	Nil	0·01	0·07	26
27	0·28	nil	0·10	0·17	nil	nil	Nil	0·42	Nil	Nil	0·03	0·68	27
28	0·01	nil	0·20	0·01	nil	nil	Nil	0·22.	Nil	Nil	0·34	0·75	28
29	0·08	✗	0·02	0·04	nil	nil	Nil	nil	Nil	0·17	0·01	0·96	29
30	0·01	✗	0·01	0·07.	nil	0·20	0·07	0·45	Nil	0·02	0·64		30
31	0·01	✗	0·01	✗	nil	✗		nil	✗	nil	✗	0·13	31
TOTAL	7·78	4·83	7·17	2·22	·55	1·53	1·91	3·97.	2·34	3·03	4·16	~~10·89~~ 9·79	YEAR'S TOTAL 49·28
Days with ·01 in. or more	27	13	23	17	8	12	13	15	13	14	23	28	~~49·58~~

206

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3424

22 JUN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Park. Abertillery

in the County of Monmouth

by Park. Keeper

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Abertillery

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.44

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.20	0.01	0.02	0.32	0.02	nil	0.22	0.07	0.11	0.30	0.07	1.06	1
2	0.15	0.05	nil	0.15	0.03	nil	1.03	0.06	0.04	0.38	nil	0.87	2
3	0.01	0.16	nil	0.09	nil	nil	0.01	0.03	0.01	1.70	nil	0.17	3
4	nil	nil	0.12	0.01	0.60	nil	0.24	0.30	nil	0.16	nil	nil	4
5	nil	nil	0.40	0.01	0.46	nil	0.12	0.04	0.07	0.40	nil	nil	5
6	0.06	nil	0.37	0.05	0.07	nil	0.39	nil	nil	0.19	nil	0.01	6
7	0.07	nil	0.06	0.21	0.26	nil	0.38	nil	nil	nil	0.01	nil	7
8	0.80	0.04	nil	0.73	nil	nil	0.09	0.20	nil	nil	nil	nil	8
9	1.71	0.55	0.04	0.78	nil	1.31	0.40	0.01	0.02	nil	nil	nil	9
10	1.71	0.38	0.20	0.12	0.69	0.06	0.08	nil	nil	0.01	0.05	nil	10
11	0.09	0.02	0.59	0.82	0.04	0.94	0.11	nil	nil	nil	nil	0.02	11
12	0.35	0.10	0.04	0.44	nil	0.01	nil	0.01	nil	0.01	0.16	0.01	12
13	0.12	0.09	0.96	0.56	nil	0.09	0.25	nil	nil	0.01	0.13	0.06	13
14	0.18	0.03	0.51	1.27	0.10	0.21	0.09	nil	0.70	0.10	1.63	0.02	14
15	0.01	0.20	0.24	1.49	0.07	0.39	0.24	nil	0.03	0.28	0.08	nil	15
16	nil	0.01	0.12	0.09	0.60	0.41	nil	0.01	0.61	0.67	0.17	nil	16
17	0.17	nil	0.05	0.10	0.23	nil	nil	0.12	0.01	0.47	nil	0.06	17
18	0.33	nil	nil	0.10	0.15	0.19	0.04	0.21	0.60	nil	nil	0.03	18
19	0.02	0.25	nil	0.76	nil	0.21	nil	nil	nil	nil	nil	nil	19
20	0.06	nil	nil	0.36	nil	nil	nil	nil	nil	0.01	nil	0.83	20
21	nil	nil	nil	0.04	nil	0.02	0.07	nil	nil	0.01	nil	0.37	21
22	0.12	nil	nil	0.27	nil	nil	0.43	0.13	nil	nil	nil	0.36	22
23	0.08	nil	0.01	0.04	nil	nil	0.40	0.02	nil	nil	nil	0.70	23
24	0.10	0.02 ~~nil~~	0.80	0.01	nil	nil	0.02	nil	nil	nil	0.15	0.88	24
25	0.08	0.14	0.36	0.08	0.30	0.03	0.81	0.02	nil	nil	nil	0.09	25
26	0.32	0.12	0.50	0.22	0.07	0.15	0.06	nil	nil	nil	0.17	0.17	26
27	1.16	0.14	0.56	0.07	0.08	0.80	0.03	nil	nil	nil	0.06	0.60	27
28	0.75	0.02	0.21	0.10	0.22	0.08	0.04	nil	nil	nil	nil	0.16	28
29	0.94	0.01	0.25	0.08	nil	0.42	0.20	nil	nil	nil	0.43	1.51	29
30	0.35	☒	0.11	0.77	nil	1.58	0.21	nil	0.52	nil	0.75	1.04	30
31	0.27	☒	0.35	☒	nil	☒	0.05	nil	☒	0.83	☒	0.40	31
TOTAL	10.21	2.34	6.87	10.14	3.99	6.90	6.01	1.23	2.72	5.53	3.86	9.42	YEAR'S TOTAL 69.22
Days with ·01 in. or more	27	19	23	30	17	17	26	14	11	16	13	22	235
Days with ·04 in. or more	24	12	21	27	15	14	23 22	8	7	11	12	17	191

RI 4024

BLAENAVON, ESTATE OFFICE

1912 – 20

FORM A2.
BRITISH RAINFALL.

13 JAN 1913

Kept at Blaen

in the County of M

by E. J. John

in.

round 1 ft. 6 in.

ea Level 1150 ft.

0 AM.

ame S.W.R.

istance ½ Mile Direction S.E.

IMPORTANT NOT … he result entered to the previous day. If an Ob … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.48	0.41	-	0.14	0.08	0.78	0.10	-	-	0.38	1
2	-	-	0.68	-	-	1.11	-	0.12		0.86	-		2
3	-	0.04	1.56	0.02	-		0.20	-	-	-	0.05	-	3
4	0.02	-		-	0.07	0.29	0.08	4.18	0.18	-		0.16	4
5	0.49		1.48	0.04	0.17	-	-		-	-	0.12	-	5
6	0.56	0.16	0.20			0.15	-		-	-	-	0.10	6
7	0.42	0.27	-		0.19	0.02	0.18		-		-	0.13	7
8		0.45	0.42		0.07	0.41		-	0.03	-	-	0.16	8
9	0.80	0.53	0.34		-	0.46	0.07	0.03		-	-		9
10	0.12	0.15	0.68	0.18	-		0.08	0.30	-	-	0.32	0.72	10
11	0.38	0.65		-	-	0.01	0.06	0.27	-	-		0.01	11
12	0.01		-	-	0.12	-	0.11		-	-	0.07	1.22	12
13	0.06	0.40	0.17	0.08		-	0.06	-	-	0.24	-	0.28	13
14	0.46	-	-	- -	-	0.01	-	-	0.03		-	0.52	14
15		-	0.84		0.06	0.04		0.02	-	-	-	0.60	15
16	1.15	0.22	-	-	0.32	0.46	-	-		-	-		16
17	0.97	-	0.79	-			-	0.31	-	0.16	0.08	0.04	17
18	0.72	0.07		-	-	0.09	-	1.03	-	-		0.95	18
19	0.17		0.17	-	-	-	-		-	0.10	-	0.23	19
20	0.13	0.14	0.01	-		0.08	0.22	0.45	-	0.49	-	0.14	20
21	0.13	-	0.82	-	-	-		0.11	-		-	-	21
22		0.12	0.88		0.76	-		0.25	-	0.24	-	0.23	22
23	0.37	0.83	0.10	-	0.24	0.48	0.54	0.48		0.05	-		23
24	0.53	0.56	0.67	-	-		-	0.68	-	0.07	0.27	0.38	24
25	0.10	0.06			-	0.70	0.09	1.04	-	0.09		1.78	25
26	-		0.10	-	-	0.44	0.11		-	0.05	0.68		26
27	-	0.42	0.03	-			0.07	0.73	-	2.79	1.12		27
28	-	0.15	0.03	-	-	0.75	3.11	-	-		-	1.04	28
29		0.17	-		-	0.17		1.19	1.13	1.24	0.63	0.44	29
30	-	-	0.03	-	-	- [illegible]	0.29	0.26		0.59	-		30
31	-	-	- [illegible]		-		0.17	-	-	0.60	-	0.02	31
Total	7.59	5.39	10.48	0.73	2.00	5.81	5.52	12.23	1.47	7.57	3.34	9.53	TOTAL for year 71.66
No. of Rain Days.	22	21	25	8	12	23	22	24	8	17	13	27	

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

13 JAN 1913

REGISTER OF RAINFALL

Kept at Blaenavon.

in the County of Monmouth 3

by E. J. John Estate Office

Rain Gauge: Pattern	
Diameter of top	8" in.
Height of top above Ground	1 ft. 6 in.
" " " Sea Level	1150 ft.
Time of Observation	9. 0 AM.
Nearest Railway Station: Name	G W R.
Distance	½ Mile
Direction	S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.48	0.41	-	0.14	0.08	0.78	0.10	-	-	0.38	1
2	-	-	0.68	-	-	1.11	-	0.12		0.86	-		2
3	-	0.04	1.56	0.02	-		0.20	-	-	-	0.05	-	3
4	0.02	-		-	0.07	0.29	0.08	4.18	0.18	-		0.16	4
5	0.49		1.48	0.04	0.17	-	-		-	-	0.12	-	5
6	0.56	0.16	0.20			0.15	-		-	-	-	0.10	6
7	0.42	0.27	-		0.19	0.02	0.18		-		-	0.13	7
8		0.45	0.42		0.07	0.41		-	0.03	-	-	0.16	8
9	0.80	0.53	0.34		-	0.46	0.07	0.03		-	-		9
10	0.12	0.15	0.68	0.18	-		0.08	0.30	-	-	0.32	0.72	10
11	0.38	0.65		-	-	0.01	0.06	0.27	-	-		0.01	11
12	0.01		-	-	0.12	-	0.11		-	-	0.07	1.22	12
13	0.06	0.40	0.17	0.08		-	0.06	-	-	0.24	-	0.28	13
14	0.46	-	-	- -	-	0.01	-	-	0.03		-	0.52	14
15		-	0.84		0.06	0.04		0.02	-	-	-	0.60	15
16	1.15	0.22	-	-	0.32	0.46	-	-		-	-		16
17	0.97	-	0.79	-			-	0.31	-	0.16	0.08	0.04	17
18	0.72	0.07		-	-	0.09	-	1.03	-	-		0.95	18
19	0.17		0.17	-	-	-	-		-	0.10	-	0.23	19
20	0.13	0.14	0.01	-		0.08	0.22	0.45	-	0.49	-	0.14	20
21	0.73	-	0.82	-	-	-		0.11	-		-	-	21
22		0.12	0.88		0.76	-		0.25	-	0.24	-	0.23	22
23	0.37	0.83	0.10	-	0.24	0.48	0.54	0.48		0.05	-		23
24	0.53	0.56	0.67	-	-		-	0.68	-	0.07	0.27	0.38	24
25	0.10	0.06			-	0.70	0.09	1.04	-	0.09		1.78	25
26	-		0.10	-	-	0.44	0.11		-	0.05	0.68		26
27	-	0.42	0.03	-			0.07	0.73	-	2.79	1.12		27
28	-	0.15	0.03	-	-	0.75	3.11	-	-		-	1.04	28
29		0.17	-		-	0.17		1.19	1.13	1.24	0.63	0.44	29
30	-	-	0.03	-	-	- see 1/July	0.29	0.26		0.59	-		30
31	-	-	- [illegible]		-		0.17	-	-	0.60	-	0.02	31
Total	7.59	5.39	10.48	0.73	2.00	5.81	5.52	12.23	1.47	7.57	3.34	9.53	TOTAL for year
No. of Rain Days.	22	21	25	8	12	23	22	24	8	17	13	27	71.66

W. 8,000, X. '11.

~~Exc DL~~ Cor. for W.D. 28.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 2 - JAN 1914

Kept at Blaenavon

in the County of Monmouth

by E. J. John. Esq.

Lat. Long.

Time of Observation 9. 0. AM

Nearest Railway Station G. W. Ry

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 1150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.36	0.12	-	0.18	-	0.12	-	-	0.05	-	0.06	·01	1
2	0.03	0.94	1.15	0.10	0.19	-	-	-	-	-	0.91	0.09 ·08	2
3	0.07			0.27	0.37	.	-	-	0.21	0.62		-	3
4	0.33	0.19	0.31	-	0.37	.	-		0.05	-	-	0.30	4
5	1.59	0.07	0.44	-		-	0.07	-	-	0.41	0.40	0.37	5
6		0.13	0.10	-	0.30	0.14	0.18	.	2.30			0.14	6
7	0.32	0.39	0.41		0.09	0.26		-	0.35	0.75	0.40	0.10	7
8	0.13	1.16	-	-	0.90	0.34	0.01	-	-	1.27	0.30	0.54	8
9	0.16	0.78	0.07	-	0.97		-	-		0.03	0.66		9
10	-			0.02	0.35	0.63	0.17	0.31	-	-		.	10
11	0.78	-	0.04	-	1.24	-	-		0.07	0.77	0.23	0.03	11
12	1.22	-	-	0.18		-	-	-	-	0.07	0.68	0.05	12
13		-	-	0.04	-	-	.	0.03	-		0.87	-	13
14	0.13	-	0.50		-	-	-	0.05	0.14	-	0.37	-	14
15	0.45	-	0.81	0.42	-	-	-	-	0.74	0.24	0.01	.	15
16	0.15	0.03	2.19	2.45		-	-	0.16		-	0.06	0.06	16
17	0.51			0.07	-	-	-	0.07	0.01	-		-	17
18	0.44	-	0.02	0.40	-	-	0.03		-	-	0.27	-	18
19	0.76	-	0.92	0.49		0.38	-	-	-	0.06	0.28	-	19
20		-	0.15	0.31	-	.	-	-	-		0.09	0.05	20
21	0.85	-	2.56		0.01	-		-	0.19	0.11	1.57	-	21
22	-	-		0.47	0.33	0.09	0.13	0.35	-	0.03	0.34		22
23	0.91			-	-		0.01	0.92		-	0.14	-	23
24	0.05	-		-	-	0.11	-	0.06	0.37	-		0.14	24
25	0.23	0.11		0.09	-	-	-		0.01	-	0.09	1.22	25
26	-	0.05	-	0.85		-	-	-	.	0.08	0.02		26
27		0.01	-	2.35	-	-	-	0.08	0.05		-		27
28	0.11	-	0.33		-	-	-	-	0.04	1.13	-		28
29	0.39	.	0.23	0.73	0.05	-	-	-	-	0.49	-		29
30	-	-	0.94	0.49	-		-	0.11		0.77	-	-	30
31	0.63				-		-	-		1.12		-	31
Total	·12 ~~10.60~~	– ~~3.98~~	·18 ~~11.17~~	– ~~9.91~~	·12 ~~5.17~~	– ~~2.07~~	– ~~0.60~~	·05 ~~2.14~~	– ~~4.58~~	·06 ~~7.95~~	·01 ~~7.75~~	– ~~3.09~~	YEAR'S TOTAL ~~69.01~~
Rain Days.	~~23~~	11 ~~17~~	18 ~~19~~	17 ~~18~~	13 ~~12~~	7 ~~8~~	~~7~~	11 ~~10~~	13 ~~14~~	17 ~~16~~	~~20~~	11 ~~12~~	? ~~164~~
	10.36	3.86	11.35	9.73	5.29	1.95	·60	2.19	4.53	8.01	7.70	3.08	68.65

W.7,000, XI. 13

wd for W.D. 20.IV.15 Esc. M.9.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
7 JAN 1915

Kept at Blaenavon
in the County of Monmouth 3
by

Lat. Long. —
Time of Observation 9 0. A.M.
Nearest Railway Station G.W.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 1150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.23

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	(1.00)		. .	-	(-)	.	0.55	-	-	(.85)	0.96	1
2	.	~~1.27~~ (.27)	0.27	0.02	-	0.12	0.34		-	-	~~1.35~~ (.50)	0.27	2
3	-	.	.	-			0.72	0.45	.	-	0.76	0.63	3
4		-	0.15	0.26	0.78	.	-	0.03	.		0.02	0.43	4
5	0.44	-	0.07		0.46	.		-	.	-	1.22	1.20	5
6	0.03	-	0.23	0.92	0.13	-	0.83	0.11	0.05	.	0.18		6
7	0.04	0.15	0.07	0.09	0.16		-	0.13	0.15		0.04	0.81	7
8	0.01			0.20	0.53	.	0.42		0.42	.		0.33	8
9	0.13	1.16	0.84	0.18	0.13	0.49	0.03	1.19	-	-	.		9
10	0.22	0.07	0.19	0.75		2.77	-	-		-	0.02		10
11		0.93	.	0.50	0.18	0.14	-	.	0.73		-	0.22	11
12	-	0.29	0.50		0.16	0.20		-	-	.	0.26	1.20	12
13	-	0.82	0.09		.	.	0.18	0.16	0.13	-	0.20		13
14	-	1.27	0.87	-	-		0.23		1.12	0.36	0.36	1.46	14
15	-				.	-	-	0.20	0.02	0.09		-	15
16	0.04	1.93	1.16	-	-	-	0.05	.	0.03	0.03	0.76	0.01	16
17	.	.	-	-		-	0.15	.		-	.	0.02	17
18	-	0.80	0.73	.	-	-	-	.	0.06	-	.	1.78	18
19	-	.	0.24		-	-		-	-		.	0.69	19
20	-	0.08	0.21	-	.	.	1.96	-	-	-	0.05		20
21	-	0.88	0.10	-	.		.	-	-	-	-	0.81	21
22	.			.	.	0.54	0.09		-	0.45		-	22
23	.	1.17	-	0.03		0.03	.	0.23	-	0.67	.	-	23
24		0.09	0.22	.	0.16	.	.		.	0.47	-	-	24
25	0.24	.	0.08	.		.	0.06	0.17	.		0.16		25
26	.	.	0.21	.	.	.		0.63	-	0.54	0.28		26
27	.	.	0.05		.	.	0.21		-	0.16	0.92	1.92	27
28	0.03	0.06	-	-	.		0.03	-	-	0.04	1.04		28
29	0.10	- -		.	0.08	.	.	-	-	0.14		0.64	29
30	0.60	✕	0.79	.	0.12	-	.		-	0.10	1.93	-	30
31	0.12	✕	0.63	✕	. -	✕	-	0.01	✕		✕	1.16	31
	(1.00)	-	-	-	(-)	-	.55	-	-	(.85)	.96	.23	YEAR'S TOTAL
Total	~~2.00~~	~~10.97~~	7.70	2.95	2.89	4.29	~~5.30~~	~~3.96~~	2.71	~~3.05~~	~~9.65~~	~~14.54~~	~~70.01~~
Rain Days.	(3.00) ~~14~~	(9.97) ~~19~~	~~25~~	~~10~~	~~15~~	~~10~~	5.85 ~~18~~	3.41 ~~18~~	~~11~~	(3.90) ~~12~~	(9.76) ~~20~~	13.81 ~~26~~	70.24 ~~198~~

W. 8,000. X. 14.

corr for W.D. 17.v.16.

3986

FORM A.
BRITISH RAINFALL.

7 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Estate Office Blaenavon

in the County of Monmouth.

by H. J. Steel

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station G. W. R.

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 1150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1.38

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.23	nil	0.28	nil	0.12	Nil	0.17	(.25)	0.08	nil	2.32	0.50	1
2	.	0.58	nil	nil	0	nil	nil		0.10	0.40	nil	0.28	2
3	.	0.54		0.32	0.26	nil	nil	(1.50) ~~1.75~~	0.04	0.	nil		3
4	1.53	0.29	0.46		0.12	nil	~~1.73~~	0.07	nil	0.12	nil	0.40	4
5	0.02	0.43	0.01		0.29	nil	1.73	0.14		nil	nil		5
6	0.16	1.03	nil		nil		nil	0.23	nil	nil	nil	2.21	6
7	0.24			0.63	nil	nil	0.81	0.02	nil	nil		0.56	7
8	0.32	1.26	nil	0.04	nil	nil	0.11		nil	0.03	nil		8
9	0.53	0.79	nil	nil		nil	nil	0.07	nil		0.28	0.45	9
10		0.46	nil	0.06	nil	nil	nil	nil	nil	nil	0.58	1.28	10
11	0.65	0.04	nil		nil	nil		nil	nil	0.19	0.10	0.12	11
12	0.08	nil	0.12		nil	nil	nil	nil		0.02	1.45		12
13	0.15	0.67	nil	0.15	0.76		nil	nil	nil	0.24	0.71	0.08	13
14	nil			nil	1.77	nil	nil	nil	0.14	nil		0.09	14
15	0.10	0.94	nil	nil	nil	nil	nil		0.04	0.12	nil	0.91	15
16	0.84	0.03	0.02	nil		nil	0.10		nil	0.08	0.16	0.42	16
17		1.89	nil	nil	1.01	nil	1.44	0.21			nil	0.01	17
18	nil	0.42	nil		1.33	nil		0.04	nil	nil	nil	nil	18
19	nil	1.50	nil	nil	nil	nil	0.01	nil		0.01			19
20	nil	nil	nil	0.10	0.25		0.38	nil	nil	nil	nil	nil	20
21	0.36			nil	nil	nil	0.03	0.03	nil	0.18		0.03	21
22	0.09	0.19	nil	nil	nil	nil	0.37			0.18	nil	0.01	22
23	nil	nil	0.39	0.11		nil	0.94	nil	0.03	0.05	nil	0.66	23
24		0.01	0.06	nil		nil	0.20	nil	0.04		nil	0.60	24
25	0.15	nil	0.06		nil	0.03		nil		1.87	nil		25
26	nil	nil	0.03	0.04	nil	0.37	0.12	nil		nil	nil		26
27	nil	0.55	nil	nil	nil		0.17	nil	0.44	nil	nil		27
28	nil	nil		nil	nil	0.15	0.10	nil		0.67		2.60	28
29	nil		nil	nil	nil	0.07	nil		0.42	0.12	nil	0.09	29
30	nil		nil	nil		0.38	nil	0.04	nil	0.01	0.42	0.21	30
31	nil		nil		Nil		nil	nil		as 1st Nov		0.50	31
Total	— ~~5.45~~	.28 ~~11.67~~	— ~~1.43~~	.12 ~~1.45~~	— ~~5.91~~	.17 ~~1.00~~	.25 ~~6.68~~	.08 ~~2.60~~	— ~~1.03~~	2.32 ~~4.29~~	.50 ~~6.02~~	1.38 ~~12.06~~	YEAR'S TOTAL ~~59.54~~
Rain Days.	5.22	11.90	1.15	1.57	5.79	1.17	6.76	2.43	.95	6.61	4.20	12.94	not taken daily

60.69

W. 8,000. X. 15.

cm/pu W.D.

3914

FORM A.
BRITISH RAINFALL.
18 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Estate Office, Blaenavon

in the County of Monmouth

HG Steel

by Estate Agent, Blaenavon Co. Ltd

Lat. 51° 46' 30" Long. 3° 6' 30"

Time of Observation 9 a.m.

Nearest Railway Station G. W. R

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. - in.

" " " " Sea Level 1150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.09

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	(1.00) ~~1.38~~	-	(.60)	-	-	-	.06	-	.12	=	.74	-	1
2	(.38)	-	(.06)	-	.13	-	-	-	-	.30	.31	-	2
3	.83	.23	.25	-	.06	.35	.27	-	-	1.51	.42	-	3
4	.06	1.58	-	-	.12	-	-	-	.41	.50	.64	-	4
5	.46	.29	-	.02	.46	.85	-	-	.06	.76	-	-	5
6	.05	-	.06	-	.32	.02	-	-	-	.65	1.74	-	6
7	.16	.70	.05	-	-	.08	.92	-	-	.91	1.02	-	7
8	.15	.04	.10	-	.45	.01	-	-	-	-	.31	.29	8
9	-	-	.08	-	.44	.31	-	-	-	.52	.02	.22	9
10	.01	-	.02	-	.03	.03	.03	-	-	.07	.07	-	10
11	-	.41	.08	.12	.06	-	.04	-	.01	.10	-	.22	11
12	.09	.06	-	.12	.03	-	-	-	-	-	-	-	12
13	.06	-	.15	.10	.37	.08	.19	-	-	.16	-	-	13
14	-	.66	.39	.21	-	-	-	.95	-	.12	-	.03	14
15	-	.76	.38	.05	.09	-	-	.71	-	-	.02	-	15
16	-	.85	.23	-	.02	-	-	.36	.08	.42	-	-	16
17	.06	.07	-	.38	-	-	.03	-	-	.05	-	-	17
18	.34	.23	-	.24	-	-	-	-	.29	.45	.38	-	18
19	.02	.16	-	.11	-	-	-	-	.17	.08	-	.17	19
20	.45	-	1.45	.19	-	-	-	-	-	-	.32	-	20
21	.19	.14	.23	-	-	-	-	-	-	-	.04	.66	21
22	.18	-	.32	-	.08	-	.10	-	-	-	-	.19	22
23	-	-	.08	-	-	.13	-	-	-	.70	-	.56	23
24	.04	.34	-	-	-	.06	-	.21	-	.25	.47	-	24
25	-	.18	.03	-	1.75	-	-	.13	-	1.06	.01	-	25
26	-	.26	-	.24	-	-	-	1.26	-	.22	-	-	26
27	.08	-	.27	-	-	.08	-	-	.46	1.22	.67	.52	27
28	.04	-	-	-	-	.12	-	.35	.48	.58	-	-	28
29	.03	-	.40	-	-	-	-	-	.21	-	.09	.64	29
30	-	X	.06	-	-	.54	-	.88	-	1.31	.04	.40	30
31	-	X	-	X	.03	X	-	.06	X	.75	X	-	31
	-	(.60)	-	-	-	.06	-	.12	-	.74	-	.09	YEAR'S TOTAL
Total	~~4.68~~	~~6.96~~	~~5.29~~	~~1.78~~	~~4.44~~	~~2.66~~	~~1.64~~	~~4.41~~	~~2.29~~	~~12.69~~	~~7.31~~	~~3.88~~	~~58.03~~
Rain Days.	3.68 ~~20~~	7.56 ~~17~~	4.69 ~~20~~	1.78 ~~11~~	4.44 ~~16~~	2.72 ~~13~~	1.58 ~~8~~	4.53 ~~9~~	2.17 ~~10~~	13.43 ~~23~~	6.57 ~~18~~	3.97 ~~11~~	57.12 ~~176~~

W. 8,000, VIII. 16

375

Crd for WD

FORM A. BRITISH RAINFALL.

19 JAN 1918

Estate Office REGISTER OF RAINFALL IN 1917

Kept at Blaenavon

in the County of Monmouth.

by Henry C. Steel.

Lat. 51° 46′ 30″ Long. 3° 6′ 30″

Time of Observation 9. am

Nearest Railway Station G. W R

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. – in.

" " " " Sea Level 1150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.09	Nil	Nil	(–)	Nil	0.37		Nil	0.22	Nil	0.12	0.13	1
2	0.03	Nil	0.20	0.16	Nil	0.49	Nil	0.95		Nil	0.06		2
3	0.02	Nil	0.06	Nil	Nil		Nil	Nil	0.41	Nil	0.26	0.05	3
4	0.04			0.07	Nil	0.10	Nil	Nil	Nil	0.99		Nil	4
5	0.01	0.22		Nil	Nil	Nil	0.22		Nil	0.32	0.19	Nil	5
6	0.43	Nil	1.09	0.28		0.17	Nil		0.56	0.42	0.36	Nil	6
7		Nil	1.15	Nil	Nil	0.31	Nil		Nil		0.54	0.05	7
8	0.53	Nil	Nil		Nil	Nil		0.26	Nil	0.64	0.14	Nil	8
9	0.44	Nil	0.38		Nil	0.03	0.73	0.62		0.11	0.27		9
10	Nil	Nil	0.22	0.32	0.10		Nil	0.17	0.30	0.04	0.54	Nil	10
11	0.32			0.34	0.11	Nil	Nil	0.52	0.01	0.05		0.04	11
12	0.08	Nil	0 67	0.21	0.07	Nil	Nil		Nil	0.52	0.11	Nil	12
13	0.23	Nil	Nil	Nil		Nil	Nil	0.81	Nil	0.32	Nil	Nil	13
14	Nil	Nil	0.32	0.32	1.76	Nil	Nil	0.94	0.15		Nil	Nil	14
15		Nil	0.19		Nil	Nil		0.02	Nil	Nil	Nil	0.04	15
16	0.02	Nil	Nil	0.19	0.12	Nil	0.17	Nil		0.38	Nil		16
17	Nil	0.05	Nil	0.21	Nil		Nil	0.06	Nil	0.03	Nil	0.73	17
18	Nil			Nil	0.85	Nil	0.51	1.08	0.25	0.17		Nil	18
19	Nil	0.05	Nil	0.02	0.19	Nil	0.86		1.62	Nil	Nil	Nil	19
20	Nil	0.54	0.31	Nil		0.44	Nil	0.05	0.02	Nil	Nil	Nil	20
21	Nil	0.02	0.08	Nil	0.81	0.11	Nil	Nil	0.39		Nil	Nil	21
22		Nil	0.23		0.22	Nil		0.15	Nil	0.08	Nil	Nil	22
23	0.06	0.01	Nil	Nil	Nil	0.02	Nil	0.92		0.12	Nil		23
24	Nil	0.44	Nil	Nil	0.17		Nil	0.88	Nil	0.11	0.02	Nil	24
25	Nil			Nil	Nil	0.22	0.10	0.42	Nil	0.76			25
26	Nil	0.08	0.10	Nil	Nil	Nil	Nil		0.08	0.09	0.13		26
27	Nil	Nil	Nil	Nil		0.01	Nil	1.39	0.35	Nil	0.07	Nil	27
28	Nil	Nil	Nil	Nil		0.37	0.11	1.19	Nil		0.01	Nil	28
29			0.25		1.78	0.25		0.37	Nil	Nil	0.04	Nil	29
30	Nil	✕	0.32	Nil	Nil	0.32	Nil	0.03	Nil	1.19	Nil	0.48	30
31	Nil	✕	0.09	✕	Nil	✕	Nil	0.74	✕	0.30	✕		31
Total	– ~~2.30~~	– ~~1.41~~	– ~~5.66~~	– ~~2.12~~	37 ~~6.18~~	– ~~3.21~~	– ~~2.70~~	·22 ~~11.57~~	– ~~4.36~~	·12 ~~7.09~~	·13 ~~2.86~~	– ~~1.52~~	YEAR'S TOTAL ~~50.98~~
Rain Days.	2.21	1.41	5.66	2.12	6.55	2.84	2.70	11.79	4.14	7.21	2.87	1.39	50.89

W. 8,000, IX. 17.

Cov. for WD.

26

FORM A.
BRITISH RAINFALL.

7.1.19

REGISTER OF RAINFALL IN 1918

Kept at Estate Office, Blaenavon
in the County of Monmouth.
by Henry Charles Steel

Lat. 51°·46'·30" N Long. 3°·6'·30"
Time of Observation 9. a.m.
Nearest Railway Station Great Western
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 4' ft. 0" in.
" " " " Sea Level 1150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	0.01	0.07	(1.00)	nil	nil	nil	nil		nil	nil		1
2	nil	0.33	0.01		0.01		nil	0.24	0.04	0.04	2.02	nil	2
3	nil			2.06	nil	nil	nil	0.50	nil	0.05		0.41	3
4	nil	1.11	nil	0.80	0.89	nil	nil		0.41	0.25	0.16	nil	4
5	0.07	0.10	0.02	0.19		nil	nil	0.35	0.72	0.61	1.99	0.94	5
6		0.15	nil	0.19	0.26	nil	nil		0.35		0.16	0.69	6
7	0.04	0.81	nil		nil	0.12		nil	nil	1.54	nil	0.16	7
8	nil	0.28	nil	0.29	0.91	nil	nil	nil		0.09	0.52		8
9	0.07	0.47	nil	nil	nil		nil	nil	1.35	0.23	0.01	0.36	9
10	0.05		nil	1.06	nil	0.37	0.23	nil	0.85	0.15		0.28	10
11	0.17	0.92		0.74	nil	nil	0.59	nil	0.38	0.31	0.16	0.44	11
12	0.08	0.07	0.22	0.12		nil	0.31	nil	0.41	0.06		0.16	12
13		0.35	0.27	nil	0.22	nil	0.31	nil	0.03		0.13	0.05	13
14	0.03	0.12	0.03		nil	nil		nil	0.56	0.16	nil	0.18	14
15	0.90	0.02	0.13	nil	0.05	nil	0.25	nil		0.10	nil		15
16	1.08	0.03	nil	0.04	nil		0.78	nil	0.55	nil	nil	0.90	16
17	0.30			0.93	nil	0.08	0.05	0.06	0.64	nil		0.25	17
18	0.41	nil	0.16	0.03	nil	nil	0.10	0.02	0.95	0.10	nil	0.43	18
19	1.40	0.03	0.12	nil		1.19	0.07		1.13	0.06	nil	0.59	19
20		0.30	0.26	nil	nil	nil	0.31	nil	0.03		nil	0.14	20
21	0.75	0.40	nil		nil	0.05		nil	0.50	0.14	nil	nil	21
22	0.36	0.02	nil	0.48	nil	nil	0.47	nil		0.09	nil		22
23	0.04		nil	nil	0.22		0.43	nil	1.14	0.03	nil	0.85	23
24	0.29	0.25		nil	0.57	nil	0.33	nil	0.13	nil		0.03	24
25	0.13	nil	nil	nil	nil	nil	0.37		0.09	nil	0.18		25
26	nil	nil	nil	nil		nil	0.80	1.28	0.01	0.11	0.04		26
27		0.02	nil	0.08	0.11	nil	0.43	nil	0.21		0.13	0.43	27
28	0.01	nil	0.49		nil	nil		0.32	0.40	0.01	0.07	0.10	28
29	nil		0.83	nil	nil	nil	0.10	nil		0.02	0.04		29
30	nil	X	0.24	nil	nil	Sunday	nil	nil	1.35	0.03	nil	0.30	30
31	nil	X	Sunday	X	nil	X	nil	nil	X	0.12	X	0.56	31
	·01	·07	1.00	—	—	—	—	—	—	—	—	—	YEAR'S TOTAL
Total	~~6.18~~	~~5.79~~	~~2.85~~	~~7.01~~	~~3.24~~	~~1.81~~	~~5.93~~	~~2.77~~	~~12.23~~	~~4.30~~	~~5.61~~	~~7.65~~	~~65.97~~
Rain Days.	6.19	5.85	3.78	6.01	3.24	1.81	5.93	2.77	12.23	4.30	5.61	7.65	65.37

CONTROLLED ESTABLISHMENT—MUNITIONS OF WAR ACT, 1915.

TELEGRAMS: WORKS, BLAENAVON.
TELEPHONES: No. 30 BLAENAVON.
(2 LINES).
No. 8 PONTYPOOL.

CODE: 5TH EDITION A.B.C.

THE BLAENAVON COMPANY LIMITED,

ALL COMMUNICATIONS TO BE ADDRESSED
TO THE ESTATE AGENT.

BLAENAVON, MON.

PLEASE QUOTE REFERENCE { YOURS
OURS

17.6.19

14th June 1919.

Dear Sir,

Mr Steel has handed me your letter to him of the 15th Ultimo, I note your remarks & observation of Rule IX which will be complied with in the next return.

The amount of rainfall measured on the morning of January 1st this year was - nil.

Yours faithfully

E. J. [illegible]

Carle Salter Esqr.
British Rainfall Organization
62 Camden Square.
LONDON.
N.W.1.

6Y MK

3560

JAN

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Estate Office, Blaenavon

in the County of Monmouthshire

by E. J. John Esq Estate Agent

Lat. 51° 46' 30" Long. 3° 6' 30"

Time of Observation 9 am

Nearest Railway Station G.W.R

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 4' ft. — in.

" " " " Sea Level 1150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.50	Nil	0.31	Nil	0.17	Nil	0.12	Nil	0.26	0.36	0.05	0.89	1
2	0.30			Nil	0.03		0.24	0.12	0.25	Nil		0.15	2
3	0.07	Nil	0.13	Nil	Nil	0.11	Nil		Nil	Nil	0.13	0.54	3
4	0.09	0.62	0.34	Nil		0.11	0.02		0.67	Nil	0.02	0.41	4
5		0.33	0.23	0.07	Nil	Nil	Nil		0.05		0.11	0.42	5
6	0.74	Nil	0.51		Nil	Nil		Nil	Nil	Nil	0.06	0.30	6
7	0.43	Nil	0.40		Nil	Nil	Nil	Nil		Nil	Nil		7
8	0.50	Nil	0.12	Nil	Nil		Nil	Nil	Nil	Nil	0.38	Nil	8
9	0.84			0.07	Nil		Nil	Nil	Nil	Nil		Nil	9
10	0.03	Nil	0.93	Nil	0.27		Nil		Nil	Nil	Nil	1.07	10
11	Nil	Nil	0.85	0.03		Nil	0.26	Nil	Nil	0.06	Nil	0.73	11
12		Nil	0.07	0.69	Nil	0.40	Nil	Nil	Nil		Nil	0.01	12
13	0.39	0.16	Nil		Nil	Nil		Nil	0.23	Nil	Nil	0.63	13
14	0.72	0.17	Nil	0.36	0.01	Nil	0.06	Nil		Nil	Nil		14
15	0.47	1.82	Nil	0.05	Nil		Nil	0.02	Nil	0.32	0.17	0.48	15
16	0.25			Nil	Nil	Nil	Nil	0.12	Nil	Nil		0.02	16
17	Nil	0.81	Nil	Nil	Nil	0.01	Nil		Nil	Nil	0.37	Nil	17
18	0.46	Nil	0.63	Nil		Nil	0.55	0.37	0.01	Nil	0.20	Nil	18
19		0.62	0.64	Nil	Nil	0.20		0.51	Nil		0.26	0.04	19
20	0.89	0.15	0.75		Nil	Nil		0.08	0.04	Nil	0.05	0.30	20
21	Nil	1.14	0.05		Nil	Nil	0.08	Nil		Nil	Nil		21
22	Nil	Nil	Nil		Nil		Nil	Nil	0.35	Nil	0.33	0.37	22
23	Nil			Nil	Nil	Nil	Nil	Nil	Nil	0.92		0.16	23
24	Nil	Nil	Nil	0.11	0.02	0.07	Nil		Nil	1.03	0.40	1.64	24
25	0.03	Nil	Nil	Nil		Nil	Nil	0.97	Nil	Nil	Nil		25
26		Nil	0.19	0.28	Nil	0.01	Nil	Nil	Nil		Nil		26
27	Nil	Nil	0.13		Nil	Nil		0.60	Nil	Nil	Nil		27
28	Nil	Nil	0.39	Nil	Nil	Nil	Nil	0.32		Nil	0.45		28
29	Nil		Nil	Nil	Nil		Nil	Nil	Nil	0.12	0.58	0.58	29
30	Nil			0.03	Nil	0.13	Nil	0.46	Nil	Nil		0.79	30
31	Nil		Nil		Nil		Nil			Nil		0.09	31
Total	6.71	5.82	6.67	1.69	0.50	1.04	1.33	3.57	1.86	2.81	3.56	9.12	Year's Total 44.68
Days with ·01 in. or more	This information cannot be ascertained												.. .

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Blaenavon

in the County of Monmouthshire

by E. J. John Esq

Lat. 51° 46' 30" Long. 3° 6' 30"

Time of Observation 9 am

Nearest Railway Station G. W. R

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. – in.

" " " " Sea Level 1150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	Nil	0.07	0.43	0.82	Nil	1.38	0–18	Nil	0.32	0.05	1.14	1
2	0.36	0.03	Nil			Nil	0.21		0.08	2.81	Nil	0.21	2
3	0.20	0.17	Nil	0.25	Nil	Nil	1.16	0.01	0.02		Nil	0.13	3
4		Nil	Nil		Nil	Nil		1.05	Nil	0.43	Nil	Nil	4
5	Nil	Nil	0.33		0.26	Nil	0.30	0.07		0.30	Nil		5
6	Nil	Nil	0.37	Nil	0.46		0.10	Nil	Nil	0.20	Nil	0.03	6
7	0.04	0.05		0.16	0.07	Nil	0.32	0.12	Nil	Nil		Nil	7
8	0.04		Nil	0.70	0.17	Nil	0.53		Nil	Nil	Nil	Nil	8
9	0.68	0.32	Nil	0.80		0.03	0.11	Nil	Nil	0.02	Nil	Nil	9
10	1.69	0.35	0.25	1.23	Nil	1.79	0.76	Nil	Nil		Nil	0.02	10
11		0.03	0.57		0.49	Nil		Nil	Nil	Nil	Nil	Nil	11
12	0.29	0.23	0.14	0.64	0.02	1.02	0.09	Nil		Nil	0.16		12
13	0.18	0.07	1.19	0.66	Nil		Nil	Nil	Nil	Nil	1.31	Nil	13
14	0.13	0.28		1.03	Nil	0.04	0.16	Nil	0.66	0.05		Nil	14
15	Nil		0.72	1.50	0.19	0.25	Nil		Nil	0.17	0.22	Nil	15
16	Nil	0.01	0.06	0.12		0.62	0.24	Nil	0.38	1.90	0.08	Nil	16
17	0.35	Nil	0.07	0.23	0.42	0.17	0.09	0.12	0.89		Nil	Nil	17
18		Nil	Nil		0.27	0.11		0.18	0.42	Nil	Nil	Nil	18
19	Nil	0.21	Nil	0.59	0.17	0.23	Nil	Nil		Nil	Nil		19
20	0.03	0.09	Nil	0.60	Nil		Nil	Nil	Nil	Nil	Nil	0.82	20
21	Nil	Nil		0.02	Nil	Nil	0.07	0.11	Nil	Nil		0.44	21
22	0.08		Nil	0.14	Nil	0.03	0.26		Nil	Nil	Nil	0.77	22
23	0.06	Nil	Nil	Nil		Nil	0.42	Nil	Nil	Nil	Nil	0.85	23
24	0.17	0.07	0.69	0.01	Nil	Nil	0.25	Nil	Nil		0.28		24
25		0.09	0.42			Nil		Nil	Nil	Nil	Nil	1.65	25
26	0.32	0.06	0.63	Nil	Nil	0.38	0.05	Nil		Nil	0.39		26
27	1.41	0.06	0.76	0.21	0.03		0.02	Nil	Nil	Nil	0.06		27
28	1.07	Nil		Nil	0.27	0.25	Nil	Nil	Nil	Nil		0.12	28
29	0.86	Nil	0.24	0.09	0.06	0.04	0.20		Nil	Nil	0.39	1.27	29
30	0.29		0.16	Nil		0.35	Nil	Nil	0.52	0.93	0.72	0.89	30
31	0.27		0.30		Nil		Nil	Nil				0.28	31
Total	8.47	2.07	6.87	9.41	3.70	5.31	6.72	1.84	2.97	7.13	3.66	8.62	YEAR'S TOTAL 66.77
Days with ·01 in. or more	20 ~~21~~	16 ~~3~~	14 4	19 ~~8~~	14 ~~4~~	~~11~~ ~~7~~	20 ~~7~~	8 ~~7~~	7 7	10 ~~7~~	10 ~~9~~	14 ~~9~~	~~169~~
Days with ·04 in. or more	18 ~~23~~	11 ~~13~~	16 ~~19~~	16 ~~22~~	12 ~~14~~	11 ~~15~~	19 ~~23~~	7 ~~10~~	6 7	9 ~~12~~	10	12 ~~15~~	~~148~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CAERLEON
—
LLANWERN House
MONHOUTH
1912 - 1913

REC

FORM A.
BRITISH RAINFALL.

23 JAN 1913

Kept at Llanw

in the County of Mo

by D. A. Th

wern GWR

in.

d one ft. — in.

evel 190 ft.

IMPORTANT NO … esult entered to the previous day. If an … rule, he is earnestly requested to add the re … the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(·40)
estd.

no reply

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·13	·15		·09	·06	·49	·06				1
2			·19			·35		·04	·01	·58		·29	2
3			·27	·03		1·05	·21	·05					3
4			·47			·20	·08	·60	·08			·04	4
5	·18		·50		·04	·13		·06			·15	·08	5
6	·60	·08	·46		·09			·72					6
7	·27	·15			·13			·49			·02	·01	7
8		·22	·02	·03	·03	·38	·02	·02			·07	·06	8
9	·72	·24	·12			·07	·15	·02				·11	9
10		·04	·14	·12		·10	·02	·33			·04	·66	10
11	·28	·11				·03	·02				·21	~~·60~~	11
12												·60	12
13	·05	·22	·11	·10	·03	·20	·04					·13	13
14	·07	·12								·10		·42	14
15	·17	·15	·73		·20	·02		·07		·01		·11	15
16	·12			·02	·18	·45		·06			·11	·41	16
17	·63		·35			·06		·23		·13	·04	?	17
18	·28		·20			·11		·67			·03	·60	18
19	·31	·08	·15					·64		·03		·12	19
20	·16	·05				·11	·15	·68		·07		·02	20
21			·44		·11		·04	·03		·46			21
22		·19	·34		·71		·06	·17		·12			22
23	·36	·29	·09		·14		·15	·33			·07	·07	23
24	·19	·25	·51			·26		·38		·16	·16	·30	24
25	·13	·10	·13			·33	·02				·01	·20	25
26			·03			·52		·89		·09	·50	·47	26
27		·17				·67	·22	·22		·80	·45	·21	27
28		·03				·19	·95			1·06		·60	28
29		·09				·05	·50	·98	·02	·25	·49	·46	29
30							·31	·21	·55	·36		·04	30
31			·07				·12			·21		·02	31
	—	·13	·15	—	·09	·06	·49	·06	—	—	—	(·40)	YEAR'S TOTAL
Total	~~4·52~~ 4·52	~~2·58~~ 2·71	~~5·45~~ 5·47	~~·45~~ ·30	~~1·66~~ 1·75	~~5·37~~ 5·34	~~3·12~~ 3·55	~~7·88~~ 7·95	~~·72~~ ·66	~~4·43~~ 4·43	~~2·29~~ 2·29	~~6·03~~ (6·43)	~~45·00~~ 45·40
Rain Days.	16	~~18~~ 19	21	~~6~~ 5	~~10~~ 11	21	18	24	~~5~~ 4	15	14	~~24~~ 25	193

W. 7,500, XI. ·12

REGISTER OF RA

FORM A.
BRITISH RAINFALL

23 JAN 191

Kept at Llanwern Park, Nr Newport

in the County of Monmouth 3

by D. A. Thomas. M.P.

Lat. Long.
Time of Observation 10 am
Nearest Railway Station Llanwern GWR
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(·40)
estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·		·13	·15		·09	·06	·49	·06				1
2	·		·19			·35		·04	·01	·58		·29	2
3	·		·27	·03		1·05	·21	·05					3
4	·		·47			·20	·08	·60	·08			·04	4
5	·18		·50		·04	·13		·06			·15	·08	5
6	·60	·08	·46		·09			·72					6
7	·27	·15			·13			·49			·02	·01	7
8	·	·22	·02	·03	·03	·38	·02	·02			·07	·06	8
9	·72	·24	·12			·07	·15	·02				·11	9
10		·04	·14	·12		·10	·02	·33			·04	·66	10
11	·28	·11				·03	·02				·21	~~·60~~	11
12												·60	12
13	·05	·22	·11	·10	·03	·20	·04					·13	13
14	·07	·12								·10		·42	14
15	·17	·15	·73		·20	·02		·07		·01		·11	15
16	·12			·02	·18	·45		·06			·11	·41	16
17	·63		·35			·06		·23		·13	·04	?	17
18	·28		·20			·11		·67			·03	·60	18
19	·31	·08	·15					·64		·03		·12	19
20	·16	·05				·15	·15	·68		·07		·02	20
21			·44		·11		·04	·03		·46			21
22		·19	·34		·71		·06	·17		·12			22
23	·36	·29	·09		·14		·15	·33			·07	·07	23
24	·19	·25	·51			·26		·38		·16	·16	·30	24
25	·13	·10	·13			·33	·02				·01	·20	25
26		·	·03			·52		·89		·09	·50	·47	26
27		·17				·67	·22	·22		·80	·45	·21	27
28		·03				·19	·95			1·06		·60	28
29		·09				·05	·50	·98	·02	·25	·49	·46	29
30							·31	·21	·55	·36		·04	30
31			·07				·12			·21		·02 (·40)	31
Total	– ~~4·52~~ 4·52	·13 ~~2·58~~ 2·71	·15 ~~5·45~~ 5·47	– ~~·45~~ ·30	·09 ~~1·66~~ 1·75	·06 ~~5·37~~ 5·34	·49 ~~3·12~~ 3·55	·06 ~~838~~ 7·95	– ~~·72~~ ·66	– ~~4·43~~ 4·43	– ~~2·29~~ 2·29	~~6·03~~ {6·43}	YEAR'S TOTAL ~~45·00~~ 45·40
Rain Days.	16	~~18~~ 19	21	~~6~~ 5	~~10~~ 11	21	18	24	~~5~~ 4	15	14	~~24~~ 25	19~~2~~3

W. 7,500, XI. '12

~~WD~~ ✓

Exe 88 Cor. for WD. 28. IV. 14.

REGISTER OF RAINFALL IN 1913.

FORM A2. BRITISH RAINFALL. 15 JAN 1914

Kept at Llanwern

in the County of Monmouthshire 3

by Mr. D. A. Thomas

Rain Gauge Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. · in.
„ „ „ Sea Level 190 ft.

Time of Observation 10·0 am.

Nearest Railway Station Name Llanwern
Distance 1ml. Direction west.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. ·30	in. ·38	in. .	in. ·05	in. ·13	in. .	in. .	in. .	in. ·08	in. .	in. .	in. ·04	1
2	·03	·39	·32	·01	.	.	.	.	·25	·01	·21	.	2
3	.	·47	·18	·04	.	.	.	.	.	1·06	·17	·04	3
4	·20	·46	·05	.	·41	.	.	.	.	.	.	·13	4
5	1·15	·45	·10	.	·08	.	.	.	2·13	·32	·06	·04	5
6	·03	·44	·08	.	·41	·31	.	.	·23	.	·41	·12	6
7	·02	·45	·17	.	·04	·05	·10	.	.	·55	·36	·52	7
8	.	·40	.	.	·40	·20	.	.	.	·22	·38	·02	8
9	.	·22	·01	.	·10	.	.	.	.	·02	.	·04	9
10	.	·19	·02	·01	·05	·28	·02	.	.	.	·13	·02	10
11	·45	.	·02	·01	.	.	·02	.	.	.	·30	.	11
12	·73	.	.	·06	·45	.	.	.	.	·26	·70	·07	12
13	.	.	.	.	·08	.	.	.	·08	.	·38	.	13
14	·04	·03	·48	.	.	.	·13	.	·43	.	·20	.	14
15	·07	.	·45	·07	.	.	.	.	·05	·16	·02	·03	15
16	·19	·03	·30	1·28	.	.	·14	.	·04	.	·09	·03	16
17	·20	.	·51	·02	.	.	.	.	.	.	·02	.	17
18	·14	.	.	·20	.	.	.	.	.	.	·10	.	18
19	·02	.	·22	·27	.	.	.	.	.	.	·05	.	19
20	·12	.	·11	.	.	·26	.	.	·26	.	·01	.	20
21	·35	.	·09	·16	.	.	.	.	.	·10	·29	.	21
22	.	.	·02	·13	·15	.	·09	·09	.	·05	·37	.	22
23	·70	.	·70	.	·03	·23	.	·21	·43	.	.	.	23
24	·03	.	.	.	.	.	.	·03	·03	.	·11	·11	24
25	·10	.	.	·10	.	.	.	.	.	.	.	.	25
26	.	·08	.	·40	.	.	.	.	·04	.	·13	·16	26
27	.	·02	.	·21	.	.	.	.	.	.	.	·15	27
28	·11	.	·07	·23	.	.	.	.	.	·16	·02	.	28
29	·37	.	·10	·32	·08	.	.	.	.	·29	·01	·03	29
30	·35	.	·40	·34	.	.	.	·18	.	·10	.	·05	30
31			.	.	·29	.	.	.	.	·54			31
Total	·38 ~~5·70~~	– ~~4·01~~	·05 ~~4·40~~	·13 ~~3·91~~	– 2·70	– 1·33	– ·50	·08 ·51	– 4·05	– ~~3·84~~	·04 ~~4·52~~	– ~~1·60~~	TOTAL for year ~~37·07~~
No. of Rain Days	22	13 14	~~21~~ 22	19	13 ~~14~~	6	6	5 ~~4~~	11 ~~12~~	14	~~23~~ 24	16 ~~17~~	~~172~~ 171
	5·78	3·63	4·45	3·99	2·57	1·33	·50	·59	3·97	3·84	4·56	1·56	36·77

9,000, IX. 10.

—

CHEPSTOW.

ITTON COURT

1911 - 1920

REC N 1911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Itton Cour n Snowdon 2805

in the County of Mo ter of top 5 in.

by Edward of top above Ground 1 ft. — in.

,, ,, Sea Level 390 ft.

ration 9 am

ay Station { Name Chepstow G.W.R.
Distance 3½ miles Direction East.

IMPORTANT NOTE.- a.m., and the result entered to the previous day. If an Obser most universal rule, he is earnestly requested to add the readin llowing year in the space provided for it at the end of this measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04				·31			·03	·09	1
2	·01				·42			·50		·02	·49	·33	2
3			·01		·61			·01			·47	·04	3
4			·25	·01		·02		·06	·03	·03	·75	·46	4
5	·06		·05					·08		·05	·02		5
6	·34		·02					·04			·25	·66	6
7	·02										·55		7
8	·12		·23								·06	·38	8
9	·04										·23	·22	9
10	·04	·07	·46		·01						·02	·19	10
11	·50				·25						·60	·09	11
12			·53						·07		·68	·08	12
13					·04				·38		·05	·49	13
14		·02									·03	·80	14
15		·08	·01			·01					·62	·09	15
16						·18					·28	·37	16
17		·04		·01		·09					·37	·35	17
18		·37	·03	·09		·35				·05		·41	18
19	·06	·06		·04		·29			·17	·12	·01	·30	19
20		·08	·04	·21					·07	·22		·64	20
21		·48	·14	·03		·19		·26	·02	·47		·19	21
22		·06	·12	·14		·30				·10		·60	22
23		·50	·16						·23	·40		·33	23
24	·02	·12				·44		·40		·10		·25	24
25		·09		·22		·11			·02	·09		·04	25
26		·20		·37	·04		·06	·27		·37	·13	·24	26
27		·75	·17	·03				·76	·20		·11	·14	27
28		·22		·32	·03						·26		28
29				·02		·25			·32	·52			29
30				·07	·01		·07	·09		·38	·12		30
31							·05						31
Total	1·20	3·14	2·21	1·60	1·41	2·23	·18	2·78	1·51	2·92	6·03	7·67	TOTAL for year 32·88
No. of Rain Days.	10	15	14	14	8	11	3	11	10	14	22	26	157

W. 8,000, X. '11.

✓

FORM A2.
BRITISH RAINFALL.

- JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Itton Court Gardens
in the County of Monmouth 3
by Edward Curre

RAIN GAUGE
Pattern Snowdon 2805
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 390 ft.

Time of Observation 9 am

Nearest Railway Station
Name Chepstow. G.W.R.
Distance 3½ miles Direction East.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it, at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04				·31			·03	·09	1
2	·01				·42			·50		·02	·49	·33	2
3			·01		·61			·01			·47	·04	3
4			·25	·01		·02		·06	·03	·03	·75	·45	4
5	·05		·05					·08		·05	·02		5
6	·34		·02					·04			·25	·66	6
7	·02										·65		7
8	·12		·23								·06	·38	8
9	·04										·23	·22	9
10	·04	·07	·45		·01						·02	·19	10
11	·50				·25						·60	·09	11
12			·53						·07		·68	·08	12
13					·04				·38		·05	·49	13
14		·02									·03	·80	14
15		·08	·01			·01					·62	·09	15
16						·18					·28	·37	16
17		·04		·01		·09					·37	·35	17
18		·37	·03	·09		·35				·05		·41	18
19	·06	·06		·04		·29			·17	·12	·01	·30	19
20		·08	·04	·21					·07	·22		·64	20
21		·48	·14	·03		·19		·26	·02	·47		·19	21
22		·06	·12	·14		·30				·10		·60	22
23		·50	·16						·23	·40		·33	23
24	·02	·12				·44		·40		·10		·25	24
25		·09		·22		·11			·02	·09		·04	25
26		·20		·37	·04		·06	·27		·37	·13	·24	26
27		·75	·17	·03				·76	·20		·11	·14	27
28		·22		·32	·03						·26		28
29				·02		·25			·32	·52			29
30				·07	·01		·07	·09		·38	·12		30
31							·05						31
Total	1·20	3·14	2·21	1·60	1·41	2·23	·18	2·78	1·51	2·92	6·03	7·67	TOTAL for year 32·88
No. of Rain Days.	10	15	14	14	8	11	3	11	10	14	22	26	157

W. 8,000, X. '11.

6X 912

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 JAN 1913

Kept at Itton Court Gardens

in the County of Monmouth 3

by Edward Curre.

RAIN GAUGE
Pattern Snowdon, 2802, Neg. & Zamb.
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 390 ft.

Time of Observation 9 am

Nearest Railway Station
Name Chepstow, G.W.R.
Distance 3½ miles Direction East.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·18			·30	·10			·57		·27	1
2			·24	·02		·40	·27	·03					2
3			·31			·28	·12	·58	·06		·05	·04	3
4	·14		1·04		·12	·13		·07			·10	·01	4
5	·41	·15	·13		·04	·07		·45				·09	5
6	·23	·14			·17			·67			·01	·02	6
7	·01	·38	·02		·05	·37	·13	·01			·02	·03	7
8	·70	·27	·19			·04	·15	·20				·10	8
9	·17	·08	·26	·09		1·37	·04	·19				·46	9
10	·13	·06		·01		·02	·01	·03			·16		10
11	·08						·03				·01	·62	11
12	·02	·19	·17	·10	·02	·10	·02					·31	12
13	·06		·01	·01						·12		·30	13
14	·26		·90		·15			·05		·03		·08	14
15	·12	·24			·25	·70		·02				·37	15
16	·65	·06	·41			·04		·23		·13	·10	·02	16
17	·67		·26		·01	·08		·87			·03	·61	17
18	·10	·05	·08					·68				·12	18
19	·04	·07					·11	·23		·04		·01	19
20	·02	·02	·52		·08		·04	·10		·41			20
21	·01	·12	·42		·81		·01	·18		·12			21
22	·51	·46	·06		·60		·66	·33		·03	·12	·09	22
23	·23	·37	·45			·41		·35		·19	·17	·57	23
24	·08	·06	·09			·50	·03	·05				·11	24
25			·03			·80		·99		·03	·59	·47	25
26		·24	·02				·13	·38		·71	·52	·16	26
27		·05				·80	1·04			1·19		·62	27
28		·12				·13	·68	1·15	·05	·33	·46	·33	28
29		·13				·20	·40	·32	·38	·37		·10	29
30			·05			·02	·13			·23		·04	30
31			·24		·08		·92	·14				·50	31
Total	4·64	3·26	6·08	·23	2·38	6·76	4·92	8·30	·49	4·50	2·34	6·25	TOTAL for year 50·15
No. of Rain Days.	21	20	23	5	12	20	20	25	3	15	13	27	

W. 8,000, X. '11.

1204

Ex 88

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

Kept at Itton Court Gardens
in the County of Monmouth. 3
by Edward Curre.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chepstow. G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 390. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·10	·30	·08					·29		·26		1
2	·01	·22	·35	·08	·03				·01	·12	·26	·04	2
3	·14	·05	·08		·53					·13		·14	3
4	1·17	·04	·16		·22	·03			1·72	·29	·08	·06	4
5		·06	·06		·32	·10			·20		·20	·10	5
6	·02	·04	·20		·19	·19	·01			·45	·43	·41	6
7		·58			·34	·15	·06			·23	·41	·01	7
8		·48			·17	·02	·04			·10		·04	8
9		·20	·02	·01	·02	·14	·19	·24	·04		·14		9
10	·27		·02	·04	·20			·18		·28	·23		10
11	·82			·16	·29					·07	·85	·10	11
12					·20			·01			·42		12
13			·65		·01			·06	1·08		·26		13
14	·05		·53	·08					·08	·11			14
15	·26	·05	·30	1·25				·07					15
16	·15		·61	·04									16
17	·04		·02	·24			·02		·05		·14		17
18	·20		·28	·36			·01				·14		18
19	·12		·10		·01	·14	·04		·36				19
20	·40		·12	·10						·11	·42		20
21			·07	·16	·09		·05	·16		·05	·36		21
22	·48		·52		·04	·17		·34	·41				22
23	·03					·04		·02	·01		·09		23
24	·09			·08									24
25		·05		·40					·03	·04	·02	·21	25
26		·02		·21				·09	·01	·01		·21	26
27	·02		·04	·29						·06			27
28	·42		·08	·31	·03					·14		·04	28
29	·02		·35	·35				·05		·19			29
30	·57							·42		·58	·05		30
31	·03		·11		·20			·02					31
Total	5·32	1·89	4·97	4·24	2·89	·98	·42	1·66	4·29	2·96	4·76	1·36	YEAR'S TOTAL 35·74
Rain Days.	22	12	22	18	17	9	8	12	13	17	18	11	179

W. 7,500, XI. ·12

Ex. wlg

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

4 JAN 1915

Kept at Itton Court Gardens

in the County of Monmouth 3

by Edward Curre. Pr. A. Munro.

Lat. 50° 39½′ N Long. 2° 44′ W.

Time of Observation 9 a.m.

Nearest Railway Station Chepstow. G. W. R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05			·57	·42			·11	·10	1
2					·06		·65	·06			·48	·47	2
3			·02	·28	·69						·08	·08	3
4	·37			·28	·04		·36	·05			·42	·60	4
5	·01		·04	·23	·13		·03				·08		5
6		·22	·05	·05	·16		·02	·14			·01	·36	6
7	·06	·44	·31	·25	·41		·28	·15			·01	·16	7
8	·11		·34	·65	·01	·72	·05	·13	·04		·01	·12	8
9	·10	·07	·16	·33	·03	1·53		·36	·06		·01		9
10		·20		·44	·12				·49				10
11		·10	·33			·41	·31				·06	·59	11
12		·09	·11				·02		·26		·08	·24	12
13		·88	·56				·04		·27	·27	·05	·25	13
14		·69	·42				·04	·08		·11	·41		14
15		·07	·21					·19	·09		·36		15
16							·15		·26			·01	16
17		·62	·21				·06		·03			·84	17
18		·05	·05				·17		·08			·53	18
19		·06	·17				·60		·02		·04	·15	19
20		·22	·06									·17	20
21		·20					·14			·19			21
22		·11			·25	·04		·22		·12			22
23		·09	·31		·04			·06		·37			23
24			·15				·03	·10		·17	·10		24
25	·10		·25				·03	·83		·45	·02	·53	25
26							·03	·03		·09	·38	·41	26
27	·09	·01									·37	·39	27
28	·03	·31	·32							·14	·20	1·16	28
29	·50		·29		·11					·17	·47		29
30	·17	✕	·24		·04					·17	1·14	·36	30
31	·10	✕		✕		✕	·84		✕	·08	✕	·03	31
Total	1·64.	4·43.	4·60.	1·96.	2·09.	2·70	4·42.	2·82.	1·60.	2·33.	4·89.	7·55.	YEAR'S TOTAL 41·03.
Rain Days.	11.	18.	21.	9.	13.	4.	20.	14.	10.	12.	22.	21	175.

W. 8,000. X. 14.

3976

FORM A.
BRITISH RAINFALL.

8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Itton Court Gardens. End LW
in the County of Monmouth
by E. Curre Esqr.

Lat. 51° 39½' N Long. 2° 44' W
Time of Observation 9 a.m.
Nearest Railway Station Chepstow G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·48	·25			·15			·10	·15	·29	·01	·16	1
2	·22	·19	·17	·29		·01		·56	·01	·20		·09	2
3	·47	·11	·09	·03	·09		·10	·14				·17	3
4	·03	·10	·01		·12		·06	·01				·65	4
5	·08	·12		·10			·12	·17				·63	5
6	·21			·29			·56	·08				·32	6
7	·18	·72		·04			·24	·03				·30	7
8	·42	·22		·03				·12			·12		8
9	·02	·10						·01			·28	·86	9
10	·26	·05	·03	·09				·02			·01	·03	10
11	·01		·11	·01							·89	·08	11
12	·14	·09		·18	·31					·13	·50	·02	12
13		·52			·58				·13			·01	13
14	·13	·01					·07	·25	·08	·01		1·30	14
15	·41				·05		·06	·14		·03	·05	·10	15
16		·83			·69		·85			·01		·04	16
17		·30			·35			·01				·01	17
18		·39					·03						18
19				·07	·26		·46						19
20	·14			·13			·11			·12		·12	20
21	·07	·10					·30			·09		·07	21
22	·10	·11	·34				·29					·42	22
23			·18				·32		·08	·88		·55	23
24			·02	·05			·04		·31	·56		·60	24
25						·21	·28		·03	·01		·27	25
26		·54					·14					·61	26
27		·12				·05	·02			·46		·01	27
28		·18	·02						·32	·05		·01	28
29						·11	·08	·02	·03		·14	·04	29
30	·15	×				·50				·18	·20	·21	30
31		×		×		×	·08	·07	×	·62	×	·46	31
Total	3·52	5·05	0·97	1·31	2·60	0·88	4·21	1·73	1·14	3·64	2·20	8·14	YEAR'S TOTAL 35·39
Rain Days.	18	20	9	12	9	5	20	15	9	15	9	28	169

W. 8,000. X. 15.

3905

FORM A. BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Itton Court Gardens.
in the County of Monmouth
by Edward Ruree.

Lat. 51°. 39½' N. Long. 2°. 44' W.
Time of Observation 9 am.
Nearest Railway Station Chepstow G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 390. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05		·02		·09	·29	·31			·30	·18		1
2	·94	·10	·06		·06	·01			·12	·92	·05		2
3		·63			·13	·01			·02	·41	·12		3
4	·63	·19		·02	·25	·79			·02	·37	·21		4
5	·02	·24	·02		·09	·02	·28			·17	·04		5
6	·06	·39	·01		·35	·11	·65			·45	·88		6
7	·04	·03	·16		·31		·07			·23	·33	·31	7
8		·02	·03		·32	·03					·02	·21	8
9		·01			·04	·25	·04			·03	·03	·04	9
10		·53	·03	·04	·07					·18	·01	·02	10
11		·02	·01	·11	·05	·16				·01			11
12	·03	·19	·03		·26		·19	·02		·09			12
13		·45						·41		·11			13
14		·55	·42	·01	·03			·11		·10			14
15		·30	·07	·14	·01		·02	·07		·01			15
16	·10	·09		·32				·08		·02			16
17	·10	·12		·13				·12	·17	·48	·17		17
18	·02	·01	·09						·02	·04	·21	·12	18
19	·53		·39	·15							·06		19
20	·29	·01	·30	·06							·01	·32	20
21	·24	·04	·26	·19	·08		·02					·27	21
22				·02		·23				·24	·07	·58	22
23	·02	·22		·04		·05		·15		·08	·22	·14	23
24		·08	·07	·20	1·15			·12		·24	·03	·15	24
25	·01	·32	·20					·93			·14		25
26	·04	·10	·03			·15	1·13	·14	·32	·12			26
27	·06	·07	1·10			·14		·27	·37	·77			27
28		·33	·02		·03				·09	·26		·62	28
29		·35	·01			·42		1·47		·37		·37	29
30		×				·01		·03		·48			30
31		×		×		×		·13	×	·49	×		31
Total	3·18	5·39	3·33	1·43	3·32	2·67	2·71	4·05	1·13	6·97	2·78	3·15	YEAR'S TOTAL 40·11
Rain Days.	17	26	21	13	17	15	9	14	8	26	18	12	196.

W. 8,000, VIII. 16

3743

FORM A.
BRITISH RAINFALL
8 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Itton Court Gardens
in the County of Monmouth
by Edward Curre. Esq.

Lat. 51° 39½' N. Long. 2° 44' W.
Time of Observation 9 am
Nearest Railway Station Chepstow. G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 390. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·24	·45		·22		·87	·11		·03	·03	1
2			·02	·05		·12		·03			·05		2
3		·02					·13	·02		·94	·01		3
4		·28	·21	·01			·17		·01	·20			4
5	·22		·17	·22		·14		·54	·44	·30	·19		5
6			·20			·03				·20	·29	·06	6
7	·23						·08	·19		·20	·04	·05	7
8	·31		·29	·05			·53	·62	·03	·52	·33	·05	8
9			·18	·08	·18			·44	·07	·02	·17		9
10	·36		·36	·17	·32			·30	·19			·01	10
11	·06		·32	·63	·03			1·08		·28	·01		11
12					·34			·08		·32			12
13			·14	·25		·03		·13	·10	·12			13
14			·06	·07				·16		·01			14
15	·15			·02			·39	·08	·03	·24		·23	15
16	·03	·07		·19			·03		·05	·02		·10	16
17				·09	·28		·27	·22	·22	·09	·01		17
18		·03			·02	·02	·55	·03	1·94				18
19		·40	·08			·24			·01				19
20		·09	·02		·20	·26							20
21		·02	·34		·01			·01		·09			21
22			·02		·02	·04		·13		·08			22
23		·11			·03	·10		·63			·01		23
24						·04	·08	·20		·34			24
25		·09	·05					·05	·01	·05			25
26					·15	·03		·29	·33		·05		26
27					·80	·25		·86					27
28			·14		·04	·32		·16				·01	28
29			·09			·24	·01			·41	·06	·10	29
30		×						·44		·08	·02	·01	30
31		×	·07.	×	·06	×		·60	×	·07	×		31
Total	1·36	1·11.	3·00	2·28	2·48.	2·08	2·24	8·16.	3·54	4·58	1·27.	0·65	YEAR'S TOTAL 32·75.
Rain Days.	7.	9.	19.	13.	14.	15.	10.	25.	14.	21.	14	10.	171.

W. 8,000, IX. 17.

ED 91 88

19

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Itton Court Gardens.
in the County of Monmouth
by Colonel Curre

Lat. 51° 39½' N. Long. 2° 44' W.
Time of Observation 9 a.m. (GMT) — See over —
Nearest Railway Station Chepstow G.W.R.
Diameter of Funnel of Rain Gauge Five. in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 390. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·14		·09	·06			·25		·06	·36	·01	1
2		·35						·29		·01	·01	·58	2
3		·16		·24	·31			·18	·21	·08	·25	·03	3
4		·03						·14	·23	·07	1·36	·71	4
5		·01		·20	·19			·10	·11	·49	·09	·03	5
6	·07	·54		·24		·01				·19		·14	6
7		·20			·64			·03	·62	·19	·41	·02	7
8		·12				·07	·04		·08	·14	·01	·08	8
9		·14		·23			·17		·98	·14		·25	9
10	·02			·14			·45		·57	·10	·02	·34	10
11	·01		·06	·01			·30		·25	·02	·13	·12	11
12		·16	·17		·20				·02				12
13	·04		·01			·03	·07		·79	·27		·18	13
14	·76		·03		·13		·13		·51	·46		·26	14
15	1·19			·23		·04	·42		·02	·04		·38	15
16	·32			·41		·22	·02	·20	·66			·13	16
17	·20		·07	·04			·27	·06	·11	·03		·28	17
18	1·46		·02			·63	·21		·94	·03		·33	18
19	·08	·01	·20	·01			·08		·03	·02		·02	19
20		·22		·31			·05		·48				20
21	·04	·09		·02			·01		·47			·07	21
22	·07				·24		·45		·20	·02		·37	22
23	·09				·14		·24				·06		23
24	·01	·17					·22	·18	·19		·07	·01	24
25					·03		·61	·47		·06	·04		25
26							·68		·27	·02	·14	·31	26
27		·02	·17					·42	·13	·01	·07	·02	27
28		·13	·22						·01	·03	·02	·04	28
29			·31						1·72	·03		·02	29
30		X	·56						·05	·08	·09	·06	30
31		X	·47.	X		X			X		X		31
Total	4·36	2·49	2·29	2·17	1·94	1·00.	4·42	2·32	9·65	2·59	3·13	4·78	YEAR'S TOTAL 41·14.
Rain Days.	14	16	12	13	9	6	18	11	25	24	16	26	190.

W. 6,500, VII. 18. w w c

3552

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Summer time

REGISTER OF RAINFALL IN 1919.

Kept at Itton Court Gardens.
in the County of Monmouth
by Colonel Curre.

Lat 51° 39½ Long 2° 44 W.
Time of Observation 9 a.m. 10 a.m.
Nearest Railway Station Chepstow G. W. R.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 390. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·55		·13	·02			·13		·19	·10		·68	1
2	·33	·01	·10		·04		·34		·59		·09	·14	2
3	·12		·16		·04	·05			·06		·11	·22	3
4	·13	·20	·47			·06	·04	·04	·57		·02	·21	4
5		·30	·66		·05				·53			·26	5
6	·10	·03	·33									·08	6
7	·19		·57	·12								·01	7
8	·17		·13	·05		·05	·02				·15		8
9	·23		·02	·13									9
10			·43	·01						·04		·27	10
11	·06		·61	·09	·19	·03	·18			·01	·02	·24	11
12	·05		·10	·08		·17	·01			·03	·02	·02	12
13	·21	·05		·37					·01			·22	13
14	·77	·05		·12			·04		·01			·04	14
15	·59	·03		·01						·02		·24	15
16	·20	·74									·09		16
17		·42				·04		·02			·20	·02	17
18	·03		·61				·07	1·08	·04		·14	·06	18
19	·34	·50	1·16			·25	2·51	·76	·03		·05	·05	19
20	·52	·11	·24			·05		·07			·03	·02	20
21		1·16	·04				·06	·02	·03		·03	·07	21
22		·07					·02		·35			·12	22
23										1·04	·22		23
24				·08		·07		·01	·03	·90	·36	·29	24
25	·11				·06			·65	·04			·02	25
26	·03		·13	·08		·03		·01	·22			·57	26
27	·16		·01	·30				·59				·07	27
28	·01		·27					·27			·36	·43	28
29	·02			·14						·09	·01	·50	29
30				·14		·30		·39		·01	·47	·60	30
31			·03				·04			·01		·03	31
Total	4·92	3·67	6·20	1·74	0·38	1·10	3·46	3·91	2·70	2·25	2·37	5·48	Year's total 38·18.
Days with ·01 in. or more	22	13	20	15	5	11	12	12	14	10	17.	27	178.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

E Y M L 3439

2 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Itton Court Garden

in the County of Monmouth.

Colonel Edward Curre.

Lat. 51° 39½' Long. 2° 44' W.
Time of Observation 9 a.m.
Nearest Railway Station Chepstow. G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ „ „ „ Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·32	·61		·42	·04	·12	·09	·04	·46	1
2	·01			·17	·04		·19	·12	·05	·35		·34	2
3	·02	·10		·11			·35		·01	·18			3
4				·03			·01	1·02		·40			4
5			·18	·02	·09		·53	·01		·30			5
6			·36		·41		·08			·06			6
7	·12		·06	·07	·15		·05						7
8		·02		·55	·14		·22	·02					8
9	·31	·07		·52		·07	·10						9
10	1·68	·13	·14	·12		·40	·24				·02		10
11	·31	·01	·29	·40	·57	·01	·15						11
12	·20	·24	·03	·18	·01	·96	·16				·16	·01	12
13	·09	·06	·48	·21						·02	·02	·02	13
14	·07	·04	·54	·57			·09		·25	·58	·89		14
15	·04	·05	·01	·41	·08	·17			·08	·34	·11		15
16				·05	·03	1·23	·59		·48	·27	·09		16
17	·09			·10	·40	·12		·13	1·58	·31		·01	17
18	·42			·01	·08			·44	·39			·01	18
19		·19		·35	·01	·18	·02						19
20		·03		·13		·19						·25	20
21				·05			·03			·17		·07	21
22	·05			·15		·01	·13	·10				·28	22
23							·36	·02				·51	23
24	·03		·49					·01			·05	·61	24
25	·02	·06	·21				·98					·03	25
26	·24		·41			·01	·07				·09	·04	26
27	·26		·08	·05	·07	·64	·01				·01	·26	27
28	·89	·01	·14		·23	·06	·07					·05	28
29	·26	·01	·16	·03	·05	·05	·19				·19	·63	29
30	·46		·07	·06		·31	·08		·65		·36	·61	30
31	·38		·26							·40		·27	31
TOTAL	5·95.	1·02.	3·92.	4·66.	2·97.	4·41.	5·12.	1·91.	3·61.	3·47.	2·03.	4·46	YEAR'S TOTAL 43·53
Days with ·01 in. or more	21	14	18	24	16	15	24	10	9	13	12	18	194
Days with ·04 in. or more	17	9	15	20	13	12	20	6	8	12	9	13	154

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CHEPSTOW. —

PIERCEFIELD PARK
MONMOUTHSHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Pier
in the County of M
by Henry

retti
5 in.
Ground 1 ft. 6 in.
ea Level 315 ft.
A. M
ame Chepstow
istance 2 miles Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07			.07				.11			.05	.07	1
2	.01				.43			.60		.02	.50	.31	2
3					.57			.02			.38	.05	3
4			.22					.03	.05	.03	.73	.41	4
5	.03		.06					.09		.05	.01		5
6	.34		.03					.02			.22	.47	6
7	.01										.61		7
8	.10		.19								.05	.35	8
9	.07										.18	.21	9
10	.03	.07	.48		.03						.02	.17	10
11	.37	—			.20						.71		11
12			.52						.05		.47	.03	12
13					.12				.42	.01	.03	.42	13
14		.02	.03								.02	.95	14
15		.07									.46	.09	15
16		.03				.19					.30	.39	16
17				.02		.09					.35	.27	17
18		.39		.07		.40				.04	.01	.39	18
19	.03					.26			.15	.15	.01	.40	19
20			.05	.17					.06	.18		.58	20
21		.47	.19			.12			.03	.46		.18	21
22		.02	.17	.10		.30	—	.19		.09		.63	22
23		.41	.21						.22	.37		.33	23
24	.01	.13				.38				.23		.20	24
25		.10		.16		.11		.21		.12		.03	25
26		.18		.38	.21	.01	.04	.30		.41	.15	.22	26
27		.76	.17	.03				.55	.19		.10	.14	27
28		.11		.37				.03			.23		28
29				.02		.22	.07		.32	.57			29
30				.02	.01	.01	.11	.09	~~[illegible]~~	.32	.09	.01	30
31							.03						31
Total	1.07	2.76	2.32	1.41	1.57	2.09	0.25	2.24	1.49	2.89	5.68	7.30	TOTAL for year 31.07
No. of Rain Days	11	13	12	11	7	11	4	12	9	15.	23	25	153

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

11

Kept at Piercefield Park

in the County of Monmouth 4

by Henry Clay

Rain Gauge	Pattern Negretti
	Diameter of top 5 in.
	Height of top above Ground 1 ft. 6 in.
	,, ,, ,, Sea Level 315 ft.

Time of Observation 9 a.m

Nearest Railway Station Name Chepstow
Distance 2 miles Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07			.07				.11		.	.05	.07	1
2	.01				.43			.60		.02	.50	.31	2
3					.57			.02			.38	.05	3
4			.22					.03	.05	.03	.73	.41	4
5	.03		.06					.09		.05	.01		5
6	.34		.03					.02			.22	.47	6
7	.01										.61		7
8	.10		.19								.05	.35	8
9	.07										.18	.21	9
10	.03	.07	.48		.03						.02	.17	10
11	.37				.20						.71		11
12			.52						.05		.47	.03	12
13					.12				.42	.01	.03	.42	13
14		.02	.03								.02	.95	14
15		.07									.46	.09	15
16		.03				.19					.30	.39	16
17				.02		.09					.35	.27	17
18		.39		.07		.40				.04	.01	.39	18
19	.03					.26			.15	.15	.01	.40	19
20			.05	.17					.06	.18		.58	20
21		.47	.19			.12			.03	.46		.18	21
22		.02	.17	.10		.30		.19		.09		.63	22
23		.41	.21						.22	.37		.33	23
24	.01	.13				.38				.23		.20	24
25		.10		.16		.11		.21		.12		.03	25
26		.18		.38	.21	.01	.04	.30		.41	.15	.22	26
27		.76	.17	.03				.55	.19		.10	.14	27
28		.11		.37				.03			.23		28
29				.02		.22	.07		.32	.57			29
30				.02	.01	.01	.11	.09	~~[illegible]~~	.32	.09	.01	30
31							.03						31
Total	1.07	2.76	2.32	1.41	1.57	2.09	0.25	2.24	1.49	2.89	5.68	7.30	TOTAL for year 31.07
No. of Rain Days	11	13	12	11	7	11	4	12	9	15.	23	25	153

9,000, IX. '10.

loc 7.6

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Piercefield Park

in the County of Monmouth 4

by Henry Clay

Rain Gauge:
Pattern Negretti
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 315 ft.

Time of Observation 9 A.M.

Nearest Railway Station:
Name Chepstow
Distance 2 miles Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1 following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.07			.31	.24		.25	.58		.27	1
2			.15	.05		.58	.28	.02					2
3			.16		.03	.27	.10	.66	.03		.07		3
4	.14		1.07		.06	.18		.05			.09	.11	4
5	.48	.13	.10		.03	.07		.58				.04	5
6	.17	.20	.06		.11	.06		.63					6
7		.12	.03		.05	.46	.10	.02				.04	7
8	.64	.24	.12			.09	.11	.14				.11	8
9	.11	.07	.28	.10		.36	.04	.18			.04	.43	9
10	.14	.08	.02			.03	.02	.07			.12		10
11	.05	.03					.04	.03			.01	.45	11
12	.05	.27	.09	.10	.01	.25	.02					.30	12
13	.03		.08	.02						.06		.24	13
14	.20		.61		.21		~~.01~~	.01		.04		.06	14
15	.15	.34	.02		.24	.62	~~.02~~	.02				.39	15
16	.98	.02	.45			.03	~~[illegible]~~	.31		.12	.07	.04	16
17	.32		.24		.02	.08	~~[illegible]~~	.87			.02	.62	17
18	.28		.09					.62		.02		.09	18
19	.08	.15	.07				.08	.24		.03		.01	19
20	.01	.03	.47		.09		.02	.12		.42			20
21		.14	.37		.98		.03			.12		.10	21
22	.52	.38	.12		.45		.86	.16		.02	.09	.19	22
23	.24	.41	.46			.27		.30		.21	.12	.22	23
24	.08	.07	.07			.50	.03	.32				.30	24
25	.01		.07			.78		.12			.62	.30	25
26		.16	.01				.20	.85		.89	.52	.09	26
27		.03				.76	1.08	.33		1.08		.62	27
28		.10				.12	1.32		.08	.30	.40	.44	28
29		.11				.16	.34	1.00	.36	.39		.08	29
30			.04			.04	.14	.43	.02	.24		.04	30
31			.19		.12		.84	~~8.08~~				.42	31
Total	4.68	3.08	5.39	0.27	2.42	6.02	5.89	8.08	0.74	4.52	2.17	6.00	TOTAL for year 49.26
No. of Rain Days.	20	20	27	4	13	21	20	25	5	15	12	26	208

W. 8,000, X. '11.

21.86

REGISTER OF RAINFALL IN 1913

Exd J L

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Piercefield Park
in the County of Monmouth 4
by Henry Clay

Lat. ________ Long. ________
Time of Observation 9 a.m
Nearest Railway Station Chepstow
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03	.32	.11					.33		.23		1
2	.04	.36	.27	.05	.04					.15	.35	.04	2
3	.24	.02	.10		.37					.17		.05	3
4	1.02	.05	.15		.25	.02			2.04	.43		.07	4
5		.07	.04		.38	.22			.22		.34	.13	5
6	.02	.03	.20		.18	.18	.01			.41	.35	.52	6
7		.44	.02		.41	.12	.11			.18	.44		7
8		.44			.16	.01	.01			.13		.03	8
9		.20			.02	.12	.17	.13	.05		.12		9
10	.48		.01	.02	.13			.20		.15	.21		10
27 11	.60			.16	.33					.04	.87	.07	11
12					.13						.48		12
13			.59		.04			.08	.88		.25		13
14	.08		.43	.07						.10			14
15	.21	.07	.27	1.04				.21	.10				15
16	.15		.66										16
17	.13		.05	.26					.03		.11		17
02 18	.15		.21	.27							.10		18
19	.14		.13			.11	.12		.31				19
20	.35		.11	.15						.07	.47		20
21			.07	.05	.15		.04	.15		.04	.35		21
22	.38		.58			.20		.35	.44	.02			22
23	.02					.02					.06	.13	23
24	.05			.11				.02					24
25		.09		.35					.02	.03			25
26		.02	.03	.11				.11				.25	26
27	.03		.04	.24						.23			27
28	.59		.54	.36	.01					.14			28
29	.02			.38				.06		.13		.05	29
30	.43									.55	.05		30
31	.03		.13		.20			.04					31
Total	5.16	1.82	4.95	3.73	2.80	1.00	0.46	1.35	4.42	2.97	4.78	1.34	YEAR'S TOTAL 34.78
Rain Days.	21	12	22	16	15	9	6	10	10	17	16	10	164

W. 7,500. XI. 12

and months 20.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Piercefield Park
in the County of Monmouth 4
by Henry Clay

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Chepstow
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.05			.66	.48			.11	.02	1
2				.02	.05		.67	.10			.47	.84	2
3			.03	.31	.63		.01	.11			.20	.05	3
4	.36			.27	.05		.39	.01			.42	.62	4
5	.03		.03	.25	.08		.04	.09			.18	.03	5
6	.02	.22	.07		.19		.02	.19				.31	6
7		.34	.29	.21	.51		.27	.11				.16	7
8	.08		.37	.03		.75	.03	.22	.04		.02	.14	8
9	.10	.05	.16	.24	.02	1.39			.04				9
10		.14		.32	.13				.47				10
11		.10	.34		.04	.47	.21				.05	.77	11
12		.04	.15						.28	.02	.09	.21	12
13		.75	.42				.09		.24	.26	.06	.32	13
14		.65	.40				.02	.08		.11	.34		14
15		.06	.17					.20	.24		.33		15
16							.10		.23				16
17		.54	.20				.04		.04		.03	.71	17
18		.05	.04				.02		.10			.52	53 18
19		.07	.20			.02	.84		.02			.22	19
20		.18										.15	20
21		.22	.03			.03	.10	.26		.19			21
22		.10			.28	.03				.11			22
23		.05	.37		.08		.02	.06		.39			23
24			.19				.10			.09	.08		24
25	.08		.22				.05	.75		.48	.03	.49	25
26							.07			.09	.31	.34	26
27		.02									.37	.41	27
28	.10	.26	.31		.01		.13			.15	.09	1.29	28
29	.41		.35		.09					.18	.42		29
30	.16		.25		.03					.20	.94	.48	30
31	.09						.79			.12		.07	31
Total	1.43	3.84	4.59	1.70	2.19	2.69	4.67	2.66	1.70	2.39	4.55	8.06 8.16	YEAR'S TOTAL 40.57
Rain Days.	10	18	21	9	14	6	22	13	10	13	19	21	176

W.7,000, XI. 13

3991

ex'd [illegible]

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Piercefield Park
in the County of Monmouth
by Henry Clay

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chepstow
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level about 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.20	.19	.25	.15	.01		.05	.18	.28		.19	1
2	.31	.22						.41	.07	.25		.10	2
3	.03	.11		.03	.14		.35	.06				.12	3
4	.45	.09	.07		.15		.14	.07				.80	4
5	.04	.12		.12			.29	.18				.65	5
6	.09			.30			.36	.05				.35	6
7	.22	.71		.04			.26	.05				.26	7
8	.16	.28		.07				.07			.12		8
9	.42	.07	.03	.05				.03			.30	.99	9
10	.03	.09	.14	.09				.01				.04	10
11	.02	.49		.02							1.30	.09	11
12	.02			.17	.42				.03	.12	.61	.02	12
13	.15	.11			.70				.10			.01	13
14					.04		.03	.34	.05		.07	1.14	14
15	.11	.79					.06	.02		.08		.14	15
16	.52	.21			.64		.81					.07	16
17		.31			.48			.26					17
18							.01						18
19				.10	.25		.42						19
20	.12			.07						.07		.13	20
21	.08	.11					.08			.13		.11	21
22		.26	.47	.03			.33					.38	22
23			.24				.14		.05	.93		.62	23
24			.02				.37		.25	.69		.61	24
25						.29	.05		.03	.02		.29	25
26		.42					.25					.61	26
27		.12					.21			.52			27
28		.19					.01	.04	.31	.05			28
29	.14					.14	.13				.11	.03	29
30		✗				.17				.24	.17	.16	30
31		✗		✗		✗	.07	.06	✗	.62	✗	.47	31
Total	2.98	4.90	1.16	1.34	2.97	0.61	4.37	1.70	1.07	4.00	2.68	8.38	YEAR'S TOTAL 36.16
Rain Days.	18	19	7	13	9	4	20	15	9	13	7	25	159

W. 8,000. X. 14.

27.78

Fed HW

1921

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Piercefield Park

in the County of Monmouth

by Henry Clay

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Chepstow

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level about ~~305~~ 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15		.03		.13	.27	.32			.26	.15		1
2	.90	.10	.05		.07	.02			.12	1.03	.02		2
3		.73							.02	.47	.15		3
4	.65	.19			.44	.72			.04	.37	.23		4
5		.21	.01	.02	.15	.03	.20			.17	.03		5
6	.07	.37	.03		.40	.11	.72			.41	.79		6
7	.03	.05	.02		.35		.09			.28	.40	.33	7
8			.13		.51					.02	.05	.31	8
9					.04	.27	.02				.01		9
10		.57		.03	.07	.12				.21		.05	10
11				.13	.05	.02				.03			11
12	.01	.17	.07		.27		.22	.04		.09			12
13		.51	.16	.07	.02			.48		.11			13
14		.48	.47					.09		.10			14
15	.01	.27	.09	.11			.20	.07		.02			15
16	.10	.10		.26				.16		.06			16
17	.12	.13		.12				.08	.24	.41	.06		17
18			.14						.04	.02		.08	18
19	.49		.49	.22							.26		19
20	.36		.44	.04								.34	20
21	.35	0 ~~19~~	.36	.15	.07		.02					.25	21
22				.06		.25				.26	.06	.63	22
23	.02	.19		.05		.06				.09	.20	.35	23
24		.05	.07		1.03					.26	.01		24
25		.14	.19	.18	.04	.01		.10			.13		25
26	.04	.18	.04			.21		.11	.22	.14		~~.66~~	26
27	.05	.04	.75			.12	.67	.87	.26	.92		~~.42~~	27
28		.27	.17					.11	.06	.11		.66	28
29		.21				.47		1.71		.39		.42	29
30		X								.48			30
31		X		X		X		.15	X	.44	X	.03	31
Total	3.35	4.96	3.71	1.44	3.64	2.68	2.46	3.97	1.00	7.15	2.55	3.45	YEAR'S TOTAL 40.36
Rain Days.	15	20	19	13	15	14	9	12	8	26	15	11	177

W. 8,000. X. 15.

End C 3757

FORM A.
BRITISH RAINFALL.

2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Piercefield Park
in the County of Monmouth
by Henry Clay

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Chepstow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.29	.31		.27		.84	.20		.04		1
2						.15	.02	.05			.05		2
3			.02	.01				.04		1.01			3
4		.30					.28		.01	.17			4
5	.21		.38	.22		.11		.80	.39	.03	.19		5
6						.12				.21	.27	.02	6
7	.38						.03	.21		.12	.01	.08	7
8	.32		.28	.07			.56	.65	.02	.61	.31		8
9				.13	.20			.43	.10	.03	.26		9
10	.30		.11	.18	.02			.25	.05	.01			10
11	.16		.53	.51	.01			.73		.31			11
12	.04		.41		.33			.10		.39			12
13			.21	.25		.05		.11	.09	.21			13
14			.04	.06				.42				.02	14
15				.07				.01	.03	.22		.20	15
16		.07		.15			.48		.02	.23		.09	16
17	.03			.07	.33		.26	.10	.22	.10			17
18							.57		2.16				18
19		.61	.07			.15			.01				19
20		.11			.29	.44							20
21			.31		.02	.08		.02		.20			21
22			.05		.01	.07		.10		.09			22
23					.02	.09		.46		.02	.03	.02	23
24						.08	.08	.15		.42			24
25		.24	.05					.04	.01	.04			25
26					.14	.06		.30	.31		.07		26
27					.64	.17		.93					27
28			.08		.05	.27		.14				.01	28
29			.11			.43		.01		.42		.15	29
30		X	.01				.03	.45		.05	.08		30
31		X	.07	X	.01	X		.61	X	.08	X	.05	31
Total	1.44	1.33	3.02	2.03	2.07	2.54	2.31	7.95	3.62	4.97	1.31	0.64	YEAR'S TOTAL 33.23
Rain Days.	7	5	17	12	13	15	9	25	14	22	10	9	158

W. 8,000, VIII. 16

½ yr 12.43

Exp 9M65

31

FORM A.
BRITISH RAINFALL

2.1.19

REGISTER OF RAINFALL IN 1918

Kept at Piercefield Park
in the County of Monmouth
by Henry Clay

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Chepstow
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.16		.05	.10			.21		.03	.30		1
2		.43		.02	.39			.31		.01	.02	.50	2
3		.15		.29				.18	.24	.09	.32	.02	3
4		.05		.02	.20			.10	.21	.11	1.05	.46	4
5		.61		.03				.07	.19	.44	.08	.02	5
6	.08			.42		.01			.04	.15		.18	6
7		.10		.02	.65				.33	.17	.36		7
8		.16					.02		.12	.13		.07	8
9		.15		.26		.07	.19		.84	.14		.24	9
10				.17			.47		.51	.08		.29	10
11	.05			.01			.14		.27	.02	.16	.12	11
12		.13	.09		.18		.05		.04				12
13			17			.01	.10		.62	.21		.18	13
14	.71				.12	.07	.17		.58	.39		.22	14
15	.02		.04	.26	.03		.40		.01			.29	15
16	.76			.65		.25	.22	.20	.55			.06	16
17	.38		.10	.09			.19	.06	.02	.01		.25	17
18	1.26	.07				.61	.18		.49	.03		.40	18
19	.09			.03			.12		.01	.02		.05	19
20		.21		.36		.03	.06		1.15				20
21	.05	.08		.03				[illegible]	.55	.04		.10	21
22	.08				.27		.36		.15	.01		.35	22
23	.09				.20		.40		.02		.08		23
24		.18					.17	.08	.14	.07	.06		24
25					.08		.71	.54				.03	25
26							1.01		.25	.02	.22	.26	26
27								.42	.15		.05	.01	27
28		.14	.35						1.44	.03		.03	28
29			.14							.02		.02	29
30		✕	.70						.05		.09	.06	30
31		✕	.45	✕		✕		.01	✕		✕		31
Total	3.57	2.62	2.04	2.71	2.22	1.05	4.96	2.18	8.97	2.22	2.79	4.21	YEAR'S TOTAL 39.54
Rain Days.	11	14	8	16	10	7	18	11	26	22	12	24	179

W. 8,000. X. 14.

3506

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Piercefield Park
in the County of Monmouth
by Henry Clay

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Chepstow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.47		.15		.04		.08		18	.13		.63	1
2	.35		.09		.04		.28		.51		.13	.14	2
3	.20		.19			.05			.09		.08	.22	3
4	.09	.19	.56			.04	18	.05	.49			.24	4
5		.35	.54		.05				.62		.04	.26	5
6	.08	.09	.33									.08	6
7	.26		.51	.15								.01	7
8	.07		.15	.08		.04							8
9	.23		.01	.16							.17		9
10			.46							.04		.25	10
11	.06		.67	.08	.15		.19					.19	11
12			.11	.07		.20					.04		12
13	.25	.05		.29								.20	13
14	.66	.05		.15			.05		.02			.03	14
15	.71			.02								.18	15
16	.17	.99				.01					.06		16
17	.03	.50				.02					.15	.03	17
18	.06		.64				.05	1.00	.07		.14	.04	18
19	.30	.68	1.19			.20	2.49	.58	.01		.06	.05	19
20	.55	.09	.34			.05		.25	.02		.03		20
21		1.14	.07				.06	.01	.02			.11	21
22		.09					.03		.32			.10	22
23										1.04	.17	.05	23
24				.08	.05	.06				1.19	.32	.22	24
25	.14		.13		.06			.58					25
26	.10								.22			.57	26
27	.06			.42				.71				.03	27
28	.01		.28					.37				.42	28
29				.10				.48		.12	.39	.36	29
30		×		.15		.35					.48	.58	30
31	.02	×	.04	×		×	.04		×		×	.05	31
Total	4.87	4.22	6.46	1.75	0.39	1.02	3.45	4.03	2.57	2.52	2.26	5.04	YEAR'S TOTAL 38.58
Rain Days.	22	11	19	12	6	10	10	9	12	5	14	25	155

W. 8,000, IX. 17.

3453

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 1921

Kept at Piercefield Park
in the County of Monmouth
by Henry Clay

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Chepstow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.28	.65		.48	.03	.12	.08	.04	.49	1
2	.03			.19	.05		.32	.09	.06	.22		.35	2
3	.05	.09		.17			.30		.01	.12			3
4				.03			.46	1.03		.36			4
5			.19	.01	.07		.10			.14			5
6			.38		.38		.10			.24			6
7				.07	.15		.33						7
8	.08	.02		.52	.11		.07	.02					8
9	.27	.03		.68		.05	.25						9
10	1.62		.11	.19		.27	.16						10
11	.21		.30	.41	.57		.12						11
12	.19	.24	.03	.21	.01	.94	.08				.17		12
13	.08	.04	.35	.25							.03		13
14	.09	.02	.75	.44			.02		.13	.62	.83		14
15	.03	.05		.46		.18	.66		.12	.11	.05		15
16			.02	.06	.02	.45		.06	.56	.37	.14		16
17	.07				.36	.14			1.85	.38			17
18	.35			.01	.15		.03	.50	.67				18
19		.24		.39	.02	.19							19
20		.05		.16		.23						.32	20
21				.02			.01			.16			21
22	.03			.16			.11	.09				.42	22
23							.42	.01				.61	23
24	.03		.46	.05			.08				.07	.65	24
25	.02	.05	.20				.92						25
26	.19		.39								.09	.06	26
27	.20		.09		.07	.57	.01					.27	27
28	.97		.11		.11	.02	.07					.06	28
29	.24	.01	.20	.02	.02	.07	.06				.18	.61	29
30	.44	X	.06	.05		.25	.20		.58		.30	.59	30
31	.27	X	.28	X	.02	X			X	.53	X	.27	31
TOTAL	5.46	0.84	3.94	4.83	2.76	3.36	5.36	1.83	4.10	3.33	1.90	4.70	YEAR'S TOTAL 42.41
Days with ·01 in. or more	21	11	17	23	16	12	24	8	9	12	10	12	175
	16	7	16	18	11	11	20	5	8	12	9	12	143

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

made

CHEPSTOW

THE CEDARS

MONMOUTH

1915

FORM A.
BRITISH RAINFALL.

JUN 1916

REG

Kept at The Cedars … m. for previous … Chepstow

in the County of Mo…

by James E G…

…ge 5 in.

…round 2 ft. - in.

…ea Level 150. ft.

IMPORTANT NO… …e result entered to the previous day. If an O… …al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·10.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·39.	·20.	-	-		-	-	·13.	·20.	·34	-	·15.	1
2	·30.	·28.	·18.	·29.	·17	-	-	·31.	·07.	·22.	-	·12.	2
3	·54.	·10.	·07.	·03.	-	-	·36.	·08.	-	-	-	·21.	3
4	·04.	·05.	·01.	-	·15	-	·09.	·01.	-	-	-	·74.	4
5	·09.	·20.	-	·14	·12.	-	·07.	·15.	-	-	-	·55.	5
6	·23.	·01.	-	·25.	-	-	·47.	·03.	-	-	-	·38.	6
7	·20.	·53.	-	·04.	-	-	·45.	·05.	-	-	-	·26.	7
8	·45.	·27.	-	·09	-	-	-	·10.	-	-	·15.	-	8
9	·03	·04.	-	-	-	-	-	·01.	-	-	·25.	·98.	9
10	·24	·08.	-	·07.	-	-	-	·01.	-	-	-	·04.	10
11	·01.	-	·02.	·02	-	-	-	-	-	-	·95.	·06.	11
12	·17.	·17.	·12.	·15.	·45.	-	-	-	-	·08.	·61.	-	12
13	-	·41.	-	-	·66.	-	-	-	·12.	-	-	-	13
14	·12.	·01.	-	-	-	-	-	·42.	·05.	-	-	1·04.	14
15	·56.	·80.	-	-	·04.	-	·02	·07.	-	-	·05.	·09.	15
16	-	·25.	-	-	·63.	-	·76.	-	-	·02.	-	-	16
17	-	·20.	-	-	·39.	-	-	·31.	-	-	-	-	17
18	-	·35.	-	-	-	-	-	-	-	-	-	-	18
19	-	-	-	·15.	·22.	-	·40.	-	-	-	-	-	19
20	·13.	-	-	·04.	-	-	·01.	-	-	·15.	-	·17.	20
21	·07.	·09.	-	-	-	-	·06	-	-	·03	-	·26.	21
22	·07.	·19.	·56.	·03.	-	·01.	·35.	-	-	-	-	·16.	22
23	-	-	·25	-	-	·01.	·10.	-	·05.	·94.	-	·58.	23
24	-	-	·03.	·02	-	-	·61.	-	·26.	·60.	-	·47.	24
25	-	-	-	-	-	·27	·02.	-	-	-	-	·22.	25
26	-	·39	-	-	·02	-	·16.	-	-	-	-	·59.	26
27	-	·12.	-	-	-	·04	·14.	-	-	·43.	-	-	27
28	-	·16.	-	-	-	-	·03.	-	·34.	-	-	·01.	28
29	-	X	-	-	-	·11	·17.	-	-	-	·02.	·02.	29
30	·15	X	-	-	-	·25.	-	-	-	·31.	·22.	·20.	30
31	-	X	-	X	-	X	·06.	·07.	X	·62.	X	·56.	31
Total	3·79.	4·90.	1·24.	1·32	2·85.	·69.	4·33.	1·75.	1·09.	3·74.	2·25.	7·86	YEAR'S TOTAL 35·81. ✓
Rain Days.	18.	22.	8.	13.	10.	6.	19.	14.	7.	11	7.	23.	158 ✓

W. 8,000. X. 15.

S made

REC

FORM A.
BRITISH RAINFALL.

JUN 1916

Kept at The Cedars Chepstow
in the County of Monmouth
by James E. G. Lawrence

Lat. Long.
Time of Observation 9. a. m. for previous day
Nearest Railway Station Chepstow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 150. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
[illegible]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39.	·20.	-	-		-	-	·13.	·20.	·34	-	·15.	1
2	·30.	·28.	·18.	·29.	·17	-	-	·31.	·07.	·22.	-	·12.	2
3	·54.	·10	·07.	·03.	-	-	·36.	·08.	-	-	-	·21.	3
4	·04.	·05.	·01.	-	·15	-	·09.	·01.	-	-	-	·74.	4
5	·09.	·20.	-	·14.	·12.	-	·07.	·15.	-	-	-	·55.	5
6	·23.	·01.	-	·25.	-	-	·47.	·03.	-	-	-	·38.	6
7	·20.	·53.	-	·04.	-	-	·45.	·05.	-	-	-	·26.	7
8	·45.	·27.	-	·09	-	-	-	·10.	-	-	·15.	-	8
9	·03	·04.	-	-	-	-	-	·01.	-	-	·25.	·98.	9
10	·24	·08.	-	·07.	-	-	-	·01.	-	-	-	·04.	10
11	·01.	-	·02.	·02	-	-	-	-	-	-	·95.	·06.	11
12	·17.	·17.	·12.	·15.	·45.	-	-	-	-	·08.	·61.	-	12
13	-	·41.	-	-	·66.	-	-	-	·12.	-	-	-	13
14	·12.	·01.	-	-	-	-	-	·42.	·05.	-	-	1·04.	14
15	·56.	·80.	-	-	·04.	-	·02.	·07.	-	-	·05.	·09.	15
16	-	·25.	-	-	·63.	-	·76.	-	-	·02.	-	-	16
17	-	·20.	-	-	·39.	-	-	·31.	-	-	-	-	17
18	-	·35.	-	-	-	-	-	-	-	-	-	-	18
19	-	-	-	·15.	·22.	-	·40.	-	-	-	-	-	19
20	·13.	-	-	·04.	-	-	·01.	-	-	·15.	-	·17.	20
21	·07.	·09.	-	-	-	-	·06	-	-	·03	-	·26.	21
22	·07.	·19.	·56.	·03.	-	·01.	·35.	-	-	-	-	·16.	22
23	-	-	·25	-	-	·01.	·10.	-	·05.	·94.	-	·58.	23
24	-	-	·03.	·02	-	-	·61.	-	·26.	·60.	-	·47.	24
25	-	-	-	-	-	·27	·02.	-	-	-	-	·22.	25
26	-	·39.	-	-	·02.	-	·16.	-	-	-	-	·59.	26
27	-	·12.	-	-	-	·04	·14.	-	-	·43.	-	-	27
28	-	·16.	-	-	-	-	·03.	-	·34.	-	-	·01.	28
29	-		-	-	-	·11	·17.	-	-	-	·02.	·02.	29
30	·15		-	-	-	·25.	-	-	-	·31.	·22.	·20.	30
31	-		-		-		·06.	·07.		·62.		·56.	31
Total	3·79.	4·90.	1·24.	1·32	2·85.	·69.	4·33.	1·75.	1·09.	3·74.	2·25.	7·86	YEAR'S TOTAL 35·81.
Rain Days.	18.	22.	8.	13.	10.	6.	19.	14.	7.	11	7.	23.	158

W. 8,000. X. 15.

COEDKERNEW
CEFNLLOGELL
MONMOUTHSHIRE
1913 - 1915

FORM A.
BRITISH RAINFALL.

REG

Kept at Cefnll
in the County of Coed
by Thomas

field
in.
3 ft. 6 in.
evel 225 ft.

IMPORTANT NO sult entered to the previous day. If an O ule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·19	·39						·27	·20	·38		1
2	-	·27	·16								·22	·05	2
3	·12	·03	·06		·32						·14	·13	3
4	1·34	·04	·10		·04		·06		1·66			·20	4
5	·03	·08	·06		·45		·06		·30	·43	·45	·22	5
6	·03	·08	·26		·10	·21	·03			·63	·32	·17	6
7	·02	·48	·02			·45	·01			·85	·38	·50	7
8	-	·24			·57					·02			8
9	-	·21	·07		·28	·47	·08		·04		·28	·16	9
10	·45		·06		·16						·13		10
11	·90			·16	·35						·55	·15	11
12	-	·02					·03				·46		12
13	·06	·01	·40						·37				13
14	·06	·02	·71	·12					·08	·33	·23		14
15	·09	·01	·40	1·58									15
16	·26		·57				·05	35	·05		·03		16
17	·08	·01	·02	·22							·17		17
18	·14		·31			·15					·14		18
19	·09			·36					·17		·04		19
20	·46		·22	·22	·06	·31					·37		20
21	-			·25	·21			·10		·08	·26	·10	21
22	-		·89					·20	·37	·10	·11		22
23	(1·00)						·18	·14					23
24	·14	·02		·10					·05		·11		24
25	·14	·02						·07	·07			·50	25
26	·38	·10		1·31								·25	26
27			·04							·37			27
28			·16	·43						·35			28
29			·45	·40				2.1		·27			29
30	·78							·25		~~·27~~	·13	·12	30
31	·02		·09		·42			~~·25~~			~~·13~~		31
Total	6·61 ✓	1·83	5·44	5·15	2·96	1·59	·50	1·32	3·43	3·63	4·90	2·55	YEAR'S TOTAL 39·91.
Rain Days.	24	17	22	14	12	6	8	10 ?	11 ?	11	20	15	~~167~~ 170

not 22 as in summary.

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REG

FORM A.
BRITISH RAINFALL.

Kept at Cefnllogell

in the County of Coedkernew. Mon.

by Thomas Hillier

Lat. 51 33 25 Long.

Time of Observation 9 am

Nearest Railway Station Marshfield

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·19	·39						·27	·20	·38		1
2	-	·27	·16								·22	·05	2
3	·12	·03	·06		·32						·14	·13	3
4	1·34	·04	·10		·04		·06		1·66			·20	4
5	·03	·08	·06		·45		·06		·30	·43	·45	·22	5
6	·03	·08	·26		·10	·21	·03			·63	·32	·17	6
7	·02	·48	·02			·45	·01			·85	·38	·50	7
8	-	·24			·57					·02			8
9	-	·21	·07		·28	·47	·08		·04		·28	·16	9
10	·45		·06		·16						·13		10
11	·90			·16	·35						·55	·15	11
12	-	·02					·03				·46		12
13	·06	·01	·40						·37				13
14	·06	·02	·71	·12					·08	·33	·23		14
15	·09	·01	·40	1·58									15
16	·26		·57				·05	35	·05		·03		16
17	·08	·01	·02	·22							·17		17
18	·14		·31			·15					·14		18
19	·09			·36					·17		·04		19
20	·46		·22	·22	·06	·31					·37		20
21	-			·25	·21			·10		·08	·26	·10	21
22	-		·89					·20	·37	·10	·11		22
23	(1·00)						·18	·14					23
24	·14	·02		·10					·05		·11		24
25	·14	·02						·07	·07			·50	25
26	·38	·10		1·31								·25	26
27			·04							·37			27
28			·16	·43						·35			28
29			·45	·40				2·1		·27			29
30	·78							·25		~~·17~~	·13	·12	30
31	·02		·09		·42			~~25~~			[illegible]		31
Total	6·61 ✓	1·83	5·44	5·15	2·96	1·59	·50	1·32	3·43	3·63	4·90	2·55	YEAR'S TOTAL 39·91 ✓
Rain Days.	24	17	22	14	12	6	8	10 ?	11 ?	11	20	15	~~167~~ 170

not 22 as in summary.

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Cardy own stats 20.IV.15

FORM A.
BRITISH RAINFALL.

JAN 1915

REGISTER OF RAINFALL IN 1914.

Kept at Cefnllogell
in the County of Coedkernew. Mon.
by Thomas Hillier

Lat. 51·33·25 Long. 3 3 · 15 (approx)
Time of Observation 9. am
Nearest Railway Station Marshfield Mon.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04			·22	·20	·40			·12	·11	1
2				·09	·07	·03	·45	·08			50	·35	2
3			·14	·22	·61		1·00	·03				·12	3
4	·37		·05	·35	·08			·10			·55	·82	4
5			·16	·44	·03		·50	·04			·15	·08	5
6	·15	·15	·06	·22	·15	·05	·10	·24			·02	·42	6
7		·40	·70	·32	·41		·32		·14		·02		7
8		·08	·42	·06			·10	·30	·21		·03	·40	8
9	·72		·20	·41	·15	·67		·12	·21		·02		9
10		·20		·51	·15	1·32			·32		·02		10
11		·16	·48	·01	·25	·46			·25		·11	·75	11
12		·18	·15			·67	·17		·50		·15	20	12
13		·75	·45	·03			·10		·20		·15		13
14		·08	·41					·32	·20	·35	·52	·18	14
15			·31				·18	·55	·45		·48		15
16			·01				·14					·03	16
17		·68	·17				·12					·85	17
18		·14					·12					·50	18
19		·08	·10				1·56				·05	·30	19
20		·13	·21			·04						·30	20
21		·24				·01	·43			·25			21
22		·21			·09	·09		·22		·20			22
23		·10	·18		·06					·35	·31		23
24							·08	·12		·04			24
25	·10		·10				·09	50		·50		·65	25
26		·05	·10							·23	·35	·35	26
27											·40		27
28	·07		·24								·13	·24	28
29	·50	(·21)	·30		·25		·03			·10	·30	·42	29
30	·18	X	·15				·06			·25	·45	·42	30
31	·07	X		X		X	·60		X	30	X	·06	31
													YEAR'S TOTAL
Total	2·16	3·84 ✓	5·13	2·66	2·30	3·56	6·35	3·02	2·48	2·56	5·03	4·55	46·64 ✓
Rain Days.	9	17 ✓	23	11	12	10	20	13	9	10	21	22	177 ✓

W. 8,000. X. 14.

3957

FORM A.
BRITISH RAINFALL.
4 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Cefnllogell Coedkernew
in the County of Monmouth
by Thomas Hillier

Lat. 51. 33. 25 Long. 3. 3 15 ~~approx~~
Time of Observation 9 am
Nearest Railway Station Marshfield Mon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·53	·47						·18	·15			·20	1
2	·22	·19	·35	·20	·18			40		·45		·20	2
3	·02	·11		·22			·32			·23		·20	3
4					·15		·59					·85	4
5	·20	·13	30	·05	·38			·35				·58	5
6	·31	·08		40			·63					30	6
7	·46	·50		10			·16	·15				40	7
8		19											8
9	·26	13						·15			25	1·15	9
10	·46		·10	·10				·12		·10	·24	15	10
11													11
12	·18	·22			·38			·38		·05	1·20		12
13		·20			·61			·10	·25	·20	·05		13
14	·18						·10	1·20	·13			1·61	14
15	·50				08		·28	·32		·09		·10	15
16	·05	1·13			·38		1·57		·08	·01			16
17		·19			·40			·08					17
18		·42					·01						18
19					·42		46						19
20	·32											·08	20
21		·12					·18			·48		·03	21
22	·18		·40	·20			·50		·04	·02		·45	22
23			25							1·30		·75	23
24							·28		·18	·63		·30	24
25					[illegible]	·21			·21			·15	25
26		·35					·42					·58	26
27		·04				21	·08			·50		·04	27
28		·13					·01					·04	28
29						·25		·02	·45	[illegible]	·05	·14	29
30	·24					·10				× 43	·40	·23	30
31							·20	·08		62		·35	31
Total	4·11	4·60	1·40	1·27	2·99	0·77	5·73	3·33	1·49	5·11	2·19	8·88	YEAR'S TOTAL 41·87
Rain Days.	15	17	7	7	9	5	17	13	8	15	6	23	142

W. 8,000. X. 15.

× 43.

DEVAUDEN ~~CHEPSTOW~~

'TREDEAN'

MONMOUTHSHIRE

1911 - 1917

FORM A2. BRITISH RAINFALL.

25 APR 1912

911

Kept at Tr p in.

bove Ground ft. in.

in the County ,, Sea Level ft.

by W. W. on { Name
Distance Direction

IMPORT and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08				·08			·10	·23	1
2					·45			·27			·55	·43	2
3					·53			·03		·07		·05	3
4			·18			·15		·13		·03	·35	·55	4
5			·05					·10		·03		·01	5
6	·55		·01					·02				·76	6
7	·03										·65		7
8			·15								·07	·32	8
9	·09										·17	·28	9
10	·09	·07	·45		·27						·02	·21	10
11	·25										·61	·08	11
12			·52								·35	·05	12
13					·15				·50			·55	13
14											·07	1·10	14
15	·03	·05	·01			·25					·46	·12	15
16											·36	·46	16
17		·02				·10					·30	·32	17
18		·17	·05	·18		·25						·31	18
19				·13		·35			·32	·20		·51	19
20	·03	·35		·10					·15	·20		·95	20
21			·35			·25		·75	·03	·42		·11	21
22			·13	·05		·25				·10		·72	22
23		·45	·32						·25	·42	·01	·11	23
24		·08				·40		·20		·08		·35	24
25		·05		·20					·05	·42		·15	25
26		·22		·25	·03	·15		·20		·02		·15	26
27		·55	·20	·05				·60	·25		·25	·10	27
28		·10		·35				·05			·31		28
29				·05		·17	·04		·15	·35			29
30				·05		·10	·04	·15		·35	·10		30
31							·04						31
Total	1·07	2·11	2·42	1·49	1·43	2·42	·12	2·58	1·70	2·69	4·73	8·98 8·98	TOTAL for year 31·74
No. of Rain Days.	7	11	12	11	5	11	3	12	8	13	17	26	136

W. 8,000, X. '11.

11

FORM A2.
BRITISH RAINFALL.
25 APR 1912

Kept at Tredean Nr Chepstow

in the County of Monmouth

by W. W. Hood

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
„ „ „ Sea Level ______ ft.

Time of Observation ______

Nearest Railway Station
Name ______
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08				·08			·10	·23	1
2					·45			·27			·55	·43	2
3					·53			·03		·07		·05	3
4			·18			·15		·13		·03	·35	·55	4
5			·05					·10		·03		·01	5
6	·55		·01					·02				·76	6
7	·03										·65		7
8			·15								·07	·32	8
9	·09										·17	·28	9
10	·09	·07	·45		·27						·02	·21	10
11	·25										·61	·08	11
12			·52								·35	·05	12
13					·15				·50			·55	13
14											·07	1·10	14
15	·03	·05	·01			·25					·46	·12	15
16											·36	·46	16
17		·02				·10					·30	·32	17
18		·17	·05	·18		·25						·31	18
19				·13		·35			·32	·20		·51	19
20	·03	·35		·10					·15	·20		·95	20
21			·35			·25		·75	·03	·42		·11	21
22			·13	·05		·25				·10		·72	22
23		·45	·32						·25	·42	·01	·11	23
24		·08				·40		·20		·08		·35	24
25		·05		·20					·05	·42		·15	25
26		·22		·25	·03	·15		·20		·02		·15	26
27		·55	·20	·05				·60	·25		·25	·10	27
28		·10		·35				·05			·31		28
29				·05		·17	·04		·15	·35			29
30				·05		·10	·04	·15		·35	·10		30
31							·04						31
Total	1·07	2·11	2·42	1·49	1·43	2·42	·12	2·58	1·70	2·69	4·73	8·98 8·98	TOTAL for year 31·74
No. of Rain Days.	7	11	12	11	5	11	3	12	8	13	17	26	136

W. 8,000, X. '11

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 11 JAN 1913

Kept at Tredean, Nr Chepstow

in the County of Monmouth 3

by W. W. Hood

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Chepstow G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	·16			·42	·20	·02		·60		·20	1
2	-	-	·35			·30	·35	·05					2
3	-	-	·40			·27	·12	·85	·02		·05		3
4	·07	-	·75		·10	·18		·05			·10	·15	4
5	·54	-	·05		·13	·15		·50					5
6	-	·30	·01		·12	·23		·85				·05	6
7	-	·26	·06		·04	·40		·01				·10	7
8	·41	·31	·25			·05	·15						8
9	-	·05	·27	·09		2·05	·05	·75				·35	9
10	·27	·08	·02				·03	·17			·10		10
11	·02	·01	-				·06	·20				·62	11
12	·07	·20	·12	·11	·05	·02	·01					·25	12
13	·30	-	-			·10		·05		·08		·02	13
14	-	-	·78									·20	14
15	-	·10	-		·40	·35						·02	15
16	1·20	·05	·45	·02		·10		·23		·05	·10	·50	16
17	·30	-	·20					·80			·02	·05	17
18	-	·15	·10		·01		·18	·55				·02	18
19	·06	·05	-		·06			·60					19
20	·02	·12	·65		·86			·25		·40		·15	20
21	·01	-	-				·10	·25		·15			21
22	-	·47	·43		·65		·27	·15		·02			22
23	·48	·50	·35			·20	·01			·17		·45	23
24	·14	·05	·02			·38	·05				·10	·55	24
25	-	-	-			·50		1·00		·03		·20	25
26	-	·18	-			·78	·10	·45		·80	·67	·40	26
27	-	·07	-		·10	·17	1·00	1·10	·10	1·16	·52	·35	27
28	-	·15	-			·03	·45	·20	·47	·27		·02	28
29	-	·25	-			·10				·47		·22	29
30	-	-	·07				·15			·88		·15	30
31	-	-	·15				·55	·07				·20	31
Total	3·89	3·35	5·64	·22	2·52	6·78	3·83	9·15	·59	5·08	1·66	5·22	YEAR'S TOTAL 47·93
Rain Days.	14	19	21	3	11	20	18	23	3	13	8	23	176

W. 7,500, XI. 12

Exe-DS

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
14 JAN 1914

Kept at Tredean, nr Chepstow
3
in the County of Monmouth
by W. W. Hood, Esq.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Chepstow
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 700 ft.
Same as last

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·11	·35	·03					·36		·25		1
2		·25	·05	·09						·22	·28		2
3	·32	·02	·15		·67	·18						·20	3
4	1·00	·03	·05		·31				2·00	·50	·07	·04	4
5	·03	·05	·05		·16	·15			·20		·35	·08	5
6	·05	·05	·25		·30	·15				·65	·28	·40	6
7		·75	·01		·13	·03	·05			·30	·31		7
8	·02	·30		·01	·45	·05	·03			·10			8
9		·20		·05	·20			·17	·06		·20		9
10	·52				·15		·07	·20		·30	·27		10
11	1·05			·10	·10					·05	1·20		11
12					·25						·35	·03	12
13	·01		·10		·40				1·10	·01	·20		13
14	·10		·50	·06	·02			·07	·05	·10			14
15	·25		·31	1·40									15
16	·20		·60	·03									16
17	·03		·10	·15			·03	·06	·05		[illegible]		17
18	·10		·32	·20			·05				·11		18
19	·13		·30	·10		·20			·30	·02	[illegible]	·01	19
20	·60		·05	·17						·10	·50		20
21	·37		·25				·05	·06		·02	·25		21
22	·01		·55					·35	·35		[illegible]		22
23					·18	·22		·01			·10	·11	23
24	·02	·05		·10									24
25				·40					·04	·03			25
26				·20						·01		·20	26
27			·10	·35	·05			·10		·08			27
28	·35		·15	·50				·08		·07			28
29	·03		·55	·45						·20			29
30	·38		·10		·20					·70	·08		30
31	·02												31
Total	5·60	1·81	4·89	4·39	3·57	·98	·28	1·10	4·51	3·46	4·80	1·07	YEAR'S TOTAL 36·46
Rain Days.	23	10	21	18	15	7	6	9	10	18	16	8	161

W.7,000, XI. 13

Exe D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 JAN 1915

Kept at 'Tredean', Nr Chepstow
in the County of Monmouth. 3
by W. W. Hood

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chepstow
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	.	·08	.	.	·65	·35	.	.	·12	·12	1
2	-	.	.	.	·06	.	·75	·03	.	.	·55	·37	2
3	-	.	.	·27	·62	.	·03	·05	.	.	·08	·55	3
4	·18	.	.	·32	·05	.	·35	.	.	.	·55	·35	4
5	.	.	.	·13	·05	.	·03	·13	.	.	·06	·08	5
6	.	·32	·10	·10	·15	·02	·02	.	.	.	·01	·09	6
7	.	·40	·15	·08	·40	.	·25	·05	.	.	·01	.	7
8	.	.	·30	·28	·03	·85	.	·25	·07	.	.	.	8
9	.	·06	·18	·25	·05	1·60	.	·47	·09	.	.	.	9
10	.	·26	.	·50	·04	.	.	.	·33	.	.	.	10
11	.	·15	·26	.	·04	·50	·45	.	.	.	·07	·65	11
12	.	·13	·10	.	.	.	.	.	·18	·03	.	·36	12
13	.	·70	·76	.	.	.	·05	.	·15	·30	·13	·30	13
14	.	·63	·35	.	.	.	·07	·10	.	·20	·55	.	14
15	·05	·05	·10	.	.	.	·02	·25	·07	.	·25	.	15
16	.	.	.	.	.	.	·17	.	·30	.	.	.	16
17	.	·50	·22	.	.	.	·02	.	.	.	.	1·10	17
18	.	.	·05	.	.	.	·17	.	.	·02	.	·40	18
19	.	·10	·08	.	.	.	·75	.	.	.	.	·11	19
20	.	·25	·05	.	.	·01	.	.	.	.	.	·25	20
21	.	·27	.	.	.	·07	·13	.	.	·25	.	.	21
22	.	·15	.	.	·26	·03	.	·20	.	·17	.	.	22
23	.	·10	·27	.	·03	.	.	.	.	·35	.	.	23
24	.	·02	·13	.	.	.	·07	·10	.	·15	·10	.	24
25	·07	.	·30	.	.	.	·06	·75	.	·42	·10	·55	25
26	.	.	.	.	.	.	·08	.	.	·11	·35	·45	26
27	·07	.	.	.	.	.	.	.	.	.	·45	·41	27
28	·01	·20	·45	.	.	.	.	.	.	·05	·05	snow ·45 }	28
29	·25	.	·30	.	·02	.	·02	.	.	·31	·60	.	29
30	.	X	·30	.	·15	·02	.	.	.	·25	·85	·40	30
31	·25	X	.	X	.	X	·67	.	X	·20	X	·05	31
Total	·88	4·30	4·45	2·01	1·95	3·10	4·81	2·73	1·19	2·81	4·88	7·04	YEAR'S TOTAL 40·15
Rain Days.	7	18	19	9	14	8	21	12	7	14	18	19	166

W. 8,000. X. 14.

3981

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5-FEB 1916

Kept at Tredean, Nr Chepstow
in the County of Monmouth
by W. W. Hood

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chepstow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·25	. .	.	·10	.	.	·20	·40	·18	·02	·15	1
2	·75	·33	·10	·22	.	·01	-	·65	·02	·17	.	·25	2
3	·31	·23	·07	·01	·20	.	·15	·20	.	.	.	·20	3
4	.	·15	.	.	·11	.	·30	·01	.	.	.	·70	4
5	·10	·20	.	·20	.	.	·25	·20	.	.	.	·87	5
6	·25	·05	.	·45	.	.	·40	·05	.	.	.	·25	6
7	·20	Rain & snow ·90 }	.	.	.	.	·10	.	.	.	.	·35	7
8	·30	·30	.	·10	.	.	.	·10	.	.	·15	.	8
9	·02	·15	. .	.	.	.	.	.	.	.	·15	·85	9
10	·22	·02	. .	·07	.	.	.	.	.	·02	.	·07	10
11	·01	.	·10	·03	.	.	.	.	.	.	1·20	·03	11
12	·10	·10	.	·17	.	.	.	·18	.	·18	·75	snow ·09 }	12
13	. .	·53	.	.	} 1·30	.	.	.	·15	.	·02	.	13
14	·05	.	.	.		.	·12	·25	·03	.	.	1·05	14
15	·40	·01		.	·06	.	·25	·07	.	.	·07	·10	15
16	–	1·25	.	.	·60	.	·60	.	.	·04	.	.	16
17	–	·17	.	.	·53	.	·04	·05	.	·02	.		17
18	–	·46	.	.	.	.	·40	.	.	.	.	.	18
19	–	·02	.	.	·25	.	.	.	.	·01		.	19
20	·10	.	.	·18	.	.	.	.	.	·25	.	·25	20
21	·05	·12	.	.	.	.	·20	.	.	·05	.	·05	21
22	·09	·10	·42	·04	.	.	·53	.	.	.	.	·55	22
23	·03	.	·14	.	.	.	·06	.	·05	·20	.	·28	23
24	.	.	·02	·02	.	.	·46	.	·35	1·00	.	·45	24
25	.	.	.	.	.	·25	·03	.	·02	·25	.	·10	25
26	.	·40	.	.	.	.	·30	.	·01	.	.	·60	26
27	.	·04	.	.	.	.	·08	.	.	·50	.	·10	27
28	.	·10	.	.	.	·02	.	.	·35	·05	.	-	28
29	.	.	.	.	.	·27	·12	·05	.	.	·15	·40	29
30	·15	X	.	.	.	.	.	.	.	·32	·20	·22	30
31	. .	X	.	X	.	X	·12	·07	X	·90	X	·35	31
Total	3·03	5·88	·85	1·49	3·15	·55	4·51	2·08	1·38	4·14	2·71	8·01	YEAR'S TOTAL 37·78
Rain Days.	18	22	6	11	9	4	19	13	9	16	9	24	160

W. 8,000. X. 15.

✓ Exd G.L.

3910

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Tredean, Nr Chepstow

in the County of Monmouth

by W W Hood

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Chepstow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	–	Snow ·05	–	·10	·25	·25	–	–	·35	·10	–	1
2	·50	·13	Snow ·03	–	·10	·03	–	–	·32	·80	·10	–	2
3	·05	·55	Snow ·07	–	·30	·02	–	–	·01	·45	·17	–	3
4	·20	·25	–	–	·35	·50	–	–	·05	·15	·30	–	4
5	·01	·25	Snow ·30	–	·25	·03	·10	–	–	·30	·15	–	5
6	·05	·35		–	·35	·30	·80	–	–	·37	·85	Snow rain & sleet ·60	6
7	–	–		–	·23	·03	–	–	–	·20	·45		7
8	–	·05	–	–	·40	·10	–	–	–	–	–		8
9	·01	–	–	–	·04	·20	·05	–	–	·05	·07		9
10	–	·50	–	·08	·05	–	–	–	–	·20	·02		10
11	·01	–	·03	·01	·05	·15	–	–	–	·03	–	–	11
12	–	·08	·05	–	·32	–	·13	·05	–	·10	–	–	12
13	–	·42	·15	·10	–	–	–	·55	–	·20	–	–	13
14	–	Snow ·15	·30	–	·03	–	–	·11	–	·18	–	–	14
15	–	·25	·10	·15	·05	–	–	·45	–	–	Snow ·36	–	15
16	·08	Snow ·05	·01	·15	–	–	·07	·12	–	–		–	16
17	·15	·10	–	–	–	–	–	·10	·20	·35		–	17
18	·05	–	·15	·05	–	–	–	–	–	·05		–	18
19	·25	–	·75	·15	–	–	–	–	·05	–		–	19
20	·08	Snow ·02	·70	–	–	–	–	–	–	–	·03	–	20
21	·10	Snow ·03	·40	·10	–	–	·08	–	–	–	–	–	21
22	–	–	–	·05	·10	·18	–	–	–	·45	–	Snow & rain 2·05	22
23	·05	–	–	·05	–	–	–	·17	–	·15	·25		23
24	–	Snow ·10	·10	·10	1·30	·05	–	·12	–	·40	·05		24
25	–	–	·40	–	–	–	–	·58	–	–	·10		25
26	·02	–	–	–	–	·08	–	–	·35	·30	–		26
27	·03	Snow ·55	·25	–	·03	·05	1·50	·20	·25	·45	–		27
28	–	–	–	–	–	–	–	–	·05	·37	·02		28
29	–	·30	–	–	–	·40	–	1·75	–	·35	–		29
30	–	X	–	–	–	–	–	–	–	·35	–	–	30
31	–	X	–	X	–	X		·10	X	·60	X	–	31
Total	1·74	4·13	3·84	·99	4·05	2·37	2·98	4·30	1·28	7·20	3·02	2·65	YEAR'S TOTAL 38·55
Rain Days.	17	21	19	11	17	15	8	12	8	24	19	(13)	(184)

W. 8,000, VIII. 16

end for month ~~W~~ C39 3747

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

8 JAN 1918

Kept at Tredean, Nr Chepstow

in the County of Monmouth

by W. W. Hood

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Chepstow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								1·00	·35		·03	·10	1
2								·05			·04		2
3				·25				·03		·80	·03		3
4							·35	·20		·35			4
5				·25		·25		·15	·50	·35	·26		5
6						·12				·20	·35		6
7		·20						·25		·15	·07		7
8				·10			·75	·80		·35	·25	·10	8
9					·50			·50	·14		·15		9
10					·55			·50	·08				10
11				·30	·10			1·00		·25	·05		11
12		·25	·25		·30			·15		·30	·05		12
13								·20		·20	·03		13
14				·40				·05	·05				14
15							·15			·35			15
16	Snow	·25		·10				·20		·15	·05		16
17				·05	·35		·22	·30	·09		·05	·20	17
18	·25	Snow			·05		·35	·10					18
19						·20	·10		2·00				19
20					·05	·35							20
21	·25				·30			·02		·12			21
22		·30	·40					·26					22
23								·45					23
24	·20	·20						·25	·06				24
25							·10	·15		·33			25
26					·90			·35					26
27	·30				·15	·30		1·00	·28				27
28						·65		·20					28
29						·40				·44		·20	29
30								·30		·15			30
31								·35		·05			31
Total	1·00	1·20	·65	1·45	3·25	2·27	2·02	8·81	3·55	4·64	1·41	·60	YEAR'S TOTAL 30·75
Rain Days.	4	5	2	7	10	7	7	26	9	16	13	4	~~160~~ 110

W. 8,000, IX. 17.

FORM A. 1. METEOROLOG ION.

REC

DRYBRIDGE

MONMOUTH

1920

8 JAN 1921

Kept at Dylic ile

in the County of Mon 5 in.

by Viscountess ft. 11 in.

el ft.

IMPORTANT NOTE.— the previous day.

If an Observer prefers not to ld the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.01		.32	.26		.43	.02		.34			1
2	.03		.02	.09	.02		.04		.09	.33			2
3	.08	.04		.06	.01	.01	.98		.03	.60			3
4			.02	.02	.03		.01	.45		.32			4
5			.20	.07			.28	.02		.10			5
6			.18	.11	.11		.19			.32			6
7			.02	.42	.01		.08						7
8	.03	.04	.02	.40			.68						8
9	.15			.02			.05						9
10	.48	.03	.04	.07		.76	.20						10
11	.22		.01	.35	.35	.08	.06						11
12	.09	.07	.04	.19	.02	.90	.04	.04					12
13	.09	.04	.61	.15					.31				13
14	.02		.54	.38		.30	.02		.02	.18			14
15		.06	.03	1.17	.07	.10				.24			15
16			.01	.03	.11	1.08	.25		.40	.38			16
17	.02		.03	.01	.21	.04		.01	.75	.26			17
18	.14			.02	.16	.01			.41				18
19	.06	.16		.41	.03	.08		.35					19
20	.02	.04		.24		.01							20
21				.01			.02			.24			21
22	.02	.02		.17			.02	.11					22
23			.01				.33						23
24			.32										24
25	.02	.05	.26				.61						25
26	.14		.44			.03	.06						26
27	.81	.02	.13	.04	.06		.02						27
28	1.02		.15	.02	.16	.04	.02						28
29	.45		.16	.02	.06	.03	.06						29
30	.06	X	.22	.03	.02	.06	.13		.30	.06			30
31	.11	X	.16	X		X			X	.60	X		31
TOTAL	4.06	.58 ~~.54~~	3.62	4.82	1.68	3.53	4.58	1.00	2.31	4.00	#		YEAR'S TOTAL
Days with ·01 in. or more	21	12	23	26	17	15	23	7	8	13			
Days with ·04 in. or more	14	8	14	17	10	10	17	4	6	13			

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 1. METEOROLOG ION.

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Dyliedge

in the County of Monmouth

by Viscountess Chetwynd

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station ½ a mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		·32	·26		·43	·02		·34			1
2	·03		·02	·09	·02		·04		·09	·33			2
3	·08	·04		·06	·01	·01	·98		·03	·60			3
4			·02	·02	·03		·01	·45		·32			4
5			·20	·07			·28	·02		·10			5
6			·18	·11	·11		·19			·32			6
7			·02	·42	·01		·08						7
8	·03	·04	·02	·40			·68						8
9	·15			·02			·05						9
10	·48	·03	·04	·07		·76	·20						10
11	·22		·01	·35	·35	·08	·06						11
12	·09	·07	·04	·19	·02	·90	·04	·04					12
13	·09	·04	·61	·15					·31				13
14	·02		·54	·38		·30	·02		·02	1.18			14
15		·06	·03	1.17	·07	·10				·24			15
16			·01	·03	·11	1.08	·25		·40	·38			16
17	·02		·03	·01	·21	·04		·01	·75	·26			17
18	·14			·02	·16	·01			·41				18
19	·06	·16		·41	·03	·08		·35					19
20	·02	·04		·24		·01							20
21				·01			·02			·24			21
22	·02	·02		·17			·02	·11					22
23			·01				·33						23
24			·32										24
25	·02	·05	·26				·61						25
26	·14		·44			·03	·06						26
27	·81	·02	·13	·04	·06		·02						27
28	1.02		·15	·02	·16	·04	·02						28
29	·45		·16	·02	·06	·03	·06						29
30	·06	×	·22	·03	·02	·06	·13		·30	·06			30
31	·11	×	·16	×		×			×	·60	×		31
Total	4.06	~~·64~~ ·58	3.62	4.82	1.68	3.53	4.58	1.00	2.31	4.00	#		Year's total
Days with ·01 in. or more	21	12	23	26	17	15	23	7	8	13			
Days with ·04 in. or more	14	8	14	17	10	10	14	4	6	13			

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

EBBW VALE
IRON WORKS
MONMOUTHSHIRE
1911 – 1920

RI… IN 1911

Kept at Ebbw…

in the County of Mo…

by J. H. …

…ern

…meter of top 8 in.

…ht of top above Ground 1 ft. ~ in.

" " Sea Level 900 ft.

…rvation 9 am

…way Station { Name L.N.W.Ry. Distance 400 yds Direction N.W.

IMPORTANT NOT… a.m., and the result entered to the previous day. If an Obs… almost universal rule, he is earnestly requested to add the read… following year in the space provided for it at the end of this … the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	·04	"	·02	·03	·06	·22	"	"	·10	·36	1
2	·05	"	·03	"	·12	"	·07	·07	"	.	·38	·04	2
3	"	"	·05	"	·43	"	"	·40	"	·09	·18	·68	3
4	"	"	·10	·08	1.04	"	"	·09	·03	"	·38	·26	4
5	·41	"	·06	·04	"	"	"	·29	"	"	·65	1.06	5
6	·42	"	·13	·05	"	"	"	·46	"	·17	·25	·12	6
7	·05	"	"	·13	"	"	"	·15	"	"	·32	1.02	7
8	·05	"	·19	"	"	"	"	"	"	"	·90	·02	8
9	·04	"	·03	"	"	"	"	"	"	"	·61	1.39	9
10	·09	·06	·03	"	"	"	"	"	·02	"	·34	·97	10
11	·38	.	·64	.	"	"	"	"	"	"	·03	·97	11
12	"	·03	"	"	·20	"	"	"	·02	"	·50	·14	12
13	"	"	·49	"	·03	"	"	·03	·36	"	·98	·38	13
14	"	·12	"	"	·66	"	"	"	·16	·03	·11	·34	14
15	·03	·19	"	"	"	"	"	"	"	·06	·10	1.29	15
16	"	·04	·03	"	"	"	"	"	"	·02	·92	·29	16
17	"	·41	"	"	"	·22	"	"	"	"	·28	1.28	17
18	"	·73	"	"	"	1.00	"	"	"	"	·28	·77	18
19	"	·10	"	·48	"	·20	"	"	"	·07	·01	1.30	19
20	·04	·10	·22	·42	"	·18	"	"	1.55	1.07	·08	·75	20
21	·04	·80	"	"	"	·09	"	"	·25	·38	"	·25	21
22	·02	·32	·07	·12	"	·14	"	·25	·07	·85	"	·80	22
23	.	·42	·05	·10	"	·22	"	"	·11	·11	"	·70	23
24	·03	·13	·09	"	·04	"	"	·04	·44	·30	"	·65	24
25	·06	·13	"	"	"	·42	"	·27	·05	·06	"	·45	25
26	"	·30	"	·22	"	·04	"	"	·32	·11	"	·25	26
27	"	1.11	"	·39	·31	"	.	·16	"	·40	·06	·14	27
28	"	·33	·38	·20	"	"	"	·62	·29	"	·10	·14	28
29	"		·06	"	"	·06	"	·07	"	"	·46	·03	29
30	"		"	·04	"	·63	·16	·02	·37	·95	"	·02	30
31	"		"		"		·24	·10		·53		·02	31
Total	1.71	5.32	2.69	2.27	2.85	3.23	·53	3.24	4.04	5.20	8.02	16.88	TOTAL for year 55.98
No. of Rain Days.	14	17	18	12	9	12	4	16	14	16	23	31	186

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Ebbw Vale
in the County of Monmouth 2
by J. H. Fogerty

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. ~ in.
" " " Sea Level 900 ft.

Time of Observation 9 am
Nearest Railway Station
Name L. & N. W. Ry.
Distance 400 yds Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	"	"	·04	"	·02	·03	·06	·22	"	"	·10	·36	1
2	·05	"	·03	"	·12	"	·07	·07	"	"	·38	·04	2
3	"	"	·05	"	·43	"	"	·40	"	·09	·18	·68	3
4	"	"	·10	·08	1.04	"	"	·09	·03	"	·38	·26	4
5	·41	"	·06	·04	"	"	"	·29	"	"	·65	1.06	5
6	·42	"	·13	·05	"	"	"	·46	"	·17	·25	·12	6
7	·05	"	"	·13	"	"	"	·15	"	"	·32	1.02	7
8	·05	"	·19	"	"	"	"	"	"	"	·90	·02	8
9	·04	"	·03	"	"	"	"	"	"	"	·61	1.39	9
10	·09	·06	·03	"	"	"	"	"	·02	"	·34	·97	10
11	·38	"	·64	"	"	"	"	"	"	"	·03	·97	11
12	"	·03	"	"	·20	"	"	"	·02	"	·50	·14	12
13	"	"	·49	"	·03	"	"	·03	·36	"	·98	·38	13
14	"	·12	"	"	·66	"	"	"	·16	·03	·11	·34	14
15	·03	·19	"	"	"	"	"	"	"	·06	·10	1.29	15
16	"	·04	·03	"	"	"	"	"	"	·02	·92	·29	16
17	"	·41	"	"	"	·22	"	"	"	"	·28	1.28	17
18	"	·73	"	"	"	1.00	"	"	"	"	·28	·77	18
19	"	·10	"	·48	"	·20	"	"	"	·07	·01	1.30	19
20	·04	·10	·22	·42	"	·18	"	"	1.55	1.07	·08	·75	20
21	·04	·80	"	"	"	·09	"	"	·25	·38	"	·25	21
22	·02	·32	·07	·12	"	·14	"	·25	·07	·85	"	·80	22
23	"	·42	·05	·10	"	·22	"	"	·11	·11	"	·70	23
24	·03	·13	·09	"	·04	"	"	·04	·44	·30	"	·65	24
25	·06	·13	"	"	"	·42	"	·27	·05	·06	"	·45	25
26	"	·30	"	·22	"	·04	"	"	·32	·11	"	·25	26
27	"	1.11	"	·39	·31	"	"	·16	"	·40	·06	·14	27
28	"	·33	·38	·20	"	"	"	·62	·29	"	·10	·14	28
29	"		·06	"	"	·06	"	·07	"	"	·46	·03	29
30	"		"	·04	"	·63	·16	·02	·37	·95	"	·02	30
31	"		"		"		·24	·10		·53		·02	31
Total	1.71	5.32	2.69	2.27	2.85	3.23	·53	3.24	4.04	5.20	8.02	16.88	TOTAL for year 55.98
No. of Rain Days.	14	17	18	12	9	12	4	16	14	16	23	31	186

W. 8,000, X. '11.

26-III-13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

- JAN 1913

Kept at Ebbw Vale

in the County of Monmouth. 2

by John H. Gogerty

Lat. 50° 46m Long. 3° 12m

Time of Observation 9 am

Nearest Railway Station Ebbw Vale LNW

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 901. 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·18

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	·40	·24	"	·07	·05	·72	"	"	·03	"	1
2	"	"	·80	"	·02	·63	"	·10	·12	·75	"	·33	2
3	"	"	1.04	·04	"	·53	·06	·22	"	"	"	"	3
4	·09	·01	·53	"	"	·23	·07	1.42	·23	"	·05	·20	4
5	·70	·02	1.46	"	·03	"	"	·30	·02	"	·17	"	5
6	·56	·08	·21	"	·12	·08	"	·60	"	"	"	·22	6
7	·55	·22	"	"	·19	"	"	1.10	"	"	·02	·11	7
8	·07	·55	·46	"	·13	·41		·03	·03	"	·01	·20	8
9	·72	·43	"	·07	"	·09	·18	·10	"	"	"	·02	9
10	·07	·15	·80	·20	"	·25	·04	·58	"	"	·04	·71	10
11	·36	·22	"	"	"	·35	·07	·04	"	"	·54	·02	11
12	"	·21	"	"	"	"	·17	·11	"	"	·14	1.03	12
13	·07	·12	·18	·11	·21	·05	·06	"	"	"	·02	·27	13
14	·31	"	"	·02	"	·07	·04	"	"	·21	"	·36	14
15	·26	·05	·80	"	·03	·06	·07	·04	"	"	"	·48	15
16	·93	·20	·04	"	·27	·60	"	·02	"	"	"	·20	16
17	·85	"	·64	"	·07	·02	"	·35	"	·18	"	·07	17
18	·36	"	·20	"	·03	·21	"	1.00	"	"	·14	·66	18
19	·10	·07	·10	"	"	·09	"	·19	"	·18	"	·20	19
20	·10	·18	"	"	"	·02	"	·65	"	"	·04	·14	20
21	·08	·05	1.02	"	"	"	·10	·11	"	·60	·07	"	21
22	·07	·18	·48	"	·50	"	·09	·34	"	·22	"	"	22
23	·14	·76	·14	"	·28	·02	·66	·55	"	·04	·06	·24	23
24	·31	·38	·63	"	"	·90	·04	·85	"	·05	"	"	24
25	(·13)	·03	·24	"	"	·69	·03	·09	"	·09	·23	"	25
26	"	·03	·06	"	"	·24	·11	1.01	"	·02	·63	·60	26
27	"	·31	·09	"	"	"	·04	·45	"	1.28	·99	1.00	27
28	"	·09	·02	"	"	·97	1.18	"	"	1.30	·02	1.05	28
29	"	·20	"	"	"	·12	1.97	1.25	·70	·68	·66	·19	29
30	"		·12	"	"	·12	·52	·60	·31	·36	"	·21	30
31	"		·25		"		·10	"		·90		·05	31
Total	~~6.77~~ 6.77	·40 ~~4.54~~ 4.94	·24 ~~10.71~~ 10.55	~~·68~~ ·44	·07 ~~1.88~~ 1.95	·05 ~~6.82~~ 6.80	·62 ~~5.65~~ 6.32	~~12.82~~ 12.10	~~1.41~~ 1.41	·03 ~~6.86~~ 6.89	~~3.86~~ 3.83	·18 ~~8.86~~ 8.74	YEAR'S TOTAL ~~70.56~~ 70.74
Rain Days.	21	~~22~~ 24	~~28~~ 23	~~6~~ 7	12	24	21	~~22~~ 26	6	~~15~~ 16	~~18~~ 17	~~15~~ 5	~~222~~ 2

W. 7,500, XI. ·12

WS

Co. for WD. 28.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Ebbw Vale

in the County of Monmouth 2

by J. H. Fogerty

F. Mills.

Lat. 50° 4m Long. 3° 12m

Time of Observation 9 Am

Nearest Railway Station G. W. Railway

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 901. 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	·09	"	·24	"	·10	"	"	·04	"	·07	·11	1
2	·09	·30	·60	·13	"	"	"	"	·12	·04	·50	·02	2
3	·09	·38	·32	·30	·17	"	"	"	"	·86	·28	·11	3
4	·44	·14	·20	"	·37	"	"	"	"	·68	"	·30	4
5	1.12	·06	·23	"	·29	·07	"	"	1.33	"	·07	·23	5
6	·27	·01	·11	"	·15	·13	"	"	·28	·70	·32	·12	6
7	·40	·25	·40	"	·10	·21	"	"	"	·65	·35	·40	7
8	·11	1.23	"	"	·93	·24	·30	"	"	·65	·30	·06	8
9	·10	·63	·10	"	·56	·29	·07	"	"	·04	"	·02	9
10	"	·24	·05	"	·30	·31	·20	·19	·07	"	·39	·06	10
11	·62	"	·08	·01	·10	"	"	·19	"	·58	·09	"	11
12	1.09	"	"	·29	·09	"	"	"	·01	"	1.01	·05	12
13	"	"	"	"	·33	"	"	·03	·13	"	·74	"	13
14	·16	"	·60	·07	"	"	·07	·08	·70	"	·33	"	14
15	·49	"	·69	·33	"	"	"	·22	·07	·32	·05	·01	15
16	·16	·02	1.01	2.18	"	"	"	"	"	"	·09	·08	16
17	·47	"	·61	·15	"	"	·02	·48	·01	"	·07	"	17
18	·36	"	·60	·35	"	"	·03	"	"	"	·18	"	18
19	·32	"	·80	·41	"	"	"	"	"	"	·20	"	19
20	·31	"	·09	·09	·06	·37	"	"	·20	·06	·04	·03	20
21	·49	"	·50	·27	"	"	"	"	"	·10	1.24	·02	21
22	·07	"	·45	·25	·23	"	·25	·25	"	·01	·12	"	22
23	·83	"	1.13	"	"	·20	"	·70	·39	"	"	"	23
24	·08	"	·04	"	"	·05	"	·08	·03	"	·12	"	24
25	·42	·22	"	·15	"	"	"	·01	"	"	·10	"	25
26	"	·09	"	·72	"	"	"	"	·06	·01	·09	·40	26
27	"	"	"	2.00	·02	"	"	·05	"	·04	·01	·62	27
28	·08	"	·20	1.02	"	"	"	"	"	·59	"	"	28
29	·32		·35	·69	·07	·02	"	"	"	·71	"	·28	29
30	·01		1.05	·41	"	"	"	"	"	·39	·09	"	30
31	·62		"		"		"	"		1.07		"	31
Total	~~9.64~~ ·09	~~3.66~~	~~10.27~~ ·24	~~10.06~~	~~3.77~~ ·70	~~1.99~~	~~·94~~	~~2.28~~ ·04	~~3.44~~	~~7.56~~ ·07	6.85 ·11	~~2.86~~	YEAR'S TOTAL ~~63.30~~
Rain Days.	27	~~13~~ 3 12	~~23~~ 3 24	~~20~~ 19	~~15~~ 16	~~11~~ 10	7	12 ~~11~~	~~14~~ 13	~~18~~ 19	25	~~18~~ 17	~~203~~ 201
	9.55	3.57	10.45	9.82	3.87	1.89	·94	2.32	3.40	7.57	6.89	2.75	63.02

W. 7,500, XI, 12

corrd for auth. of W.D. 20.IV.15 D L

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
4 JAN 1915

Kept at Ebbw Vale
in the County of Monmouthshire 2
by D. S. Whitehead.

Lat. 50° 46′ Long. 3° 12′
Time of Observation 9 a.m.
Nearest Railway Station Ebbw Vale G.W.R. Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 901·70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·28

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	·80	·12	Nil	Nil	·11	Nil	·58	Nil	Nil	·70	·84	1
2	Nil	·24	·04	·05	Nil	·01	·95	·68	Nil	Nil	·44	·22	2
3	Nil	Nil	·03	Nil	·25	Nil	·71	·40	Nil	Nil	·36	·62	3
4	·05	Nil	·44	·29	·45	Nil	Nil	·08	Nil	Nil	·01	·82	4
5	·40	Nil	·17	·42	·55	Nil	·76	Nil	Nil	Nil	·70	·90	5
6	·25	Nil	·26	·50	·13	Nil	·07	Nil	Nil	Nil	·56	·05	6
7	·05	·40	·10	·15	·18	Nil	·04	Nil	Nil	Nil	Nil	·78	7
8	·03	1·00	·55	·14	·15	·05	·54	Nil	·02	Nil	Nil	·43	8
9	·21	Nil	·28	·16	·25	·35	·01	·50	·18	Nil	·01	·21	9
10	·29	·12	·14	·78	·05	1·70	Nil	·42	·15	Nil	Nil	Nil	10
11	Nil	·96	·02	·39	·15	·09	Nil	Nil	·34	Nil	Nil	Nil	11
12	Nil	·28	·12	Nil	·16	·08	·24	Nil	Nil	Nil	·49	·94	12
13	Nil	·83	1·05	Nil	Nil	Nil	Nil	Nil	·50	Nil	·32	·56	13
14	Nil	1·17	·14	Nil	Nil	Nil	·25	Nil	·40	·34	·42	·15	14
15	Nil	1·51	·48	Nil	Nil	Nil	·05	·19	·04	·10	·52	Nil	15
16	Nil	·13	·69	Nil	Nil	Nil	·05	·29	·95	·01	·38	Nil	16
17	Nil	Nil	·12	Nil	Nil	Nil	·10	Nil	·10	·01	Nil	·10	17
18	·09	·48	·51	Nil	Nil	Nil	·02	Nil	·04	Nil	Nil	1·59	18
19	Nil	·01	·36	Nil	Nil	Nil	·15	Nil	·06	Nil	Nil	·52	19
20	Nil	·11	·24	Nil	Nil	Nil	1·92	Nil	·10	Nil	·30	·22	20
21	Nil	·69	·21	Nil	Nil	·24	·02	Nil	Nil	Nil	Nil	Nil	21
22	Nil	·43	Nil	Nil	Nil	Nil	·17	·07	Nil	·39	Nil	Nil	22
23	Nil	·33	·02	·04	·04	·07	Nil	·15	Nil	·64	Nil	Nil	23
24	Nil	·10	·23	Nil	·07	Nil	Nil	·06	Nil	·30	Nil	Nil	24
25	Nil	Nil	·10	Nil	·04	Nil	·10	·60	Nil	·10	·15	Nil	25
26	·20	·06	·20	Nil	Nil	Nil	·17	·15	Nil	·42	·22	Nil	26
27	Nil	Nil	Nil	Nil	Nil	Nil	·12	Nil	Nil	·22	·83	·50	27
28	Nil	·04	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·01	·62	1·63	28
29	·09	Nil	·44	Nil	·11	Nil	Nil	Nil	Nil	·22	Nil	·45	29
30	·49		·73	Nil	Nil	Nil	Nil	Nil	Nil	·13	1·65	·01	30
31	Nil		·56		Nil		Nil	Nil		·42		1·07	31
	·80	·12	–	–	·11	–	·58	–	–	·70	·84	·28	YEAR'S TOTAL
Total	~~2·15~~	~~9·69~~	~~8·35~~	2·92	~~2·58~~	~~2·80~~	~~6·44~~	~~4·17~~	2·88	~~3·51~~	~~8·68~~	~~12·61~~	~~66·98~~
	2·95	9·01	8·23		2·69	2·59	7·02	3·59		4·21	8·82	12·05	66·96
Rain Days.	~~11~~ 12	20	~~28~~ 27	10	~~14~~ 15	~~9~~ 8	~~20~~ 21	~~13~~ 12	12	~~14~~ 15	18	21	~~190~~ 191

W. 8,000. X. 14.

Copd for WD 17-V-16

3967

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5 JAN 1916

Kept at EBBW VALE

in the County of Monmouthshire 2

by D·S·Whitehead

Lat. 50°46′ Long. 3°12′

Time of Observation 8.30 A.M

Nearest Railway Station Ebbw VALE (G.W.R)

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 901·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. + 1·21

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	— ·28	Nil	·30	Nil	·10	Nil	·13	·21	·15	·00	2·10	·54	1
2	·80	·38	Nil	Nil	·34	Nil	Nil	·46	·10	·39	·01	·27	2
3	·26	·50	·40	·26	Nil	Nil	·04	1·0	·06	·08	Nil	·11	3
4	Nil	·53	·20	·27	·04	Nil	·17	·02	Nil	Nil	·01	·39	4
5	·10	·58	Nil	·27	·35	Nil	·26	·01	Nil	Nil	Nil	1·00	5
6	·16	·91	Nil	·30	Nil	Nil	Nil	·15	Nil	Nil	Nil	1·45	6
7	·26	·09	Nil	·22	Nil	Nil	·98	·07	Nil	Nil	Nil	·52	7
8	·32	1·06	Nil	·04	Nil	Nil	·08	·07	Nil	Nil	Nil	·57	8
9	·36	·63	Nil	·02	Nil	Nil	Nil	·07	Nil	Nil	·30	·06	9
10	·10	·39	Nil	·10	Nil	Nil	Nil	Nil	Nil	Nil	·47	1·13	10
11	·65	Nil	Nil	·10	Nil	Nil	·01	·01	Nil	·16	·16	·10	11
12	·10	Nil	Nil	·04	Nil	Nil	Nil	·03	Nil	·02	1·16	·06	12
13	·15	·44	Nil	·09	·40	Nil	Nil	Nil	Nil	·18	·39	Nil	13
14	Nil	1·21	Nil	Nil	1·18	Nil	Nil	Nil	·13	Nil	Nil	·10	14
15	·10	Nil	Nil	Nil	Nil	Nil	·03	·27	·12	·01	Nil	1·09	15
16	·73	Nil	Nil	Nil	·10	Nil	·13	·05	·07	·18	·10	·37	16
17	·06	1·84	Nil	Nil	·47	Nil	1·31	Nil	Nil	Nil	Nil	·01	17
18	Nil	·57	Nil	Nil	·49	Nil	Nil	Nil	Nil	Nil	Nil	·01	18
19	Nil	·83	·09	Nil	Nil	Nil	·02	Nil	Nil	Nil	·01	Nil	19
20	Nil	Nil	Nil	·10	·39	Nil	·41	Nil	Nil	Nil	Nil	Nil	20
21	·48	Nil	Nil	·05	Nil	Nil	·03	Nil	Nil	·17	Nil	·03	21
22	·07	·27	Nil	Nil	·10	Nil	·28	Nil	Nil	·17	Nil	·02	22
23	·10	·05	·30	·20	Nil	Nil	·94	Nil	·01	·05	Nil	·86	23
24	Nil	Nil	·09	Nil	·03	·14	·24	Nil	·07	·36	Nil	·59	24
25	Nil	Nil	Nil	·04	Nil	Nil	·05	Nil	·07	1·75	Nil	1·29	25
26	Nil	Nil	Nil	Nil	Nil	·36	·03	Nil	Nil	·01	Nil	·70	26
27	Nil	·45	Nil	Nil	Nil	·06	·13	Nil	·01	Nil	Nil	·57	27
28	Nil	·05	Nil	Nil	Nil	·06	·16	Nil	·02	·56	Nil	·37	28
29	Nil		Nil	Nil	Nil	·07	Nil	Nil	·40	·07	·01	·06	29
30	Nil	X	Nil	Nil	Nil	·41	·04	Nil	·02	·04	·39	·30	30
31	·32	X	Nil	X	Nil	X	·05	Nil	X	·30	X	·81	31 56·65
Total	— ~~5·40~~ 5·12	·30 ~~10·78~~ 11·08	— ~~1·38~~ 1·08	·10 ~~2·10~~ 2·20	— ~~3·99~~ 3·89	·13 ~~1·10~~ 1·23	·21 ~~5·52~~ 5·60	·15 ~~2·42~~ 2·36	— ~~1·23~~ 1·08	2·10 4·50 6·60	·54 5·11 3·55	1·21 13·32 13·99	YEAR'S TOTAL ~~57·78~~ 57·78 ✓
Rain Days.	~~19~~ 18	~~18~~ 19	~~6~~ 5	~~15~~ 16	~~12~~ 11	~~6~~ 7	22	13	~~13~~ 12	~~17~~ 18	12	28	181 ✓

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at EBBW VALE
in the County of Monmouthshire
by D. S. Whitehead

Lat. 50°46m Long. 3°12m
Time of Observation 9 a.m
Nearest Railway Station Ebbw Vale GWR
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 901·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·21	·01	·07	Nil	·06	·27	·42	Nil	Nil	·32	·32	·01	1
2	1·00	·24	·23	·03	·03	·10	·06	"	·20	1·72	·68	Nil	2
3	Nil	1·88	·01	Nil	·16	Nil	·01	"	·30	·57	·42	"	3
4	·47	·34	Nil	Nil	·48	·89	Nil	"	·04	·90	1·20	"	4
5	·12	·40	·05	Nil	·14	·12	Nil	"	Nil	·56	·11	"	5
6	·29	·16	Nil	Nil	·27	·13	8·5	"	"	·92	1·27	"	6
7	·13	·02	·16	Nil	·27	·02	Nil	"	"	·71	·59	·18	7
8	·01	·05	·09	Nil	·42	·14	Nil	"	"	·11	·03	·16	8
9	Nil	·09	·04	Nil	·02	·05	·03	"	"	·01	·07	·08	9
10	·01	·40	·01	·15	·07	Nil	·03	"	"	·16	·01	·07	10
11	·03	·02	·31	·28	·05	·03	Nil	"	"	·01	Nil	Nil	11
12	·10	·20	·08	·17	·81	Nil	·30	·21	"	·26	"	"	12
13	·01	·56	·18	·17	Nil	Nil	·02	1·43	"	·15	"	"	13
14	·01	·37	·07	·03	·14	Nil	Nil	·36	"	·33	"	"	14
15	Nil	1·77	·13	Nil	·03	Nil	Nil	·36	"	·04	"	"	15
16	·06	·08	Nil	·41	Nil	Nil	·04	·97	"	·08	"	"	16
17	·37	·32	Nil	·42	Nil	Nil	Nil	·06	·51	·39	SNOW	"	17
18	·02	·33	·30	·22	Nil	Nil	Nil	Nil	·21	·06	"	"	18
19	·43	Nil	·90	·23	Nil	Nil	Nil	"	Nil	·01	·50	·23	19
20	·18	·11	·22	Nil	Nil	Nil	Nil	"	"	Nil	·37	·62	20
21	·27	·02	·41	·07	Nil	·01	·02	"	"	"	Nil	·13	21
22	Nil	Nil	·01	·01	·06	·10	Nil	"	"	·59	·02	·35	22
23	·04	Nil	Nil	·15	Nil	·05	"	·22	"	·06	·44	·05	23
24	Nil	·04	·05	·24	1·29	·08	"	·14	"	·69	·01	·15	24
25	Nil	·26	·25	Nil	Nil	Nil	"	1·29	·05	·25	·59	·30	25
26	·16	Nil	·07	Nil	Nil	·09	"	·49	·30	·68	·09	Nil	26
27	·04	·21	1·22	Nil	·04	·13	"	·20	·64	·68	Nil	·01	27
28	·08	·13	Nil	Nil	Nil	Nil	"	Nil	·13	·66	·07	1·05	28
29	Nil	·41	Nil	Nil	Nil	·43	"	·95	·01	·55	·02	·57	29
30	Nil	✗	Nil	Nil	Nil	·09	"	·03	Nil	·64	Nil	·03	30
31	Nil	✗	Nil	✗	Nil	✗	"	·13	✗	·71	✗	·16	31
Total													YEAR'S TOTAL
Rain Days.	5·04 22	8·42 8·43 25	4·86 22	2·58 14	4·34 17	2·73 17	1·78 10	6·84 14	2·39 10	12·82 29	6·81 19	4·15 17	62·76 62·78 216

W. 8,000, VIII. 16

3731

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Ebbw Vale

in the County of Monmouth

by D L W Whitehead

Lat. 50 D 46 m Long. 3 D 12 m

Time of Observation 9 a/m daily

Nearest Railway Station G. W. R. 300 yds

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 901-7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	Nil	.22	.59	Nil	.45	Nil	.20	.43	Nil	.07	.08	1
2	.„4	„	.01	.13	„	.05	„	Nil	.01	.05	.24	Nil	2
3	.12	„	Nil	.15	„	.„4	.02	.01	Nil	1 „1	.05	„	3
4	Nil	„	„	Nil	„	Nil	.22	.„8	„	.33	Nil	.03	4
5	.44	„	1.08	.23	„	.09	Nil	.„3	.57	.36	.35	Nil	5
6	Nil	„	1.15	Nil	„	.„7	„	Nil	Nil	.64	.50	.06	6
7	.46	„	.06	„	„	Nil	.08	.15	„	.16	.10	.„3	7
8	.34	„	Nil	.25	„	.08	.52	.52	.02	.84	.30	.19	8
9	Nil	„	.10	.19	„	Nil	Nil	.24	.16	.03	.43	Nil	9
10	.25	„	.58	.60	.43	„	„	.45	.03	.„2	Nil	„	10
11	.13	„	.04	.44	.04	„	„	.61	Nil	.62	.10	„	11
12	.09	„	.„1	.03	.83	.06	„	.11	„	.37	Nil	„	12
13	Nil	„	.21	.23	Nil	Nil	„	.78	.20	.02	„	.01	13
14	.01	„	.18	.10	„	„	„	(·13) ~~.30~~	Nil	Nil	„	.„5	14
15	.„3	.25	Nil	.05	.11	„	.09	Nil	.01	.32	„	Nil	15
16	.„2	.19	„	.24	Nil	„	Nil	.07	.„5	.03	.01	.62	16
17	.„3	Nil	„	.08	.36	.74	.55	1.14	.27	.16	.„3	.09	17
18	.„2	„	„	Nil	.07	Nil	.93	.04	1.53	.01	Nil	Nil	18
19	.„2	.53	.31	„	Nil	.47	Nil	.„2	.01	Nil	.04	„	19
20	Nil	.05	.04	„	.55	.13	„	.„1	.38	„	.„3	„	20
21	„	.„1	.„9	„	.17	Nil	„	.„8	.01	.07	Nil	.01	21
22	„	Nil	Nil	„	Nil	„	„	.68	Nil	.16	.02	Nil	22
23	.02	.20	„	„	.24	.11	„	.61	„	.13	.„3	„	23
24	Nil	.02	„	„	Nil	.14	.15	.48	„	.92	.„1	„	24
25	„	.„5	.14	„	„	Nil	Nil	.37	.10	.09	.15	„	25
26	„	.„1	Nil	„	.31	.05	„	.86	.34	.„2	.14	„	26
27	„	Nil	„	„	.77	.34	.28	.84	.01	.„1	.03	„	27
28	„	„	.22	„	.35	.19	Nil	.58	Nil	Nil	.„7	.03	28
29	„	„	.26	„	.27	.07	„	.04	„	1.38	.„2	.40	29
30	„	✕	.15	„	Nil	Nil	„	.60	„	.22	.11	.02	30
31	„	✕	.10	✕	.37	✕	„	.16	✕	.05	✕	.„1	31
Total	2.10	1.31	4-95	3.31	4.87	3.08	2.84	9.89	4-13	8.02	2-83	1.63	YEAR'S TOTAL 48.96
Rain Days.	16	9	19	14	14	16	9	28	17	26	22	14	204

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
2. 1. 19

Kept at Ebbw Vale
in the County of Monmouth
by J. K. Fogarty

Lat. 50° 46" Long. 3° 12"
Time of Observation 9 am
Nearest Railway Station Ebbw Vale, G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 901.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	″	·24	·01	·21	·05	″	″	·27	·13	·02	1.28	″	1
2	″	·32	″	·12	″	″	″	·37	·02	·05	·11	·50	2
3	″	·56	″	·15	·25	·12	″	″	·37	·26	·12	·02	3
4	″	·13	·01	·02	″	″	″	·07	·75	·48	2.05	1.00	4
5	″	·10	·01	·25	·13	″	″	·25	·20	·75	·24	·07	5
6	·03	·70	″	·22	″	·04	″	″	·32	·41	″	·16	6
7	″	·20	″	″	·54	·06	″	″	1.10	·15	·64	·29	7
8	″	·32	″	″	″	″	·03	″	·43	·29	·02	·11	8
9	·15	·49	″	·39	″	·48	·15	″	·62	·19	·13	·35	9
10	·15	·25	″	·26	″	″	·75	″	·27	·16	·12	·42	10
11	·07	·15	·16	·05	·05	″	·37	″	·35	·04	·09	·28	11
12	·02	·31	·14	″	·14	″	·25	″	·06	″	·02	·19	12
13	·01	·10	·01	″	·02	·02	″	″	·42	·11	″	·28	13
14	·83	″	·11	″	·04	″	·24	″	·57	·06	″	·42	14
15	1.15	·02	″	″	″	″	·74	″	·10	″	″	·75	15
16	·26	″	″	·65	″	″	·14	·08	·89	″	″	·21	16
17	·36	″	·10	·01	″	·09	·12	·08	1.36	·08	″	·40	17
18	·92	″	·13	″	″	″	·09	″	·92	·07	″	·52	18
19	·42	·07	·24	·02	″	·90	·26	″	·08	″	″	·19	19
20	·31	·26	″	·20	″	·15	·26	″	·63	·09	″	·02	20
21	·35	·28	″	·12	″	″	·07	″	1.22	·06	″	·13	21
22	·02	·04	″	″	·38	″	·50	″	·21	·01	″	·60	22
23	·28	″	″	″	·69	″	·15	″	·10	″	·21	″	23
24	·17	·23	″	″	″	″	·29	·23	·15	″	·17	·10	24
25	″	″	″	″	·06	″	·66	1.02	·02	·05	·09	″	25
26	″	·07	″	·10	″	″	·22	·02	·16	·02	·15	·08	26
27	·02	·11	·42	″	″	″	″	·34	·51	·03	·12	·07	27
28	″	·25	·66	″	″	″	″	″	″	·04	·07	·50	28
29	″		·23	″	″	″	″	″	1.14	·12	·02	·85	29
30	″	X	·25	″	″	″	″	·02	″	·03	″	·14	30
31	·01	X	1.04	X	″	X	″	·09	X	″	X	·06	31
Total	5.53	5.14	3.52	2.77	2.35	1.86	5.29	2.84	13.10 ~~13.00~~	3.57	5.65	8.71	YEAR'S TOTAL 60.33 ~~60.23~~
Rain Days.	19	22	15	15	11	8	18	12	28	24	18	28	218

W. 8,000, IX. 17.

3541

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919

Kept at Ebbw Vale

in the County of Monmouth

by J H Williams. V.C.

Lat. 50° 46" Long 3° 12"

Time of Observation 9 AM

Nearest Railway Station Ebbw Vale GWR

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

„ „ „ „ Sea Level 901' 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·58	NIL	·26	NIL	·34	NIL	·60	NIL	·43	·41	NIL	·63	1
2	·20	·02	·18	NIL	·06	NIL	·13	·14	·22	·01	·05	·27	2
3	·14	NIL	·17	NIL	NIL	NIL	NIL	·03	·15	NIL	·06	·76	3
4	NIL	·20	·32	NIL	NIL	·16	NIL	·03	·60	NIL	·01	·41	4
5	NIL	·30	NIL	NIL	NIL	NIL	·28	NIL	·05	NIL	·05	·63	5
6	1·00	·07	·88	NIL	NIL	NIL	NIL	NIL	·03	NIL	·15	·30	6
7	·29	NIL	·30	·11	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	7
8	·38	NIL	·12	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	8
9	·80	NIL	NIL	·15	NIL	NIL	NIL	NIL	NIL	NIL	·36	NIL	9
10	·11	NIL	·91	·08	·05	NIL	NIL	NIL	NIL	·03	·15	1·05	10
11	·09	NIL	1·00	·07	·22	NIL	·17	NIL	NIL	NIL	NIL	·23	11
12	·02	NIL	·10	·12	·03	·83	NIL	NIL	NIL	·08	·05	NIL	12
13	·42	NIL	NIL	·11	NIL	NIL	NIL	NIL	·42	·10	NIL	·20	13
14	·69	06	NIL	·86	NIL	NIL	NIL	NIL	·04	·03	NIL	·30	14
15	·68	·11	NIL	·04	·04	NIL	·07	NIL	NIL	·09	NIL	·41	15
16	·12	·80	NIL	NIL	NIL	·03	NIL	NIL	NIL	NIL	·18	·01	16
17	·02	·28	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	·50	·03	17
18	·12	·19	·66	NIL	NIL	NIL	NIL	·58	·03	NIL	·33	·10	18
19	·46	·52	·60	NIL	NIL	·26	·37	·42	NIL	NIL	·39	·05	19
20	·81	·24	·31	NIL	NIL	·02	NIL	·07	·10	NIL	·13	·10	20
21	·02	1·27	NIL	NIL	NIL	·01	·15	·03	NIL	NIL	·03	·40	21
22	NIL	·04	NIL	NIL	NIL	NIL	NIL	NIL	·44	NIL	·05	·75	22
23	NIL	NIL	NIL	NIL	NIL	01	NIL	·10	·01	·83	·36	·12	23
24	·02	NIL	·09	·14	NIL	08	·03	NIL	·02	·60	·37	·49	24
25	·12	NIL	NIL	·03	·03	NIL	NIL	·93	·11	·01	·06	·22	25
26	·08	NIL	·26	NIL	NIL	NIL	NIL	·04	03	NIL	·01	·50	26
27	·19	·02	·12	·42	NIL	·02	·04	·83	NIL	NIL	·06	03	27
28	NIL	NIL	·26	NIL	NIL	NIL	NIL	·03	NIL	·03	·18	·56	28
29	·09		NIL	·08	NIL	NIL	NIL	NIL	NIL	·14	NIL	·70	29
30	NIL		NIL	·09	NIL	·26	NIL	·51	·05	·02	·73	·82	30
31	NIL		02		NIL		·05	NIL		NIL		·16	31
TOTAL	7·45	4·12	6·56	2·30	·77	1·68	1·89	3·74	2·73	2·38	4·26	10·23	YEAR'S TOTAL 48·11
Days with ·01 in. or more	24	14	18	13	7	10	10	13	16	13	22	27	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3541

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ebbw Vale
in the County of Monmouth
by JHWilliams VC.

Lat. 51° 46′ Long. 3° 12
Time of Observation 9 AM
Nearest Railway Station Ebbw Vale GWR
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 901′ 7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·58	NIL	·26	NIL	·34	NIL	·60	NIL	·43	·41	NIL	·63	1
2	·20	·02	·18	"	·06	"	·13	·14	·22	·01	·05 ·03	·27	2
3	·14	NIL	·17	"	NIL	"	NIL	·03	·15	NIL	·06	·76	3
4	NIL	·20	·32	"	"	·16	"	·03	·60	"	·01	·41	4
5	"	·30	NIL	"	"	NIL	28	NIL	·05	"	·05	·63	5
6	1.00	·07	·88	"	"	"	NIL	"	·03	"	·15	·30	6
7	·29	NIL	·30	·11	"	"	"	"	NIL	"	NIL	NIL	7
8	·38	"	·12	NIL	"	"	"	"	"	"	"	"	8
9	·80	"	NIL	·15	"	"	"	"	"	"	·36	"	9
10	·11	"	·91	·08	·05	"	"	"	"	·03	·15	1·05	10
11	·09	"	1·00	·07	·22	"	·17	"	"	NIL	NIL	·23	11
12	·02	"	·10	·12	·03	·83	NIL	"	"	·08	·05	NIL	12
13	·42	"	NIL	·11	NIL	NIL	"	"	·42	·10	NIL	·20	13
14	·69	·06	"	·86	"	"	"	"	·04	·03	"	·30	14
15	·68	·11	"	·04	·04	"	·07	"	NIL	·09	"	·41	15
16	·12	·80	"	NIL	NIL	·03	NIL	"	"	NIL	·18	·01	16
17	·02	·28	"	"	"	NIL	"	"	"	"	·50	·03	17
18	·12	·19	·66	"	"	"	"	·58	·03	"	·33	·10	18
19	·46	·52	·60	"	"	·26	·37	·42	NIL	"	·39	·05	19
20	·81	·24	·31	"	"	·02	NIL	·07	·10	"	·13	·10	20
21	·02	1·27	NIL	"	"	·01	·15	·03	NIL	"	·03	·40	21
22	NIL	·04	"	"	"	NIL	·NIL	NIL	·44	"	·05	·75	22
23	"	NIL	"	"	"	·01	"	·10	·01	·83	·36	·12	23
24	·02	"	·09	·14	"	·08	·03	NIL	·02	·60	·37	·49	24
25	·12	"	NIL	·03	·03	NIL	NIL	·93	·11	·01	·06	·22	25
26	·08	"	·26	NIL	NIL	"	"	·04	·03	NIL	·01	·50	26
27	·19	·02	·12	·42	"	·02	·04	·83	NIL	"	·06	·03	27
28	NIL	NIL	·26	NIL	"	NIL	NIL	·03	"	·03	·18	·56	28
29	·09		NIL	·08	"	"	"	NIL	"	·14	NIL	·70	29
30	NIL		"	·09	"	·26	"	·51	·05	·02	·73	·82	30
31	"		·02		"		·05	NIL		NIL		·16	31
Total	7·45	4·12	6·56	2·30	·77	1·68	1·89	3·74	2·73	2·38	4·26	10·23	Year's Total 48·11
Days with ·01 in. or more	24	14	18	13	7	10	10	13	16	13	22	27	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

6 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Ebbw Vale
in the County of Monmouthshire
by J H Williams V C

Lat. 51-46 Long. 3-12
Time of Observation 9 AM
Nearest Railway Station EV GWR
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 901·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	NIL	·02	·05	·31	·64	NIL	1·44	·06	NIL	·13	·09	1·00	1
2	·21	·01	NIL	·15	·26	"	·11	·12	·12	·17	NIL	·64	2
3	·10	·14	"	·11	NIL	"	1·23	·04	·03	2·33	"	·22	3
4	NIL	NIL	·04	NIL	·01	"	NIL	1·11	·04	·31	"	NIL	4
5	"	"	·37	·04	·40	"	·32	·13	·07	·35	"	"	5
6	"	"	·48	·02	·61	"	·08	NIL	NIL	·13	"	·02	6
7	·06	"	·02	·20	·08	"	·44	"	"	·02	·02	NIL	7
8	·06	·04	NIL	·74	·22	"	·35	·25	"	NIL	NIL	"	8
9	·95	·64	·01	·69	NIL	·02	·17	·03	"	"	·02	"	9
10	1·40	·50	·26	·07	"	1·12	·24	NIL	"	"	·02	"	10
11	·07	·03	·49	·73	·57	·04	·06	"	"	"	NIL	"	11
12	·38	·18	·06	·50	·05	·82	·16	·05	"	·04	·17	·02	12
13	·12	·08	·90	·52	NIL	NIL	·01	·04	"	·03	·12	·01	13
14	·12	NIL	·55	1·09	"	·07	·15	NIL	·90	·32	1·15	·03	14
15	·02	·38	·30	1·77	·13	·17	NIL	"	·01	·16	·24	NIL	15
16	·03	·01	·15	·16	·02	·37	·26	"	·52	·75	NIL	"	16
17	·23	NIL	·05	NIL	·50	·70	·10	·23	1·15	·55	"	·03	17
18	·24	"	NIL	·10	·20	·05	·08	·06	·35	NIL	·01	·03	18
19	·05	·22	"	·71	·10	·18	NIL	NIL	NIL	"	NIL	·01	19
20	·05	·01	"	·57	·02	·09	"	"	"	·01	"	·67	20
21	NIL	NIL	"	·04	NIL	NIL	·07	"	"	·10	"	·25	21
22	·09	"	"	·21	"	·03	·27	·12	·01	NIL	"	·50	22
23	·08	·01	·02	NIL	"	NIL	·52	NIL	NIL	"	"	·74	23
24	·20	·03	·80	"	"	"	·03	"	"	"	·16	·60	24
25	NIL	·08	·43	·03	"	·01	·63	"	"	"	NIL	·10	25
26	·70	·14	·50	·08	"	·09	·06	"	"	"	·21	·15	26
27	1·12	·08	·68	·35	·04	·42	·04	"	"	"	·01	·40	27
28	·65	·01	·24	·07	·17	·32	·03	"	"	"	NIL	·17	28
29	1·04	NIL	·31	·16	·18	·03	·40	"	"	"	·39	1·35	29
30	·35		·09	·09	·02	·42	·13	"	·75	·14	·48	·97	30
31	·33		·42		NIL		·02	"		·60		·18	31
TOTAL	8·65	2·61	7·22	9·51	4·22	4·95	7·40	2·24	3·95	6·14	3·09	8·09	YEAR'S TOTAL 68·07
Days with ·01 in. or more	25	19	23	26	19	18	27	12	11	17	14	22	233
Days with ·04 in. or more	~~22~~ 23	11	~~19~~ 20	23 4	15	~~15~~ 14	23	11	8	14	9	15	~~185~~ 187

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

4023

GOYTRE

GOYTRE HALL

1917 - 20

RE

FORM A.
BRITISH RAINFALL.

8. JAN 1918

Kept at Goytre Ho
in the County of Mon
by Mrs Lionel L

m.
antyderry. S.W.K.
Gauge 9¼ in.
ve Ground 1 ft. 2 in.
Sea Level about 300 ft.

IMPORTANT N the result entered to the previous day. If an versal rule, he is earnestly requested to add the r ar in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·16	·49	—	·50	—	·79	·44		·04	·05	1
2			·02	·07	—	·14	—	·08	—		·38	—	2
3			—	·09	—	—	·03	—	—		·05	—	3
4			·07	—	—	—	·21	—	—	·50	—	—	4
5			1·18	·31	—	·15	—	·04	·52	·20	·10	—	5
6			·59	—	—	·07	—	—	—	1·50	·50	·02	6
7			—	—	—	—	·10	·13	—		·21	—	7
8			—	·29	—	—	·68	·59	—	·60	·26	·05	8
9			·77	·10	·19	—	—	·13	·27		·67	—	9
10			·59	·37	·07	—	—	·43	—		—	—	10
11			·14	·22	·09	—	—	·61	—		·09	—	11
12			—	—	1·17	—	—	·09	—	·38	·02	—	12
13			·28	·26	—	—	—	·32	Left home	·38	·01	—	13
14			·14	·08	—	—	—	·02			—	—	14
15			—	·06	—	—	·08	·12		·27	—	·30	15
16			—	·12	—	—	·02	·04			—	·22	16
17			—	·08	·38	—	·39	·68	·10		·03	—	17
18			—	—	·06	—	·50	·02	·50		—	—	18
19			·19	—	—		—	·02	1·50		—	—	19
20			—	—	·61		—	—			—	·02	20
21			—	—	·09	·55	·03	·04		·14	—	—	21
22			—	—	—		—	·63		·35	—	—	22
23			·06	—	·09		—	1·24		·31	—	—	23
24			·04	—	—	·04	·05	·42		·52	·02	—	24
25			·16	—	—	—	—	·13		·08	·02	—	25
26			—	—	·20	—	—	·71		·02	·02	—	26
27			·01	—	1·03	·28	·03	1·52		·01	—	—	27
28			·19	—	·02	·56	—	·21		—	—	·02	28
29			·18	—	—	·55	—	·02		1·43	—	·29	29
30		X	—	—	—	—	—	·67		·23	·06	—	30
31		X	·02	X	·39	X	—	·14	X	·13	X	·01	31
Total			4·79	2·54	4·39	2·84	2·12	9·79	3·33	6·75	2·48	·98	YEAR'S TOTAL
Rain Days.			18 ✓	13 ✓	13 ✓	13	11 ✓	27 ✓	?	?	16	9 ✓	

W. 8,000, IX. 17.

RE

FORM A.
BRITISH RAINFALL.

9. JAN 1918

S. W. K.

Kept at Poytre Hall Abergavenny
in the County of Monmouth
by Mrs Lionel Whitehead.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Nantyderry
Diameter of Funnel of Rain Gauge 9¼ in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level about 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·16	·49	—	·50	—	·79	·44		·04	·05	1
2			·02	·09	—	·14	—	·08	—		·38	—	2
3			—	·09	—	—	·03	—	—		·05	—	3
4			·07	—	—	—	·21	—	—	·50	—	—	4
5			1·18	·31	—	·15	—	·04	·52	·20	·10	—	5
6			·59	—	—	·07	—	—	—	1·50	·50	·02	6
7			—	—	—	—	·10	·13	—		·21	—	7
8			—	·29	—	—	·68	·59	—	·60	·26	·05	8
9			·77	·10	·19	—	—	·13	·27		·67	—	9
10			·59	·37	·07	—	—	·43	—		—	—	10
11			·14	·22	·09	—	—	·61	—		·09	—	11
12			—	—	1·17	—	—	·09	—	·38	·02	—	12
13			·28	·26	—	—	—	·32	Left home	·38	·01	—	13
14			·14	·08	—	—	—	·02			—	—	14
15			—	·06	—	—	·08	·12		·27	—	·30	15
16			—	·12	—	—	·02	·04			—	·22	16
17			—	·08	·38	—	·39	·68	·10		·03	—	17
18			—	—	·06	—	·50	·02	·50		—	—	18
19			·19	—	—		—	·02	1·50		—	—	19
20			—	—	·61		—	—			—	·02	20
21			—	—	·09	·55	·03	·04		·14	—	—	21
22			—	—	—		—	·63		·35	—	—	22
23			·06	—	·09		—	1·24		·31	—	—	23
24			·04	—	—	·04	·05	·42		·52	·02	—	24
25			·16	—	—	—	—	·13		·08	·02	—	25
26			—	—	·20	—	—	·71		·02	·02	—	26
27			·01	—	1·03	·28	·03	1·52		·01	—	—	27
28			·19	—	·02	·56	—	·21		—	—	·02	28
29			·18	—	—	·55	—	·02		1·43	—	·29	29
30		╳	—	—	—	—	—	·67		·23	·06	—	30
31		╳	·02	╳	·39	╳	—	·14	╳	·13	╳	·01	31
Total			4·79	2·54	4·39	2·84	2·12	9·79	3·33	6·75	2·48	·98	YEAR'S TOTAL
Rain Days.			18 ✓	13 ✓	13 ✓	13	11 ✓	27 ✓	?	?	16	9 ✓	

W. 8,000, IX. 17.

~~H~~ M&S [illegible]

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
6 . 1 . 18

Kept at Goytre Hall. Abergavenny.
in the County of Monmouth.
by Mrs Lionel Whitehead.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Nantyderry
Diameter of Funnel of Rain Gauge 9¼ in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level abt. 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·19	·02	·06	—	—	—	·22	—	·01	1·30	—	1
2	—	·30	—	·09	—	—	—	·44	—	—	·30	·45	2
3	—	·36	—	·23	·41	—	—	·55	·35	·12	·11	·01	3
4	—	·04	·01	·07	—	—	—	·13	·72	·45	1·87	·96	4
5	—	·06	—	·07	·22	—	—	·17	·22	·44	·17	·08	5
6	·03	·45	—	(·16)	—	·02	—	·06	—	·31	—	·13	6
7	—	·25	—	—	·62	—	—	—	·80	·10	·44	·29	7
8	—	·30	—	—	—	—	—	—	·11	·23	—	·02	8
9	·01	·48	—	·38	—	·22	·32	—	·70	·05	·40	·28	9
10	·07	·05	—	·37	—	—	·38	—	·29	·13	—	·33	10
11	·01	·02	·14	·05	·02	—	·15	—	·19	·11	·10	·05	11
12	—	·17	·21	—	·20	—	·22	—	·02	—	—	·01	12
13	—	·02	·01	—	·04	—	·14	—	·53	·10	—	·09	13
14	·50	—	·05	—	—	—	·10	—	·52	·10	—	·30	14
15	—	·02	—	·06	—	—	·62	—	·02	—	—	·50	15
16	—	—	—	·57	—	—	·03	·06	·60	—	—	·18	16
17	·40	—	·08	·03	—	—	·14	—	·43	·09	—	·26	17
18	1·00	—	·02	—	—	·72	·05	—	1·32	·06	—	·55	18
19	·23	·03	·14	—	—		·31	—	·02	·09	—	·07	19
20	·25	·19	—	·20	—	—	·24	—	·64	·02	—		20
21	·15	·18	—	·09	—	—	·02	—	·71	·03	—	·25	21
22	·03	—	—	—	·32 (·32)	—	·40	—	·18	·14	—	·50	22
23	·15	—	—	—	·38	—	·34	—	·04	—	·10	—	23
24	·05	·08	—	—	·10	—	·34	·07	·04	—	·08	—	24
25	—	—	—	—	—	—	·62	1·17	—	·09	·06	·03	25
26	—	—	—	·10	—	—	·42		·08	·10	·11	·26	26
27	—	·03	·21	—	—	—	—	·29	·31	·10	·04	—	27
28	—	·06	·55	—	—	—	—	—	·01	·03	·02	·05	28
29	—	✕	·13	—	—	—	—	—	1·32	·06	·01	·09	29
30	—	✕	·62	—	—	—	—	—	—	·08	·03	·45	30
31	—	✕	·36	✕	—	✕	—	·03	✕	·02	✕	—	31
Total	2·88	3·28	2·55	2·53	2·31	·96	4·84	3·19	10·17	3·06	5·14	~~6·39~~ 6·19	YEAR'S TOTAL ~~47·30~~ 47·10
Rain Days.	13	20	14	15	9	3	18	11	25	25	16	25	194

11

W. 6,500, VII. 18. w w c

and praith

3559

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

18 JAN 20

Kept at Goytre Hall Abergavenny
in the County of Monmouthshire
by Mrs Lionel Whitehead

Lat. — Long. —
Time of Observation 9am
Nearest Railway Station Nantyderry
Diameter of Funnel of Rain Gauge 9¼ in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level abt 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·58	—	·12	—	—	—	·12	—	·27	·26	—	·64	1
2	·25	—	·09	—	—	—	·26	·12	·25	·03	—	·14	2
3	·07	—	·14	—	·04	—	—	—	—	—	·08	·34	3
4	·04	·24	·37	—	—	·19	·04	—	·81	—	·02	·35	4
5	—	·25	·20	—	—	—	—	—	·11	—	·09	·37	5
6	·29	·39	·39	—	—	—	—	—	—	—	·05	·22	6
7	·31	—	·41	·11	—	—	—	—	—	—	—	·01	7
8	·36	—	·13	·02	—	—	—	—	—	—	—	—	8
9	·86	—	·02	·05	—	—	—	—	—	—	·15	—	9
10	·01	—	·81	—	·16	—	—	—	—	·01	—	1·17	10
11	·04	—	·73	·02	·26	—	·28	—	—	·01	—	—	11
12	·03	—	·04	·08	—	·34	·02	—	·03	·04	·04	·01	12
13	·28	·03	—	·68	—	—	—	—	·14	·04	—	·24	13
14	·57	·17	—	·35	—	—	·02	—	·03	—	—	·57	14
15	·37	·21	—	·02	—	—	—	·07	—	—	—	·44	15
16	·20	1·39	—	—	—	—	—	—	—	·15	·10	·02	16
17	—	·67	—	—	—	—	~~·09~~	·07	—	—	·28	·01	17
18	·06	·09	·70	—	—	—	·09	·32	—	—	·15	·04	18
19	·49	·33	·98	—	—	·22	1·04	·46	·03	—	·11	·02	19
20	·86	·15	·52	—	—	·03	~~·01~~	·11	·01	—	·05	·07	20
21	—	1·24	·05	—	—	—	·01	·01	·03	—	·01	·13	21
22	—	·01	·01	—	—	—	—	—	·22	—	—	·20	22
23	—	—	—	—	—	—	—	—	—	1·15	·23	·05	23
24	—	—	—	·12	—	·09	·08	—	—	1·10	·46	·01	24
25	·11	—	—	—	·04	—	—	·72	—	—	·02	·01	25
26	·02	—	·15	·05	—	—	—	·05	·08	—	—	·79	26
27	·13	—	·10	·23	—	—	—	·81	—	—	—	·04	27
28	·02	—	·34	—	—	—	—	—	—	—	—	·48	28
29	·03		—	·05	—	—	—	—	—	·04	—	·55	29
30	—		·02	·02	—	·11	—	·38	—	—	1·00	·84	30
31	—		—		—		—	—		—		·04	31
TOTAL	~~5·78~~ 5·98	5·17	6·32	1·80	·50	·98	1·96	3·12	2·01	2·83	2·84	7·83	YEAR'S TOTAL ~~41·16~~ 41·34
Days with ·01 in. or more	23	13	21	13	4	6	10	11	12	10	16	28	167

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W MZ 3445

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Pontyhall Abergavenny
in the County of Monmouth
by W. Lionel Whitehead

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Nantyderry. G.W.R.
Diameter of Funnel of Rain Gauge 9¼ in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	—	·77	—	1·00	·03	·06	·15	·04	·85	1
2	·38	—	—	·07	·01	—	·70	·03	·02	·28	—	·43	2
3	—	·10	—	·20	·01	—	·69	·01	·02	1·23	—	·06	3
4	—	—	—	—	—	—	—	1·00	—	·55	—	—	4
5	—	—	·41	·05	·02	—	·38	·02	—	·31	—	—	5
6	—	—	·38	·09	·55	—	·10	—	—	·25	—	·02	6
7	·15	—	·02	·55	—	—	·10	—	—	·02	—	—	7
8	·04	·05	—	·78	·07	—	·38	·07	—	·02	—	—	8
9	·53	·24	—	·51	—	·04	·14	—	·03	—	—	—	9
10	1·46	·20	·22	·06	—	·71	·30	—	—	—	—	·02	10
11	·23	·03	·43	·10	·47	·04	·06	—	—	—	·17	—	11
12	·25	·25	·10	·32	—	1·11	·10	·03	—	·04	—	—	12
13	·16	·04	·72	·40	—	—	—	(·02)	—	·01	·07	·02	13
14	—	·04	·64	·94	—	·10	·17	—	·25	·29	1·09	·05	14
15	—	·17	·25	1·09	·02	·26	—	—	·26	·31	·05	—	15
16	—	·03	·03	·04	·46	·61	·20	—	·42	·65	·11	—	16
17	·05	—	—	·02	·40	·04	—	·08	·69	·39	—	·03	17
18	·17	—	—	·01	·14	·05	·07	·13	·39	—	—	—	18
19	—	·23	—	·05	·07	·14	—	—	—	—	—	—	19
20	—	·01	—	1·08	·02	·09	—	—	—	·02	·01	·61	20
21	—	—	—	—	—	—	·02	—	·01	·07	—	·17	21
22	·05	—	—	·14	—	—	·03	·06	—	—	—	·37	22
23	·02	—	—	—	—	—	·26	—	—	·02	—	·65	23
24	·04	—	·75	—	—	—	·34	·01	—	—	·15	·53	24
25	·10	·01	·41	—	—	—	1·00	·03	—	—	—	·14	25
26	·39	—	·80	—	—	—	·02	—	—	—	·21	·18	26
27	1·27	·02	·48	·07	—	·32	·01	—	—	—	·07	·73	27
28	·96	—	·26	—	·54	·12	—	—	—	—	—	(·11)	28
29	·70	—	·17	·03	·24	·09	·08	—	—	—	·40	1·16	29
30	·33		·11	·06	—	·26	·05	—	·52	—	(·51)	·92	30
31	·24		·23		—		—	—		·39		·25	31
TOTAL	7·52	1·42	6·48	6·66	3·79	3·98	6·2	1·47	2·67	5·00	2·88	7·30	YEAR'S TOTAL 55·37
Days with ·01 in. or more	20	14	19	22	15	15	23	13	11	18	12	20	202
Days with ·04 in. or more	19	9	16	19	10	15	19	4	7	13	11	16	158

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.
19 JAN 1914

GRIFFITHSTOWN
SHIRLEY
MONMOUTH

1913-14

RE

Kept at Griffithst ... .m.

in the County of Mon ... nteg

... in.

by Y. P. Holmes ... und 1 ft. — in.

Level 473 ft.

IMPORTANT NO ... result entered to the previous day. If an O ... rule, he is earnestly requested to add the rea ... following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·03	·25	·65	·09	·00	·00	·00	·00	·17	·00	·51	·00	1
2	·02	·48	·44	·12	·49	·00	·00	·00	·00	1·41	·39	·15	2
3	·28	·05	·20	·00	·39	·00	·00	·00	·00	·10	·00	·35	3
4	2·02	·05	·32	·00	·09	·00	·02	·00	2·30	·37	·25	·15	4
5	·10	·05	·09	·00	·40	·16	·00	·00	·54	·00	·15	·18	5
6	·28	·38	·00	·00	·12	·24	·03	·00	·00	·56	·31	·62	6
7	·10	1·34	·00	·00	·58	·26	·00	·00	·00	·83	·51	·01	7
8	·06	·84	·00	·00	·50	·03	·00	·00	·00	·00	·00	·02	8
9	·00	·26	·07	·00	·22	·38	·13	·19	·04	·00	·50	·05	9
10	·52	·00	·03	·00	·09	·00	·00	·11	·00	·38	·13	·00	10
11	1·45	·00	·00	·14	·40	·00	·00	·00	·00	·08	·85	·10	11
12	·00	·00	·00	·00	·39	·00	·00	·00	·06	·00	·61	·00	12
13	·07	·00	·42	·01	·05	·00	·00	·07	·38	·00	·49	·00	13
14	·35	·00	·87	·16	·00	·00	·00	·00	·11	·13	·02	·00	14
15	·18	·01	·94	2·52	·00	·00	·00	·34	·00	·00	·01	·02	15
16	·22	·00	·94	·12	·00	·00	·00	·11	·00	·00	·01	·00	16
17	·16	·00	·02	·39	·00	·00	·00	·00	·00	·00	·20	·00	17
18	·18	·00	·83	·64	·00	·00	·00	·00	·00	·00	·17	·00	18
19	·20	·00	·34	·00	·00	·26	·00	·00	·37	·01	x ·66	·00	19
20	·70	·00	·43	·27	·00	·00	·00	·00	·00	·21	x ·29	·00	20
21	·00	·00	·53	·50	·31	·00	·00	·15	·00	·00	x ·02	·00	21
22	·69	·00	1·46	·00	·00	·15	·00	·35	·42	·00	·19	·00	22
23	·03	·00	·00	·00	·00	·14	·04	·05	·02	·00	·11	·10	23
24	·20	·01	·00	·14	·00	·00	·00	·02	·00	·00	·06	·35	24
25	·00	·04	·00	·70	·00	·00	·00	·00	·03	·03	·03	·68	25
26	·00	·08	·00	1·56	·00	·00	·00	·04	·02	·05	·00	~~·20~~ ·02	26
27	·08	·00	·14	·76	·00	·00	·00	·00	·00	·41	·00	·10	27
28	·53	·00	·14	·75	·00	·00	·00	·00	·00	·37	·00	·00	28
29	1·01		·53	·44	·00	·00	·00	·13	·00	·33	·00	·00	29
30	·20		·00	·00	·03	·00	·00	·65	·00	1·39	·04	·00	30
31	·05		·12		·15		·00	·03		·08			31
Total	9·71	3·84	9·51	9·31	4·21	1·62	·22	2·24	4·46	6·74	6·51	~~3·08~~ 2·90	YEAR'S TOTAL 61·~~45~~ 27
Rain Days.	26	13	21	17	15	8	4	13	12	17	24	15	185

X Three days marked thus are correct in aggregate but doubtful in distribution.

W. 7,500, XI. 12

RE

FORM A.
BRITISH RAINFALL.
19 JAN 1914

Kept at Griffithstown Panteg U.D.
in the County of Monmouth
by T. P. Holmes Watkins

Lat. Long.
Time of Observation 8.30 a.m.
Nearest Railway Station Panteg
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·25	·65	·09	·00	·00	·00	·00	·17	·00	·51	·00	1
2	·02	·48	·44	·12	·49	·00	·00	·00	·00	1·41	·39	·15	2
3	·28	·05	·20	·00	·39	·00	·00	·00	·00	·10	·00	·35	3
4	2·02	·05	·32	·00	·09	·00	·02	·00	2·30	·37	·25	·15	4
5	·10	·05	·09	·00	·40	·16	·00	·00	·54	·00	·15	·18	5
6	·28	·38	·00	·00	·12	·24	·03	·00	·00	·56	·31	·62	6
7	·10	1·34	·00	·00	·58	·26	·00	·00	·00	·83	·51	·01	7
8	·06	·84	·00	·00	·50	·03	·00	·00	·00	·00	·00	·02	8
9	·00	·26	·07	·00	·22	·38	·13	·19	·04	·00	·50	·05	9
10	·52	·00	·03	·00	·09	·00	·00	·11	·00	·38	·13	·00	10
11	1·45	·00	·00	·14	·40	·00	·00	·00	·00	·08	·85	·10	11
12	·00	·00	·00	·00	·39	·00	·00	·00	·06	·00	·61	·00	12
13	·07	·00	·42	·01	·05	·00	·00	·07	·38	·00	·49	·00	13
14	·35	·00	·87	·16	·00	·00	·00	·00	·11	·13	·02	·00	14
15	·18	·01	·94	2·52	·00	·00	·00	·34	·00	·00	·01	·02	15
16	·22	·00	·94	·12	·00	·00	·00	·11	·00	·00	·01	·00	16
17	·16	·00	·02	·39	·00	·00	·00	·00	·00	·00	·20	·00	17
18	·18	·00	·83	·64	·00	·00	·00	·00	·00	·00	·17	·00	18
19	·20	·00	·34	·00	·00	·26	·00	·00	·37	·01	× ·66	·00	19
20	·70	·00	·43	·27	·00	·00	·00	·00	·00	·21	× ·29	·00	20
21	·00	·00	·53	·50	·31	·00	·00	·15	·00	·00	× ·02	·00	21
22	·69	·00	1·46	·00	·00	·15	·00	·35	·42	·00	·19	·00	22
23	·03	·00	·00	·00	·00	·14	·04	·05	·02	·00	·11	·10	23
24	·20	·01	·00	·14	·00	·00	·00	·02	·00	·00	·06	·35	24
25	·00	·04	·00	·70	·00	·00	·00	·00	·03	·03	·03	·68	25
26	·00	·08	·00	1·56	·00	·00	·00	·04	·02	·05	·00	~~·20~~ ·02	26
27	·08	·00	·14	·76	·00	·00	·00	·00	·00	·41	·00	·10	27
28	·53	·00	·14	·75	·00	·00	·00	·00	·00	·37	·00	·00	28
29	1·01		·53	·44	·00	·00	·00	·13	·00	·33	·00	·00	29
30	·20		·00	·00	·03	·00	·00	·65	·00	1·39	·04	·00	30
31	·05		·12		·15		·00	·03		·08			31
Total	9·71	3·84	9·51	9·31	4·21	1·62	·22	2·24	4·46	6·74	6·51	2·90 ~~3·08~~	YEAR'S TOTAL 61·27 ~~61·45~~
Rain Days.	26	13	21	17	15	8	4	13	12	17	24	15	185

× Three days marked thus are correct in aggregate but doubtful in distribution.

W. 7,500, XI. 12

Ex DL

FORM A.
BRITISH RAINFALL.
25 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Shirley Griffithstown

in the County of Monmouth 3

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Panteg

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·04	·02	·02	–	·15	·43	·51	–	–	·20	·30	1
2	–	–	–	–	·04	·03	1·16	·03	–	–	·56	·66	2
3	–	–	·13	·27	·84	–	–	·14	–	–	·01	·32	3
4	·41	–	·05	·52	·19	–	·90	·02	–	–	·93	1·41	4
5	·13	–	·28	·57	·04	–	–	–	–	–	·18	·03	5
6	·06	·19	·03	·08	·27	–	·42	·19	–	–	·05	·97	6
7	·01	1·06	·43	·23	·52	–	·52	·20	–	–	–	·19	7
8	·13	–	·45	·15	·11	·54	·17	·44	·23	–	·01	·10	8
9	·18	·07	·22	·57	·05	1·26	–	·18	·05	–	·01	–	9
10	·01	·87	–	·97	·09	·08	–	–	·40	–	–	–	10
11	–	·21	·54	–	·06	·46	·14	–	·04	–	·16	·77	11
12	–	·41	·13	–	–	–	–	–	·23	–	·24	·36	12
13	–	1·43	·85	–	–	–	·13	–	·77	·29	·23	·18	13
14	–	1·55	·64	–	–	–	·01	·21	·21	·02	·72	–	14
15	–	·02	·09	–	–	–	–	·30	·22	–	–	–	15
16	–	~~·00~~	·09	–	–	–	·19	–	·75	–	–	–	16
17	·02	·75	·29	–	–	–	·01	–	·04	–	–	2·09	17
18	–	·04	·14	–	–	–	·01	–	·01	–	–	·57	18
19	–	·02	·12	–	–	–	1·35	–	–	–	·01	·31	19
20	–	·41	·18	–	–	–	–	–	–	–	–	·33	20
21	–	·02	–	–	–	·04	·12	–	–	·35	–	–	21
22	–	·55	·02	–	·12	·04	–	·09	–	·39	–	–	22
23	–	·02	·29	–	·02	–	–	–	–	·44	–	–	23
24	·03	–	·04	–	–	–	–	·13	–	·05	·24	–	24
25	·12	–	·19	–	–	–	·03	1·29	–	·75	·23	·87	25
26	–	·01	~~·00~~ –	–	–	–	·07	·07	–	·20	·44	·69	26
27	·03	·02	~~·59~~ –	–	–	–	–	–	–	·01	·70	·58	27
28	·12	·19	~~·42~~ ·59	–	·03	–	–	–	–	–	·05	·56	28
29	·67		~~·42~~ ·42	–	·16	–	–	–	–	·10	1·38	–	29
30	·07	╳	·42	–	–	·01	–	–	–	·30	·78	·66	30
31	·54	╳	–	╳	–	╳	·96	–	╳	·30	╳	·08	31
Total	2·53	7·88	6·65	3·38	2·54	2·61	6·62	3·~~[illegible]~~ 80	2·95	3·20	7·13	12·03	YEAR'S TOTAL 61·32
Rain Days.	15	20 19	25	9	14	9	17	14	11	12	20	21~~3~~	18~~6~~ 187

W. 8,000. X. 14.

REC IN 1911

GRWYNE FAWR
COED DIAS

1911 - 1920

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

Kept at 'Coed Dias', F
in the County of Mo
by Walter Ba

ttern Howard
ameter of top 5 in.
ight of top above Ground 1 ft. in.
" " " Sea Level 900 ft. (about)
servation 9 a.m
ilway Station { Name Llanvihangel (G.W.R) Distance 4½m Direction S-E

IMPORTANT NOTE 9 a.m., and the result entered to the previous day. If an Obs s almost universal rule, he is earnestly requested to add the read following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07		.04	.02	.02			.29			.22	~~.31~~	1
2			.01	.02	.20			.28		.10	.12	.31	2
3			.03	.03	.62			.04	.05	.04	.23	.23	3
4			.12	.05				.06	.04	.04	.40	.59	4
5	.10		.06	.02				.31		.22	.21	.01	5
6	.18		.08	.02				.04			.39	.86	6
7	.03		.02								.43		7
8	.04		.17							.02	.77	1.11	8
9	.05		.05								.55	.56	9
10	.02		.33						.05		.04	.82	10
11	.25	.05	.39		.33						.43	.08	11
12		.02			.05				.34		.68	.11	12
13					.40				.23		.05	.62	13
14		.02				.03				.01	.05	1.50	14
15		.07	.02			.23				.05	.40	.10	15
16			.02	.01		1.38				.02	.12	.23	16
17		.07		.07		.07					.21	.85	17
18		.60	.19	.46		.48				.09	.02	.81	18
19		.18		.33		.04			.93	.33	.10	.49	19
20		.08	.04	.15		.08			.14	.12		.77	20
21		.25	.31	.03		.24		.21	.04	.58		.21	21
22	.01	.13	.34	.17		.04			.05	.42	.01	.61	22
23		.43	.08	.01		.57			.35	.20		.19	23
24		.08	.02	.10		.09		.24	.02	.12		.29	24
25	.02	.12	.01						.14	.14		.11	25
26		.15		.21	.57	.04		.10	.01	.12	.10	.19	26
27		.54	.18	.22				.57	.26		.05	.17	27
28		.29	.05	.39				.06			.32		28
29				.07		.24	.66		.20	.65			29
30					.11	.05	.56			.56	.12		30
31							.06			.03			31
Total	.77	3.08	2.56	2.38	2.30	3.58	1.28	2.20	2.85	3.86	6.02	11.82	TOTAL for year 42.70
No. of Rain Days	10	16	22	19	8	14	3	11	15	20	24	25	187

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at 'Coed Dias', Ffawyddwg (or Fwthog)
in the County of Monmouth 3
by Walter Baker Gabb

RAIN GAUGE
Pattern Howard
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level 900 ft. (about)

Time of Observation 9 a.m

Nearest Railway Station
Name Llanvihangel (G.W.R)
Distance 4½ m Direction S-E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07		.04	.02	.02			.29			.22	~~.31~~	1
2			.01	.02	.20			.28		.10	.12	.31	2
3			.03	.03	.62			.04	.05	.04	.23	.23	3
4			.12	.05				.06	.04	.04	.40	.59	4
5	.10		.06	.02				.31		.22	.21	.01	5
6	.18		.08	.02				.04			.39	.86	6
7	.03		.02								.43		7
8	.04		.17							.02	.77	1.11	8
9	.05		.05								.55	.56	9
10	.02		.33						.05		.04	.82	10
11	.25	.05	.39		.33						.43	.08	11
12		.02			.05				.34		.68	.11	12
13					.40				.23		.05	.62	13
14		.02				.03				.01	.05	1.50	14
15		.07	.02			.23				.05	.40	.10	15
16			.02	.01		1.38				.02	.12	.23	16
17		.07		.07		.07					.21	.85	17
18		.60	.19	.46		.48				.09	.02	.81	18
19		.18		.33		.04			.93	.33	.10	.49	19
20		.08	.04	.15		.08			.14	.12		.77	20
21		.25	.31	.03		.24		.21	.04	.58		.21	21
22	.01	.13	.34	.17		.04			.05	.42	.01	.61	22
23		.43	.08	.01		.57			.35	.20		.19	23
24		.08	.02	.10		.09		.24	.02	.12		.29	24
25	.02	.12	.01						.14	.14		.11	25
26		.15		.21	.57	.04		.10	.01	.12	.10	.19	26
27		.54	.18	.22				.57	.26		.05	.17	27
28		.29	.05	.39				.06			.32		28
29				.07		.24	.66		.20	.65			29
30					.11	.05	.56			.56	.12		30
31							.06			.03			31
Total	.77	3.08	2.56	2.38	2.30	3.58	1.28	2.20	2.85	3.86	6.02	11.82	TOTAL for year 42.70
No. of Rain Days	10	16	22	19	8	14	3	11	15	20	24	25	187

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

Kept at 'Coed Deas'
Hamlet of Ffawyddwg, Parish of Cwmyoy
in the County of Monmouth

3

by W. Baker Gabb

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Llanvihangel G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.43			.44			.02	.71		.22	1
2			.53	.05	.03	.36	.27		.01			.02	2
3			.34	.03	.16	.21	.04	1.83	.09		.03	.07	3
4	.59		1.02	.02	.17	.06		.29	.08		.40	.02	4
5	.41	.08	.29		.11			.55			.01	.05	5
6	.99	.21			.10			.65				.03	6
7	.07	.45	.28		.05	.27	.17	.02				.11	7
8	.52	.42	.26	.02		.09		.02				.40	8
9	.08	.09	.73	.29		.28	.10	.42	.04		.05	.01	9
10	.32	.17		.02		.08	.09	.04			.34	.64	10
11	.02	.27	.01				.05	.09			.12	.08	11
12	.01	.33	.11	.08	.14	.16	.05		.06			.13	12
13	.09	.02		.02				.07				.31	13
14	.09	.10	.47		.03			.02				.07	14
15	.82	.04	.01		.43	.38		.09			.01	.39	15
16	.64		.22		.10	.06					.02	.05	16
17	.36		.09			.19		.32		.07	.03	.15	17
18	.13	.05	.10					.11		.09		.05	18
19	.09	.22	.01				.10	.56		.02		.01	19
20	.12	.03	.65			.01	.07	.29		.32	.03		20
21		.05	.79		.78		.07	.46		.45		.15	21
22	.39	.33	.12		.40	.01	.79	.36		.04		.07	22
23	.50	.32	.46			.21	.01	.41		.03	.10	.05	23
24	.11	.02	.01			.38	.09	.02			.05	.26	24
25	.02		.03			.17	.19	1.14		.01	.40	.60	25
26		.19	.06				.09	.94		1.16	.74	.41	26
27		.06	.13			.46	.98			.85		.46	27
28		.12	.03			.14	.97	.71	.35	.34		.31	28
29		.14	.09			.21	.39	.24	.92	.27	.38	.06	29
30			.21			.44	.09	.01	.01	.47		.01	30
31			.35		.12		.72	.05		.04		.12	31
Total	6.37	3.71	7.83	.53	2.62	4.61	5.33	9.71	1.58	4.87	2.71	5.31	YEAR'S TOTAL 55.18
Rain Days.	21	22	28	8	13	21	20	26	9	15	15	30	228

W. 7,500, XI. ·12

Ex D

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

3- JAN 1914

Kept at Coëd Dias, Ffawyddog

in the County of Monmouth 3

by W. Baker Gabb

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Llanvihangel, G.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.11	.28	.09	.04				.28	.20	.26	.01	1
2	.04	.54	.20	.20	.11				.04	.98	.25	.01	2
3	.25	.09	.14	.	.75				.01		—	.27	3
4	1.11	.05	.09	.	.24	.14	.06		2.47	.71	.07	.44	4
5	.09	.07	.05	.	.17	.17	.01		.10	.12	.15	.10	5
6	.07	.20	.15	.	.09		.02			.53	.22	.28	6
7	.05	.75	.02	.	.51	.07				.90	.13	.01	7
8	.08	.37	.	.01	.80					.25		.04	8
9	.	.29	.06	.02	.31	.17	.14	.11	.05		.45		9
10	.56	.	.02	.04	.07			.22			.13		10
11	.96	.	.02	.	.15					.09	.64	.03	11
12	.02	.	—	.49	.80			.01	.06		.74	.04	12
13	.05	.	.18	.01	.			.09	.42	.09	.62		13
14	.30	.	.37	.25	.			.01	.10		.13		14
15	.07	.03	.69	.95	.			.18			.05	.03	15
16	.40	.	.91	.15	.01			.56	.17		.07		16
17	.15	.	.11	.33	.03		.05				.07		17
18	.12	.	.62	.49			.04				.01		18
19	.36	.	.22	.05		.16	.03		.12	.11	.76	.02	19
20	.45	.	.59	.18	.01					.11	.02		20
21	.	.	.55	.21	.20		.05	.09			.64		21
22	.71	.	1.11	.02				.49	.47		.05		22
23	.03	.	.05	.				.23	.03		.09	.06	23
24	.06	.12	.	.06				.05	.06		.10	.02	24
25	.	.06	.	.44				.12	.03	.11	.05	.11	25
26	.	.05	.	1.07	.04	.07			.01	.01		.52	26
27	.03	.	.27	.22						.50		.02	27
28	.33	.	.20	.44	.07					.44		.12	28
29	.01	.	.	.46	.01	.03		.07		.36			29
30	.30	.	.82							.73	.10		30
31	.08		.12		.08					.10			31
Total	6.70	2.73	7.84	6.18	4.58	.81	.40	2.23	4.42	6.34	5.80	2.33	YEAR'S TOTAL 50.36
Rain Days.	27	13	25	22	20	7	8	13	16	18	24	18	211

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Coed Dias, Hamlet of Ffawyddog, Parish of Cwmyoy
in the County of Monmouth 3
by W. Baker Gabb

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Llanvihangel, G.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.05	.17	.03			.34	.37			.15	.14	1
2			.10		.03	.13	.83	.04			.54	.48	2
3			.35	.31	.31			.03			.03	.44	3
4	.38		.20	.14	.17		.44	.03			.93	.83	4
5	.19		.24	.33	.35		.12				.16	.02	5
6	.10	.15	.03	.17	.10	.01		.07			.02	.49	6
7	.02	.51	.20	.12	.58	.09	.31	.09	.01			.56	7
8	.09		.16	.09	.37	.74	.06	.36				.27	8
9	.06	.06	.20	.30	.09	1.44			.21		.04		9
10	.01	.39	.02	.27	.19	.06			.39				10
11	.05	.24	.37	.03	.33	.44			.04		.54	.87	11
12	.04	.72	.11						.43		.32	.65	12
13	.01	.47	.38				.16		.57	.53	.31	.23	13
14		.76	.58	.01			.05	.03		.19	.27		14
15		.01	.53				.01	.41		.02	.22	.01	15
16			.02				.11		.48			.04	16
17		.21	.34				.06					.67	17
18		.01	.35				.01		.10			.49	18
19		.04	.26				.96		.12		.03	.27	19
20		.54	.17			.25	.01					.51	20
21		.81				.05	.12	.01		.50			21
22		.25	.14	.02	.10		.02	.12		.65			22
23		.01	.11				.12	.01		.41			23
24			.12		.06		.19	.11		.07	.13		24
25	.18		.16				.16	.36		.36	.05	.25	25
26	.11		.03				.16	.01		.19	.41	.56	26
27		.04								.06	.47	.22	27
28	.02	.23	.25		.06					.12	.06	.78	28
29	.15		.28		.08					.26	.58	.01	29
30	.03		.32							.24	.68	.77	30
31	.78						.20			.56		.30	31
Total	2.22	5.50	6.19	1.82	2.82	3.21	4.44	2.05	2.35	4.16	5.94	9.86	YEAR'S TOTAL 50.56
Rain Days.	16	19	28	12	14	9	21	15	9	14	20	24	201

W. 8,000. X. 14.

3989

Mon

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5 JAN 1916

Kept at 'Coed Dias', Ffawyddog

in the County of Monmouth

by W. Baker Gabb

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Llanvihangel G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.74	.17	.10		.21	.08		.17	.33	.43	.03	.27	1
2	.12	.29	.33	.13				1.30		.18		.17	2
3	.18	.21	.11	.07	.12		.37	.06				.32	3
4	.21				.20		.46	.09				.77	4
5	.17	.80		.06				.19				1.12	5
6	.03	.12		.24			1.00	.20				.38	6
7	.24	.49		.06	.06		.22	.13				.56	7
8	.41	.48		.09				.04			.11	.01	8
9	.07	.39		.33							.46	.78	9
10	.25	.09	.03	.07			.01			.18	.29	.06	10
11	.16		.06	.01			.01				1.21	.15	11
12	.14	.22		.12	.43			.02		.13	.53	.01	12
13	.03	1.14			1.25				.09			.01	13
14	.06	.02						.20	.07		.02	.42	14
15		.04			.17		.05	.13	.03	.06	.17	.11	15
16	.05	.72		.01	.75		1.63	.05					16
17		.22	.01		1.11			.10					17
18	.02	.62	.03				.01				.02		18
19	.01	.10		.05	.19		.27						19
20	.40	.01		.04			.09			.09		.12	20
21	.30	.12					.22			.11			21
22	.05		.28	.16			.52					.32	22
23	.16	.05	.06				.09		.02	.77		.36	23
24	.01		.06	.08		.01	.07		.29	1.20		.85	24
25			.02			.56				.02		.31	25
26		.30				.01	.10		.02			.79	26
27		.09				.10	.15			.29		.19	27
28		.37				.18			.29	.10		.20	28
29						.01		.06		.02	.36	.35	29
30	.28			.04		.42	.09			.94	.35	.47	30
31							.20			1.84		.93	31
Total	4.09	6.96	1.09	1.56	4.49	1.37	5.56	2.74	1.14	6.36	3.55	10.03	YEAR'S TOTAL 48.94
Rain Days.	23	23	11	16	10	8	19	14	8	15	11	26	184

W. 8,000. X. 15.

cnd for s

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at 'Coed Dias', Ffawyddog
Cwmyoy
in the County of Monmouth
by W. Baker Gabb

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Llanvihangel, G.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.18	.11	s .07		.03	.15	.26			.32	.27		1
2	.46	.98	s .39		.08	.08	.06		.26	.82	.25		2
3	.01	.25			.13	.05			.29	.13	.47		3
4	.37	.08		.02	.59	.43				.29	1.33		4
5	.05		s .15		.40	.07	.06			.48	.41		5
6	.11	.26	s .09		.11		1.11			.22	.74		6
7	.23		s .14		.38		.01			.04	.44	.19	7
8		.06	s .15		.35	.15					.03	.18	8
9	.03	.01	s .05		.06	.11			.01		.06	.08	9
10	.03	.36	s .08	.13	.06	.05	.02			.09		.08	10
11	.12	.03	s .15	.19	.03		.01		.03				11
12	.11	.09	.03	.10	.44		.48	.10	.01	.08			12
13	.02	.34	.22	.23			.02	.44		.02		.01	13
14		.83	.56	.17	.10			.07		.18	.03	.01	14
15		.59	.21	.19				.34	.04	.14			15
16	.03	.19		.32			.02	.13		.20			16
17	.13	.27		.41				.01	.40	.67	(.65) ~~S. 6½ in.~~		17
18		.17	.20	.19					.27	.11	S. 13	* (.20)	18
19	.23		1.05	.22					.01		.14	~~S. 2 in.~~	19
20	.14	.10	* .23									.79	20
21	.11		.61	.01	.07	.01	.11				.04	.03	21
22			.01	.01		.03				.41		(15) ~~S. 1½ in.~~	22
23	.01	S .20	.03	.02		.01		.25		.04	.12	.69	23
24		S .21	.02		1.70			.20		.70		.23	24
25		S .33	.45		.01	.03		.70		.24	.56	.03	25
26	.05	S .18	.05		.08	.13		.21	.51	1.34	.03		26
27	.06	S .14	S .23			.02		.42	.53	.36			27
28	.05	S .31	S .05						.20	.33		.22	28
29		S .37	S .04			.47		.70	.01	.51	.05	.42	29
30		✕				.06		.02		.48		.03	30
31		✕		✕		✕		.06	✕	.37	✕	.12	31
Total	2.53	6.46	5.26	2.21	4.62	1.85	2.16	3.65	2.57	8.57	(5.75)	(3.46)	YEAR'S TOTAL (49.09)
Rain Days.	21	24	25	14	17	16	11	14	13	25	18 (5.75)	17 (3.46)	215 (49.09)

W. 8,000, VIII. 16

* The Howard Gauge is not well adapted for measuring snow and therefore no attempt was made to do so, as regards the heavy fall on 17 Nov. & the fall on 19 & 22 Dec; beyond recording the depth –

3755

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

8 JAN 18

Kept at Coed Dias, Ffawyddog
Cwmyoy
in the County of Monmouth
by W. Baker Gabb

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Llanvihangel G.W.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02		.16	s 10 .36		.28		.45	.10		.07	s .13	1
2	.01		.05			.09		.02		.08	.27	s .02	2
3	.03	s .08		s .24		.06		.02		.49	.03		3
4	.02		s 8½ .43				.04	.10		.73	.02		4
5	.57		s .43	.11		.11			.90	.47	.16		5
6			s .72			.12				1.04	.38	.02	6
7	.29						.10	.12		.45	.28		7
8	.56		s .27	.29		.12	.78	1.14	.02		.21	.23	8
9			.20	s .21	.14			.35	.30	.09	.83		9
10	.25		.42	s .35				.39	.05	.02		.02	10
11	.17		.04	s .29	.30			.58		.37	.12		11
12	.17				1.35	.01		.08		.32			12
13		.02	.20	.10				.55	.15				13
14			.02	.13				.12	.02	.05		.03	14
15	s .05			.06	.08		.15	.02	.05	.13		s .19	15
16	s .03			.15		.12	.03	.85	.10	.02		s 3½ .48	16
17			.02	.10	.75		.76	.05	.10	.15			17
18	.01	.10		.01	.13		.80	.04	1.23				18
19	.02	.82	.38			.40		.02	.01		.03		19
20		.07	.03		1.23	.07		.05	.08		.02		20
21		.12	s .20		.12	.07	.01	.55		.04		.01	21
22		.01				.04		.48		.07	.03		22
23		.28			.15	.03				.06	.02		23
24		.03	.02			.08	.26	.29		.39	.12	.02	24
25		.07	.08					.11	.01	.13	.02		25
26			.02		.15			1.36	.20	.06	.03		26
27					.86		.39	.99		.04	.02		27
28			.15			.39		.40			.01	.06	28
29			.09			.12	.03	.33		.75		.70	29
30		X	.04					.43		.38	.05	.02	30
31		X	.07	X	.24	X		.12	X	.09	X	.02	31
Total	2.20	1.60	4.04	2.40	5.50	2.11	3.35	10.01	3.32	6.42	2.72	1.95	YEAR'S TOTAL 45.62
Rain Days	14	10	22	13	12	16	11	28	15	24	20	14	199

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
6. 1. 9

Kept at ~~The~~ Coed Dias, Ffawyddog
in the County of Cwmyoy Monmouth
by W. Baker Gabb

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Llanvihangel, G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06	.02	.20				.25	.09	.03	2.07	.02	1
2		.15	.01	.21	.01			.40	.03	.01	.06	.28	2
3		.28	.02	.28	.51			.04	.56	.07	.13	.01	3
4		.10	.01	.04				.18	.98	.16	.92	.50	4
5		.07		.15	.31			.15	.26	.52	.05	.09	5
6		.13		.05		.06		.01	.04	.36		.11	6
7		.10		.03	.43	.02			.82	.11		.18	7
8	.04	.24							.11	.32	.01	.02	8
9	.11	.45		.49		.60	.09		.32	.13	.05	.13	9
10	.19	.04		.15			.62		.30	.08	.04	.26	10
11	.02	.03	.10		.11		.68		.07	.02	.05	.19	11
12	.05	.75	.15		.12		.25		.08	.06		.03	12
13	S .05	.07	.02			.03	.20		.32	.03		.12	13
14	.35	.02	.11		.06	.02	.16		.52			.29	14
15	S .56	.01	.01	.10		.07	.80		.06			.53	15
11 in: Snow 16	S .33			1.30		.02	.10	.04	.73			.24	16
3 in: S 17	.33		.03	.01			.07		.62	.13		.23	17
18	.71		.06			.01	.25		.89	.05		1.03	18
19	.27	.04	.43			.47	.19		.30	.09		.14	19
20	.35	.22		.40		.10	.19		.43	.02		.02	20
21	.23	.10		.24		.12	.02		.65	.08		.25	21
22	.02	.03			.35		.07		.13	.09		.81	22
23	.12				1.11		.13		.20		.14	.02	23
24	.09	.19					.17	.05	.08	.02	.24	.15	24
25					.10		.38	1.25	.04	.04	.09	.03	25
26		.03		.09			.35	.05	.08	.03	.15	.67	26
27		.06	.27					.25	.47		.07	.10	27
28		.14	.86						.01		.06	.20	28
29			.11						1.32	.04		.15	29
30		×	.46	.03					.04	.11	.11	.20	30
31		×	.46	×		×		.24	×		×	.02	31
Total	3.82	3.31	3.13	3.77	3.11	1.52	4.72	2.91	10.55	2.60	4.24	7.02	YEAR'S TOTAL 50.70
Rain Days.	~~16~~ 17	23	17	16	10	11	18	12	30	24	16	31	22~~4~~5 225

W. 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

7 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Tref Deas ~~[illegible]~~ Crucorney
in the County of Monmouthshire
by W. Baker-Gabb

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Llanvihangel G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	.02	.07	.08	.01		.20		.09	.33		.65	1
2	.19		.08		.02	.15	.43	.05	.15	.05	.09	.15	2
3	.08		.13		.04		.10		.05		.18	.59	3
+2 inches Snow 4	.05	S.37	.26				.14	.04	.40		.03	.22	4
5	.02	.40	.17						.02		.04	.57	5
6	.58	.11	.18							.02		.48	6
7	.32		.15	.13	.04				.02				7
8	.38		.07	.06		.07							8
9	.76		.03	.12							.22	.65	9
10	.09		.80	.02	.15						.09	.65	10
11	.03		.83	.05	.08	.64	.16			.03		.01	11
12	.02		.24	.13		.02	.08		.03	.15	.08	.04	12
13	.20			.40		.01	.04		.36	.25		.14	13
14	.37	.13		.37				.02	.08	.32		.40	14
15	.40	.09		.18				.06			.01	.52	15
16	.27	1.16						.11			.17		16
+10 inches Snow 17	.04	S 1.18				.03		.07			.42	.02	17
18	.04	.04	.66					.27	.07		.14	.10	18
19	.30	.32	.66			.15	.89	.49	.14		.14	.02	19
+1 inch Snow 20	.44	.13	S.68			.05		.07	.02		.16	.04	20
21	.08	.87	.07						.02		.03	.28	21
22		.21				.01	.17		.14		.02	.54	22
23		.01				.04		.02	.02	1.12		.14	23
24	.02			.06		.09		.02	.04	.54	.25	.29	24
25	.13			.15	.05		.10	.75	.04	.15	.12	.08	25
26	.04		.23	.07		.01		.78			.02	.33	26
+1 inch Snow 27	S.20		.09	.33				.76			.03	.03	27
+3 inches Snow 28	.04	.01	S.17	.02		.01		.31			S.26	.42	+3½ inches Snow 28
29	.11		.06	.08		.02					.04	.50	29
30	.02		.02	.06		.25		.29	.12	.03	.30	.43	30
31							.05					.07	31
TOTAL	5.53	5.05	5.65	2.31	.39	1.55	2.36	4.11	1.81	2.99	2.84	8.36	YEAR'S TOTAL 42.95
Days with ·01 in. or more	28	15	21	17	7	15	11	16	18	11	22	28	209

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

See DL

3451

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Coed Dia Gurnney Fawr Valley
in the County of Monmouthshire
by W. Baker-Gabb

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Llanvihangel Crucorney
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02		.29	.44		.80		.08	.29	.02	.81	1
S 2	.25 S.	.16		.09	.02		.08	.07	.06	.26		.31	2
3	.08			.13	.20	.02	1.50	.02	.02	2.37		.22	3
4	.02	.08		.01	.02		.04	.39	.01	.86			4
5			.18	.13			.30		.08	.30			5
6			.30	.03	.18		.12	.18	.01	.11		.04	6
7	.01		.05	.14			.30					.03	7
8	.20	.06		.73	.11		.24	.23		.01			8
9	.35	.20		.63		.02	.06	.02					9
10	.41	.24	.06	.07		1.09	.12			.05	.02	.03	10
11	.30	.09	.33	1.15	.34	.06	.05			.02		.01	11
12	.17	.16	.04	.41	.04	.84	.03	.15		.03	.13		12
13		.06	.77	.34		.04					.08	.04	13
14		.04	.75 S	.64		.17	.16		.60	.05	.69	.08 S	14
15		.16	.21	1.26	.07	.12			.01	.14	.10		15
16		.03	.08	.17	.11	.60	.29		.61	.97	.12		16
17	.02		.06		.21			.09	.82	.34		.06	17
18	.16			.15	.22	.06		.11	.54			.10	18
19	.07	.21		.41	.19	.23					.01		19
20		.06		.60	.43	.05				.02	.01	.19	20
21	.04			.34			.08		.02	.08		.14	21
22	.05						.16	.11	.03			.32	22
23	.03		.02				.47					.35	23
24	.07			.03				.02			.18	.41	24
25	.08	.06	.25	.08		.02	.57	.07			.01	.06	25
26	.16	.04	.35	.06		.05	.14				.31	.07	26
27	.69	.11	.42	.20	.06	.33	.08				.10	.71	27
S. 28	.91 S.		.21	.09	.22	.15						.06	28
29	.47	.01	.42	.03	.20	.01	.37				.14	.81	29
30	.18	×	.23	.13	.03	.14	.14		.53		.74	.48	30
31	.12	×	.32	×		×	.07		×	.61	×	.21	31
Total	4.84	1.79	5.05	8.39	3.09	4.00	6.17	1.46	3.42	6.51	2.66	5.54	Year's Total 52.92
Days with ·01 in. or more	23	18	19	27	18	18	23	12	14	17	15	23	227
Days with ·04 in. or more	19	15	18	28	15	14	22	9	8	13	10	20	187

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

GRWYNE FAWR
FWTHOG
FFWYDD
MONMOUTHSHIRE
1911 - 1915

FORM A2.
BRITISH RAINFALL.

23 FEB 1912

R

Kept at Ffwydd
nea

in the County of Mo

by Baldwin

in.
nd ·10 ft. " in.
Level 1380·14 ft.
nce Direction

IMPORTANT NOT … result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02 F	– F	·03	·04 S.H	·02	–	·07	·20	–	·01	·23	·02	1
2	·03 S.F	– F	·04	·03 S.H	·13	–	–	·27	–	·10	·14	·18 S.H	2
3	·01 S.F	– F	·03 S.H.F	·01 S.H	·33	–	– T	·07	·06	·03	·12	·32 S.H	3
4	F.D S.F	– F	·14 S.H.F	·04 S.H	·02	–	·01 T	·06	·07	·02	·29	·56 S.H	4
5	·11 F	– F	·07	·06 S.H	–	–	·04	·21 T	–	·24	·10 S.H	F.D S	5
6	·12 F	– F	·02	·03 S	–	–	–	·07	–	·02	·28 S.H	·59 S	6
7	·02 F	– F	–	·01 S.F	–	–	–	–	–	–	·44 S.H	·98 S.H	7
8	·04 F	– F	·23 S.H.F	F.D S.F	–	–	–	–	·03	–	·71 S.H	·49 S.H	8
9	·05 F	– F	·04 S.H.F	– S.F	– T.L	– T.L	–	–	–	·03	·45 S.H	·15 S.H	9
10	·03 F	·07 F	·20 S.H.F	–	– T.L	– T.L	–	–	·02 T	–	·06 S.H	·76 S	10
11	·13 F	·01	·01 S.H.F	–	·47 H.T.L	–	–	–	·01 T	– T.L	·48 S.H	·06 S	11
12	– F	F.D	·29 S.H.F	–	·27 H.T.L	–	–	–	·33 T	·02 T.L	·42 H	·29 S.H	12
13	– F	·02	·03 S.H.F	–	·26 H.T.L	–	–	–	·35	·03 T.L	·05 H	·56 S.H	13
14	– F	–	F.D. S.H.F	–	·02	– T.L	–	–	·02	·04	·04 H	1·60 S.H	14
15	– F	·09	·03 S.H.F	–	–	·05 T.L	–	–	–	·07	·36 H	·11 S.H	15
16	– F	·01	F.D S.H.F	–	–	·16 T.L	–	–	–	·03	·17 H	·18 S.H	16
17	– F	·09	·02 S.H.F	·04 T.L	–	1·44 T.L	–	–	–	·03	·28 H	·67 S.H	17
18	– F	·32 S	·25 S.H.F	·22 H.T.L	–	·13 T.L	–	F.D	–	·08	·04 S	·61 S.H	18
19	– F	·06 S.F	·03 S	·15 H.T.L	–	·47	–	·02 T.L	·85 T.L	·51	·08 S.H	·39 S.H	19
20	– F	·13	·07	·13	–	·08	–	·01 T.L	·14 T	·09	·02 S	·98 S	20
21	·23	·12	·30	·02	–	·05	·02 T	·52 T.L	·05	·48	·03 S	·09 S	21
22	·04	·09	·24 S	·10	·02	·19	·03 T	·03	·03	·37	·04 S	·69 S.F	22
23	·02	·16	·15 S.H.F	·03	–	·09	–	·17	·26	·18	·02 S.F	·21 S	23
24	·01	·09	·02 S.H.F	·12 H	–	·65	–	·02	·05	·10	·01 S.F	·24 S	24
25	·02 F	·07	F.D F	·08 H	– T.L.	·07	–	·08	·06	·18 T.L	– F	·13 T.L	25
26	·01 F	·26	– F	·20 H	·35 T.L	·06	–	·01	·02	·10 T.L	·09 S	·10 T.L.S	26
27	F.D F	·39	·38 S.H	·11 H	·03 T.L	·02	–	·62	·27 T.L	·02 T	·08 S.H	·17 T.L.S	27
28	– F	·30	·06 S.H	·35 H	–	–	– T	·03	·06	·03	·32 S.H	·02	28
29	– F		·02	·08	–	·23	·81 H.T.L	·01	·23	·45 H	·04 S	–	29
30	– F		·03	·03	·08	·08	·27 T	– T	·02	·27 H	·10 S	–	30
31	– F		F.D		–		·05	– T		·03		–	31
Total	·89	2·28	2·73	1·88	2·00	3·77	1·30	2·40	2·93	3·56	5·49	11·15	TOTAL for year 40·38
No. of Rain Days	16	17	25	21	12	15	8	17	20	27	29	27	234

9,000, IX. '10.

REGISTER OF RA

FORM A2.
BRITISH RAINFALL.
23 FEB 1912

Kept at Ffwydd Fwthog. near Abergavenny.
in the County of Monmouth. 3
by Baldwin Latham.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ·70 ft. " in.
" " " Sea Level 1380·14 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02 F	– F	·03	·04 S.H	·02	–	·07	·20	–	·01	·23	·02	1
2	·03 S.F	– F	·04	·03 S.H	·13	–	–	·27	–	·10	·14	·18 S.H	2
3	·01 S.F	– F	·03 S.H.F	·01 S.H	·33	–	– T	·07	·06	·03	·12	·32 S.H	3
4	F.D S.F	– F	·14 S.H.F	·04 S.H	·02	–	·01 T	·06	·07	·02	·29	·56 S.H	4
5	·11 F	– F	·07	·06 S.H	–	–	·04	·21 T	–	·24	·10 S.H	F.D S	5
6	·12 F	– F	·02	·03 S	–	–	–	·07	–	·02	·28 S.H	·59 S	6
7	·02 F	– F	–	·01 S.F	–	–	–	–	–	–	·44 S.H	·98 S.H	7
8	·04 F	– F	·23 S.H.F	F.D S.F	–	–	–	–	·03	–	·71 S.H	·49 S.H	8
9	·05 F	– F	·04 S.H.F	– S.F	– T.L	– T.L	–	–	–	·03	·45 S.H	·15 S.H	9
10	·03 F	·07 F	·20 S.H.F	–	– T.L	– T.L	–	–	·02 T	–	·06 S.H	·76 S	10
11	·13 F	·01	·01 S.H.F	–	·47 H.T.L	–	–	–	·01 T	– T.L	·48 S.H	·06 S	11
12	– F	F.D	·29 S.H.F	–	·27 H.T.L	–	–	–	·33 T	·02 T.L	·42 H	·29 S.H	12
13	– F	·02	·03 S.H.F	–	·26 H.T.L	–	–	–	·35	·03 T.L	·05 H	·56 S.H	13
14	– F	–	F.D. S.H.F	–	·02	– T.L	–	–	·02	·04	·04 H	1·60 S.H	14
15	– F	·09	·03 S.H.F	–	–	·05 T.L	–	–	–	·07	·36 H	·11 S.H	15
16	– F	·01	F.D S.H.F	–	–	·16 T.L	–	–	–	·03	·17 H	·18 S.H	16
17	– F	·09	·02 S.H.F	·04 T.L	–	1·44 T.L	–	–	–	·03	·28 H	·67 S.H	17
18	– F	·32 S	·25 S.H.F	·22 H.T.L	–	·13 T.L	–	F.D	–	·08	·04 S	·61 S.H	18
19	– F	·06 S.F	·03 S	·15 H.T.L	–	·47	–	·02 T.L	·85 T.L	·51	·08 S.H	·39 S.H	19
20	– F	·13	·07	·13	–	·08	–	·01 T.L	·14 T	·09	·02 S	·98 S	20
21	·23	·12	·30	·02	–	·05	·02 T	·52 T.L	·05	·48	·03 S	·09 S	21
22	·04	·09	·24 S	·10	·02	·19	·03 T	·03	·03	·37	·04 S	·69 S.F	22
23	·02	·16	·15 S.H.F	·03	–	·09	–	·17	·26	·18	·02 S.F	·21 S	23
24	·01	·09	·02 S.H.F	·12 H	–	·65	–	·02	·05	·10	·01 S.F	·24 S	24
25	·02 F	·07	F.D F	·08 H	– T.L.	·07	–	·08	·06	·18 T.L	– F	·13 T.L	25
26	·01 F	·26	– F	·20 H	·35 T.L	·06	–	·01	·02	·10 T.L	·09 S	·10 T.L:S	26
27	F.D F	·39	·38 S.H	·11 H	·03 T.L	·02	–	·62	·27 T.L	·02 T	·08 S.H	·17 T.L.S	27
28	– F	·30	·06 S.H	·35 H	–	–	– T	·03	·06	·03	·32 S.H	·02	28
29	– F		·02	·08	–	·23	·81 H.T.L	·01	·23	·45 H	·04 S	–	29
30	– F		·03	·03	·08	·08	·27 T	– T	·02	·27 H	·10 S	–	30
31	– F		F.D		–		·05	– T		·03		–	31
Total	·89	2·28	2·73	1·88	2·00	3·77	1·30	2·40	2·93	3·56	5·49	11·15	TOTAL for year 40·38
No. of Rain Days	16	17	25	21	12	15	8	17	20	27	29	27	234

9,000, IX. '10.

Ex Ds

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
27 JAN 1913

Kept at Ffwydd Twthog near Abergavenny
in the County of Monmouth
by Baldwin Latham.

3

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ·70 ft. " in.
" " " " Sea Level 1380·14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"^{F}	"^{F}	·59	"	·04	·54^{T}	"	·02	·01	·65	"	·04$^{F.S}$	1
2	"^{F}	"^{F}	·31	·06	·02	·32	·27	·08	·03	·06	"	·14$^{F.S}$	2
3	·06	"^{F}	·47	·02	·21	·18	·06	2·23	·02	·02	·05	·11	3
4	·42^{S}	F.D$^{F.S}$	·84	·01^{F}	·18	·04	·02	·14	·08	"	·31	·02	4
5	·43^{S}	·16$^{F.S}$	·29	"^{F}	·06	"	·01	·42	·09	"	·03	·01	5
6	·54^{S}	·24^{F}	F.D	·02^{F}	·03	"	"	·49$^{T.L}$	·02	"	·02	·03	6
7	·08$^{S.F.}$	·54	·29	"^{F}	·21	·28$^{T.L}$	·04	·15$^{T.L}$	·01	"	·01	·07^{S}	7
8	·49$^{T.L}$	·21	·11	·02^{S,F}	·03	·09$^{T.L}$	·15	·03$^{T.L}$	·04	"	·01	·37^{S}	8
9	·05	·07	·83	·23$^{S.H.F}$	·01	·38$^{T.L}$	·02	·47$^{T.L}$	·02	"	"	·65^{S}	9
10	·37	·26	F.D	·04	·02	·14	·15	·15$^{T.L}$	F.D	"	·18$^{S.H.F}$	·10	10
11	·03	·02	"^{F}	·02	·01	·15	·10	·09$^{T.L}$	"	"	·09$^{S.F}$	·12	11
12	·02	·23	·09	·06	·19	·04	·03	·01	"	"	·17$^{S.F}$	·04	12
13	·07	·04	·01	·03	·02	·03	·01	·16	"	"	"^{F}	·02	13
14	·08	·39	·54	·02	·16	·02	"	·02	·10	·14	"^{F}	·01	14
15	·55	·11	·02	"^{F}	·29^{H}	·31	"	·10	·04	·02	·03^{F}	·03	15
16	·83^{S}	·05	·28$^{S.H}$	"^{F}	·15	·06	"	·13	"	"	·02^{F}	·32	16
17	·29$^{S.F}$	·02	·18$^{S.H}$	"^{F}	·01	·18	"	·39	"	·12	"^{F}	·26	17
18	·42^{S}	·03	·02$^{S.H}$	"^{F}	"	·02	"	·11	"	·10	·03^{F}	·12	18
19	·12	·25	·09$^{S.H}$	"^{F}	·02	F.D	·06	·62	"	·08	·05^{F}	·13	19
20	·11	·03	·66$^{S.H.F}$	"^{F}	·01	·03	·08	·23	"	·25	·03^{F}	·40	20
21	·03^{F}	·06	·77^{F}	"^{F}	·75^{T}	·12	·25	·67	"	·14	·01^{F}	·12	21
22	·57^{S}	·33	·08^{F}	"^{F}	·39	·05	·65	·50	"	·49	·12	·13	22
23	·42^{S}	·26^{F}	·44	"^{F}	·06	·20	·48	·37	"	·03	·06	·17	23
24	·23^{S}	·06^{F}	·05	"^{F}	·01	·07	·06	·03	"	·06	·04^{F}	·31	24
25	·05^{S}	·01^{F}	·02	"^{F}	"	·31	·11	1·44	"	·52	·41$^{S.F}$	·68	25
26	"^{F}	·19	·09	"^{F}	"	·25	·02	·71	"	·99	·35$^{S.F}$	·16	26
27	"^{F}	·04	·07	"^{F}	"	·44	1·32	·25	"	·83	·42$^{S.F}$	·42	27
28	"^{F}	·09	·08	"$^{F.T.}$	"	·21	1·02	·65	·44	·36$^{T.L}$	·03$^{S.F}$	·27	28
29	"^{F}	·12	·02	"$^{F.T.}$	"	·18	·17	·24	1·00	·59$^{T.L}$	·05$^{S.F}$	·06	29
30	·03^{F}		·20^{S}	"^{F}	"	·21	·18	·02	·03	·18	·18$^{S.F}$	·03	30
31	·04$^{S.F}$		·19$^{S.H}$		·12^{T}		·62	·05		·06		·12^{S}	31
Total	6·33 ✓	3·81 ✓	7·63 ✓	·53 ✓	3·00 ✓	4·85 ✓	5·88 ✓	10·97 ✓	1·93 ✓	5·69 ✓	2·70 ✓	5·46 ✓	YEAR'S TOTAL 58·78 ✓
Rain Days.	25 ✓	25 ✓	28 ✓	11 ✓	24 ✓	27 ✓	24 ✓	31 ✓	14 ✓	20 ✓	24 ✓	31 ✓	284 ✓

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

11 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Ffwydd Fwthog, near Abergavenny.
in the County of Monmouth
by Baldwin Latham

3

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ·10 ft. " in.
" " " " Sea Level 1380·14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·19 S	·31 SH	·08	·05 T	·02	"	"	·27	·10 TL	·20 F	·03	1
2	·06	·25 S	·25 SH	·03	·12 T	·01	"	"	·06	·95 TL	·21 F	·04	2
3	·34	·06 S	·09	·22	·78 T	"	"	"	·29	·74	·02 F	·17 S	3
4	·93	·08 S	·16	·01	·37 T	"	·12	"	2·47	·16	·09 F	·32 S	4
5	·08	·07 S	·05	"	·28 T	·07	·05	"	·10	·11 TL	·17 F	·17	5
6	·10	·16 S	·07	"	·05	·02	·03	"	·03	·67 TL	·14 F	·49	6
7	·07	·59	·03 S	"	·74 T	·05	·05	"	·01	1·18	·16 F	·12	7
8	·09	·32	·02 S	"	·78 T	·38 T	·08	"	"	·21	·02	·05	8
9	·04	·34	·05	·07	·39	·33 T	·15	·03	"	·02	·43	·03	9
10	·74 S	·05	·03	·12	·08	·06 T	·07	·12	·08	·81	·12	·02	10
11	·76 SF	·02	·02	·06	·14	"	·02	·27	·02	·03	·61	·01	11
12	·05 SH	" F	·01	·39	·95 H	·03 T	"	·10	"	·02	·99 S	F.D.	12
13	·06 SH	" F	·23 SH	·08	·16	·02	"	·03	·49	·01	·35	"	13
14	·11 SH	" F	·16 SHTL	·31	·02	·01	"	·04	·07	·12	·05	"	14
15	·47 SH	" F	·52 SHTL	·79 SHF	"	"	"	·12	·35	·02	·08	"	15
16	·41 S	·04 SF	·54 SH	·24 SHF	"	"	·08	·40	·04	·01	·03	·04	16
17	·15 SH	·03 SF	·05 SH	·25 SHF	"	·02	"	"	"	·01	·09	·02	17
18	·22 S	" SF	·05 SHTL	·52 SHF	"	·18	·04	"	"	·02	·03	·01	18
19	·31 S	" ST	·65 SHTL	·06 SH	·06 H	·11	·06	"	·02	·17	·02	F.D	19
20	·34 S	" SF	·34 SHTL	·32 SH	·04 H	·09	·01	"	·10	·02	·87	"	20
21	·79 S	" F	·63 SHTL	·03	"	·14	·11	·15	·02	·09	·06 F	"	21
22	·05 S	" F	1·02 SHTL	·18	"	·08	·06	·04	·55	·07	·03 F	·07	22
23	·08	" F	·06 S	·03	"	·02	"	·41	·02	·01	·14 F	·05 S.F.	23
24	·06	" F	·01	·01	·02	·01	"	·06	"	·02	·09 F	·02	24
25	·01	·12 S	"	·48	·16	"	"	·02	"	·10	·01	·09	25
26	"	·03 S	"	·85	·05	"	"	·30	"	·03	"	·31 SF	26
27	·09	·03 S	·39 S	·24	·18	"	"	·01	·02	1·15 TLH	"	·04 SHL	27
28	·40	·01 S	·18 S	·38	·15	"	"	"	·09	·12 TLH	"	·02 S	28
29	·03		1·12 SH	·06	·11	"	"	·06	·04	·34 TLH	·07	" S	29
30	·21 S		·03 S	·42	·04	"	"	·03	·01	·63 T,LH	·12	"	30
31	·26 S		·23 S		·12		·01	·05		·09 HF		"	31
Total	7·38 ✓	2·49 ✓	7·30 ✓	6·23 ✓	5·84 ✓	1·65 ✓	·94 ✓	2·24 ✓	5·15 ✓	8·03 ✓	5·20 ✓	2·12 ✓	YEAR'S TOTAL 54·57 ✓
Rain Days.	30 ✓	17 ✓	29 ✓	26 ✓	24 ✓	19 ✓	15 ✓	18 ✓	22 ✓	31 ✓	27 ✓	21 ✓	279 ✓

For 1149

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 FEB 1915

Kept at Ffwydd Gwthog
near Abergavenny
in the County of Monmouth 3
by Baldwin Latham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ·70 ft. - in.
" " " " Sea Level 1380·14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·03	·11 SH	-	-	·09	·32 TL	·69	-	-	·27	·11 SH	1
2	-	·02	·12 SH	·05 S	·06	·07	·81 TL	·10	-	-	·60	·44 SH	2
3	·04	·01	·26 SH	·26 S	·25	·05	·06	·06	-	-	·04	·16 SHTL	3
4	·03	F.D.	·14 SH	·13 SH	·23	·03	·35	·03	-	-	1·20	·57 SHTL	4
5	·24 S	-	·16 SH	·32 SH	·10	·02	·04	·02	-	-	·06	·24 SHTL	5
6	·05 S	·15	·10 SH	·11	·27	·03	·02	·08	-	-	·02	·07 SHF	6
7	·07 S	·11	·17 S	·09	·54	·06	·43 TL	·25	-	-	·03	·56 SHTL	7
8	·06 S	·29	·08 S	·12	·22	1·21	·05	·26 T	·02	-	·19	·07 SH	8
9	·11 SF	·10	·31 S	·27	·23	1·64	·02	·25 T	·06	-	·05	·21 SHTL	9
10	·03 SF	·27	·04 S	·22	·04	·07	F.D	·03	·34	-	·06 H	·02	10
11	·02 SF	·24	·26 S	·03	·03	·51	-	-	·31	-	·24 H	1·13 SH	11
12	·01 SF	·32	·20 S	·02	F.D	·04	-	-	·11	-	·18 H	·97 SH	12
13	F.D SF	·03	·23 S	·01	-	-	·12	-	·46	·50	·16 HSF	·23 SHF	13
14	- SF	·04	·39 S	-	-	-	·14	·12 TL	·18	·27	·12 F	·03 S	14
15	- SF	·79	·12 S	-	-	-	·09	·29 TL	·27	F.D.	·23 HF	·06 S	15
16	·06 SF	·43	·30 S	-	-	-	·11	·08	·04	·03	·07 HF	·55 S	16
17	·05 SF	·24	·06 S	-	-	-	·02	·03	·07	·01	·02 F	·04 S	17
18	·04 SF	·03	·68 S	-	-	·06 TL	·01	F.D	·11	·02	·01 F	·04 S	18
19	·07 S	·02	·04 S	-	-	-	·05	-	·03	·01	- F	·09 S	19
20	·04 S	·05 TL	·07 S	-	-	·13 TL	·12 TL	-	·01	·01	- F	·16 SH	20
21	·05 S	·52 TL	·04 S	-	·07	·05 TL	·57 TL	·14 TL	-	·43	·05 SHF	·02 S	21
22	·03 S	·81 TLS	·13 S	·05	·19 TLH	·03 T	·10	·05 TL	-	·04	·03 SF	·15 SF	22
23	·01 S	·22 S	·21 S	·04	·18 TLH	·06 T	·18	·04 TL	-	·46	·02	- F	23
24	·02 S	·07 S	·13 S	·01	·03	-	·02	·12 TL	-	·27 H	·04	- F	24
25	·12 S	·06 S	·08 S	-	-	-	·09	·46 TL	-	·19 H	·18	·54 S	25
26	·09 S	·04 S	·09 SH	-	-	-	·14	·07	-	·11 H	·35	·45 SH	26
27	·08	·05 S	-	-	-	-	·06	·02	-	·04 H	·03	·26 SH	27
28	·14	·23 S	·24 SH	-	·18	-	F.D	-	-	·16 H	·40	·48 SH	28
29	·05	×	·32 SH	-	·03	-	-	-	-	·29 H	·42 H	·07 SH	29
30	·44	×	·37 SH	·06	·02	-	-	-	-	·28	·64 H	·61 SH	30
31	·78	×	·04	×	-	×	·21	-	×	·77	×	·28 SH	31
Total	2·73	5·17	5·49	1·79	2·67	4·15	4·13	3·19	2·01	4·49	5·71	8·61	YEAR'S TOTAL 50·14
Rain Days.	26	26	30	16	17	17	25	21	13	18	28	29	266

W. 8,000. X. 14.

3990

FORM A.
BRITISH RAINFALL.
1 - FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Ffwydd Fwthog, near Abergavenny.

in the County of Monmouth.

by Baldwin Latham

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ·70 ft. - in.
" " " " Sea Level 1380·14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·57^{SH}	·17	·01^{SH}	-	·17	·15	·03	·55	·05	·41	·04^{F}	·31	1
2	·09^{SH}	·22	·29^{SH}	·02^{S}	·11	·02	·02	1·35	·02	·20	·03^{F}	·22	2
3	·08^{SH}	·21	·07	·12^{SH}	·02	-	·55^{TL}	·18	·01	·03	·02^{F}	·39	3
4	·17^{SH}	·32	·02	·08^{S}	·23	-	·83^{TL}	·14	-	·02	·01^{F}	·68	4
5	·23^{SH}	·71	·01	·11^{S}	·02	-	·05	·32	-	·01	·05^{F}	1·19	5
6	·22^{SH}	·18	·02	·22^{SH}	-	-	·17	·03	-	·01	·02^{F}	·56	6
7	·06^{SH}	·45^{SH}	·01	·05^{SHF}	·31	-	·14	·05	-	·04	·01^{F}	·37	7
8	·28^{SH}	·24	FD	·08^{SHF}	FD	-	·02	·09	-	·06	FD^{F}	·59	8
9	·07^{SH}	·30	-^{F}	·29^{SH}	-	-	-	·03	-	·08	·05^{F}	·22^{S}	9
10	·25^{SH}	·07	-^{F}	·07^{SH}	-	-	-	·07	-	·03	·06^{F}	·08	10
11	·10^{SH}	·04^{SF}	-^{F}	·04^{H}	·03	-	·05	·04	-	·02	·37^{SF}	·05^{S}	11
12	·12^{SHTL}	·27^{SF}	-^{F}	·15^{SH}	·42^{SH}	-	FD	·06	-	·19	·07^{SF}	·03	12
13	·01	1·62^{SHF}	·02	·03	1·06^{S}	-	-	·03	·12	·12	·03^{SF}	·02	13
14	·04	·02^{SHF}	·03	·01	·20	-	-	·15	·03	·05	·01^{F}	·45	14
15	·03	·05	·09^{SHF}	FD	·04	-	·16	·34	·02	·02	-^{F}	·22	15
16	·02	·46^{SH}	·04^{SHF}	-	·02	-	1·66	·17	FD	·01	-^{F}	·05	16
17	·47^{SH}	·34	·05^{SHF}	-	·89	-	·13	·07	-	·03	-^{F}	·02^{F}	17
18	·04^{S}	·58	·02	-	1·18	-	·02	·03	-	·04	·19^{S}	FD^{F}	18
19	·35^{SH}	·09^{HF}	·01	·03	·29	-	·01	·01	-	·02	1·10^{S}	-^{F}	19
20	·07^{S}	·01^{F}	FD	·01	·05	-	·04	·02	-	·01	·69^{S}	·10	20
21	·05^{S}	·08^{SF}	-	·08	·03	-	·12	FD	-	·09	·08^{S}	·04	21
22	·06^{S}	·07^{SF}	·29^{SH}	·12	·01	-	·08	-	-	·05	·01^{F}	·35	22
23	·17^{SH}	·02^{F}	·10^{SH}	·03	·02	·02	·22	-	-	·17	-^{F}	·39	23
24	·03^{S}	-^{F}	·09^{S}	·05	-	·03	·17	-	·07	·67	-^{F}	·66^{S}	24
25	·02^{S}	-^{F}	·05^{S}	·02	-	·68	·47	-	·03	·05	·02^{F}	·31	25
26	·01^{S}	·17^{SH}	·03^{S}	·01	-	·05	·10	-	·01	·03	·06^{SF}	·83	26
27	-^{S}	·05^{SH}	·02^{S}	FD	-	·11^{T}	·13	-	·02	1·19	·05^{SF}	·06	27
28	-^{S}	·12^{SHF}	·02^{S}	-	-	·12	·05	·06	·31	·22	·02^{SF}	·09	28
29	-^{S}	X	·01^{SF}	-	-	·10	·01	·04	·25	·39	·24^{S}	·15	29
30	·16^{SH}	X	·01^{SF}	·06	-	·55	-	·06	·04	1·00	·41^{S}	·27^{H}	30
31	·02	X	-^{SF}	X	-	X	·19	·10	X	2·52	X	·59^{SHTL}	31
Total	3·79	6·86	1·31	1·68	5·10	1·83	5·42	3·99	·98	7·78	3·64	9·29	YEAR'S TOTAL 51·67
Rain Days.	28	26	23	22	19	10	25	24	13	31	24	29	274

W. 8,000. X. 15.

LITTLE MILL

MONMOUTHSHIRE REFORMATORY

MONMOUTH

1918 - 1920

RE

FORM A.
BRITISH RAINFALL

14.1.19

Kept at Monmou... m.
...ttle Mill Jun.

in the County of M...
...auge 5 in.

by F. E. Crav...
...Ground 1 ft. in.
...Sea Level 300. ft.

IMPORTANT ... he result entered to the previous day. If an ... rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following y... in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·22.		·05.					·01		1·46.		1
2		·34	·08.	·22.				·23.	·03.			·29.	2
3		·38.	·01	·68.	·23			·22.		·14.	·25.		3
4		·02		·2.				·37.	·11	·34.	1·97.	·17.	4
5		·04		·12.	·12.			·19.	·72	·51			5
6		·38.		·12.	·02.			·11	·52	·34	·14		6
7					·6				·35.	·81	·12.		7
8		·15							·37.	·05.		·97.	8
9		·5		·35.		·18	·16.		·22.	·32.		·47.	9
10		·04		·08.			·3.		·34	·66.		·45.	10
11			·11	·02.			·19.		·23	·23	·13.	·2	11
12		·05.	·03.		·13								12
13		·15.	·03.				·2		·23.	·13.			13
14	·82.								·32.	·3.		·1	14
15	·2			·02.			·25		·43.			·23.	15
16	·4			·85.			·05		·31			·14	16
17	·61.		·33.	·03.			·18.		·11.	·05		·34	17
18	1·37.					·5			1·3.				18
19	·21.		·12.						·07.			·44.	19
20	·15.	·14.		·01.					·5	·15.			20
21	·14.	·19.		·15.			·1		·7.	·1		·31.	21
22	·01.	·01			·29.		·34		·13.	·13.	·42.	·47.	22
23	·03						·16	·19	·07.		·25.		23
24	·13.	·01					·23.		·03.			·35.	24
25					·07.		·39.	·11	·19.	·19			25
26				·13			·91		·38.		·05	·97.	26
27			·45.						·01	·19.		·13.	27
28			·28.							·14			28
29			(29)						·16			·07	29
30		X								·17.			30
31		X		X		X			X		X		31
Total	4·07	2·62	1·69.	3·03	1·46.	·68.	3·46	1·42.	7·84.	4·35.	4·79.	6·10	YEAR'S TOTAL 41·51.
Rain Days.	11	15.	10.	15.	7.	2.	13.	7.	26.	19.	9.	17.	151.

W. 6,500, VII. 18. W W C

RE

FORM A.
BRITISH RAINFALL
14. 1. 19

Kept at Monmouthshire Reformatory
in the County of Monmouth.
by F. E. Craven Jones. Supt.

Time of Observation 9. a.m.
Nearest Railway Station Little Mill Jun.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·22.		·05.					·01		1·46.		1
2		·34	·08.	·22.				·23.	·03.			·29.	2
3		·38.	·01	·68.	·23			·22.		·14.	·25.		3
4		·02		·2.				·37.	·11	·34.	1·97.	·17.	4
5		·04		·12.	·12.			·19.	·72	·51			5
6		·38.		·12.	·02.			·11	·52	·34	·14		6
7					·5				·35.	·81	·12.		7
8		·15							·37.	·05.		·97.	8
9		·5		·35.		·18	·16.		·22.	·32.		·47.	9
10		·04		·08.			·3.		·34	·06.		·45.	10
11			·11	·02.			·19.		·23	·23	·13.	·2	11
12		·05.	·03.		·13								12
13		·15.	·03.				·2		·23.	·13.			13
14	·82.								·32.	·3.		·1	14
15	·2			·02.			·25		·43.			·23.	15
16	·4			·85.			·05		·31			·14	16
17	·61.		·33.	·03.			·18.		·11.	·05		·34	17
18	1·37.					·5			1·3.				18
19	·21.		·12.						·07.			·44.	19
20	·15.	·14.		·01.					·5	·15.			20
21	·14.	·19.		·15.			·1		·7.	·1		·31.	21
22	·01.	·01			·29.		·34		·13.	·13.	·42.	·47.	22
23	·03						·16	·19	·07.		·25.		23
24	·13.	·01					·23.		·03.			·35.	24
25					·07.		·39.	·11	·19.	·19			25
26				·13			·91		·38.		·05	·97.	26
27			·45.						·01	·19.		·13.	27
28			·28.							·14			28
29			(25)						·16			·07	29
30										·17.			30
31													31
													YEAR'S TOTAL
Total	4·07	2·62	1·69.	3·03	1·46.	·68.	3·46	1·42.	7·84.	4·35.	4·79.	6·10	41·51.
Rain Days.	11.	15.	10.	15.	7.	2.	13.	7.	26.	19.	9.	17.	151.

W. 6,500, VII. 18. w w c

+ RL cordly Obs.

JAN 20

FORM A/1 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Monmouthshire Reformatory.

in the County of Monmouth.

by F. E. Craven Jones. Supt.

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Little Mill Jn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26		·18.						·25	·28.			1
2	·64	·03	·15				·19				·13.		2
3	·26.		·31									·47.	3
4	·13.	·21	·35.			·23.			·8			·51	4
5	·03.	·45	·34.		·01		·03.		·21.		·08.	·28	5
6	·45	·09	·95.				·64.					·22.	6
7	·15		·03.	·12.									7
8	·46.		·13.										8
9	·97.		·08	·07.							·17.		9
10	·01		·95.		·18.							·41	10
11	·25		·64.		·28							·24	11
12	·45		·02.	·04	·01.	·18.							12
13	·52.			·85.		·01.			·13.	·3.			13
14	·55.	·15.		·26.						·17.		·19.	14
15	·44	·02.		·04								·45	15
16	·21	1·42.									·61		16
17	·05	·85.											17
18		·08.	·72.					·27.			·12.	·5.	18
19	·4.	·64.	·88.				·85.	·31.					19
20	1·21.	·22.	·46.				·03.	·37.				·22.	20
21		1·48.					·72.						21
22		·15									·13.	·3.	22
23										1·1.		·23	23
24				·08					·28.	1·3.	·73.	·37	24
25	·08				·01			·61.					25
26			·18.					·74.	·12.			·57	26
27	·12.		·19.	·15.				·25					27
28	·03.		·32.					·36.			·42.	·47	28
29				·09.				·9.				·61	29
30			·29.	·05		·12.		·35				·58.	30
31												·04	31
TOTAL	7·67.	6·07.	7·17.	1·75.	·49.	·54.	2·46.	4·16.	1·79.	3·15	2·39.	7·26.	YEAR'S TOTAL 44·90
Days with ·01 in. or more	22	13	19	10	5	4	6	9.	6	5.	8	18.	~~125~~

3444

LITTLE MILL

MONMOUTH

1920

FORM A. 1. METEOROL … ZATION.

R…

… w.

Kept at Littl…

… Hill Junc: G.W.R.

in the County of…

…ge 4½ in.

by J. E. Cra…

…und 1 ft. – in.

… Level 300 ft.

IMPORTANT NOT… to the previous day.

If an Observer prefers no… …o add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23			·49			1·16	·02		·06	·04	·78	1
2	·57			·75			·53	·10	·50	·42		·42	2
3	·53						·75	·23		·72		·09	3
4				·67				·98		·47			4
5					·38		·43	·03		·17			5
6					·90		·11	·04		·35			6
7			·40	·58	·39		·06						7
8				·50			·39			·02			8
9	·33		·19	·33			·17						9
10	·47	·71	·12			·38	·30						10
11	·23		·33	·43		·04	·70						11
12		·15	·70			·10	·70			·03	·15		12
13	·14	·60	·11				·11		·48		·08		13
14	·90	·40				·04			·09	·24	1·05		14
15	·14		·70	·31		·23			·04	·35	·07		15
16	·32	·14			·45	·70	·23		·50	·53	·14		16
17				·13		04	·30		·75	·40			17
18		·22			·57	·04		·12					18
19	·90			·51		·10							19
20						·11	·20					·63	20
21	·30			·21	·39		·25	·50		·03		·04	21
22							·47	·20					22
23		·10						·10				·05	23
24	·70		·72								·13	1·30	24
25			·59	·25			·98					·25	25
26	·50						·20				·15	·03	26
27	1·10		·53			·35	·30					·14	27
28	·95				·11	·11	·10					·61	28
29	+✓		·13			·10						1·20	29
30	2·10 +✓	✕	·73			·31	·05		·55			·71	30
31	+✓	✕		✕		✕			✕	·42	✕	·32	31
TOTAL	10·41	2·32	5·25	5·16	3·19	2·65	8·49	2·32	2·91	4·21	1·81	6·57	YEAR'S TOTAL 55·29
Days with ·01 in. or more	19	7	12	12	7	14	22	10	7	143	8	14	~~144~~
Days with ·04 in. or more	19	7	12	12	7	14	22	8	7	11	8	13	~~138~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

140

3444

FORM A. 1. METEOROLOGICAL ~~OFFICE. BRITISH~~ ATION.

REGISTER OF RAINFALL IN 1920.

Kept at Little Hill
in the County of Monmouth
by J. E. Craven Jones

Lat. 40° Long. 3° W.
Time of Observation 9 am
Nearest Railway Station Little Hill Junc. G.W.R.
Diameter of Funnel of Rain Gauge 4½ in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23			·49			1·16	·02		·06	·04	·78	1
2	·57			·75			·53	·10	·50	·42		·42	2
3	·53						·75	·23		·72		·09	3
4				·67				·98		·47			4
5					·38		·43	·03		·17			5
6					·90		·11	·04		·35			6
7			·40	·58	·39		·06						7
8				·50			·39			·02			8
9	·33		·19	·33			·17						9
10	·47	·71	·12			·38	·30						10
11	·23		·33	·43		·04	·70						11
12		·15	·70			·10	·70			·03	·15		12
13	·14	·60	·11				·11		·48		·08		13
14	·90	·40				·04			·09	·24	1·05		14
15	·14		·70	·31		·23			·04	·35	·07		15
16	·32	·14			·45	·70	·23		·50	·53	·14		16
17				·13		·04	·30		·75	·40			17
18		·22			·57	·04		·12					18
19	·90			·51		·10							19
20						·11	·20					·63	20
21	·30			·21	·39		·25	·50		·03		·04	21
22							·47	·20					22
23		·10						·10				·05	23
24	·70		·72								·13	1·30	24
25			·59	·25			·98					·25	25
26	·50						·20				·15	·03	26
27	1·10		·53			·35	·30					·14	27
28	·95				·11	·11	·10					·61	28
29	+✓		·13			·10						1·20	29
30	+✓ ·10	✕	·73			·31	·05		·55			·71	30
31	+✓	✕		✕		✕			✕	·42	✕	·32	31
TOTAL	10·41	2·32	5·25	5·16	3·19	2·65	8·49	2·32	2·91	4·21	1·81	6·57.	YEAR'S TOTAL 55·29
Days with ·01 in. or more	19	7	12	12	7	14	22	10	7	14	8	14	~~144~~
Days with ·04 in. or more	19	7	12	12	7	14	22	8	7	11	8	13	~~138~~ 140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

2/45

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

LLANFRECHFA GRANGE
MONMOUTH

1911 - 1920

R

Kept at Llanfrech

in the County of Mon

by F. J. Mitch

ft. in.

l ft.

Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·06	·10		·02	·08			·07	·04	1
2				·65	·41			·22	·03	·02	·42	·45	2
3			·04	·03	·85			·06			·47	·11	3
4	·01		·16		·01			·13	·02	·03	·64	·71	4
5	·22		·25	·05				·18		·06	·11		5
6	·53		·06	·03				·06			·33	·92	6
7	·05			·01							·54	·02	7
8	·03		·23								·15	·62	8
9		·01									·18	·31	9
10	·12	·07	·68								·03	·43	10
11	·43				·45						·82	·20	11
12		·01	·49		·03			·01	·12		·85	·12	12
13					·10				·38	·30	·08	·42	13
14		·07									·05	·97	14
15		·11				·10				·02	·55	·15	15
16						·45					·34	·42	16
17		·15		·05		·15					·32	·45	17
18		·35	·07	·16 ·76		·13				·08	·02	·47	18
19		·05		·15		·25			·55	·35		·62	19
20	·01	·08	·11	·33					·21	·43		·85	20
21		·51	·09	·04		·23		·16	·10	·51		·14	21
22		·17	·22	·42		·18		·01	·05	·10		·82	22
23	·02	·43	·12	·02					·16	·41	·01	·38	23
24		·15	·02			·42		·23		·09		·27	24
25	·04	·21	·01	·27		·04			·08	·12		·15	25
26		·24	·02	·35	·16			·31	·01	·48	·10	·25	26
27		1·05	·23	·10				·52	·14		·07	·16	27
28		·26		·38				·17			·49		28
29				·03		·30	·10	·01	·17	·80			29
30						·10	·13	·40		·50	·25		30
31							·07			·04			31
Total	1·46	3·92	2·83	3·13	2·11	2·35	·32	2·55	2·02	4·34	6·89	10·45	TOTAL for year 42·37
No. of Rain Days	10	17	17	18	8	11	4	15	13	17	23	26	179

9,000, IX. '10.

82

2/45

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Llanfrechfa Grange

in the County of Monmouth . 3

by F. J. Mitchell

Rain Gauge: Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. " " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·06	·10		·02	·08			·07	·04	1
2				·65	·41			·22	·03	·02	·42	·45	2
3			·04	·03	·85			·06			·47	·11	3
4	·01		·16		·01			·13	·02	·03	·64	·71	4
5	·22		·25	·05				·18		·06	·11		5
6	·53		·06	·03				·06			·33	·92	6
7	·05			·01							·54	·02	7
8	·03		·23								·15	·62	8
9		·01									·18	·31	9
10	·12	·07	·68								·03	·43	10
11	·43				·45						·82	·20	11
12		·01	·49		·03			·01	·12		·85	·12	12
13					·10				·38	·30	·08	·42	13
14		·07									·05	·97	14
15		·11				·10				·02	·55	·15	15
16						·45					·34	·42	16
17		·15		·05		·15					·32	·45	17
18		·35	·07	·16 ·76		·13				·08	·02	·47	18
19		·05		·15		·25			·55	·35		·62	19
20	·01	·08	·11	·33					·21	·43		·85	20
21		·51	·09	·04		·23		·16	·10	·51		·14	21
22		·17	·22	·42		·18		·01	·05	·10		·82	22
23	·02	·43	·12	·02					·16	·41	·01	·38	23
24		·15	·02			·42		·23		·09		·27	24
25	·04	·21	·01	·27		·04			·08	·12		·15	25
26		·24	·02	·35	·16			·31	·01	·48	·10	·25	26
27		1·05	·23	·10				·52	·14		·07	·16	27
28		·26		·38				·17			·49		28
29				·03		·30	·10	·01	·17	·80			29
30						·10	·13	·40		·50	·25		30
31							·07			·04			31
Total	1·46	3·92	2·83	3·13	2·11	2·35	·32	2·55	2·02	4·34	6·89	10·45	TOTAL for year 4237
No. of Rain Days	10	17	17	18	8	11	4	15	13	17	23	26	179

9,000, IX. '10.

DL ✓ Ext BM

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

25 JAN 1913

2/46

Kept at Llanfrechfa Grange

in the County of Monmouth 3

by F. J. Mitchell

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·35	·02	·02	·93	·02		·04	·71		·38	1
2		·02	·58			·46	·26		·01			·01	2
3			·62		·08	·21	·15	·79	·08		·03	·05	3
4	·25		1·32		·10	·07		·05			·21		4
5	·57	·20	·07		·22	·17		·62	·01		·02	·12	5
6	·50	·12	·03		·20	·06		·73				·04	6
7		·38	·11		·07	·46	·13				·02	·05	7
8	·95	·41	·21			·05	·07	·34				·03	8
9	·13	·07	·50	·16		·43	·05	·25			·03	·84	9
10	·27	·09	·02			·04	·07				·45	·04	10
11	·05	·04					·06				·01	·82	11
12	·07	·25	·19	·17	·06	·31	·08					·38	12
13	·13		·02	·03		·05				·28		·31	13
14	·27		·61		·11	·03						·08	14
15	·28	·30	·02	·01	·34	·61		·03				·45	15
16	·92	·03	·51		·05	·04		·32		·14	·17	·07	16
17	·61		·18			·12		·74			·02	·52	17
18	·43	·07	·11			·01		·35		·04		·15	18
19	·14	·06	·03				·10	·54		·11	·01	·05	19
20	·11	·04	·75			·	·02	·04		·70	·02	·02	20
21	·02	·15	·46		·92		·06	·35		·15			21
22	·41	·52	·12		·31		·71	·38		·05	·05	·18	22
23	·32	·55	·50		·01	·90	·03	·34		·12	·22	·46	23
24	·18	·11	·06			·53		·03		·06		·18	24
25	·02	·03	·12			·78		1·02		·08	·74	·47	25
26		·27	·04				·08	·21		1·30	·65	·42	26
27		·15				·98	·95	·01		1·15		·71	27
28		·17			·02	·10	·81	1·12	·06	·45	·50	·35	28
29		·23	·05			·68	·54	·14	·75	·32	·01	·22	29
30			·15			·25	·15	·02	·01	·41		·04	30
31			·14		·20		·71	·07		·01		·37	31
Total	6·63	4·26	7·87	·39	2·71	8·27	5·05	8·49	·96	6·08	3·16	7·81	TOTAL for year 61·68
No. of Rain Days	21	23	28	5	15	24	20	23	7	17	17	29	229

9,000, IX. '10.

✓ cordly B Hymer. stats 28.IV.14 DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

24 JAN 1914

3

Kept at Llanfrechfa Grange
in the County of Monmouth
by Colonel W. F. Cleeve
& the late J. J. Mitchell -

Lat. 51° 38' 42" Long. W. 2°-3-9 48"
Time of Observation 9 a.m.
Nearest Railway Station Llantarnam
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. – in.
" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·15	·45	·04	–	–	–	–	·22	–	·41	–	1
2	·02	·38	·43	·05	·20	–	·	·	–	1·43	·24		2
3	·12	·05	·17	·	·45	–	·	·	·02	1·28	–	·09	3
4	1·73	·02	·26	·	·05	·04	·	·	2·20	·40	·13	·23	4
5	·04	·05	·08	·	·37	·12	·	·	·45	·	·24	·13	5
6	·12	·16	·32	·	·07	·34	·02	· ·	·	·50	·19	·17	6
7	·02	·86	–	·	·42	·23	–	·	·	·43	·58	·55	7
8	·03	·57	–	·01	·30	·04	·04	·	·	·02	–	·02	8
9	–	·28	·01		·24	·15	·45	·06	·05	–	·26	·03	9
10	60 ·06	·			·10	·01	·	·02	·	·43	·28	–	10
11	1·62	·	·02	·15	·33	–	·	–	·	·	·65	·08	11
12	–	·			·35	–	·	·04	·06	·	·46	–	12
13	·04	·	·58	·03	·04	–	·	·05	·40	·	·30	–	13
14	·21	·01	·65	·08	–	–	·	–	·19	·10	·20	·01	14
15	·14	·	·57	1·95	·	–	·	·40	·02	–	–	·	15
16	·25	·	·71	·05	·	·	·01	·11	–	·	–	·	16
17	·15	·	·04	·22	·	–	·	·	–	·	·12	·	17
18	·14	–	·47	·46	·	–	·	·	·	·	·15	·	18
19	·16	·	·25	–	·	·12	·	·	·27	·	–	·	19
20	·28	·	·22	·29	·	–	·	·	–	·	·73	·	20
21	–	·	·20	·35	·22	–	·08	·10	–	·		·	21
22	·65	·	·98	–	·01	·22	·	·25	·35	·	–	·	22
23	·03	·	–	–	·	·05	·	·04	·03	·	·15	·05	23
24	·14	·04	·	·08	·	·	·	·06	–	·	·	·	24
25	–	·	·	·32	·	·	·	–	·07	·	·	·27	25
26	–	·10	·	·50	·	·	·	·04	·01	·	·	·45	26
27	·10	·	·12	·55	·	·	·	–	·	·23	·	·01	27
28	·50	·	·10	·52	·03	·	·	–	·	·37	·	·12	28
29	(·01) ~~·65~~	·	·45	·45	·	·	·	·15	·	·22	·	–	29
30	·84	·	–	–	·	·	·	·13	·	1·16	·	·	30
31	·03	·	·09	·	·33	·	·	·07	·			–	31
Total	8·02 ✓	2·61	7·17	6·10	3·51	1·32	0·60	1·52	4·34	6·67	5·04	2·21	YEAR'S TOTAL 49·01
Rain Days.	26	12	22	18	16	10	5	14	14	12	16	14	179

W.7,000, XI. 13

Dl 5X 972 2/46

FORM A. BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at *Llanfrechfa Grange*

in the County of *Monmouth* 3

by *Col. W. F. Cleeve*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. in.

" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03	·15			·27	·38	·34			·13	·23	1
2				·05	·08		1·35	·05			·57	·64	2
3			·18	·23	·65	·04		·05			·04	·13	3
4	·36		·05	·34			·58	·04			·72	1·06	4
5	·10		·15	·35	·16						·16	·03	5
6		·20	·05	·14	·15		·04	·19			·04	·72	6
7		·45	·28	·15	·50		·60	·14			·01	·12	7
8	·26		·25	·05	·13	·50			·34			·10	8
9	·12	·07	·21	·59	·10	1·25		·12	·10		·03		9
10		·45		·67	·08	·06			·40				10
11		·15	·32			·53	·11				·20	·75	11
12		·75	·14						·20		·19	·20	12
13		·50	·62				·13		·42	·20	·16	·16	13
14		·75	·38				·05	·30		·13	·77		14
15		·10	·35					·37	·15		·40		15
16							·17		·48				16
17		·60	·20				·02					1·45	17
18		·05	·07				·05					·43	18
19		·03	·07				1·12				·05	·22	19
20		·26	·10			·03						·20	20
21		·23			·18	·05	·06			·34		·08	21
22		·30				·08		·13		·27			22
23			·23							·36			23
24	·01		·02				·04	·13		·07	·17		24
25	·05		·17				·03	·55		·60	·02	·78	25
26							·05			·21	·35	·48	26
27										·02	·40	·27	27
28	·06	·05	·35		·16						·13	·53	28
29	·60		·25							·19	·65		29
30	·10		·18							·27	·67	·45	30
31	·15						·80			·28		·04	31
Total	1·81	4·97	4·77	2·57	2·19	2·81	5·58	2·41	2·09	2·94	5·86	9·07	YEAR'S TOTAL 4707
Rain Days.	10	17	23	9	10	9	17	12	7	12	21	22	169

W.7,000, XI. 13

Dl.

3977
2/46

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Llanfrechfa Grange
in the County of Monmouth
by W. F. Cleeve

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·47	·37			·17			·33	·04	·40		·14	1
2	·17	·25	·18	·18				·62	·01	·23		·19	2
3	·01	·06	·14	·06	·19		·40	·12		·01		·26	3
4	·04	·15	·01		·13		·21					·75	4
5	·11	·22		·13	·01			·30				1·06	5
6	·22	·04		·50			·74	·03				·44	6
7	·23	·79		·05			·05	·03				·50	7
8	·40	·21		·06				·08			·28		8
9	·04	·16		·03				·03			·30	1·29	9
10	·37	·14	·02	·05				·10		·06	·08	·06	10
11	·10		·13	·02				·02		·02	1·13		11
12	·17	·24		·08	·53			·01		·12	·63		12
13		·28			·79				·13				13
14	·15						·04	·16	·10	·03		·25	14
15	·60			·01	·08		·13	·04	·01	·07	·05	1·26	15
16	·02	1·26			·90		1·98	·01					16
17		·44			·37							·02	17
18		·42			·03		·03						18
19				·04	·45		·55						19
20	·23			·05			·01			·08		·07	20
21	·06	·13					·39			·31			21
22	·10	·02	·48	·09			·40		·01			·56	22
23	·02		·24				·22			1·01		·53	23
24			·01	·01			·26		·25	·61		·43	24
25			·01			·18	·03		·03	·03		·35	25
26		·48				·03	·28		·03			·83	26
27		·10				·34	·23			·65		·03	27
28		·24				·02	·02		·38	·08		·05	28
29						·32	·03	·33	·01	·01	·22	·11	29
30	·24	X				·13				·43	·24	·23	30
31		X		X		X	·17	·09	X	·56	X	·46	31
Total	3·75	6·00	1·22	1·36	3·65	1·02	6·17	2·30	1·00	4·71	2·93	9·87	YEAR'S TOTAL 43·98
Rain Days.	20	20	9	15	11	6	20	16	11	18	8	23	177

W. 8,000. X. 14.

DL ✓ [illegible] ~~[illegible]~~ DL

396 ~~416~~

FORM A.
BRITISH RAINFALL.
30. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Llanfrechfa Grange

in the County of Monmouth

by W. F. Cleeve

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.46		(.49)		.12	.35	.35			.51	.17		1
2	.70	.12	.02		.11	.12			.36	1.62	.08		2
3	.32	.70		.01	.11					.53	.11		3
4	.50	.24			.39	.77				.32	.46		4
5	.09	.36			.21	.09				.33	.10		5
6	.07	.42			.28	.06	.98			.57	1.58		6
7	.15	.04	.02		.20		.09			.49	.19	.26	7
8		.08	.02		.70	.26					.04	.20	8
9					.03	.18	.07			.12	.06		9
10		.48		.06	.06					.15	.03	.12	10
11	.05	.01	.26	.15	.02								11
12	.03	.12	.26	.07	.30		.24	.10		.05			12
13		.43	.33	.03				.52		.22			13
14		.42	.14	.02	.05			.16		.16			14
15		.63	.18	.10				.17					15
16	.09	.10		.20	.01		.05	.08		.07			16
17	.23	.19		.23	.01			.05	.32	.49			17
18	.07	.07	.18	.08					.08		.27		18
19	.44		1.00	.06							.17		19
20	.50	.02	.33									.54	20
21	.21		.31	.06								.19	21
22				.01	.09	.21				.36		.51	22
23			.01	.10		.08		.21			.59	.11	23
24		+	.10	.21	1.50	.10		.14		.51	.04	.21	24
25	.03	+	.26					.40		.05	.23		25
26	.03	+				.09		.08	.41	.41	.04		26
27	.08	.50	.91		.05	.21	.15	.36	.30	1.64			27
28	.01	(.50)							.06	.42		.61	28
29						.80		1.15		.44		.40	29
30		✕	.03					.06		.42			30
31		✕		✕		✕		.13	✕	.62	✕	.05	31
Total	4.06	5.43 ~~4.93~~	4.85 ~~5.35~~	1.39	4.24	3.32	1.93	3.61 ~~3.16~~	1.53	10.50 ~~10.60~~	4.16	3.20 ~~2.90~~	YEAR'S TOTAL 48.22 ~~47.59~~
Rain Days.	19	(24)	18	15	18	13	7	14	6	23	16	11	182

W. 8,000. X. 15.

3744

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Llanfrechfa Grange
in the County of Monmouthshire
by Major General Cleeve

Lat. 3-W Long. 51-38 N
Time of Observation 9 a.m
Nearest Railway Station Llantarnam
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground Four ft. — in.
" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	x	x	.24	x	x	.36	x	.85	.20	x	.02	x	1
2	x	x	.06	x	x	.15	x	x	x	x	.36	x	2
3	x	x	x	x	x	x	.12	x	x	.84	x	x	3
4	.03	x	.08	x	x	x	.30	x	x	.26	x	x	4
5	.30	x	.19	.30	x	.14	x	.05	.41	.33	.30	x	5
6	x	x	.54	x	x	x	x	x	x	.27	.42	.09	6
7	.36	x	x	x	x	x	.13	.18	x	.34	.03	.02	7
8	.15	x	x	.09	x	x	.65	.70	x	.52	.33	x	8
9	x	x	x	x	.10	x	x	.28	.17	.05	.31	x	9
10	.27	x	.45	.27	.28	x	x	.35	x	x	x	x	10
11	.08	x	.24	x	.08	x	x	1-05	x	.41	.13	x	11
12	.05	x	x	x	1-48	x	x	.16	x	.37	x	x	12
13	x	x	.24	.34	x	x	x	.16	.09	.04	x	.04	13
14	x	x	.11	.04	x	x	x	.05	x	x	x	x	14
15	x	x	x	x	x	x	.22	x	.02	.42	x	.29	15
16	x	.10	x	.15	x	.04	x	x	.02	.02	x	.21	16
17	x	x	x	.04	.28	x	.38	.26	.32	.12	x	x	17
18	x	.05	x	x	.04	x	.60	.08	1-76	x	x	x	18
19	x	.72	.10	x	x	.38	x	x	.02	x	x	x	19
20	x	.07	x	x	.20	.09	x	x	.03	x	x	x	20
21	x	x	x	x	.04	.03	x	x	x	.09	x	x	21
22	x	x	x	x	x	x	x	.30	x	.07	x	x	22
23	x	.16	x	x	.09	.13	x	.77	x	.09	.04	x	23
24	x	x	x	x	x	.06	.13	.34	x	.51	.08	x	24
25	x	x	x	x	x	x	x	.11	.07	.11	x	x	25
26	x	x	x	x	.24	.04	x	1-09	.27	.02	.07	x	26
27	x	x	x	x	1-13	.38	x	.96	x	x	x	x	27
28	x	x	.18	x	.04	.80	x	.40	x	x	x	x	28
29	x		.07	x	x	.57	x	x	x	.06	x	.24	29
30	x	X	x	x	x	x	x	.39	x	.22	.06	x	30
31	x	X	x	X	.18	X	x	.34	X	.01	X	x	31
Total	1-24	1-10	2.50	1-23	4-18	3.17	2.53	8-87	3-38	5.17	2.15	.89	YEAR'S TOTAL 36.41
Rain Days.	7	5	12	7	13	13	8	21	12	22	12	6	138

W. 8,000, IX. 17.

8L

Ex 8L

2/20 ~~2/16~~

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

29.1.19

[illegible] 21.V.19

Kept at Llanfrechfa Grange

in the County of Monmouth

by W. F. Cleeve

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·29		·09	·02	-			·03		·04	·07	1
2		·32		·02				·32	·01	·03	·60		2
3		·27		·32				·45			·09	·63	3
4		·08		·03	·06			·85	·18	·07	·17		4
5		·04		·22				·07	·22	·18	1·12	·80	5
6	·08	·49		·15				·32	·10	·67	·10	·05	6
7		·17			·57			·03	·10	·32		·10	7
8		·11							·75	·18	·45	·05	8
9	·05	·18		·35			1·55		·18	·23		·04	9
10	·06	·02		·18					·94	·12	·03	·32	10
11			·17	·03					·58	·06		·25	11
12		·20	·27						·32	·25	·07	·07	12
13					·15				·04				13
14	·92		·07						·71	·26		·10	14
15	·13			·15	·02				·40	·15		·35	15
16				·57			·44		·03			·48	16
17	1·00		·20	·04				·13	·45			·07	17
18	1·37		·01				·27	·10	·04	·05		·32	18
19	·21	·07	·15				·45		1·32	·04			19
20	·06	·24		·07			·21	·03	·07	·04		·42	20
21	·07	·12		·03			·08		·50	·05			21
22	·03				·32		·22		·84			·25	22
23	·22				·33		·47		·24	·10		·54	23
24	·04	·16					·17		·03		·08		24
25				·06			·57	·42	·08		·16		25
26				·19			·68	·49		·07	·08		26
27			·28				·47		·25	·05	·11	·35	27
28		·09	·35				·03	·36	·25	·04	·08		28
29			·37						·02	·03	·03	·04	29
30		×	·49						1·38	·04		·05	30
31		×	·50	×		×			×	·04	×	·10	31
Total	4·24	2·85	2·86	2·50	£2·96 [illegible]	1·21 ~~N.O.~~	5·61 ~~7~~	3·57	10·06	3·07	3·21	5·45	YEAR'S TOTAL 47·59
Rain Days.	13	16	11	16	?9	(6)	19	12	28	23 ~~24~~	15	22	(190)

W. 8,000, VIII. 16

cmd WD 3553

REGISTER OF RAINFALL IN 1919

FORM A. 1
BRITISH RAINFALL.

8 JAN 20

Kept at Llanfrechfa Grange Caerleon
in the County of Monmouth
by Major-General Cleeve CB

Lat. 51.38 N Long. 3. W
Time of Observation 10 am
Nearest Railway Station Llantarnam G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·07

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	·02	–	·15	·	–	–	–	·60	1
2	·54	·03	·17	·07	·04	–	·16	·	·23	·20	–	·63	2
3	·35	·04	·17	–	–	–	–	–	·23	·	·13	·17	3
4	–	–	·27	–	·03	·	–	·	–	·	·07	·32	4
5	·10	·26	·49	–	·	·17	·15	·	·63	·	–	·20	5
6	–	·28	·32	–	·	·	·	·	·06	·	·09	·37	6
7	·32	·15	·57	–	·	·	·	·	·	·	·	·17	7
8	·20	–	·50	·05	·	–	·	·	·	·	·	·	8
9	·42	–	·14	·08	·	·03	·	·	·	·	·	·	9
10	·49	–	·02	·05	·	·	·	·	·	·	·25	·	10
11	·03	–	·71	·04	·25	·	·	·	·	–		·58	11
12	·07	–	·61	–	·	·	·34	·	·	–		·25	12
13	·03	–	·03	·05	·	·40	·	·	·	–		·01	13
14	·47	–	–	·66	·	·	·	·	·07	·		·18	14
15	·77	·20	–	·30	·	–	·11	·	·05	·04		·37	15
16	·49	·21	–	·03	·	·	–	·	·	·03		·16	16
17	·18	1·23	–	–	·	·	–	·	·	·	·13	–	17
18	–	1·00	–	–	·	–	– ·	·12	·	·	·32	·05	18
19	·05	–	·70	–	·	·	·12	·62	·03	·	·16	·03	19
20	·45	·90	·65	–	·	·21	·86	·67	–	·	·06	·06	20
21	·65	·12	·40	–	·	·	·	·04	–	·	·05	·35	21
22	·02	1·54	·05	–	·	·	–	·	·03	·	–	·03	22
23	–	–	–	–	·	·	·	·	·84	·	·	·05	23
24	–	–	–	–	·	–	–	·	·	1·40	·22	·11	24
25	–	–	–	–	·	·08	·	·	·	·93	·38	·14	25
26	·12	–	–	·09	·	·	–	·51	·	·	·03	·15	26
27	–	–	·16	·13	·	·	–	·03	·16	·	–	·66	27
28	·07	–	·15	·24	·	·	–	1·08	–	·	–	–	28
29	·35	–	·32	–	·	·	–	·17	–	·	·12	·40	29
30	–	✕	–	·05	–	·	–	–	·	·	–	·65	30
31	·05	✕	–	✕		✕	–	·29	✕	·05	✕	·71	31
Total	6·22	5·96	6·43	·02 ~~1·84~~ 1·86	~~·34~~ ·32	·15 ~~·89~~ 1·04	~~1·89~~ 1·74	3·53	2·33	2·65	·60 ~~2·01~~ 2·61	·87 ~~7·40~~ 6·87	YEAR'S TOTAL 41·56
Rain Days.	22	12	19	14	3	6	6	9	10	6	14	26	147

W. 8,000, IX. 17.

W. F. Cleeve

[illegible] 3440

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Llanfrechfa Grange
in the County of Monmouth
by Major General Cleeve C.B.

Lat. 51° 38 Long. 3. W
Time of Observation 9 a m
Nearest Railway Station Llantarnam
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·27

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·07	-	·07	·03	-	·28	-	·02	·64	·40	·46	1
2	-	-	-	·51	·60	-	·86	·07	·07	·18	·09	·63	2
3	·18	-	·40	·08	·02	-	·25	·06	·01	·37	-	·39	3
4	·06	·01	-	·12	-	-	·50	-	-	·42	-	·10	4
5	-	-	-	-	-	-	-	·98	-	·25	-	-	5
6	-	-	·43	·14	·21	-	·46	·03	-	·36	-	-	6
7	-	-	·22	-	·40	-	·09	-	-	·08	-	-	7
8	·09	-	-	·13	·11	-	·11	-	-	-	-	-	8
9	·07	·02	-	·70	·08	-	·21	·09	-	-	-	-	9
10	·58	·15	-	·54	-	·56	·26	·04	-	-	-	-	10
11	1·35	·16	·14	·08	-	H	·21	-	-	-	-	-	11
12	·17	·02	·33	·56	·55	·66	·11	-	-	-	-	-	12
13	·23	·25	·05	·32	-	·97	·15	·03	-	·02	·18	-	13
14	·11	·02	·42	·37	-	-	-	-	-	-	·09 ~~·90~~	-	14
15	·09	·05	·59	·90	-	·10	·16	-	-	·84	·98	-	15
16	·01	·09	·15	·63	·12	·12	-	-	·47	·25	·09	·04	16
17	-	-	·04	·04	·15	·78	·32	-	·72	·51	·12	-	17
18	·09	-	-	·03	·39	·11	-	·03	1·16	·37	-	-	18
19	·14	-	-	-	·16	·08	-	·22	·16	-	-	-	19
20	-	·27	-	·45	·05	·12	-	-	-	-	-	-	20
21	-	-	-	·34	-	·21	-	-	-	-	-	·38	21
22	-	-	-	·03	-	-	·06	-	-	-	-	·23	22
23	08	-	-	·14	-	-	·24	·04	-	·08	-	·37	23
24	-	-	·03	-	-	-	·34	·01	-	-	-	·77	24
25	·10	·05	·44	-	-	-	-	-	-	-	·12	·63	25
26	-	06	·25	-	-	-	1·01	-	-	-	-	-	26
27	·15	-	·40	-	-	·03	·02	-	-	-	·13	·08	27
28	·38	·04	·17	·08	·03	·47	·09	-	-	-	·02	·43	28
29	·80	-	·11	-	·43	·09	·05	-	-	-	-	·16	29
30	·42		·20	·07	·09	·05	·13	-	-	-	·42	·80	30
31	·70		·08		-		·04	-		-		·80	31
	·07	-	·07	·03	-	·28	-	·02	·64	·40	·46	·27	45·65
TOTAL	5·87	~~1·26~~ 1·19	~~4·45~~ 4·52	~~6·33~~ 6·29	~~3·42~~ 3·39	~~3·68~~ 3·96	~~5·95~~ 5·67	~~1·60~~ 1·62	~~2·61~~ 3·23	~~4·37~~ 4·13	~~3·45~~ 2·70	~~6·27~~ 6·08	YEAR'S TOTAL ~~49·26~~ 48·65
Days with ·01 in. or more	21	13 14	19 18	22	15 16	14 15	22 23	12	7	13	11	16	185
	20	9	18	19	13	14	21	7	6	12	9	15	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

LLANTHONY
NEW HSE FARM
MONMOUTHSHIRE
1917 - 1920

~~380~~

FORM A.
BRITISH RAINFALL.

RE

✓

Kept at Llanthony Valle

in the County of Mo

by

auge .... in.

Ground .... ft. .... in.

Sea Level .... ft.

IMPORTANT N he result entered to the previous day. If an sal rule, he is earnestly requested to add the for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·47	·10		·05	·10	1
2								·01		·06	·27		2
3								·01		·38	·04		3
4							01	·03		·72			4
5								·09	·86	·50	·23		5
6										·30	·42		6
7							·10	·14		·59	·26	·03	7
8							·76	·95	·01	·73	·30	·19	8
9								·56	·46	·12	·94		9
10								·31	·01	·01		·01	10
11								·48		·40	·09		11
12								·06		·28			12
13								·66	·10	·04			13
14							·01	·23		·01		·04	14
15							·08	·04	·02	·11		·24	15
16												·48	16
17							·67	1·03	·15	21			17
18							·82	·14	1·15	·01			18
19								·07	01				19
20								·04	·09				20
21							·02	·08		·01			21
22								·73		·13	·01		22
23						#		·68		·20		·02	23
24						·11		·65		·64	·13		24
25								·13		·15	·03		25
26						01		1·73	·18	·08	·01		26
27						·39	·44	1·00		·01			27
28						·41		·53				·03	28
29						·10	·02	·36		·80		·77	29
30		X					·02	·53		·49	·02		30
31		X		X		X		·26	X	·06	X	·01	31
Total						~~1·02~~	2·95	12·00	3·14	7·04	2·80	1·92	YEAR'S TOTAL
Rain Days.							11	29	12	26	14	11	

W. 8,000, VIII. 16

✓ ✓

RE

FORM A.
BRITISH RAINFALL.

380

Kept at Llanthony Valley New House Farm

in the County of Monmouth

by J Pritchard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·47	·10		·05	·10	1
2								·01		·06	·27		2
3								·01		·38	·04		3
4							·01	·03		·72			4
5								·09	·86	·50	·23		5
6										·30	·42		6
7							·10	·14		·59	·26	·03	7
8							·76	·95	·01	·73	·30	·19	8
9								·56	·46	·12	·94		9
10								·31	·01	·01		·01	10
11								·48		·40	·09		11
12								·06		·28			12
13								·66	·10	·04			13
14							·01	·23		·01		·04	14
15							·08	·04	·02	·11		·24	15
16												·48	16
17							·67	1.03	·15	21			17
18							·82	·14	1·15	·01			18
19								·07	01				19
20								·04	·09				20
21							·02	·08		·01			21
22								·73		·13	·01		22
23								·68		·20		·02	23
24						·11		·65		·64	·13		24
25								13		·15	·03		25
26						01		1·73	·18	·08	·01		26
27						·39	·44	1.00		01			27
28						·41		·53				·03	28
29						·10	·02	·36		·80		·77	29
30		×					·02	·53		·49	·02		30
31		×		×		×		·26	×	·06	×	·01	31
Total						~~1·02~~	2·95	12.00	3·14	7·04	2·80	1·92	YEAR'S TOTAL
Rain Days.							11	29	12	26	14	11	

W. 8,000, VIII. 16

81

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

22.1.19

Kept at Llanthony, New House Farm
in the County of Monmouth
by J. Pritchard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.10		.15	.03			.18	.13	.06	1.83		1
2		.15		.10				.45	.04	.01	.26	.23	2
3		.28	.01	.38	.66			.05	.47	.10	.04		3
4	—	.13	.01	.03				.06	.81	.41	1.04	.63	4
5		.15		.15	.39			.12	.27	.50	.06	.09	5
6	.06	.43		.29		.04			.04	.34		.12	6
7		.14		.03	.46	.01			.66	.06	.23	.24	7
8	.04	.27							.13	.25	.08	.01	8
9	.07	.44		.63		.64	.06		.48	.14	.08	.09	9
10	.19	.04		.13			1.01		.27	.06	.06	.38	10
11	.01		.10	.09	.05		.78		.07	.03	.04	.14	11
12	.03	.15	.11		.08		.28		.10			.03	12
13	.05	.11			.03	.01	.15		.28	.05		.13	13
14	.46	.01	.11		.01	.11	.07		.43	.02		.32	14
15	1.15			.09		.01	.84		.07			.68	15
16	.37			1.19		.02	.09	.03	.94			.30	16
17	.30		.03				.21		.37	.15		.34	17
18	.85		.17			.64	.23		.94	.05		1.18	18
19	.29	.03	.16	.02		.02	.15		.07	.14		.17	19
20	.33	.15		.31		.08	.34		.69	.05			20
21	.22	.21		.29		.01	.02		.52	.01		.23	21
22	.13	.02			.18		.40		.37	.05		.66	22
23	.10				1.36		.07		.15		.16	.08	23
24	.03	.13					.19	.08	.07		.20	.13	24
25	.01				.15		.59	1.05			.01	.05	25
26	.02	.01		.07			.63	.07	.04	.03	.15	.36	26
27		.13	.50					.22	.58		.03	.07	27
28		.10	1.05	.01						.01	.08	.14	28
29			.10						1.39	.02		.10	29
30		X	.46					.01	.05	.08	.04	.21	30
31		X	.53	X		X		.25	X		X	.03	31
Total	4.72	3.18	3.34	3.96	3.40	1.59	6.11	2.57	10.43	2.62	4.39	7.14	YEAR'S TOTAL 53.45
Rain Days.	21	21	13	17 ~~13~~	11	11	18	12	28	23	17	28	220

W. 8,000, IX. 17.

8L

357
329

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at New House Farm, Llanthony

in the County of Monmouth

by J. Pritchard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·56	·01	·10	·03	·08		·20		·15	·34		·71	1
2	·10		·03		·02		·26	·05	·07	·13		·09	2
3	·01		·07		·03	·14	·09		·03		·01	·62	3
4	·07	·23	·29			·04	·18	·02	·14		·01	·13	4
5		·45	·10				·03		·30			·62	5
6	·56	·09	·38						·01			·50	6
7	·46		·10	·12	·06				·02			·01	7
8	·44		·03	·07		·05					·39		8
9	·68			·09	·01						·04		9
10	·23		·77		·10					·01		·69	10
11	·02		1·03	·05	·12		·12					·05	11
12			·10	·17		·95	·09			·08			12
13	·19	·01		·49			·03		·45	·10		·11	13
14	·53	·10		·54			·03		·07	·15		·37	14
15	·50	·08		·12	·01			·06		·18	·15	·61	15
16	·22	1·41						·07			·50		16
17	·01	·73						·04					17
18	·10	·03	·71				·02	·18	·05		·32	·15	18
19	·31	·29	1·11			·14	·92	·43	·17		·21	·02	19
20	·54	·10	·76			·04		·06	·03		·04	·20	20
21	·02	·34	·07				·13	·01	·01		·04	·35	21
22		·25					·03		·50		·13	·48	22
23						·06				·85	·30	·11	23
24				·05	·02	·02	·07			·49	·10	·38	24
25	·10			·14	·01	·03		·74				·10	25
26	·03		·25	·10		·01		·21	·11			·43	26
27	·18		·11	·25				·61			·27		27
28	·07		·23	·02				·14				·45	28
29	·10		·06	·11						·23	·58	·50	29
30	·01	×	·01	·05		·23		·25	·02		·71	·54	30
31	·03	×	·02	×		×	·01		×		×	·05	31
Total	6·07	4·12	6·33	2·40	·46	1·71	2·21	2·87	2·13	2·56	3·80	8·27	YEAR'S TOTAL 42·93
Rain Days.	26	14	21	16	10	11	15	14	16	10	16	25	194

509 [illegible] 3458

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llanthony, New House Farm
in the County of Monmouth
by J. Pritchard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·37	·52		·92		·11	·34	·02	·78	1
2			·02	·13			·28	·09	·06	·21		·41	2
3	·28	·09		·19	·16		1·74		·02	2·40		·22	3
4			·06			·01	·01	·59		·97			4
5			·14	·05	·20		·25	·18	·03	·02			5
6			·43		·18		·09			·39		·08	6
7			·05	·10			·30						7
8	·36			·88	·17		·47	·22					8
9	·53	·26		·60			·05	·02	·02		·08		9
10	·74	·31	·10	·10		1·47	·26			·05		·02	10
11	·35	·05	·41	1·10	·33	·07	·04			·04	·15		11
12	·25	·09	·02	·32		·82	·05	·24		·01	·10		12
13	·18	·02	·88	·42	·08						·61	·09	13
14			·60	·88	·10	·12	·12		·68	·03	·18		14
15		·28	·12	1·84	·28	·10	·01		·11	·23	·11		15
16			·05	·32	·38	·60	·32		·71	1·84		·06	16
17			·01		·24	·06		·10	1·00	·70		·07	17
18	·17			·14	·70	·08		·11	·74			·01	18
19	·05	·13		·30		·28						·27	19
20		·13		·80					·01	·01		·50	20
21				·02			·11			·08		·25	21
22	·05			·20			·16	·13	·04			·40	22
23							·48				·15	·34	23
24	·06		·32				·15						24
25	·07		·28	·08			·60				·27	·13	25
26	·20	·04	·46	·02	·03	·05	·22				·09	·80	26
27	·77	·01	·40	·28	·14	·40	·01					·13	27
28	·32	·04	·21	·10	·30	·15	·04					·74	28
29	·58		·43		·01	·02	·43				·17	·46	29
30	·08		·32	·20		·24	·06		·36		·80	·13	30
31	·10		·26				·06			·60			31
TOTAL	5·14	1·46	5·57	9·44	~~3·60~~ 3·82	4·47	7·23	1·68	3·89	7·92	2·73	5·89	YEAR'S TOTAL ~~59·04~~ 59·23
Days with ·01 in. or more	18	12	21	24	16	~~16~~ 15	26	9	13	16	12	20	202 203
04	18	10	18	22	14	13	23	8	9	12	11	18	176

(14,283). Wt.21,958—218. 5500. 10/19. Gp.132. A.&E.W.

LLANTHONY ABBEY

MONMOUTH

1911 - 1916

FORM A2.
BRITISH RAINFALL.
23 FEB 1912

Kept at Llan
ne
in the County of M
by Baldwin

in.
nd 1 ft. — in.
Level 792·00 ft.
nce Direction

IMPORTANT N result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	·03	·02	—	—	·04	·25	—	—	·35	F:D	1
2	·04	—	·01	·08	·28	—	—	·43	—	·05	·09	·33	2
3	—	—	—	·06	·78	—	—	·07	—	—	·21	·35	3
4	—	—	·12	·04	F:D	—	—	·06	—	F:D	·40	·73	4
5	·11	—	·06	·01	—	—	—	·28	—	·18	·20	F:D	5
6	·21	—	·11	—	—	—	—	·02	—	—	·38	·90	6
7	·03	—	F:D	F:D	—	—	—	F:D	—	—	·61	F:D	7
8	·04	—	·14	—	—	—	—	—		F:D	·81	1·04	8
9	·03	—	·03	—	—	—	—	—		—	·59	·55	9
10	F:D	·04	·33	—	—	—	—	—		—	·02	·94	10
11	·27	—	F:D	—	·38	—	—	—	·59	—	·48	·06	11
12	·01	F:D	·60	—	·03	—	—	—		—	·81	·21	12
13	—	—	—	—	·23	—	—	—		·01	·04	·51	13
14	—	·01	—	—	—	F:D	—	—	·01	·01	·03	1·43	14
15	—	·10	—	—	—	·02	—	—	—	·03	·57	·16	15
16	—	F:D	·02	—	—	·20	—	—	—	·05	·25	·25	16
17	—	·15	—	·04	·01	1·55	—	—	—	—	·30	·95	17
18	—	·47	·18	·52	—	·09	—	—	—	·11	·01	·64	18
19	—	·03	—	·28	—	·46	—	—	·87	·43	·03	·52	19
20	—	·12	·01	·17	—	·07	—	—	·12	·14	—	1·01	20
21	—	·24	·32	·01	—	·06	—	·35	·06	·61	F:D	·33	21
22	F:D	·15	F:D	·07	—	·15	—	F:D	·03	·55	—	·91	22
23	—	·30	·15	—	F.D	·03	F:D	—	·34	·18	·01	·23	23
24	—	·09	—	—	—	·58	—	·25	·01	·10	—	·31	24
25	F:D	·11	—	·19	—	·04	—	—	·15	·02	—	·11	25
26	—	·35	—	·30	·22	·03	—	·11	·01	·32	·13	·20	26
27	—	·49	·51	·24	—	—	—	·57	·34	F:D	·07	·15	27
28	—	·50	F:D	·33	—	—	—	·04	·05	—	·31	·01	28
29	—		—	·07	—	·32	·51	·02	·30	·65	F:D	—	29
30	—		—	—	·04	·03	·44	F:D	F:D	·40	·18	—	30
31	—		F:D		·02		·05	—		·02		F:D	31
Total	·77	3·15	2·62	2·43	1·99	3·63	1·04	2·45	2·88	3·86	6·88	12·83	TOTAL for year 44·53
No. of Rain Days	9	15	15	16	9	14	4	12	18	18	24	25	179

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

23 FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at Llanthony Abbey near Abergavenny.

in the County of Monmouth 4

by Baldwin Latham.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 792.00 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	–	.03	.02	–	–	.04	.25	–	–	.35	F:D	1
2	.04	–	.01	.08	.28	–	–	.43	–	.05	.09	.33	2
3	–	–	–	.06	.78	–	–	.07	–	–	.21	.35	3
4	–	–	.12	.04	F:D	–	–	.06	–	F:D	.40	.73	4
5	.11	–	.06	.01	–	–	–	.28	–	.18	.20	F:D	5
6	.21	–	.11	–	–	–	–	.02	–	–	.38	.90	6
7	.03	–	F:D	F:D	–	–	–	F:D	–	–	.61	F:D	7
8	.04	–	.14	–	–	–	–	–		F:D	.81	1.04	8
9	.03	–	.03		–	–	–	–		–	.59	.55	9
10	F:D	.04	.33	–	–	–	–	–		–	.02	.94	10
11	.27	–	F:D	–	.38	–	–	–	.59	–	.48	.06	11
12	.01	F:D	.60	–	.03	–	–	–		–	.81	.21	12
13	–	–	–	–	.23	–	–	–		.01	.04	.51	13
14	–	.01	–	–	–	F:D	–	–	.01	.01	.03	1.43	14
15	–	.10	–	–	–	.02	–	–	–	.03	.57	.16	15
16	–	F:D	.02	–	–	.20	–	–	–	.05	.25	.25	16
17	–	.15	–	.04	.01	1.55	–		–	–	.30	.95	17
18	–	.47	.18	.52	–	.09	–	–	–	.11	.01	.64	18
19	–	.03	–	.28	–	.46	–	–	.87	.43	.03	.52	19
20	–	.12	.01	.17	–	.07	–	–	.12	.14	–	1.01	20
21	–	.24	.32	.01	–	.06	–	.35	.06	.61	F:D	.33	21
22	F:D	.15	F:D	.07	–	.15	–	F:D	.03	.55	–	.91	22
23	–	.30	.15	–	F:D	.03	F:D	–	.34	.18	.01	.23	23
24	–	.09	–	–	–	.58	–	.25	.01	.10	–	.31	24
25	F:D	.11	–	.19	–	.04	–	–	.15	.02	–	.11	25
26	–	.35	–	.30	.22	.03	–	.11	.01	.32	.13	.20	26
27	–	.49	.51^{3}	.24	–	–	–	.57	.34	F:D	.07	.15	27
28	–	.50	F:D	.33	–	–	–	.04	.05	–	.31	.01	28
29	–		–	.07	–	.32	.51	.02	.30	.65	F:D	–	29
30	–		–	–	.04	.03	.44	F:D	F:D	.40	.18	–	30
31	–		F:D		.02		.05	–		.02		F:D	31
Total	.77 ✓	3.15 ✓	2.62 ✓	2.43 ✓	1.99 ✓	3.63 ✓	1.04 ✓	2.45 ✓	2.88 ✓	3.86 ✓	6.88 ✓	12.83 ✓	TOTAL for Year 44.53 ✓
No. of Rain Days	9 ✓	15 ✓	15 ✓	16 ✓	9 ✓	14 ✓	4 ✓	12 ✓	18 ✓	18 ✓	24 ✓	25 ✓	179 ✓

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
27 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Llanthony Abbey near Abergavenny.
in the County of Monmouth. 4
by Baldwin Latham.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. .... in.
„ „ „ „ Sea Level 792·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	„	„	·51	„	„	·55	·07	·01	·03	·56	·01	·25	1
2	„	·02	·58	„	·03	·30	·17	·02	F.D	„	„	·03	2
3	·06	·03	·24	„	·16	·18	·11	2·31	·14	·01	·03	·07	3
4	·45	„	1·02	„	·16	·08	F.D	·31	F.D	·01	·30	·01	4
5	·46	·09	·34	„	·12	„	„	·63	·09	„	„	·05	5
6	·76	·27	·01	„	·08	„	„	·53	„	„	„	·05	6
7	·09	·39	·25	„	·09	·24	·18	·03	„	„	„	·11	7
8	·54	·41	·31	·02	„	·07	„	·02	·04	„	„	„	8
9	·07	·06	·73	·30	„	·39	·06	·40	F.D	„	·05	·41	9
10	·37	·15	·01	·02	„	·03	·09	·06	„	„	·33	·08	10
11	·05	·22	F.D	„	„	„	·09	·08	„	„	·12	·65	11
12	·01	·62	·13	·08	·16	·04	·05	„	„	„	„	·11	12
13	·10	F.D	F.D	·01	„	·03	·03	„	·13	·08	„	·23	13
14	·10	„	·73	„	·02	·02	„	·06	F.D	·04	„	·02	14
15	·63	·09	·02	„	·48	·29	„	·01	„	„	„	·40	15
16	·79	·04	·26	„	·08	·07	„	·11	„	·10	·01	·05	16
17	·32	„	·11	„	·01	·12	„	·58	„	„	·02	·04	17
18	·60	·04	·07	„	„	„	„	·09	„	·09	„	·10	18
19	·08	·25	·01	„	„	„	·14	·57	„	·02	·01	·56	19
20	·12	·01	·67	„	„	„	·09	·16	„	·38	·01	·03	20
21	·01	·05	·94	„	·68	F.D	·12	·65	„	·52	„	„	21
22	·06	·29	·08	„	·38	·02	·45	·44	„	·03	„	·20	22
23	·80	·31	·47	„	·01	·27	·20	·38	„	·06	·18	·13	23
24	·48	·02	·03	„	F.D	·34	·04	·05	„	„	·02	·26	24
25	F.D	F.D.	F.D	„	„	·30	·19	1·19	„	·01	·47	·53	25
26	„	·25	·10	„	„	F.D	·09	·97	„	1·21	·60	·47	26
27	„	·03	·04	„	„	·57	·94	·01	„	·89	·44	·56	27
28	„	·09	·01	„	„	·17	1·23	·75	·32	·44	„	·29	28
29	„	·21	·08	„	„	·20	·33	·24	·90	·39	„	·05	29
30	„		·15	„	„	·06	·10	·01	·01	·57	·01	·01	30
31	„		·36		·08		·58	·04		·06		·14	31
Total	6·95	3·94	8·56	·43	2·54	4·34	5·35	10·71	1·66	5·47	2·61	5·89	YEAR'S TOTAL 58·45
Rain Days.	22	23	28	5	15	22	22	29	8	19	16	29	238

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

11 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Llanthony Abbey near Abergavenny,
in the County of Monmouth
by Baldwin Latham

4

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level 792·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·08	·30	·10	·02	"	"	"	·28	·05	·34	·01	1
2	·06	·67	·25	·12	·18	"	·02	"	"	·93	·22	"	2
3	·25	·06	·13	·01	·73	"	"	"	·05	·16	.	"	3
4	1·01	·08	·06	"	·27	"	·09	"	·10	·47	·09	·80	4
5	·09	·12	·05	"	·21	·09	·02	"	1·00	·09	·10	·05	5
6	·09	·22	·23	"	·08	·16	·02	"	·20	·58	·23	·49	6
7	·06	·57	·01	"	·67	·18	"	"	·15	·81	·16	·08	7
8	·09	·47	F.D.	·01	·56	·02	·01	"	"	·30	"	.	8
9	.	·35	·03	F.D	·25	·51	·10	·05	"	·01	·50	·07	9
10	·62	F.D.	·03	·05	·08	·02	"	·18	F·D	·55	·13	"	10
11	1·19	"	"	·52	·21	"	"	·01	"	·09	·78	"	11
12	·03	"	"	·01	·91	·01	"	·03	·08	F.D.	·74	·04	12
13	·02	"	·33	·03	·01	"	·01	"	·49	"	·65	"	13
14	·42	"	·52	·16	F.D.	"	"	"	·09	·11	·15	"	14
15	·12	·03	·85	1·37	"	"	"	·15	·04	"	·17	·03	15
16	·19	"	·97	·20	"	"	"	·60	·25	"	·01	.	16
17	·13	·01	·14	·30	·02	"	·03	·03	·01	"	·02	"	17
18	·16	"	·57	·52	"	.	·05	"	"	"	·08	·01	18
19	·35	"	·42	·09	·02	·12	·02	"	·10	·10	·01	"	19
20	·34	"	·69	·21	·01	"	"	"	·04	·23	·95	"	20
21	·03	"	·73	·31	·22	"	·03	·11	F·D·	·05	·21	"	21
22	·85	"	1·20	·01	"	·12	·05	·54	·54	"	"	"	22
23	·05	"	·03	·01	"	·06	·02	·02	·05	"	·06	·04	23
24	·10	·11	·01	·07	"	"	"	·03	·01	"	·07	"	24
25	F·D·	·06	"	·53	"	"	"	·02	·07	·06	·03	·13	25
26	F·D·	·02	"	1·18	·10	"	"	·11	·01	"	"	·45	26
27	·06	"	·30	·20	"	"	"	"	"	·56	"	"	27
28	·30	"	·21	·65	·04	"	"	"	"	·36	"	·09 s	28
29	·01		·71	·48	·05	"	"	·05	·01	·24	"	"	29
30	·38		·01	·01	"	"	·01	F·D	"	·66	·11	"	30
31	·08		·15		·07		"	·04		·12		"	31
Total	7·13	2·85	8·93	7·15	4·71	1·29	0·48	1·97	3·57	6·53	5·84	2·29	YEAR'S TOTAL 52·74
Rain Days.	28	14	26	25	21	10	14	15	20	21	23	13	230.

W.7,000, XI. 13

Esc. M9.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 FEB 1915

Kept at Llanthony Abbey near Abergavenny. Mon.

in the County of Monmouth 4

by Baldwin Latham

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 792.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·05	·14	·01	-	·20	·34	·50	-	-	·19	·18	1
2	-	-	·10	-	·02	·07	·85	·10	-	-	·71	·78	2
3	-	-	·40	·31	·36	-	-	·08	-	-	·02	·33	3
4	·44	-	·10	·16	·25	-	-	·03	-	-	1·03	1·05	4
5	·10	-	·16	·54	·37	-	·60	·05	-	-	·24	·01	5
6	·27	·14	·05	·16	·10	F·D·	·02	·15	-	-	·01	·50	6
7	·04	·44	·48	·04	·62	-	·80	·07	-	-	-	·70	7
8	·05	F.D	·19	·08	·38	1·05	·20	·33	·05	-	-	·32	8
9	·09	·07	·25	·42	·10	1·32	-	·45	·09	-	·01	·10	9
10	-	·44	·09	·23	·15	·02	-	·01	·20	-	·03	-	10
11	-	·38	·21	·04	·22	·48	-	-	·17	-	·78	·78	11
12	-	·64	·12	·01	-	F·D·	·10	-	·47	-	·45	·52	12
13	·03	·48	·46	·01	-	·02	·14	-	·59	·81	·30	·21	13
14	-	·89	·63	-	-	-	·07	-	·01	-	·24	-	14
15	·02	·05	·67	-	-	-	·03	·42	·03	-	·32	·01	15
16	-	-	·01	-	-	-	·06	-	·34	·01	-	·08	16
17	-	·15	·35	-	-	-	·05	-	·14	-	·05	1·04	17
18	·04	·09	·43	-	-	·28	·03	-	·06	-	·02	·43	18
19	-	·04	·19	-	-	-	1·07	-	·04	-	-	·28	19
20	-	·57	·10	-	-	-	·03	-	·15	-	-	·55	20
21	-	1·01	·01	-	-	·19	·12	-	-	·40	-	·01	21
22	-	·30	·03	·02	·05	·04	-	·14	-	·83	-	-	22
23	-	·05	·20	-	·23	-	·08	·01	-	·49	-	-	23
24	·02	·01	·05	-	-	-	·19	·14	-	·02	·20	-	24
25	·24	-	·22	-	·05	-	·09	·60	-	·45	·08	·26	25
26	·02	-	·08	-	-	-	·20	·01	-	·20	·35	·50	26
27	·06	-	·01	-	-	-	-	-	-	·07	·69	·35	27
28	·04	·18	·19	-	·07	-	·01	-	-	·06	·05	·84	28
29	·17	X	·32	-	·67	-	-	-	-	·20	·62	·03	29
30	·02	X	·01	-	F·D·	-	-	·02	-	·25	·85	1·10	30
31	1·02	X	-	X	-	X	·22	F·D·	X	·68	X	·75	31
Total	2·67	5·98	6·25	2·03	3·04	3·67	5·30	3·11	2·34	4·47	7·24	11·71	YEAR'S TOTAL 57·81
Rain Days.	17	19	30	13	15	10	22.	17	13	13	22	26	217

W. 8,000. X. 14.

Exsed F. W. 3997

FORM A.
BRITISH RAINFALL.

1 - FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at Llanthony Abbey, near Abergavenny.
in the County of Monmouth.
by Baldwin Latham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 792·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·59	·08	·18	-	·21	-	-	·60	·08	·35	·13	·35	1
2	·20	·43	·37	·20	-	·11	-	1·10	-	·24	-	·07	2
3	·18	·35	·12	-	-	-	·39	·06	-	-	·02	·18	3
4	·14	·21	-	-	·31	-	·24	-	-	-	-	1·54	4
5	·07	·25	-	-	-	-	-	·08	-	-	-	·59	5
6	·24	·58	-	·32	-	-	·99	·20	-	-	-	·47	6
7	·30	·92	-	-	·42	-	·10	·28	-	·03	-	·53	7
8	·39	·72	-	·12	·02	-	·02	·02	-	-	·11	-	8
9	·06	·42	-	·28	-	-	-	-	-	-	·52	·94	9
10	·58	·72	·09	·06	-	-	-	·02	-	·20	·28	·06	10
11	·18	·56	·03	·02	-	-	FD	-	-	-	1·54	·09	11
12	·10	-	-	·11	·80	-	-	·02	-	·06	·51	-	12
13	·03	·90	·04	-	1·30	-	-	·03	·03	·01	·04	·23	13
14	FD	-	-	-	-	-	-	·30	·10	·02	-	·12	14
15	1·04	-	-	-	·15	-	·05	·03	-	-	·02	·22	15
16	·09	·80	-	-	1·02	-	1·41	·15	-	-	·12	·18	16
17	·02	·19	·03	-	1·24	-	-	·06	-	-	-	-	17
18	·01	·81	-	-	·01	-	·02	·02	-	-	·03	-	18
19	-	·03	-	·10	·20	-	·15	-	-	-	-	-	19
20	·30	-	-	-	-	-	-	-	-	·14	·07	·05	20
21	·22	·21	-	-	-	-	·27	-	-	·20	-	·10	21
22	-	·02	·26	·14	-	FD	·48	-	·03	-	-	·52	22
23	·17	·06	·06	-	-	-	·10	-	·02	·42	-	·50	23
24	·04	-	·19	·08	-	·02	·12	-	·25	1·40	-	·48	24
25	·01	-	-	-	-	·41	-	-	·02	-	-	·42	25
26	-	·20	-	-	-	-	·11	-	-	-	-	·20	26
27	-	·07	-	-	-	·29	·17	-	-	·63	-	·98	27
28	-	·35	-	-	-	·09	-	-	-	-	-	·08	28
29	-	×	-	·11	-	·04	-	-	·04	·12	·37	·21	29
30	·20	×	-	-	-	·06	-	·02	-	·58	·27	·55	30
31	-	×	-	×	-	×	·16	·15	×	1·75	×	1·13	31
Total	5·16	8·88	1·37	1·54	5·68	1·02	4·78	3·14	·57	6·15	4·03	10·79	YEAR'S TOTAL 53·11
Rain Days.	23	22	10	11	11	7	16	17	8	15	14	26	180

J. 8,000. X. 15.

3927

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Llanthony Abbey

in the County of Monmouth.

by Matthew J Knight Per G B Latham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 792·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	37												1
2	28												2
3													3
4	42												4
5	04												5
6	12												6
7	36												7
8													8
9	01												9
10	04												10
11	06												11
12	08												12
13	02												13
14													14
15													15
16	03												16
17	20												17
18													18
19	14												19
20	18												20
21	06												21
22	02												22
23													23
24													24
25													25
26	06												26
27													27
28	06												28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
Total	2·53												YEAR'S TOTAL
Rain Days.	19												

W. 8,000, VIII. 16

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

LLANTILIO COURT
MONMOUTH
1911-12. 14, 15, 20

1

Kept at Llan

in the County of

by Sir Henr

5 in.

Ground ft. 9 in.

Sea Level 230 ft.

ame Penpergwm

istance 6½ Direction W.

IMPORTANT the result entered to the previous day. If observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	0	0	0	0	0	0	0	~~0~~	0	.19	1
2	0	0	0	3	0	0	0	12	0	0	1	.2	2
3	0	0	0	0	25	0	0	1	0	0	10	33	3
4	0	0	0	1	55	0	0	2	4	5	9	.9	4
5	10	0	7	0	0	0	0	16	0	0	0	.74	5
6	19	0	2	5	0	0	0	0	0	0	22	.2	6
7	1	0	3	0	0	0	0	0	0	0	21	90	7
8	1	0	11	0	0	0	0	0	0	0	40	92	8
9	0	0	35	0	0	0	0	0	0	0	9	54	9
10	2	2	0	0	0	0	0	0	0	0	20	51	10
11	12	[illegible]	38	0	89	0	0	0	0	0	4	2	11
12	0	0	0	0	6	0	0	0	12	0	50	11	12
13	0	0	0	0	11	0	0	0	37	0	31	65	13
14	0	0	0	0	0	0	0	0	0	0	1	1.30	14
15	0	2	2	0	0	0	0	0	0	0	0	15	15
16	0	0	0	0	0	39	0	0	0	0	31	28	16
17	0	0	0	0	0	28	0	0	0	0	28	73	17
18	0	25	6	26	0	25	0	0	0	0	18	66	18
19	0	15	0	23	0	0	0	0	35	20	0	65	19
20	0	2	9	0	0	0	0	0	26	14	0	68	20
21	0	20	29	0	0	3	0	1.30	14	21	0	12	21
22	0	8	3	6	0	8	0	0	0	18	0	49	22
23	0	33	12	0	0	0	0	0	18	15	0	24	23
24	0	5	0	0	0	50	0	20	0	15	0	26	24
25	0	4	0	0	0	3	0	0	11	1	0	1	25
26	0	14	0	18	21	0	0	18	0	0	0	0	26
27	0	30	26	2	0	0	0	39	5	42	16	15	27
28	0	11	0	18	0	0	0	6	0	0	7	15	28
29	0		0	1	0	1.4	26	0	8	0	35	0	29
30	0		0	0	5	0	8	9	0	31	0	0	30
31	0		0		0		12	0		39			31
Total	45	~~1.81~~ 1.71	183	103	206	170	46	253	170	220	19 ~~3.53~~ 3.72	~~11.14~~ 10.95	TOTAL for year 3034
No. of Rain Days	6	13	13	10	6	8	3	10	10	11	~~18~~ 19	~~27~~ 26	~~[illegible]~~ 135

9,000, IX. '10.

1

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Llanthomont

in the County of Monmouth. 4

by Sir Henry Mather Jackson Bt.

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	ft. 9 in.
	" " " Sea Level	230 ft.

Time of Observation 9. am

Nearest Railway Station: Name Pandy; Distance 6½; Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	0	0	0	0	0	0	0	~~0~~	0	.19	1
2	0	0	0	3	0	0	0	12	0	0	1	.2	2
3	0	0	0	0	25	0	0	1	0	0	10	33	3
4	0	0	0	1	55	0	0	2	4	5	9	.9	4
5	10	0	7	0	0	0	0	16	0	0	0	74	5
6	19	0	2	5	0	0	0	0	0	0	22	.2	6
7	1	0	3	0	0	0	0	0	0	0	21	90	7
8	1	0	11	0	0	0	0	0	0	0	40	92	8
9	0	0	35	0	0	0	0	0	0	0	9	54	9
10	2	2	0	0	0	0	0	0	0	0	20	51	10
11	12	0	38	0	89	0	0	0	0	0	4	2	11
12	0	0	0	0	6	0	0	0	12	0	50	11	12
13	0	0	0	0	11	0	0	0	37	0	31	65	13
14	0	0	0	0	0	0	0	0	0	0	1	1.30	14
15	0	2	2	0	0	0	0	0	0	0	0	15	15
16	0	0	0	0	0	39	0	0	0	0	31	28	16
17	0	0	0	0	0	28	0	0	0	0	28	73	17
18	0	25	6	26	0	25	0	0	0	0	18	66	18
19	0	15	0	23	0	0	0	0	35	20	0	65	19
20	0	2	9	0	0	0	0	0	26	14	0	68	20
21	0	20	29	0	0	3	0	1.30	14	20	0	12	21
22	0	8	3	6	0	8	0	0	0	18	0	[illegible]	22
23	0	33	12	0	0	0	0	0	18	15	0	24	23
24	0	5	0	0	0	50	0	20	0	15	0	26	24
25	0	4	0	0	0	3	0	0	11	1	0	1	25
26	0	14	0	18	21	0	0	18	0	0	0	0	26
27	0	30	26	2	0	0	0	39	5	42	16	15	27
28	0	11	0	18	0	0	0	6	0	0	7	15	28
29	0		0	1	0	1.4	26	0	8	0	35	0	29
30	0		0	0	5	0	8	9	0	31	0	0	30
31	0		0		0		12	0		39		0	31
Total	45	1.81 1.71	183	103	206	170	46	253	170	220	19 ~~365~~ 3.72	~~10.24~~ 10.95	TOTAL for year 3034
No. of Rain Days	6	13	13	10	6	8	3	10	10	11	~~18~~ 19	~~21~~ 26	~~99~~ 135

9,000, IX. '10.

[illegible] 26.III.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

7. JAN 13.

Kept at Llantilio Court

in the County of Monmouth 4

by Sir H. Mather Jackson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
,, ,, ,, Sea Level 231 ft.

Time of Observation 9. a m

Nearest Railway Station
Name Penpergwm
Distance 6½ Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.0	.0	.29	.0	.0	.0		.01	.0	.0	.0	.0	1
2	.0	.0	.67	.01	.0	.26	.0	.50	.0	.0	.0	.24	2
3	.0	.0	.21	.0	.14	.30	.0	1.06	.0	.0	.04	.2	3
4	.16	.0	1.03 1.3	.0	.16	.02	.02	.53	.0	.0	.14	.0	4
5	.28	.0	.0	.0	.14	.10	.0	.45	.0	.0	.0	.0	5
6	.66	.41	.0	.0	.0.4	.30		.0	.0	.0	.0	.0	6
7	.02	.40	.34	.01	.30	.70	.50	.50	.0	.0	.0	.09	7
8	.63	.34	.29	.0	.0		.05	.08	.0	.0	.0	.02	8
9	.05	.01	.54	.0	.0	.50	.10	.32	.0	.0	.0	.06	9
10	.19	.04	.0	.0	.0	.0	.0	.04	.0	.0	.05	.23	10
11	.05	.05	.0	.10	.0	.0	.0	.10	.0	.0	.0	.41	11
12	.0	.22	.03	.0	.0	.14	.0	.0	.0	.0	.0	.02	12
13	.01	.0	.0	.0	.0	.0	.0	.0	.02	.0	.0	.0	13
14	.15	.01	.64	.0		.0	.0	.10	.0	.0	.0	.07	14
15	.44	.06	.0	.0	.10 1.0	25	.0	.0	.0	.0	.0	.08	15
16	.85	.0	.10	.0	.90 .0.90	.0	.0	.09	.0	.0	.0.2	.0	16
17	.35	.0	.20	.0	.	.14	.0	.40	.0	.02	.02	.41	17
18	.0	.06	.06	.0	.0	.0	.0	.50	.0	.0	.02	.03	18
19	.53	.06	.0	.0	.0	.0	.0	.56	.0	.0	.0	.04	19
20	.10	.0	.83	.0	.0	.0	.0	.01	.0	.25	.0	.0	20
21	.01	.02	.51	.0	.19	.0	.16	.18	.0	.25	.0	.04	21
22	.21	.34	.06	.0	.0	.0	.06	.22	.0	.03	.0	.29	22
23	.40	.46	.44	.0	.50	.28	.70	.22	.0	.13	.0	.04	23
24	.10	.06	.0	.0		.0	.0	.10	.0	.02	.0	.24	24
25	.0	.0	.0	.0	.0	.36	.14	.95	.0	.02	.34	.37	25
26	.0	.12	.0	.0	.0	.37	1.15	.73	.0	.94	.50	.36	26
27	.0	.02	.0	.0	.0	.80	.82	.0	.0	1.09	.0	.36	27
28	.0	.09	.0	.0	.4	.11	.23	.83	.08	.46	.46	.30	28
29	.0	.24	.0	.0	.0	.02	.13	.10	.53	.26	.0	.03	29
30	.0		.06	.0	.0	.10	.0	.0	.48	.30	.0	.0	30
31	.0		.25				.51	.13		.0		.05	31
Total	5.49	3.01	~~[illegible]~~ 6.58	0.12	3.57	4.75	4.56	8.91	1.11	3.80	1.59	3.98	TOTAL for year 46.27
No. of Rain Days.	19	19	18	3	10 2.57	17	13	25	4	12	9	23	~~146~~ ~~.24~~

W. 8,000, X. '11.

172

46.24 inch

Dates uncertain

REGISTER OF RAINFALL IN 1914

cwd for anal. dfn for W.D. 20.IV.15

FORM A. BRITISH RAINFALL. JAN 1915

4

Kept at Llantilio Court

in the County of Monmouth 4

by Sir Henry Mather Jackson

Lat. .... Long. ....

Time of Observation 9 o'clock a.m.

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 231. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·05)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·09	·04	·02	·0	·13	·55	·24	·0	·0	·09	·59	1
2	·0	·0	·02	·03	·0	·0	·52	·04	·0	·0	·45	·15	2
3	·0	·0	·04	·15	·40	·0	·0	·0	·0	·0	·01	·50	3
4	·0	·0	·13	·22	·12	·0	·43	·0	·0	·0	·43	·20	4
5	·0	·0	·14	·08	·20	·02	·02	·20	·0	0	·03	·75	5
6	·10	·10	·0	·02	·12	·01	·0	·0	·0	·0	·03	0	6
7	·10	·41	·19	·11	·10	·0	·0	·08	·0	·0	·01	·45	7
8	·0	·09	·09	·04	·20	·78	·0	·20	·0	·0	·0	7	8
9	·0	·30	·24	·30	·08	1·38	·32	·0	·0	·0	·0	8	9
10	·0	·0	·25	·33	·09	·05	·0	·0	·43	·0	·0	0	10
11	·0	·20	·0	·0	·0	·24	·0	·0	·0	·0	·15	0	11
12	·0	·10	·09	·0	·0	·0	·0	·0	·16	·0	·03	·69	12
13	·0	·50	·52	·0	·0	·0	·0	·0	·50	·31	·03	·27	13
14	·0	·06	·32	·0	·0	·0	·0	·06	·0	·0	·32	·20	14
15	·0	·0	·18	·0	·0	·0	·0	·05	·8	·11	·10	0	15
16	·0	·0	·0	·0	·0	·0	·09	·0	·38	·06	·0	0	16
17	·0	·20	·26	·0	·0	·0	·0	·0	·02	·0	·0	0	17
18	·0	·04	·29	·0	·0	·17	·90	·0	·01	·2	·0	·64	18
19	·05	·0	·16	·0	·0	·0	·10	·0	·01	·0	·06	·19	19
20	·0	·32	·0	·0	·0	·0	·15	·0	·0	·0	·0	·26	20
21	·0	·10	·0	·0	·02	·0	·02	·0	·0	·24	·0	·22	21
22	·0	·29	·30	·0	·30	·16	·0	·50	·0	·30	·0	·0	22
23	·0	·0	·15	·0	·0	·0	·0	·0	·0	·35	·0	0	23
24	·0	·0	·2	·0	·0	·0	·04	·07	·0	·07	·0	0	24
25	·14	·0	·35	·0	·0	·0	·0	·35	·0	·25	·11	0	25
26	·0	·0	·25	·0	·0	·0	0	·0	·0	·11	·03	19	26
27	·0	·0	·0	·0	·0	0	·27	·0	·0	·01	·25	64	27
28	·0	·11	·21	·0	·0	·0	·0	·0	·0	·02	·41	23	28
29	·10		·19	·0	·32	·0	·0	·0	·0	·21	·05	72	29
30	·0		·0	·0	·0	·0	·0	0	·0	·20	·45	0	30
31	·30		·0		·0		·25	·0		·24	[illegible]	·64	31
Total	0·79	3·11	4·46	1·53	1·95	2·94	4·46	1·79	1·59	~~2·48~~ 2·50	·59 ~~2·04~~ 3·63	1·05 ~~4·68~~ 7·14	YEAR'S TOTAL ~~35·18~~ 35·89
Rain Days.	·6	·15	·23	·10	·11	·9	·13	·10	·8	·15	19	20	[illegible]

W. 7,500, XI. 12

cnd for auth 15.V.16 ~~W~~ B 3996

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Llantilio Court estate
in the County of Monmouth
by Sir H. M. Jackson Bt.

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Penpergwm
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 231 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	0	·02	0				·20	·30	·30			1
2	·36	70	·12	0				·60	·12			·20	2
3	·20	23	·02	·01	·10			·		·15		·19	3
4	·22	24	0	01	·12			·06				·50	4
5	·2	19	0	0				·10				1·0	5
6	·2	58	0	·14			1·40	·10					6
7	21	2	0	·01				·02			·90	·36	7
8	·8	55	0	·04			·65	·05			·04	·32	8
9	22	28	0	·10	~~10~~						·14	·83	9
10	·2	12	·02	·03	~~12~~					·02	·80	·01	10
11	10	8	·17							·05	·21		11
12	·2	0	0		·44					·11			12
13	10	18	0		1·11				·1				13
14	2	0.53	0					·11	·03			·51	14
15	0	0.0	0		·10		·12					·26	15
16	30	0.0	0		·86							·03	16
17	·2	0.90	0		·79		1·06			·05			17
18	·0	0.46	0							·			18
19	·0	0.50	0										19
20	·0	·01	0	·08	·29		·15			·10			20
21	14	0	0				05			·9		·30	21
22	·6	·05	·30				·12						22
23	·13	·09	·06				·35			·60		0·31	23
24	·4	·01	·0				08		·28	1·02		0·25	24
25	·0	0	·03				18			·04		0·28	25
26	0	·13	0			·29	06		·03			0·60	26
27	0·	·02	0			·01	·45			·40		0·05	27
28	0·	·15	0			·03	·11					0·10	28
29	0·		0	·15		·103		·03			·30	0·16	29
30	0	╳	0			·03				1·0	·25	0·27	30
31	18	╳	0	╳		╳	·10		╳	·50	╳	·65	31
Total	256	6·02	·74	·70	3·81	·46	4·88	1·27	·86	4·24 4·43	2·64	7·19 7·18	YEAR'S TOTAL 35·55 ~~36·65~~ 39·61
Rain Days.	21	22	8	~~10~~ 9	8	5	14	9	6	14	7	21	144

W. 8,000. X. 14.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

1 JAN 1921

Kept at Llantilio Court

in the County of Monmouth

by [illegible] Jackson [illegible]

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.42

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0.26	0.50	—	0.66	—	—	0.15	—	0.69	1
2	0.15	—	—	0.11	—	—	0.17	0.05	0.09	0.22	—	0.34	2
3	0.04	—	—	0.22	0.05	—	1.52	—	—	0.93	—	0.05	3
4	—	0.02	—	0.01	—	—	—	0.45	—	0.30	—	—	4
5	—	—	0.32	0.06	0.16	—	0.38	0.05	—	0.45	—	—	5
6	—	—	—	—	—	—	0.13	—	—	0.42	—	—	6
7	—	—	0.21	0.10	—	—	0.11	0.05	—	—	—	—	7
8	0.04	0.03	—	0.54	0.08	—	0.48	—	—	—	—	—	8
9	0.12	—	—	0.45	—	—	0.13	—	—	—	—	—	9
10	0.61	0.04	—	0.06	—	0.50	0.10	—	—	—	—	—	10
11	0.23	—	0.36	0.21	0.30	0.05	0.05	—	—	—	—	—	11
12	0.11	0.04	—	0.26	0.01	0.95	0.04	—	—	—	0.09	—	12
13	—	—	0.61	0.23	—	—	0.07	—	—	—	—	—	13
14	0.10	—	0.52	0.79	—	0.32	—	—	0.24	0.38	0.38	—	14
15	—	0.10	0.06	0.88	—	0.10	—	—	0.28	0.16	—	—	15
16	—	—	—	0.01	0.26	0.63	0.17	—	0.26	0.50	0.12	—	16
17	0.03	—	—	0.37	0.21	0.03	—	—	0.44	0.41	—	—	17
18	0.09	—	—	0.02	0.18	—	0.01	0.23	0.52	—	—	0.08	18
19	—	0.17	—	0.45	—	—	—	—	0.01	—	—	—	19
20	—	0.03	—	0.34	—	0.25	—	—	0.01	—	—	0.26	20
21	—	—	—	0.22	—	—	—	—	—	0.08	—	0.22	21
22	0.03	—	—	—	—	—	0.18	0.18	—	—	—	0.31	22
23	—	—	—	—	—	—	~~0.28~~	—	—	—	—	0.45	23
24	0.03	—	0.39	—	—	—	~~[illegible]~~	—	—	—	—	0.24	24
25	0.10	0.06	0.28	—	—	—	0.80	—	—	—	—	0.05	25
26	0.18	—	0.44	—	—	—	0.07	—	—	—	0.14	0.07	26
27	0.75	—	0.29	0.05	0.10	0.39	0.03	—	—	—	—	0.52	27
28	0.76	—	0.31	—	1.00	—	0.06	—	—	—	—	0.03	28
29	0.65	—	0.23	—	0.04	0.17	0.20	—	—	—	0.20	0.65	29
30	—	X	0.26	—	—	0.06	0.07	—	0.42	—	0.32	0.47	30
31	0.11	X	0.20	X	—	X	0.04	—	X	0.41	X	0.02	31
TOTAL	4.13	0.49	4.48	5.64	2.89	3.45	5.72	1.01	2.27	4.41	1.25	4.45	YEAR'S TOTAL 40.19 40.21
Days with ·01 in. or more	18	8	14	21	12	11	23	6	9	12	6	16	156
	18	5	14	18	11	10	20	6	7	12	6	14	138

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Smade

RE N 19~~1~~2

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

LLANTILIO COURT,
CROSSENY

BRYNDERI

1912 – 1913

Kept at Bryn

in the County of

by Miss Jac

ern

meter of top .... in,

ght of top above Ground .... ft. .... in.

„ „ Sea Level 570 ft.

ervation 9am

lway Station { Name Abergavenny. Distance 8½ miles Direction NW

IMPORTANT NOT 9 a.m., and the result entered to the previous day. If an Ob almost universal rule, he is earnestly requested to add the rea following year in the space provided for it at the end of this paragraph he measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London N.W.

Jan. 1, following. 06

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	24	—	—	38	—	trace	·03	41	—	snow 15	1
2	—	snow Trace	48	—	—	27	44	·02	—	—	—	03	2
3	·01	—	54	—	16	19	·09	116	·01	—	·04	—	3
4	·18	—	68	—	20	·04	—	43	—	—	18	—	4
5	·25	—	·06	—	14	·06	—	40	03	—	—	·09	5
6	·58	snow ·10	—	—	11	·01	—	26	·01	—	—	·03	6
7	·04	·30	29	—	04	48	—	·03	—	—	—	08	7
8	snow ·44	·50	27	—	—	thunder 78	·06	·08	—	—	—	30	8
9	thunder ·07	·26	54	·02	—	59	—	31	—	—	—	—	9
10	·20	·02	—	·08	—	·04	—	04	—	—	12	47	10
11	·02	·10	—	trace	—	—	05	—	—	—	02	03	11
12	—	·07	·06		12	·02	02	—	—	—	—	05	12
13	·07	22	—	10	—	—	03	—	03	—	—	—	13
14	·14	—	55	·02	17	—	—	—	—	·09	—	—	14
15	·64	—	—	—	23	24	—	06	—	·01	—	15	15
16	·75	·11	79	—	·03	—	—	—	—	—	05	—	16
17	snow ·42	—	·08	—	—	15	—	14	—	·05	—	35	17
18	snow ·11	—	·07	—	—	—	—	40	—	·03	06	·04	18
19	·08	·07	—	—	—	—	17	33	—	·07	·01	·05	19
20	·06	·08	snow 76	—	02	—	13	44	—	21	—	01	20
21	·03	—	thunder 48	—	79	—	—	17	—	23	—	—	21
22	snow ·24	·07	13	—	thunder 6·0		84	23	—	·03	—	06	22
23	snow ·31	22	33	—	—	[illegible]	24	24	—	10	·03	26	23
24	snow ·07	·40	—	—	—	36	—	0·5	—	03	—	24	24
25	—	·06	—	—	—	27	—	1·00	—	05	26	35	25
26	—	—	—	—	—	—	10	73	—	84	45	37	26
27	—	13	—	—	—	74	100	—	—	94	—	34	27
28	—	·03	·03	—	01	19	04	73	15	50	39	30	28
29	—	28	—	—	—	12	27	23	53	23	—	04	29
30	—		·08	—	04	12	14	—	—	31	—	—	30
31	Trace		25		12		11	10		02		01	31
Total	4·73 4·71	3·62	5·91	·22	2·78	5·36 5·34	5·79 4·83	8·47 7·58	·64	4·16 4·15	1·61	3·74	TOTAL for year 44·53 44·53
No. of Rain Days.	21	19	20	4	15	20	16	23	6 ~~7~~	18	11	~~22~~ 23	196

W. 8,000, X. '11.

S made 5

REGISTER [illegible] N 1912

FORM A2.
BRITISH RAINFALL
2 JAN 1913

Kept at Bryndesi

in the County of Monmouth 4

by Miss Jackson

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level 570 ft.

Time of Observation 9 am

Nearest Railway Station
Name Abergavenny.
Distance 8½ miles Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 06

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	24	—	—	38	—	trace	·03	41	—	snow 15	1
2	—	snow Trace	48	—	—	27	44	·02	—	—	—	03	2
3	·01	—	54	—	16	19	09	116	·01	—	·04	—	3
4	·18	—	68	—	20	·04	—	43	—	—	18	—	4
5	·25	—	·06	—	14	06	—	40	03	—	—	·09	5
6	·58	snow 10	—	—	11	·01	—	26	·01	—	—	·03	6
7	·04	·30	29	—	04	48	—	·03	—	—	—	08	7
8	snow ·44	·50	27	—	—	thunder 78	·06	·08	—	—	—	30	8
9	thunder ·07	·26	54	·02	—	59	—	31	—	—	—	—	9
10	·20	·02	—	·08	—	·04	—	04	—	—	12	47	10
11	·02	·10	—	trace	—	—	15	—	—	—	02	03	11
12	—	·07	·06	—	12	·02	02	—	—	—	—	05	12
13	·07	·22	—	10	—	—	03	—	03	—	—	—	13
14	·14	—	55	·02	17	—	—	—	—	·09	—	—	14
15	·64	—	—	—	23	24	—	06	—	·01	—	15	15
16	·75	·11	79	—	·03	—	—	—	—	—	·05	—	16
17	snow ·42	—	·08	—	—	15	—	14	—	·05	—	35	17
18	snow ·11	—	·07	—	—	—	—	40	—	·03	06	·04	18
19	·08	·07	—	—	—	—	17	33	—	·07	·01	·05	19
20	·06	·08	snow 76	—	02	—	13	44	—	21	—	01	20
21	·03	—	thunder 48	—	79	—	—	17	—	23	—	—	21
22	snow ·24	·07	13	—	thunder 6·0		84	23	—	·03	—	06	22
23	snow ·31	22	33	—	—	23	24	24	—	10	·03	26	23
24	snow ·07	40	—	—	—	36	—	0·5	—	03	—	24	24
25	—	·06	—	—	—	27	—	1·00	—	05	26	35	25
26	—	—	—	—	—	—	10	73	—	84	45	37	26
27	—	13	—	—	—	74	100	—	—	94	—	34	27
28	—	·03	·03	—	01	19	104	73		50	39	30	28
29	—	28	—	—	—	12	27	23	53	23	—	04	29
30	—		·08	—	04	12	14	—	—	31	—	—	30
31	Trace		25		12		11	10		02		01	31
Total	4·73 4·71	3·62	5·91	·22	2·78	5·36 5·34	4·89 4·83	8·47 7·58	·64	4·16 4·15	1·61	3·74	TOTAL for year 44·33 44·53
No. of Rain Days.	21	19	20	4	15	20	16	23	6~~7~~	18	11	~~22~~ 23	196

W. 8,000, X. '11.

02

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
20 JAN 1914

Kept at Crindau
in the County of Monmouth 4
by H. Heal[illegible] Gardener to Mrs Jackson

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	28	06	04	15	—	—	—	27	23	10	06	1
2	03	08	22	—	07	—	—	—	05	thun 92	15	—	2
3	18	—	10	—	34	—	—	—	—	60	—	—	3
4	1·29	05	28	—	10	22	—	—	1·89	—	08	07	4
5	14	03	—	—	10	—	03	—	04	—	08	20	5
6	05	09	18	—	12	13	03	—	—	32	25	10	6
7	02	55	—	—	36	13	04	—	—	1·13	19	46	7
8	02	20	—	—	20	—	—	—	—	16	—	—	8
9	—	25	—	—	15	10	—	20	08	03	26	—	9
10	48	—	02	—	10	—	09	10	—	16	19	—	10
11	73	—	—	12	11	—	—	—	—	12	57	—	11
12	02	—	—	20	50	—	—	—	15	—	48	—	12
13	snow 04	—	10	—	32	—	—	11	59	—	31	—	13
14	23	—	31	—	—	—	—	01	13	10	—	—	14
15	06	05	75	—	—	—	—	13	02	—	—	—	15
16	31	01	35	—	—	—	—	—	—	—	—	—	16
17	18	—	snow 17	1·00	—	—	04	—	—	—	—	02	17
18	09	—	35	10	—	04	—	—	—	—	12	—	18
19	16	—	13	19	—	06	05	—	17	03	—	—	19
20	55	—	28	16	—	—	—	—	—	11	36	—	20
21	snow 32 rain 70	—	45	34	31	—	—	04	—	—	31	—	21
22	~~0~~		69	02	—	—	05	30	44	—	09	—	22
23	07	03	02	—	—	12	—	—	03	—	03	08	23
24	03	06	—	03	—	05	—	05	—	—	01	—	24
25	—	04	—	40	—	—	—	—	06	—	—	—	25
26	—	—	—	89	—	—	—	17	03	06	—	19	26
27	—	—	—	47	05	—	—	—	—	13	—	snow 32	27
28	37	—	30	54	05	—	—	—	—	22	—	snow 03	28
29	03	—	44	42	—	—	—	05	—	33	—	02	29
30	19	—	—	—	—	—	—	03	—	1·08	—	—	30
31	08		11		14		—	05		—		—	31
Total	6·37	1·75	~~4·85~~ 5.13	4·91	~~2·78~~ 2.87	~~·79~~ ·85	·33	1·24	~~3·87~~ 3.95	~~5·78~~ 5.73	3·64	~~1·23~~ 1·25	TOTAL for year 38·02 ~~37·40~~
No. of Rain Days	25	13	29	15	17	8	7	12	14	17	17	11	176

9,000, IX. '10.

REC

LLANVIHAN~~GEL~~ CRUCORNEY
MONMOUTHSHIRE
1918 - 20

FORM A.
BRITISH RAINFALL.

19 2. 19

Kept at Llanvihangel D

in the County of Monm

by Abertillery & Dist

e 5 in.

und 1 ft. 0 in.

Level 501 ft.

IMPORTANT NO result entered to the previous day. If an O rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·07	·01	·05	–	–	–	·23	·02	–	1·43	–	1
2	–	·20	–	·10	–	–	–	·39	–	·01	·11	·11	2
3	–	·21	–	·33	·60	–	–	·19	·42	·07	·01	–	3
4	–	·05	·02	·03	–	–	–	·07	·81	·10	·85	·53	4
5	–	·04	–	·07	·25	–	–	·18	·38	·31	·01	·04	5
6	·03	·07	–	·09	–	·03	–	·01	·01	·30	–	·06	6
7	–	·05	–	·01	·47	–	–	–	·80	·17	·29	·23	7
8	·02	·10	–	–	–	–	–	–	–	·14	–	–	8
9	·05	·23	–	·35	–	·29	·10	–	·32	·09	·02	·09	9
10	·11	–	–	·26	–	–	·21	–	·28	·04	–	·16	10
11	·01	·01	·07	·06	–	–	·33	–	·03	·01	·09	·06	11
12	–	·07	·15	–	·10	–	·18	–	·02	–	–	·01	12
13	·01	·04	–	–	·02	·02	·10	–	·30	·02	–	·15	13
14	·31	–	·06	–	·01	·01	·15	–	·60	·02	–	·18	14
15	·83	·01	–	·13	–	–	·47	–	·13	–	–	·28	15
16	·35	–	–	·92	–	–	·03	·01	·49	–	–	·16	16
17	·23	–	·03	–	–	·01	·04	–	·75	·08	–	·09	17
18	·38	–	–	–	–	·57	·12	–	1·00	·08	–	·67	18
19	·25	·02	·22	–	–	–	·12	–	·03	·07	–	·08	19
20	·27	·10	–	·43	–	–	·09	–	·21	·01	–	–	20
21	·16	·01	–	·05	–	–	·03	–	·58	·04	–	·35	21
22	–	–	–	–	·59	–	·12	–	·02	·07	–	·38	22
23	·07	–	–	–	·65	–	·28	–	·08	–	·07	·01	23
24	·01	·08	–	–	–	–	·09	·11	·02	–	·13	·12	24
25	–	–	–	·02	·08	–	·21	·98	–	·07	·06	–	25
26	–	·02	–	–	–	–	·34	·05	·03	–	·06	·24	26
27	–	·02	·09	–	–	–	–	·17	·25	–	·04	·08	27
28	–	·09	·41	·02	–	–	–	–	–	–	·06	·06	28
29	–		·12	–	–	–	–	–	1·18	·03	–	·05	29
30	–	✕	·37	–	–	–	–	–	–	·02	·10	·12	30
31	–	✕	·38	✕	–	✕	–	·13	✕	–	✕	–	31
Total	3·09	1·49	1·93	2·92	2·77	0·93	3·01	2·52	8·76	1·75	3·33	4·31	YEAR'S TOTAL 36·81
Rain Days.	16	20	12	16	9	6	19	12	25	21	15	25	196

W, 6,500, VII. 18. W W C

RE

FORM A.
BRITISH RAINFALL

19
2. 19

Kept at Llanvihangel Depot, Crucorney
in the County of Monmouthshire.
by Abertillery & District Water Board.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 501 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·07	·01	·05	–	–	–	·23	·02	–	1·43	–	1
2	–	·20	–	·10	–	–	–	·39	–	·01	·11	·11	2
3	–	·21	–	·33	·60	–	–	·19	·42	·07	·01	–	3
4	–	·05	·02	·03	–	–	–	·07	·81	·10	·85	·53	4
5	–	·04	–	·07	·25	–	–	·18	·38	·31	·01	·04	5
6	·03	·07	–	·09	–	·03	–	·01	·01	·30	–	·06	6
7	–	·05	–	·01	·47	–	–	–	·80	·17	·29	·23	7
8	·02	·10	–	–	–	–	–	–	–	·14	–	–	8
9	·05	·23	–	·35	–	·29	·10	–	·32	·09	·02	·09	9
10	·11	–	–	·26	–	–	·21	–	·28	·04	–	·16	10
11	·01	·01	·07	·06	–	–	·33	–	·03	·01	·09	·06	11
12	–	·07	·15	–	·10	–	·18	–	·02	–	–	·01	12
13	·01	·04	–	–	·02	·02	·10	–	·30	·02	–	·15	13
14	·31	–	·06	–	·01	·01	·15	–	·60	·02	–	·18	14
15	·83	·01	–	·13	–	–	·47	–	·13	–	–	·28	15
16	·35	–	–	·92	–	–	·03	·01	·49	–	–	·16	16
17	·23	–	·03	–	–	·01	·04	–	·75	·08	–	·09	17
18	·38	–	–	–	–	·57	·12	–	1·00	·08	–	·67	18
19	·25	·02	·22	–	–	–	·12	–	·03	·07	–	·08	19
20	·27	·10	–	·43	–	–	·09	–	·21	·01	–	–	20
21	·16	·01	–	·05	–	–	·03	–	·58	·04	–	·35	21
22	–	–	–	–	·59	–	·12	–	·02	·07	–	·38	22
23	·07	–	–	–	·66	–	·28	–	·08	–	·07	·01	23
24	·01	·08	–	–	–	–	·09	·11	·02	–	·13	·12	24
25	–	–	–	·02	·08	–	·21	·98	–	·07	·06	–	25
26	–	·02	–	–	–	–	·34	·05	·03	–	·06	·24	26
27	–	·02	·09	–	–	–	–	·17	·25	–	·04	·08	27
28	–	·09	·41	·02	–	–	–	–	–	–	·06	·06	28
29	–		·12	–	–	–	–	–	1·18	·03	–	·05	29
30	–	╳	·37	–	–	–	–	–	–	·02	·10	·12	30
31	–	╳	·38	╳	–	╳	–	·13	╳	–	╳	–	31
Total	3·09	1·49	1·93	2·92	2·77	0·93	3·81	2·52	8·76	1·75	3·33	4·31	YEAR'S TOTAL 36·81
Rain Days.	16	20	12	16	9	6	19	12	25	21	15	25	196

W, 6,500, VII. 18. W W C

3569

3 FEB 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Llanvihangel Depot-
Llanvihangel Crucorney
in the County of Monmouth
by Abertillery & District Water Board.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 501 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	—	·06	·03	·05	—	·16	—	·24	·18	—	·41	1
2	·15	—	·03	—	—	—	·39	—	·10	—	·09	·15	2
3	·06	—	·09	—	—	·22	·07	—	·32	—	·05	·21	3
4	·05^{5}	·26	·30	—	—	·01	·12	—	·45	—	—	·10	4
5	—	·39	·10	—	—	—	—	—	·07	—	·01	·40	5
6	·45	·11	·09	—	—	—	—	—	·01	—	·02	·51	6
7	·25	—	·28	·15	·06	—	—	—	—	—	—	—	7
8	·47	—	·10	·02	—	·02	—	—	—	—	—	—	8
9	·43	—	·02	·03	—	—	—	—	—	—	·21	—	9
10	·04	—	·70	—	·12	—	—	—	—	—	·01	·67	10
11	·01	—	·88	·03	·05	—	·16	—	—	—	·08	·01	11
12	·01	—	·08	·13	—	·47	·08	—	·02	·04	·08	—	12
13	·13	—	—	·28	—	—	—	—	·39	·20	·01	·07	13
14	·33	·10	—	·22	—	—	—	—	·03	·04	—	·39	14
15	·40	·15	—	·08	—	—	—	·02	—	·03	—	·41	15
16	·03	1·25	—	—	—	—	—	·02	—	—	·10	—	16
17	·01	·90	—	—	—	·01	—	·02	—	—	·06	—	17
18	·06	—	·55	—	—	—	·01	·09	·04	—	·09	·03	18
19	·22	·42	·47	—	—	·14	·87	·32	·09	—	·10	—	19
20	·44	·10	·52	—	—	·01	—	·11	—	—	·14	·17	20
21	·02	·76	·05	—	—	—	·05	—	·04	—	·03	·22	21
22	—	·13	—	—	—	—	—	—	·20	—	·02	·58	22
23	—	—	—	—	—	—	—	·02	—	·95	·12	·11	23
24	—	—	—	·02	·06	·06	·03	·02	·01	·50	·20	·43	24
25	·09	—	—	·07	—	—	—	·55	·02	—	·04	·01	25
26	·02	—	·15	·09	—	—	—	·02	·07	—	—	·27	26
27	·14	—	·09	·16	—	—	—	·71	·02	—	—	—	27
28	·03	—	·39	—	—	—	—	·39	—	—	·40	·32	28
29	·08		·03	·17	—	—	—	—	—	·13	·02	·53	29
30	—		·02	·03	—	·13	—	·30	—	—	·40	·57	30
31	·01		—		—		·01	—		—		·01	31
TOTAL	4·16	4·57	5·00	1·51	·34	1·07	1·95	2·59	2·12	2·07	2·28	6·58	YEAR'S TOTAL 34·24
Days with ·01 in. or more	26	11	21	15	5	9	11	13	17	8	22	23	181

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

3457

11 FEB 1921

Form A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llanvihangel Crucorney Depot

in the County of Monmouthshire

by J. F. Jupp M. Inst. C.E.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 501 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	·10	·25	·51	—	·66	—	·30	·50	·03	·90	1
2	·20	—	—	·20	—	—	·23	·05	·34	·30	—	·27	2
3	·04	·05	—	·06	·27	—	2·00	—	—	2·15	—	—	3
4	—	—	—	·10	—	—	—	·08	·05	·55	—	·17	4
5	—	—	·23	·15	·22	—	·42	·30	—	·42	—	—	5
6	—	—	·21	—	·12	—	·09	—	—	·02	—	—	6
7	—	—	—	—	—	—	·27	—	—	—	—	—	7
8	·10	·10	—	·21	·16	—	·16	·17	—	—	—	—	8
9	·12	·25	—	·54	—	—	·07	—	—	—	—	—	9
10	·70	·17	·02	·10	—	·65	·12	—	·01	—	—	—	10
11	·18	·02	·11	1·10	·32	·40	—	—	·01	—	—	—	11
12	·10	·09	—	·50	—	·60	·02	—	—	—	—	—	12
13	·08	·02	·30	·45	—	·10	—	—	—	—	·02	—	13
14	·03	·01	·50	1·00	—	·20	·12	—	—	·30	·65	—	14
15	—	·21	·03	·10	·03	·30	·19	—	·50	—	·06	—	15
16	·02	—	·04	—	·02	·25	—	—	1·10	·80	—	—	16
17	—	—	—	—	·21	·10	—	·02	·30	·50	—	—	17
18	·08	—	—	·09	·17	·18	—	·12	·75	—	—	—	18
19	—	·04	·10	·50	·19	·40	—	—	·70	—	·01	—	19
20	—	·01	·08	·33	—	·25	—	—	—	·30	—	·51	20
21	—	—	·13	·50	—	·09	—	—	—	—	—	·10	21
22	—	—	—	—	—	—	·17	—	—	—	—	·20	22
23	·04	—	·25	—	—	—	·10	—	—	—	—	·51	23
24	·05	—	·19	·10	—	—	·30	—	·01	—	·15	·15	24
25	·30	·01	·06	·06	—	—	·36	—	—	—	—	·20	25
26	·56	·03	·19	·12	—	·10	·07	—	—	—	·21	·11	26
27	·37	·12	·30	·09	—	·16	·10	—	—	—	·27	1·00	27
28	1·00	—	·26	·02	·10	·08	—	—	—	—	—	·10	28
29	·50	—	·10	—	·21	—	·05	—	—	—	·15	·70	29
30	·20	╳	·08	·06	—	·15	·15	—	·65	—	·54	·55	30
31	·12	╳	·07	╳	—	╳	·01	—	╳	·50	╳	·15	31
Total	4·79	1·15	3·35	6·63	2·53	4·01	5·66	0·74	4·72	6·34	2·09	5·62	Year's Total 47·63
Days with ·01 in. or more	20	15	21	23	13	16	21	6	12	11	10	15	183
Days with ·04 in. or more	19	8	19	22	11	16	19	5	9	10	7	15	160

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

MARSHFIELD VICARAGE
MONMOUTH
1913 - 1917

WD imaged

REGI

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

Kept at Marsh fie... k field G.W.R.

in the County of Mon... in.

by J H G. Sl... nd 1 ft. in.

evel 40 ft.

IMPORTANT NOT... result entered to the previous day. If an Ob... rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)

1st Record Kept

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·06	·0	·29	·0	·0	·05	·0	·0	·09	1
2				·01	·0	·0	·0	·0	·38	·0	·26	·02	2
3				·04	·07	·0	·0	·0	·0	·07	·21	·10	3
4				·0	·25	·0	·0	·0	·0	·0	·0	·20	4
5				·0	·02	·0	·0	·0	1·67	·17	·09	·09	5
6			·16	·0	·46	·16	·03	·0	·24	·0	·43	·13	6
7			·0	·0	·04	·39	·05	·0	·0	·76	·34	·47	7
8			·0	·0	·34	·29	·0	·0	·0	·57	·40	·0	8
9			·0	·0	·23	·0	·0	·0	·0	·0	·0	·05	9
10			·07	·01	·22	·42	·03	·0	·0	·0	·17	·04	10
11			·04	·0	·16	·03	·0	·14	·0	·35	·10	·07	11
12			·0	·14	·30	·0	·0	·0	·0	·0	·63	·0	12
13			·0	·0	·25	·0	·0	·03	·01	·19	·44	·0	13
14			·45	·0	·0	·0	·0	·0	·37	·0	·32	·0	14
15			·50	·10	·0	·0	·0	·06	·04	·0	·08	·05	15
16			·33	1·48	·0	·0	·0	·05	·01	·0	·16	·05	16
17			·60	·14	·0	·0	·03	·09	·0	·0	·02	·0	17
18			·02	·20	·0	·0	·02	·0	·0	·0	·11	·0	18
19			·29	·29	·0	·0	·14	·0	·0	·0	·12	·0	19
20			·10	·04	·03	·12	·0	·0	·15	·0	·01	·0	20
21			·07	·25	·0	·0	·0	·0	·0	·05	·40	·0	21
22			·06	·40	·15	·0	·0	·0	·0	·15	·30	·0	22
23			·35	·0	·04	·38	·0	·0	·87	·0	·0	·15	23
24			·0	·0	·0	·03	·0	·0	·04	·0	·0	·0	24
25			·0	·13	·0	·0	·0	·14	·0	·0	·0	·0	25
26			·0	·36	·0	·0	·0	·0	·05	·0	·05	·19	26
27			·0	·37	·0	·0	·0	·03	·0	·02	·0	·20	27
28			·07	·51	·0	·0	·0	·0	·0	·35	·0	·0	28
29			·14	·42	·01	·0	·0	·0	·0	·35	·0	·11	29
30			·46	·43	·01	·0	·0	·18	·0	·18	·01	·0	30
31			·0		·0		·0	·20		·74		·0	31
Total				~~5·25~~ 5·19	29 ~~2·58~~ 2·87	~~2·11~~ 1·82	~~·20~~ ·30	·05 ~~·92~~ ·97	~~3·38~~ 3·33	~~3·89~~ 3·89	·09 ~~4·65~~ 4·74	~~2·01~~ 1·92	YEAR'S TOTAL
Rain Days.				~~16~~ 18	~~16~~ 17	~~9~~ 8	6	~~6~~ 10	~~12~~ 11	13	~~21~~ 22	~~16~~ 15	

W. 7,500, XI. 12

VVD

REGI

FORM A. BRITISH RAINFALL.
7- JAN 1914

Kept at Marshfield [illegible]

in the County of Monmouth

by J. H. G. Manley

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Marshfield G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

No Record Kept

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·06	·0	·29	·0	·0	·05	·0	·0	·09	1
2				·01	·0	·0	·0	·0	·38	·0	·26	·02	2
3				·04	·07	·0	·0	·0	·0	·07	·21	·10	3
4				·0	·25	·0	·0	·0	·0	·0	·0	·20	4
5				·0	·02	·0	·0	·0	1·67	·17	·09	·09	5
6			·16	·0	·46	·16	·03	·0	·24	·0	·43	·13	6
7			·0	·0	·04	·39	·05	·0	·0	·76	·34	·47	7
8			·0	·0	·34	·29	·0	·0	·0	·57	·40	·0	8
9			·0	·0	·23	·0	·0	·0	·0	·0	·0	·05	9
10			·07	·01	·22	·42	·03	·0	·0	·0	·17	·04	10
11			·04	·0	·16	·03	·0	·14	·0	·35	·10	·07	11
12			·0	·14	·30	·0	·0	·0	·0	·0	·63	·0	12
13			·0	·0	·25	·0	·0	·03	·01	·19	·44	·0	13
14			·45	·0	·0	·0	·0	·0	·37	·0	·32	·0	14
15			·50	·10	·0	·0	·0	·06	·04	·0	·08	·05	15
16			·33	1·48	·0	·0	·0	·05	·01	·0	·16	·05	16
17			·60	·17	·0	·0	·03	·09	·0	·0	·02	·0	17
18			·02	·20	·0	·0	·02	·0	·0	·0	·11	·0	18
19			·29	·29	·0	·0	·14	·0	·0	·0	·12	·0	19
20			·10	·04	·03	·12	·0	·0	·15	·0	·01	·0	20
21			·07	·25	·0	·0	·0	·0	·0	·05	·40	·0	21
22			·06	·40	·15	·0	·0	·0	·0	·15	·30	·0	22
23			·35	·0	·04	·38	·0	·0	·37	·0	·0	·15	23
24			·0	·0	·0	·03	·0	·0	·04	·0	·0	·0	24
25			·0	·13	·0	·0	·0	·14	·0	·0	·0	·0	25
26			·0	·36	·0	·0	·0	·0	·05	·0	·05	·19	26
27			·0	·37	·0	·0	·0	·03	·0	·02	·0	·20	27
28			·07	·51	·0	·0	·0	·0	·0	·35	·0	·0	28
29			·14	·42	·01	·0	·0	·0	·0	·35	·0	·11	29
30			·46	·43	·01	·0	·0	·18	·0	·18	·01	·0	30
31			·0		·0		·0	·20		·74		·0	31
Total				~~5·25~~	29 ~~2·58~~	~~2·11~~	~~·20~~	·05 ~~·92~~	~~3·36~~	~~3·69~~	·09 ~~4·65~~	~~2·01~~	YEAR'S TOTAL
Rain Days.				5·19 ~~16~~ 19 18	2·87 ~~16~~ 17	1·82 ~~9~~ 8	·30 6	·97 ~~9~~ 10	3·33 ~~12~~ 11	3·89 13	4·74 ~~27~~ 22	~~1·92~~ ~~16~~ 15	

W. 7,500, XI. 12

Cor. for WD. 29.V.15.

14 MAY 1915

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Marshfield Vicarage
in the County of Monmouth
by Rev. H. G. Stanley

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Marshfield
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·05) estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·04	·16	·0	·0	0	·05	·71	·0	·0	·27	·72	1
2	·0	·0	·03	·06	·0	·0	·55	·38	·0	·0	·09	·11	2
3	·0	·0	·0	·01	·05	·0	1·29	·10	·0	·0	·48	·35	3
4	·0	·0	·0	·21	·58	·0	·0	·04	·0	·0	·0	·09	4
5	·30	·0	·26	·34	·05	·0	·46	·05	·0	·0	·60	·79	5
6	·13	·0	·20	·57	·03	·0	·06	·01	·0	·0	·22	·04	6
7	·0	·12	·07	·16	·11	·03	·05	·26	·0	·0	·06	·42	7
8	·04	·34	·42	·27	·34	·01	·31	·13	·06	·0	·0	·12	8
9	·58	·0	·52	·02	·08	·57	·0	·10	·15	·0	·0	·26	9
10	·31	·05	·20	·35	·04	1·24	·0	·07	·26	·0	·01	·0	10
11	·0	·22	·0	·45	·18	·0	·0	·0	·32	·0	·01	·0	11
12	·0	·13	·55	·0	·29	·57	·15	·0	·0	·0	·08	·75	12
13	·0	·16	·10	·0	·0	·0	·0	·0	·26	·0	·21	·22	13
14	·0	·70	·55	·0	·0	·0	·05	·0	·70	·17	·15	·16	14
15	·0	·36	·30	·0	·0	·0	·03	·23	·02	·04	·54	·0	15
16	·0	·04	·36	·0	·0	·0	·27	·75	·39	·0	·52	·0	16
17	·0	·0	·0	·0	·0	·0	·11	·0	·30	·0	·0	·02	17
18	·0	·58	·22	·0	·0	·0	·09	·10	·02	·0	·0	·90	18
19	·0	·10	·07	·0	·0	·0	·07	·49	·0	·0	·0	·50	19
20	·0	·10	·20	·0	·0	·0	1·51	·0	·0	·0	·03	·24	20
21	·0	·12	·09	·0	·0	·0	·0	·0	·0	·0	·0	·31	21
22	·0	·16	·0	·0	·0	·0	·22	·0	·0	·25	·0	·0	22
23	·0	·18	·0	·02	·05	·13	·0	·26	·0	·11	·0	·0	23
24	·0	·08	·14	·0	·03	·0	·05	·0	·0	·28	·0	·0	24
25	·0	·0	·02	·0	·0	·0	·10	·0	·0	·04	·15	·0	25
26	·06	·05	·13	·0	·0	·0	·07	·49	·0	·54	·01	·65	26
27	·0	·0	·03	·0	·0	·0	·02	·0	·0	·18	·40	·36	27
28	·02	·01	·0	·0	·0	·0	·0	·0	·0	·02	·40	·24	28
29	·02		·17	·0	·06	·0	·0	·0	·0	·0	·11	·50	29
30	·49	X	·23	·0	·12	·0	·0	·0	·0	·02	·34	·42	30
31	·04	X	·16	X	·20	X	·0	·0	X	·21	X	·0	31
Total	·04 ~~1·99~~	·16 ~~3·54~~	~~5·18~~	~~2·46~~	~~2·21~~	·05 ~~2·55~~	·71 ~~5·31~~	~~4·17~~	~~2·48~~	·27 ~~1·86~~	·72 ~~4·68~~	(·05) ~~8·17~~	YEAR'S TOTAL ~~48·80~~
Rain Days.	~~10~~ 11	19	~~24~~ 23	11	15	~~6~~ 7	20	~~16~~ 15	10	~~11~~ 12	20	22	~~184~~ 185
	2·03	3·66	5·02	2·46	2·21	2·60	6·17	3·46	2·48	2·13	5·13	7·50	44·85

W. 8,000. X. 14.

3956

cor for WD 24.v.16

FORM A. BRITISH RAINFALL.

8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Marshfield Vicarage, Cardiff
in the County of Monmouth
by H. G. Stanley

Lat. Long.
Time of Observation 9. A.M
Nearest Railway Station Marshfield G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·32

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·0	·06	·0	·07	·0	·04	·15	·05	·0	·55	·21	1
2	·58	·45	·0	·0	·11	·0	·0	·09	·05	·46	·0	·20	2
3	·17	·15	·39	·35	·0	·04	·0	·45	·19	·20	·0	·18	3
4	·0	·04	·19	·13	·09	·0	·16	·04	·0	·0	·0	·23	4
5	·02	·09	·05	·0	·11	·0	·66	·0	·0	·0	·0	·78	5
6	·20	·13	·01	·09	·0	·0	·0	·36	·0	·0	·0	·52	6
7	·35	·02	·0	·34	·0	·0	·58	·06	·0	·0	·0	·22	7
8	·38	·53	·0	·02	·0	·0	·11	·04	·0	·0	·0	·40	8
9	·27	·21	·0	·03	·0	·0	·0	·12	·0	·0	·20	·0	9
10	·03	·10	·0	·03	·0	·0	·0	·0	·0	·0	·24	1·05	10
11	·35	·0	·0	·06	·0	·0	·0	·29	·0	·07	·0	·07	11
12	·01	·01	·08	·01	·01	·0	·0	·0	·0	·0	1·10	·04	12
13	·15	·25	·0	·08	·30	·0	·0	·10	·0	·17	·29	·0	13
14	·01	·22	·0	·0	·51	·0	·0	·06	·19	·0	·05	·07	14
15	·03	·0	·0	·0	·0	·0	·0	·29	·18	·02	·0	1·39	15
16	·38	·0	·0	·0	·08	·0	·26	·11	·09	·05	·05	·10	16
17	·02	1·12	·0	·0	·37	·0	1·05	·08	·0	·0	·0	·0	17
18	·0	·23	·0	·0	·52	·0	·0	·35	·0	·0	·0	·0	18
19	·0	·41	·0	·0	·0	·0	·04	·0	·0	·0	·0	·0	19
20	·0	·02	·0	·0	·33	·0	·34	·0	·0	·0	·0	·0	20
21	·30	·0	·0	·06	·01	·0	·0	·0	·0	·12	·0	·04	21
22	·20	·09	·0	·0	·0	·0	·13	·0	·0	·30	·0	·0	22
23	·06	·03	·37	·04	·0	·0	·45	·0	·02	·0	·0	·40	23
24	·01	·01	·20	·0	·0	·01	·07	·0	·01	1·08	·0	·62	24
25	·0	·0	·0	·0	·0	·0	·04	·0	·07	·59	·0	·43	25
26	·0	·0	·01	·0	·0	·34	·15	·0	·02	·0	·0	·29	26
27	·0	·22	·0	·0	·0	·11	·16	·0	·0	·0	·0	·58	27
28	·0	·03	·0	·0	·0	·13	·0	·0	·47	·55	·0	·01	28
29	·0		·0	·0	·0	·0	·05	·0	·0	·06	·0	·03	29
30	·0	X	·0	·0	·0	·17	·0	·01	·0	·0	·15	·13	30
31	·25	X	·0	X	·0	X	·0	·0	X	·30	X	·24	31
	–	·06	–	·09	–	·04	·15	·05	–	·55	·21	·32	YEAR'S TOTAL
Total	~~3·82~~	~~4·36~~	~~1·36~~	~~1·24~~	~~2·51~~	~~·80~~	~~4·29~~	~~2·60~~	~~1·34~~	~~3·97~~	~~2·63~~	~~8·23~~	~~37·15~~
	3·77	4·42	1·30	1·31	2·44	·84	4·40	2·50	1·29	4·52	2·29	8·34	37·42 ✓
Rain Days.	~~21~~ 20	~~21~~ 22	9 8	~~12~~ 13	~~12~~ 11	~~6~~ 7	16	16	~~11~~ 10	~~13~~ 14	8	24	169 ✓

W. 8,000. X. 15.

WD 3887

FORM A. BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Mamhilad Vicarage

in the County of Monmouth

by J. G. Stanley

Lat. , Long.

Time of Observation 9 A.M.

Nearest Railway Station Mamhilad

Diameter of Funnel of Rain Gauge Regulation in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32	·0	·33	·0	·0	·0	·0	·0	·09	·0	·31	·0	1
2	·05	·0	·02	·0	·10	·24	·25	·0	·0	·73	·08	·0	2
3	1·18	·13	·03	·0	·0	·09	·0	·0	·25	1·66	·08	·0	3
4	·0	·55	·0	·0	·21	·01	·0	·0	·03	·40	·20	·0	4
5	·28	·36	·0	·0	·27	·90	·0	·0	·06	·18	·25	·0	5
6	·13	·20	·0	·0	·26	·12	·0	·0	·0	·17	·02	·0	6
7	·29	·37	·04	·0	·37	·08	·72	·0	·0	·42	·67	·0	7
8	·05	·07	·04	·0	·23	·0	·0	·0	·0	·07	·48	·27	8
9	·0	·05	·02	·0	·66	·18	·01	·0	·0	·0	·02	·20	9
10	·0	·49	·02	·0	·0	·17	·20	·0	·0	·0	·04	·5	10
11	·0	·0	·02	·06	·07	·0	·0	·0	·0	·04	·02	·11	11
12	·07	·0	·02	·15	·06	·0	·0	·0	·0	·02	·01	·0	12
13	·06	·13	·07	·05	·42	·0	·44	·09	·0	·14	·0	·0	13
14	·0	·53	·30	·01	·0	·0	·0	·30	·0	·05	·01	·0	14
15	·01	·60	·02	·01	·13	·0	·0	·13	·0	·06	·0	·0	15
16	·02	·59	·10	·12	·0	·0	·0	·10	·02	·01	·0	·0	16
17	·12	·04	·0	·34	·03	·0	·05	(·25)	·0	·07	·0	·0	17
18	·12	·21	·0	·10	·03	·0	·0	·07	·27	·50	·20	·0	18
19	·06	·22	·30	·03	·0	·0	·0	·0	·04	·02	·18	·0	19
20	·21	·0	·86	·03	·0	·0	·0	·0	·0	·0	·08	·0	20
21	·17	·09	·29	·0	·0	·0	·0	·0	·0	·0	·16	·01	21
22	·09	·11	·24	·0	·05	·0	·0	·0	·0	·0	·01	·11	22
23	·0	·0	·0	(·02)	·0	·21	·0	·0	·0	·25	·05	·67	23
24	·01	·21	·0	·15	·0	·07	·0	·26	·0	·06	·33	·10	24
25	·0	·02	·05	·15	1·47	·02	·0	·09	·0	·38	·0	·21	25
26	·02	·14	·16	·0	·0	·0	·0	·41	·0	·03	·15	·0	26
27	·10	·07	·11	·0	·0	·14	·0	·02	·56	·25	·02	·0	27
28	·15	·0	1·37	·0	·04	·48	·0	·45	·51	·95	·0	·0	28
29	·0	·09	·0	·0	·0	·0	·0	·0	·01	·52	·0	·91	29
30	·0	X	·07	·0	·0	·55	·0	1·17	·0	·45	·0	·42	30
31	·0	X	·0	X	·0	X	·0	·05	X	·45	X	·03	31
Total	~~3·51~~	·33 ~~5·29~~	~~4·36~~	1·22	4·37	3·26	1·67	·09 ~~2·39~~	~~1·84~~	·31 ~~7·88~~	~~3·39~~	·08 ~~3·09~~	YEAR'S TOTAL ~~43·23~~
Rain Days.	3·19 26	5·60 23	4·03 29	13	15	14	6	3·48 14	1·75 19	8·19 26	3·06 22	3·17 13	42·99 193

W. 8,000, VIII. 16

5723

FORM A.
BRITISH RAINFALL.

9. JAN 1918

Exd CDC

REGISTER OF RAINFALL IN 1917

Kept at Marshfield Vicarage
in the County of Monmouth
by H. G. Stanley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·0	·0	·19	·0	·06	·0	·0	·36	·0	·10	·01	1
2	·03	·0	·11	·25	·0	·22	·0	·67	·23	·0	·02	·0	2
3	·02	·0	·01	·02	·0	·18	·0	·0	·0	·01	·22	·0	3
4	·08	·26	·0	·01	·0	·0	·18	·0	·0	·14	·03	·0	4
5	·0	·0	·25	·0	·0	·0	·10	·0	·02	·15	·0	·02	5
6	·31	·0	·28	·16	·0	·08	·0	·01	·16	·26	·14	·0	6
7	·0	·0	·15	·0	·0	·01	·0	·0	·0	·17	·35	·11	7
8	·25	·0	·0	·0	·0	·0	·19	·19	·0	·15	·02	·0	8
9	·06	·0	·20	·07	·0	·09	·58	·92	·01	·65	·35	·06	9
10	·0	·0	·19	·05	·0	·0	·0	·46	·17	·20	·13	·0	10
11	·31	·0	·60	·17	·06	·0	·0	·17	·0	·0	·11	·0	11
12	·04	·0	·30	·64	·12	·0	·0	·53	·04	·32	·0	·0	12
13	·0	·0	·02	·0	·11	·0	·0	·06	·0	·64	·0	·0	13
14	·0	·0	·18	·06	·11	·07	·0	·20	·15	·10	·0	·0	14
15	·0	·0	·20	·05	1·02	·0	·0	·13	·02	·0	·0	·0	15
16	·01	·0	·0	·02	·0	·0	·01	·03	·07	·30	·0	·43	16
17	·0	·18	·0	·11	·01	·0	·01	·01	·0	·02	·0	·04	17
18	·0	·0	·0	·01	·0	·0	·43	·11	·28	·15	·02	·0	18
19	·0	·06	·0	·0	·20	·01	·40	·03	1·20	·0	·01	·0	19
20	·0	·75	·10	·0	·04	·28	·0	·01	·07	·0	·0	·0	20
21	·01	·05	·0	·0	·20	·04	·0	·0	·0	·0	·0	·0	21
22	·0	·01	·11	·0	·01	·13	·0	·03	·0	·07	·0	·0	22
23	·01	·0	·0	·0	·0	·01	·0	·33	·0	·10	·0	·0	23
24	·0	·15	·0	·0	·06	·04	·0	·80	·0	·06	·02	·0	24
25	·0	·01	·0	·0	·0	·01	·18	·57	·0	·77	·05	·0	25
26	·0	·04	·02	·0	·0	·0	·0	·35	·0	·21	·02	·0	26
27	·0	·0	·0	·0	·29	·0	·0	·60	·24	·06	·08	·0	27
28	·0	·0	·0	·0	·47	·34	·01	·97	·0	·0	·01	·0	28
29	·0		·04	·0	·16	·62	·0	·20	·0	·0	·03	·0	29
30	·0	✕	·10	·0	·0	·34	·0	·0	·0	·45	·01	·20	30
31	·0	✕	·0	✕	·0	✕	·0	·36	✕	·22.	✕	·0	31
Total	– ~~1·21~~ 1·13	– ~~1·51~~ 1·51	·19 ~~2·86~~ 3·05	– ~~1·81~~ 1·62	·06 ~~2·86~~ 2·92	– ~~2·53~~ 2·47	– ~~2·09~~ 2·09	·36 ~~7·46~~ 7·82	– ~~2·96~~ 2·69	·10 ~~5·20~~ 5·39	·01 ~~1·72~~ 1·63	·01 ~~·86~~ ·87	YEAR'S TOTAL ~~33·08~~ 33·01
Rain Days.	17	9	15	14	16	17	10	24	14	22.	19	7	179

W. 8,000, IX. 17.

MONMOUTH
THE ELMS
MONMOUTHSHIRE
1912-16, 18-20

RE

FORM A.
BRITISH RAINFALL

2 JAN 1913

Kept at The El… …ge 9 a.m.
…Hill Monmouth
in the County of M… …5 in.
by Mary Aug… …und 1 ft. 1 in.
…Level 91 ft. ft.

IMPORTANT N… …result entered to the previous day. If an… …rule, he is earnestly requested to add the … the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Pts
5
not added in for Dec 31

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						39½	30		1				1
2			55			35							2
3	2		17			23		69½				14	3
4			116	~~25~~	25	14					21		4
5					16½	8½		73				7	5
6	82		32		1	22½		13					6
7		62	16			42						2½	7
8	49	23	22										8
9			25				14	15				14½	9
10				48							9		10
11						15		9				60	11
12		57	5	7	10	2				38			12
13													13
14	14		55		29				2			2	14
15	65				26½	34		13				15	15
16	71							9			11		16
17	33					8		38				45	17
18								25					18
19	23	16	47				11½						19
20							11	91		37			20
21			56					28		21			21
22	33		18		200		10½	23					22
23	32		17			25	20	11		10	5	57	23
24	17						1						24
25							44						25
26		11½				37		260		68	65	35	26
27			2			58	123			110			27
28		17					41	75		38	50	77	28
29					6½	18½	3	11	41½	50		2	29
30						12	38	9		34			30
31													31
Total	421	186½	483	55	314½	394	347	772½	44½	406 4·06	161	351 3·51	YEAR'S TOTAL in. 39·36
Rain Days.	11	6	14	2	8	16	12	17	3	9	6	12	

39.36 Total

W. 7,500, XI. ·12

RE

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at The Elms Monmouth
in the County of Monmouthshire 4
by Mary Augusta Hall

Lat. Long.
Time of Observation Average 9 a.m.
Nearest Railway Station May Hill Monmouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 91 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Pts
5
not added in
for Dec 31

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						39½	30		1				1
2			55			35							2
3	2		17			23		69½				14	3
4			116	~~25~~	25	14					21		4
5					16½	8½		73				7	5
6	82		32		1	22½		13					6
7		62	16			42						2½	7
8	49	23	22										8
9			25				14	15				14½	9
10				48							9		10
11						15		9				60	11
12		57	5	7	10	2				38			12
13													13
14	14		55		29				2			2	14
15	65				26½	34		13				15	15
16	71							9			11		16
17	33					8		38				45	17
18								25					18
19	23	16	47				11½						19
20							11	91		37			20
21			56					28		21			21
22	33		18		200		10½	23					22
23	32		17			25	20	11		10	5	57	23
24	17						1						24
25							44						25
26		11½				37		260		68	65	35	26
27			2			58	123			110			27
28		17					41	75		38	50	77	28
29					6½	18½	3	11	41½	50		2	29
30						12	38	9		34			30
31													31
Total	421	186½	483	55	314½	394	347	772½	44½	406 4.06	161	5 331 3.51	YEAR'S TOTAL in
Rain Days.	11	6	14	2	8	16	12	17	3	9	6	12	39.36

W. 7,500, XI. 12

39.36

Total

cordly own stats 28.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2- JAN 1914

Kept at The Elms Monmouth
in the County of Monmouthshire 4
by Mrs Hall

Lat. 51·49 N. Long. 2·44 W.
Time of Observation 9 to 10
Nearest Railway Station May Hill, Monmouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			27								8		1
2		25		12						80	18		2
3	5				34					2		10½	3
4	128		1½		23	12			153	29		8	4
5	8		11		14		2½		2		10	4	5
6		25	21			15					22½	57½	6
7	1	62			55	6	2				[illegible]½		7
8	2	21						4		39		2	8
9		15			10	3	3	14	14		18½		9
10	130				10			2		27	33		10
11				12	12			11			93		11
12					36			1			61		12
13								4	95		36		13
14	29		43						12	8			14
15	28½	5	68	103					1				15
16	21½		70	8									16
17			5	13			3		8		1½		17
18			39	(·29)			3		13		2		18
19	42					10	4½		9				19
20	15		21								30		20
21					12					2½	20		21
22	108		95					20					22
23						20			½		5		23
24								3					24
25				35					3	11			25
26		3		66									26
27			14	35				15					27
28	35		9	48						17			28
29			57	45				4½		12			29
30	20									78	2½		30
31	11		9										31
Total	583	156	490½	406	206	66	18	78½	310½	305½	377½	82	In. YEAR'S TOTAL 30·79½
Rain Days.	15	7	15	10	9	6	6	10	10	11	16	5	120

W.7,000, XI. 13

end for [illegible] 20.IV.15 ~~W~~ DL

FORM A.
BRITISH RAINFALL.

4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Elms Monmouth
in the County of Monmouthshire 4
by Mrs Hall

Lat. nearly 52 Long. 3 West
Time of Observation nine 30 a. m
Nearest Railway Station May Hill Mon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
41 pts
in ~~68½~~ from Total
Total—31·10 9½
32·in 9½

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	12					1	40	13			66	53	1
2							63	8			38	24½	2
3			1½	10	37								3
4				16	8		20				36	80	4
5					13		5					16	5
6			14								10½		6
7	5½	70	11	19	50		36	8			2½	28	7
8	2½		16			88	4½	4	2½			10	8
9		4	24	50		114		17	4			10	9
10		52		40					60				10
11		11	19			40					2	74	11
12		25	10				24					36	12
13		27	47				1			31		27	13
14		35	41				3			26	25½		14
15								39	14	2	15		15
16			11						8½				16
17		25	29½				10					63	17
18			3				1					33	18
19		3					3½				2½	20	19
20		61					78						20
21		63				5½				25		19	21
22					35	3	8			9			22
23			22					11		25			23
24			18					11		11½			24
25	11		19					30		15			25
26										11		85	26
27	5						10				32	10½	27
28		5	27		5½					2	56	86½	28
29	5		13		12½					22½	4		29
30		☒	13			6				20	34	73	30
31	19	☒		☒	1½	☒	33		☒		☒	4	31
Total	60	381	339	135	162½	257½	~~337~~ 3·40	141	89 ·89?	200	324	752½	YEAR'S TOTAL 31|80½ in pts 31·815
Rain Days.	7	12	18	5	8	7	16	9	5	12	13	19	~~231~~

W. 8,000. X. 14.

~~In 32 9½~~
31·815

3993

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at The Elms Monmouth

in the County of Monmouthshire

by Mrs H. Hall

Lat. 51.50 Long. 3

Time of Observation 9-30

Nearest Railway Station May Hill

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10½ in.

" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		8			17	2		17	45	29			1
2		21		8				62				10	2
3	20	19		1	12		35	7					3
4	50	6			12			26				48	4
5	4½						10½	10				61	5
6	15	100		20			38	1				28	6
7	14	67			10								7
8	20½	30		3									8
9	4½		4½								30	125	9
10	14									5			10
11	2½		14½								111		11
12	10	30		19½							44	5	12
13		67							14	5			13
14							2	35					14
15	35						4	4					15
16		133			197		90	14			5	35	16
17		25											17
18		41			160								18
19				7	11½								19
20	15½											11	20
21	3½			12						21		2	21
22			35				33					41	22
23	5½		11					4	20		19	35	23
24			3	1½		2				150		17	24
25						37						17	25
26		20½					36½			3		72	26
27		2								40		1	27
28		10½								5			28
29						10			29		11		29
30	18½	X				7				60		26	30
31		X		X		X		2½	X	148	X	43	31
Total	2.33	5.80	.68	.72	4.19½	.58	2.49	1.82½	1.08	4.66	2.20	5.77	YEAR'S TOTAL 32.33 in pts
Rain Days.	14 15	15	5	8	8 7	5	8	10 11	4	10	6	17	110 111

W. 8,000. X. 15.

3923

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Elms
in the County of Monmouthshire
by Mrs Hall

Lat. nearly 52 Long. 2½
Time of Observation 9.30
Nearest Railway Station May Hill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1916

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					8	5					20		1
2	·5		20½		12					135	28		2
3		144½								28	3		3
4				1	65	20			1	26	21		4
5		13							1	10½	95		5
6		10			15	4	48				92		6
7	7				6					24½	50	20	7
8					38	3				5	3	19	8
9					3	38						10	9
10		46				6			1	4½			10
11			51	8						5		3	11
12		1	5		23		10			7			12
13		34	17½										13
14			35		1½			19		2½			14
15		56	17½		3								15
16		8					15	13					16
17		12½						13	10	28			17
18	1		14					15	4				18
19	26		58	10						15	70		19
20		2	37								2½		20
21			46		10		10					96½	21
22				1				13		30	3		22
23					145	7				13	7	60	23
24								5		40		11	24
25								59	8		15	27	25
26						4½		59		25			26
27	4	108						15½		58			27
28									15	34½			28
29		83	222			23			13	25		3½	29
30		X						178		21			30
31		X		X		X		2	X		X		31
Parts Total	43	518	523½	20	329½	110½	83	391½	53	537½	409½	250	YEAR'S TOTAL 32 ins 68 pts
Rain Days.	5	12 3	11 3	4	12	9 10	4	11	8	20 3	13	9 10	118 126

W. 8,000, VIII. 16

WD Exd 33

FORM A. BRITISH RAINFALL 6 1 19

REGISTER OF RAINFALL IN 1918

Kept at The Elms - Monmouth

in the County of Monmouth

by Mrs Hall Sent Jan 7th 1919

Lat near 52 N. Long. 3 West

Time of Observation 9 to 10

Nearest Railway Station May Hill Monmouth

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level Same as before ft. 91½

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				3	4½			13	3	6		6	1
2													2
3				13	25			38	35				3
4			12					3		1			4
5		35			45				11	1	180	36	5
6		6								12			6
7					55				35	18		5	7
8		8							29			10	8
9		8		40			5			26	37		9
10	5	10				5	32			9		15	10
11				34					39				11
12			20				7		6				12
13									13			15	13
14	30				6		5		60			8	14
15	20		3½			2½	28						15
16									8				16
17			5	110		3						26	17
18									87	16		12	18
19	250		15			33	20						19
20	11			15			8		20	5		46	20
21	5	10		10		4	6		36			3	21
22	10						1½		22			25	22
23	2				77½		7		2				23
24							35				10		24
25		4		3	10		15						25
26				5			24				4		26
27			31				23		12		3		27
28		5	9					77					28
29													29
30		X	35						193				30
31		X	25	X		X			X		X	33	31
Total	333	86	155½	233	223	47½	216	131	611	94	234	240	YEAR'S TOTAL 2604½
Rain Days.	8	8	9	9	7	5	14	4	17	9	5	13	~~108~~ 8
	3·33	·86	1·59	2·34	2·19	·47	2·30	1·21	6·14	·88	2·40	2·34	26·05 26 in 4½

W. 8,000, IX. 17.

cop'd for WD 3567

FORM A 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at The Elms Monmouth
in the County of Monmouthshire
by Mary Augusta Hall

Lat. Long.
Time of Observation 9 or 80 a.m
Nearest Railway Station May Hill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 10 in.
" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					17		25					77	1
2	17						7½		43			50	2
3			15						12				3
4							28				26	14	4
5	31		53				18	1	17			11	5
6		40	40						25			14	6
7	28		36										7
8	13			48								11	8
9	23												9
10											15		10
11			59									30	11
12			80			11	40					19	12
13													13
14	45			36						33			14
15				20									15
16	30											35	16
17		113									15		17
18								14			8		18
19			48				166	43	22				19
20		27	63										20
21	51	50						10					21
22			58									15	22
23									18				23
24								1				15	24
25					15					85	38		25
26								23					26
27												25	27
28			18	48									28
29								35		10		30	29
30	18	✕						29				31	30
31		✕		✕ ·17		✕ ·25			✕		✕ ·77	45	31
TOTAL	2·56	2·30	4·67	~~1·52~~ 1·69	~~·32~~ ·15	~~·11~~ ·36	~~2·54~~ 2·57½	1·56	1·37	1·28	~~1·02~~ 1·79	~~4·22~~ 3·45	YEAR'S TOTAL 23-77 in-pts
Days with ·01 in. or more	9	4	10	4	2	1	6	8	6	3	5	15	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

POSTAGE REVENUE
ONE PENNY

PRINTED PAPER.

THE SUPERINTENDENT,

BRITISH RAINFALL ORGANIZATION,

62, CAMDEN SQUARE,

LONDON, N.W.1.

The Rainfall at "The Elms" Monmouth.

measured on the morning of January 1st, 1920

was........None........

Signed......Mary A. Hall......

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing of the nature of a letter.

pt. W D but missed   AF DL   and per mth or   3455

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at The Elms Monmouth
in the County of Monmouthshire
by Mary Augusta Hall

Lat. Long.
Time of Observation nine - 30
Nearest Railway Station May Hill Monᵗʰ
Diameter of Funnel of Rain Gauge 5½ in.
Height of top of Gauge above Ground ft. 9½ in.
" " " " Sea Level 91 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 32

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Parts of	Parts	Do	Do 24	Do 27		35					25	1
2				25			8			48		31	2
3	23						83		7				3
4		(7½)						46		30			4
5							21			77			5
6			21	3	10		19						6
7			18				7			33			7
8				11	3		63						8
9		5		41			4						9
10				36		70	13						10
11	61				36		5						11
12			29	46		89					6		12
13	10	4		27									13
14	15		55	18					23	28	31		14
15		3				22			30	29			15
16		4		97	17	9	28		65	33			16
17					18	118							17
18					9			31	38				18
19	13												19
20				36									20
21				20						22			21
22				15									22
23			1				30	10				37	23
24											16	33	24
25			35				84				7	17	25
26		2	24									5	26
27	18		47	2		30						2	27
28	95	2	14		22		11					45	28
29	95		14		19								29
30	45	╳	13	5			75		39	60	13	46	30
31	10	╳	21	╳		╳			╳	39	╳		31 38 815
TOTAL	385	27½	292	406	161	338	486	87	202	349	63	235	YEAR'S TOTAL 30·815
Days with ·01 in. or more	No of Days 10	7	12	16	9	6	15	3	6	10	5	9	107
Days with ·04 in. or more		3	11	13	8	6	15	3	6	10	5	8	98
	In 3·85	·27½	2·92	4·06	1·61	3·38	4·86	·87	2·2	3·49	·63	2·35	In = 30·81½

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

MONMOUTH —

THE HENDRE

MONMOUTH

1911 - 1917

S made

FORM A2.
BRITISH RAINFALL.
6 JAN 1912

Kept at The

in.

nd 1 ft. - in.

Level 176 ft.

in the County of M

by Thomas

e Monmouth

ance 4 miles Direction ESE

IMPORTANT N result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.02	0.04	—	—	—	0.43	—	—	0.02	0.03	1
2	0.02	—	—	—	0.15	—	—	0.14	0.01	0.05	0.11	0.05	2
3	—	—	—	0.02	0.31	—	—	0.03	0.01	—	0.09	—	3
4	—	—	0.11	0.02	—	—	—	0.02	0.03	0.03	0.14	0.52	4
5	0.09	—	0.02	0.04	—	—	—	0.12	—	0.02	0.02	0.02	5
6	—	—	—	0.02	—	—	—	—	—	—	0.16	0.76	6
7	0.01	—	—	—	—	—	—	—	—	—	0.51	—	7
8	0.02	—	0.14	—	—	—	—	—	—	—	0.05	—	8
9	0.04	—	—	—	—	—	—	—	—	—	0.11	0.59	9
10	0.02	0.04	0.33	—	—	—	—	—	0.02	—	—	0.29	10
11	0.17	—	—	—	1.24	—	—	—	—	—	0.50	0.36	11
12	—	—	0.44	—	—	—	—	—	0.10	—	0.23	0.12	12
13	—	—	0.02	—	—	—	—	—	0.38	—	0.03	0.61	13
14	—	—	—	—	—	—	—	—	—	—	—	0.65	14
15	—	0.02	0.04	—	—	0.04	—	—	—	—	0.38	0.12	15
16	—	—	—	—	—	0.16	—	—	—	—	0.22	0.60	16
17	—	—	—	0.03	—	0.12	—	—	—	—	0.14	0.48	17
18	—	0.15	0.06	0.30	—	0.05	—	—	—	0.05	0.02	0.60	18
19	0.01	0.03	—	0.12	—	0.30	—	—	0.22	0.14	0.02	0.31	19
20	0.01	0.04	0.06	0.05	—	—	—	—	0.19	0.10	—	0.60	20
21	—	0.25	0.27	0.01	—	0.04	—	1.16	0.17	0.46	—	0.12	21
22	0.01	0.02	0.08	0.07	—	0.15	—	—	—	0.18	0.02	0.53	22
23	—	0.26	0.10	—	—	—	—	—	0.06	0.24	—	0.20	23
24	—	0.06	—	—	—	0.45	—	0.13	0.01	0.05	—	0.35	24
25	—	0.04	—	—	—	0.04	—	—	0.05	0.03	—	0.03	25
26	—	0.11	—	0.13	0.45	0.02	—	0.22	—	0.29	0.13	0.14	26
27	—	0.24	0.21	—	—	—	—	0.27	0.06	—	0.06	0.15	27
28	—	0.10	—	0.15	—	—	—	0.09	—	—	0.39	—	28
29	—		—	0.01	—	0.10	0.12	—	0.07	0.28	0.01	—	29
30	—		—	—	0.09	0.02	0.10	0.40	—	0.26	0.18	—	30
31	—		—		—		0.09	—		0.02		0.02	31
~~Total~~	0.40	1.36	1.90	1.01	2.24	1.49	0.31	3.01	1.38	2.20	3.54	8.25	TOTAL for year ✓ 2709
No. of Rain Days.	10	13	14	14	5	12	3	11	14	15	23	25	159 ✓

W. 8,000, X. '11.

S made

Kept at The Hendre

in the County of Monmouth. 4

by Thomas Coomber

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 176 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Monmouth
Distance 4 miles Direction ESE

FORM A2.
BRITISH RAINFALL.
6 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.02	0.04	—	—	—	0.43	—	—	0.02	0.03	1
2	0.02	—	—	—	0.15	—	—	0.14	0.01	0.05	0.11	0.05	2
3	—	—	—	0.02	0.31	—	—	0.03	0.01	—	0.09	—	3
4	—	—	0.11	0.02	—	—	—	0.02	0.03	0.03	0.14	0.52	4
5	0.09	—	0.02	0.04	—	—	—	0.12	—	0.02	0.02	0.02	5
6	—	—	—	0.02	—	—	—	—	—	—	0.16	0.76	6
7	0.01	—	—	—	—	—	—	—	—	—	0.51	—	7
8	0.02	—	0.14	—	—	—	—	—	—	—	0.05	—	8
9	0.04	—	—	—	—	—	—	—	—	—	0.11	0.59	9
10	0.02	0.04	0.33	—	—	—	—	—	0.02	—	—	0.29	10
11	0.17	—	—	—	1.24	—	—	—	—	—	0.50	0.36	11
12	—	—	0.44	—	—	—	—	—	0.10	—	0.23	0.12	12
13	—	—	0.02	—	—	—	—	—	0.38	—	0.03	0.61	13
14	—	—	—	—	—	—	—	—	—	—	—	0.65	14
15	—	0.02	0.04	—	—	0.04	—	—	—	—	0.38	0.12	15
16	—	—	—	—	—	0.16	—	—	—	—	0.22	0.60	16
17	—	—	—	0.03	—	0.12	—	—	—	—	0.14	0.48	17
18	—	0.15	0.06	0.30	—	0.05	—	—	—	0.05	0.02	0.60	18
19	0.01	0.03	—	0.12	—	0.30	—	—	0.22	0.14	0.02	0.31	19
20	0.01	0.04	0.06	0.05	—	—	—	—	0.19	0.10	—	0.60	20
21	—	0.25	0.27	0.01	—	0.04	—	1.16	0.17	0.46	—	0.12	21
22	0.01	0.02	0.08	0.07	—	0.15	—	—	—	0.18	0.02	0.53	22
23	—	0.26	0.10	—	—	—	—	—	0.06	0.24	—	0.20	23
24	—	0.06	—	—	—	0.45	—	0.13	0.01	0.05	—	0.35	24
25	—	0.04	—	—	—	0.04	—	—	0.05	0.03	—	0.03	25
26	—	0.11	—	0.13	0.45	0.02	—	0.22	—	0.29	0.13	0.14	26
27	—	0.24	0.21	—	—	—	—	0.27	0.06	—	0.06	0.15	27
28	—	0.10	—	0.15	—	—	—	0.09	—	—	0.39	—	28
29	—		—	0.01	—	0.10	0.12	—	0.07	0.28	0.01	—	29
30	—		—	—	0.09	0.02	0.10	0.40	—	0.26	0,18	—	30
31	—		—		—		0.09	—		0.02		0.02	31
Total	0.40	1.36	1.90	1.01	2.24	1.49	0.31	3.01	1.38	2.20	3.54	8.25	TOTAL for year 2709
No. of Rain Days.	10	13	14	14	5	12	3	11	14	15	23	25	159

W. 8,000, X. '11.

S. mate ✓

Corr for arith 26.III.13

REGISTER OF RAINFALL IN 1912.

FORM A2. BRITISH RAINFALL. 2 JAN 1913

Kept at The Hendre to PR

in the County of Monmouth. 4

by Thos Coomber,

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 176 ft.

Time of Observation 9 a.m.

Nearest Railway Station Monmouth Troy
Name Thos Coomber
Distance 4 mls Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.17	—	—	0.34	0.04	0.04	0.03	0.32	—	0.11	1
2	—	0.04	0.38	0.06	—	0.33	0.20	—	—	—	—	—	2
3	0.01	—	0.30	—	0.07	0.20	0.04	0.62	0.01	—	0.03	0.02	3
4	0.16	—	0.75	—	0.17	0.03	—	0.20	—	—	0.18	—	4
5	0.17	0.07	0.10	0.01	0.28	0.10	—	0.57	—	—	—	0.07	5
6	0.53	0.16	0.01	—	0.08	0.16	—	0.46	—	—	—	0.04	6
7	0.04	0.26	0.18	—	0.03	0.40	—	0.02	—	—	—	0.06	7
8	0.36	0.19	0.15	0.05	—	0.32	0.11	0.06	—	—	—	0.02	8
9	0.07	0.04	0.22	—	—	0.64	0.01	0.19	—	—	0.01	0.13	9
10	0.16	0.07	—	—	—	0.01	—	0.05	—	—	0.07	0.01	10
11	0.06	0.04	—	—	—	—	—	0.09	—	—	0.03	0.44	11
12	0.01	0.27	0.05	0.07	0.11	0.33	—	0.01	—	—	—	0.04	12
13	0.02	0.01	—	—	—	—	—	—	0.02	0.04	—	0.05	13
14	0.12	—	0.61	—	0.06	—	—	0.09	—	—	—	0.01	14
15	0.48	0.07	0.02	0.03	0.31	0.26	—	0.03	—	—	—	0.08	15
16	0.58	—	0.15	—	—	—	—	0.10	0.01	0.04	0.09	—	16
17	0.45	—	0.09	—	—	0.10	—	0.33	—	—	0.05	0.40	17
18	0.15	0.06	0.05	—	—	—	—	0.29	—	0.02	—	0.03	18
19	0.07	0.06	—	—	—	0.02	0.07	0.50	—	0.04	—	0.04	19
20	0.01	0.01	0.43	—	—	—	0.06	0.04	—	0.19	—	0.01	20
21	0.01	0.03	0.28	—	0.73	—	0.03	0.24	—	0.22	—	—	21
22	0.29	0.22	0.04	—	0.67	—	0.73	0.17	—	0.03	—	0.10	22
23	0.24	0.49	0.30	—	0.02	0.28	—	0.22	—	0.07	0.04	0.36	23
24	0.12	0.07	0.01	—	—	0.21	0.04	0.02	—	—	—	0.15	24
25	0.01	0.01	—	—	—	0.41	—	1.15	—	0.02	0.16	0.38	25
26	—	0.12	0.01	—	—	—	0.11	0.69	—	0.73	0.24	0.30	26
27	—	0.04	—	—	—	0.55	0.78	0.01	—	0.91	—	0.30	27
28	—	0.10	—	—	—	0.08	0.59	0.57	0.12	0.39	0.30	0.30	28
29	—	0.29	—	—	—	0.11	0.31	0.11	0.33	0.41	0.03	0.02	29
30	—		0.05	—	—	0.04	0.06	—	—	0.37	—	—	30
31	0.02		0.18	—	0.05		0.46	0.10		0.01		0.07	31
Total	4.14	2.72	4.53	0.22	2.58	4.92	3.64	6.97	0.52 ·52	3.81	1.23	3.53	TOTAL for year 38·81 38.81
No. of Rain Days.	24	23	23	5	12	21	16	28	6	16	12	26	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at The Hendre

in the County of Monmouth

by Thos. Coomber.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Monmouth

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.09	0.19	0.04	0.10	—	—	—	0.29	0.08	0.12	—	1
2	0.01	0.22	0.08	0.05	0.06	—	—	—	0.03	0.61	0.15	—	2
3	0.15	0.01	0.03	—	0.32	—	—	—	—	0.30	—	0.07	3
4	1.32	0.02	0.02	—	0.17	—	—	—	0.45	0.45	—	0.10	4
5	0.14	0.06	0.01	—	0.15	0.10	—	—	0.02	0.14	0.08	0.06	5
6	0.04	0.08	0.16	—	0.10	0.17	0.05	—	—	0.38	020	0.46	6
7	0.01	0.58	—	—	0.40	0.10	0.03	—	—	0.43	0.19	0.02	7
8	0.01	0.14	—	—	0.16	0.01	—	0.04	—	0.37	—	—	8
9	—	0.18	—	0.02	0.11	0.02	0.11	0.12	0.11	0.02	0.11	—	9
10	0.18	—	0.01	0.05	0.12	—	—	0.12	—	0.12	0.21	—	10
11	0.46	—	—	0.15	0.11	—	—	—	—	0.04	0.71	—	11
12	—	—	—	—	0.13	—	—	0.03	0.01	—	0.36	—	12
13	0.03	—	0.10	0.01	0.11	—	—	0.08	0.89	—	0.27	—	13
14	0.15	—	0.23	0.04	—	—	—	—	0.27	0.07	0.02	—	14
15	0.09	—	0.53	0.83	—	—	—	0.03	0.02	—	0.03	—	15
16	0.22	—	0.69	0.05	—	—	—	—	—	—	—	—	16
17	0.16	—	0.06	0.14	—	—	0.04	—	—	—	0.02	—	17
18	0.05	—	0.23	0.10	—	—	0.04	—	0.04	—	0.04	—	18
19	0.11	—	0.07	0.01	—	0.10	—	—	0.11	0.02	—	—	19
20	0.34	—	0.19	0.08	—	—	—	—	—	0.09	0.24	—	20
21	—	—	0.24	0.15	0.15	—	0.04	0.03	—	0.02	0.42	—	21
22	0.57	—	0.47 ~~0.47~~	0.04	—	0.14	—	0.20	0.34	—	—	—	22
23	—	—	0.01	—	—	0.02	—	0.02	0.02	—	0.07	-	23
24	0.03	0.02	—	—	—	—	—	0.03	—	—	0.02	—	24
25	—	0.04	—	0.21	—	—	—	—	0.04	0.05	—	0.13	25
26	—	0.03	—	0.43	0.01	—	—	0.11	0.02	0.02	—	0.17	26
27	0.04	—	0.13	0.38	—	—	—	—	—	0.13	0.01	—	27
28	0.38	—	0.07	0.46	—	—	—	—	—	0.11	—	0.09	28
29	0.01		0.49	0.39	—	—	—	0.05	—	0.18	—	—	29
30	0.19		—	0.01	—	—	—	—	—	0.84	0.03	—	30
31	0.04		0.11		0.04	—	—	0.06		0.06		—	31
Total	4.73	1.47	4.12	3.74	2.24	0.66	0.31	0.92	2.66	4.53	3.30	11.0	YEAR'S TOTAL 29.78
Rain Days.	24	12	22	21	16	9	6	13	15	22	20	8	187

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Hendre

in the County of Monmouth 4

by Thos Coombes

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Monmouth

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.04	0.03	0.06	—	0.04	0.45	0.21	—	—	0.11	0.11	1
2	—	—	0.02	0.01	0.03	0.01	0.82	0.03	—	—	0.38	0.40	2
3	—	—	0.04	0.18	0.28	—	—	0.03	—	—	0.03	0.08	3
4	0.09	—	—	0.15	0.14	—	0.22	0.03	—	—	0.26	0.59	4
5	0.10	—	0.11	0.05	0.12	—	0.03	—	—	—	0.04	—	5
6	0.02	0.15	0.04	0.01	0.07	—	0.01	0.03	—	—	0.09	0.29	6
7	0.01	0.29	0.13	0.13	0.36	—	0.21	0.06	—	—	0.04	0.11	7
8	0.03	—	0.12	0.08	0.05	0.70	0.03	0.10	0.04	—	0.01	0.06	8
9	0.02	0.05	0.27	0.37	0.04	1.09	—	0.13	0.06	—	—	—	9
10	—	0.38 ~~0.38~~	—	0.50	0.06	0.05	—	—	0.38	—	—	—	10
11	—	0.09	0.16	0.02	0.09	0.30	0.25	—	0.01	—	0.13	0.48	11
12	—	0.15	0.09	—	—	0.05	0.03	—	0.23	—	0.05	0.27	12
13	—	0.39	0.50	—	—	—	0.05	—	0.37	0.30	0.05	0.22	13
14	0.03	0.33	0.33	—	—	—	0.07	0.04	0.01	0.23	0.20	—	14
15	—	0.02	0.15	—	—	—	0.02	0.24	—	0.06	0.12	—	15
16	0.05	—	0.02	—	—	—	0.18	—	0.39	—	—	0.02	16
17	—	0.27	0.22	—	—	—	0.02	—	0.02	—	—	0.61	17
18	—	0.01	0.05	—	—	0.02	0.05	—	—	0.02	—	0.31	18
19	—	0.18	0.07	—	—	—	0.72	—	—	—	0.05	0.21	19
20	—	0.03	0.03	—	—	0.01	—	—	—	—	—	0.12	20
21	—	0.33	—	—	—	0.05	0.09	—	—	0.29	—	—	21
22	—	0.08	0.02	—	0.33	0.03	—	0.07	—	0.18	—	—	22
23	—	—	0.14	—	0.04	—	—	—	—	0.24	—	—	23
24	0.02	—	0.12	—	—	—	—	0.10	—	0.07	0.10	—	24
25	0.07	—	0.15	—	—	—	—	0.27	—	0.30	0.03	0.14	25
26	—	—	0.04	—	—	—	0.09	—	—	0.16	0.22	0.40	26
27	0.06	—	—	—	—	—	0.04	—	—	0.01	0.34	0.19	27
28	0.01	—	0.26	—	0.03	—	—	—	—	—	0.07	0.62	28
29	0.06	0.09	0.15	—	0.21	—	—	—	—	0.25	0.32	—	29
30	0.01	✕	0.15	—	0.02	—	—	—	—	0.21	0.43	0.54	30
31	0.19	✕	—	✕	—	✕	0.24	—	✕	0.22	✕	0.04	31
Total	0.77	2.89	3.41	1.51	1.87	2.35	3.62	1.34	151	254	307	5.81	YEAR'S TOTAL 30.68
Rain Days.	15	17	26	11	15	11	20	13	9	14	21	21	193

W. 8,000. X. 14.

~~+~~ 31 corr by observer 24.v.16. 3994

about 1.50 on 31 [illegible]

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

9 FEB 1916

Kept at The Hendre

in the County of Monmouth

by Thos Coomber

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station Monmouth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.21	0.06	—	—	0.13	—	—	0.09	0.16	—	0.02	0.06	1
2	31 0.~~34~~	0.26	0.10	0.08	—	0.02	—	0.39	0.04	0.26	—	0.07	2
3	0.35	0.15	0.02 ~~0.10~~	0.03	0.12	—	0.28	0.05	—	0.11	—	0.15	3
4	0.04	0.12	~~0.02~~	—	0.10	—	0.66	0.12	—	—	—	0.52	4
5	0.02	0.33	—	0.06	—	—	—	0.14	—	—	—	0.61	5
6	0.17	0.03	—	0.23	—	—	0.50	0.07	—	—	—	0.33	6
7	0.08	0.45	—	—	0.02	—	0.02	—	—	—	0.01	0.34	7
8	0.19	0.19	—	0.06	—	—	—	0.04	—	—	0.07	—	8
9	—	0.07	—	—	—	—	—	0.03	—	—	0.23	0.72	9
10	0.10	0.02	0.05	0.11	—	—	—	0.01	—	0.03	0.03	0.02	10
11	0.03	—	0.10 ~~0.05~~	0.04	—	—	—	0.02	—	0.01	0.78	—	11
12	0.10	0.15	~~0.10~~	0.15	0.54	—	—	0.03	—	0.09	0.37	—	12
13	—	0.66	—	—	1.37	—	—	0.20	0.10	0.01	—	0.02	13
14	—	0.03	—	—	—	—	—	0.09	0.05	—	0.02	0.45	14
15	0.22	—	—	—	0.09	—	0.06	0.03	—	—	0.10	0.15	15
16	—	0.57	—	—	0.64	—	1.18	—	—	—	—	0.03	16
17	—	0.37	0.02 —	—	0.85	—	—	0.07	—	—	—	—	17
18	—	0.44	0.01 ~~0.02~~	—	—	—	—	—	—	—	—	—	18
19	—	0.02	~~0.01~~	0.01	0.17	—	0.16	—	—	—	—	—	19
20	0.13	—	—	0.24	—	—	0.02	—	—	0.02	—	0.12	20
21	0.08	0.04	—	—	—	—	0.10	0.01	—	0.27	—	0.02	21
22	0.11	0.37	— 0.35	—	—	—	0.31	—	—	—	—	0.36	22
23	0.05	—	0.08 ~~0.35~~	—	—	—	0.03	—	—	0.62	—	0.34	23
24	0.01	—	0.02 ~~0.08~~	0.03	—	—	0.06	—	0.25	0.88	—	0.29	24
25	—	—	0.02 ~~0.02~~	—	—	0.35	~~0.38~~	—	0.02	0.05	—	0.25	25
26	—	0.12	~~0.02~~	—	—	0.01	0.38	—	—	—	—	0.60	26
27	—	0.01	—	—	—	0.03	0.06	—	—	0.38	—	0.03	27
28	—	0.13	—	—	—	0.09	—	0.02	0.29	0.06	—	0.02	28
29	—		—	—	—	—	—	0.01	0.02	—	0.17	0.10	29
30	0.13	✕	—	—	—	0.13	0.02	—	—	0.48	0.23	0.18	30
31	—	✕	—	✕	—	✕	0.06	0.04	✕	1.16	✕	0.40	31
Total	2.33 2.23	4.53	77 0.78	1.04	4.03	0.63	3.90	1.46 ~~1.47~~	0.93	4.43 ~~3.83~~	2.03	6.18	YEAR'S TOTAL 32.26
Rain Days.	18	22	10	11	10	6	16	19	8	15	11	25	171

W. 8,000. X. 15.

S made

3924

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

10 JUL 1917

Kept at The Hendre

in the County of Monmouth

by Thos Coomber

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Monmouth Troy

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.04	—	0.03	—	0.06	0.12	0.15	—	—	0.14	0.14	—	1
2	0.29	0.06	0.18	—	0.11	—	—	—	0.14	0.93	0.06	—	2
3	0.01	0.71	—	—	0.09	—	—	—	—	0.29	0.11	—	3
4	0.16	0.13	—	—	0.49	0.18	—	—	0.02	0.25	0.46	—	4
5	0.01	0.06	0.03	—	0.18	0.04	0.02	—	—	0.18	0.12	—	5
6	0.01	0.14	0.03	—	0.14	0.04	0.94	—	—	0.27	0.81	—	6
7	0.09	—	0.15	—	0.08	—	0.02	—	—	0.10	0.23	0.19	7
8	—	—	0.05	—	0.51	0.08	—	—	—	—	—	0.13	8
9	—	—	0.02	—	0.05	0.20	—	—	—	0.06	0.03	0.04	9
10	—	0.40	0.04	—	0.03	—	—	—	—	0.07	0.01	0.02	10
11	0.04	—	0.06	—	0.01	0.25	—	—	0.02	—	—	0.01	11
12	0.02	0.03	0.04	—	0.25	—	0.18	0.04	—	0.05	—	—	12
13	—	0.28	0.19	—	—	—	—	0.30	—	0.04	—	—	13
14	—	0.42	0.36	—	0.04	—	—	0.12	—	0.07	—	—	14
15	—	0.13	0.15 ~~0.22~~	—	0.05	—	—	0.16	—	—	—	—	15
16	0.02	0.11	0.01 [illegible]	0.12	—	—	0.15	0.06	—	0.02	—	—	16
17	0.05	0.12	— ~~0.04~~	0.10	—	—	0.04	0.03	0.09	0.30	0.25	—	17
18	0.02	0.02	0.19 ~~0.13~~	0.15	—	—	—	—	0.09	0.15	0.08	0.17	18
19	0.13	—	0.49 ~~0.10~~	0.02	—	—	—	—	—	0.02	0.11	—	19
20	0.11	—	0.36 ~~1.37~~	0.08	—	—	—	—	—	—	0.01	0.31	20
21	0.01	—	0.32	—	0.14	—	0.48	—	—	—	—	0.10	21
22	—	—	—	—	0.02	0.08	—	—	—	0.20	—	0.40	22
23	—	0.12	0.01 ~~0.02~~	0.11	—	0.02	—	0.29	—	0.10	0.08	0.13	23
24	—	0.11	0.03 ~~0.10~~	0.03	1.21	—	—	0.09	—	0.40	0.01	0.20	24
25	—	0.30	0.10	0.01	—	—	—	0.81	0.01	0.06	0.19	—	25
26	0.03	0.11	0.04	—	—	0.07	—	0.15	0.13	0.27	—	—	26
27	0.03	0.05	1.37	—	—	0.02	—	0.04	0.25	0.47	—	0.15	27
28	—	0.52	0.16	—	—	—	—	—	0.20	0.20	0.02	0.07	28
29	—	0.20	—	—	—	0.34	—	1.13	—	0.35	—	—	29
30	—	X	—	—	—	0.08	—	—	—	0.34	—	—	30
31	—	X	—	X	—	X	—	0.04	X	0.35	X	0.01	31
Total	1.07	4.02	4.41	0.62	3.46	1.52	1.98	3.26	0.95	5.68	2.72	1.93	YEAR'S TOTAL 31.62
Rain Days.	17	20	24	8	17	13	8	13	9	26	17	14	186

W. 8,000, VIII. 16

made

3760

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at The Hendre.

in the County of Monmouth

by Thos Coomber

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.16	0.29	—	0.42	—	0.88	0.15	—	0.09	0.04	1
2	—	—	—	0.01	—	0.06	—	0.04	—	—	0.08	—	2
3	—	0.06	—	0.03	—	—	—	—	—	0.69	0.02	—	3
4	—	0.35	0.46	—	—	—	0.13	0.12	0.01	0.19	—	—	4
5	0.20	—	0.14	0.11	—	0.17	—	0.09	0.75	0.29	0.12	—	5
6	—	—	0.39	—	—	0.71	—	—	—	0.09	0.28	—	6
7	0.11	—	—	—	—	—	0.10	0.17	—	0.27	0.07	—	7
8	0.38	—	0.13	0.12	—	—	0.95	0.23	0.02	0.23	0.16	—	8
9	—	—	0.18	0.11	0.27	—	—	0.14	0.12	0.03	0.23	—	9
10	0.21	—	0.19	0.09	0.23	—	—	0.21	—	—	—	—	10
11	0.04	—	0.11	0.14	0.07	—	—	0.16	—	0.21	0.02	—	11
12	0.04	0.01	—	—	0.33	0.19	—	0.04	0.07	0.20	0.02	—	12
13	—	—	0.12	0.12	—	0.02	—	0.11	—	0.02	0.01	—	13
14	—	—	0.05	—	—	—	—	0.02	—	—	—	—	14
15	0.04	—	—	—	—	—	0.13	0.06	0.02	0.09	—	0.19	15
16	0.02	0.05	—	0.10	0.43	0.13	0.02	—	0.03	—	—	0.12	16
17	—	0.02	—	—	—	—	0.25	0.18	0.07	0.08	—	—	17
18	—	—	—	—	—	—	0.26	—	1.49	—	—	—	18
19	0.02	0.34	0.16	—	—	0.36	—	0.03	0.02	—	—	—	19
20	0.01	0.10	—	—	0.57	0.12	—	—	0.09	—	—	—	20
21	—	0.05	0.30	—	0.08	0.03	—	—	—	0.01	—	—	21
22	0.02	[illegible]	—	—	—	0.08	—	0.33	—	—	—	—	22
23	—	0.29	—	—	0.03	0.09	—	0.44	—	0.09	—	—	23
24	—	—	—	—	—	—	0.05	0.10	—	0.24	0.04	—	24
25	—	0.07	0.07	—	—	0.04	—	0.03	0.03	0.02	0.03	—	25
26	—	—	0.01	—	0.09	—	—	0.67	0.10	—	0.01	—	26
27	—	—	0.01	—	0.99	0.17	0.05	0.54	—	—	—	—	27
28	—	—	0.09	—	—	0.55	—	0.06	—	—	—	0.05	28
29	—		0.12	—	—	0.44	0.03	0.01	—	0.72	—	0.29	29
30	—	X	0.01	—	—	—	0.02	0.31	—	0.08	0.02	0.02	30
31	—	X	0.08	X	0.09	X	0.01	0.06	X	0.03	X	—	31
Total	1.09	1.34	2.78	1.12	3.12	3.58	2.00	5.03 ~~6.04~~	2.97	3.58	1.20	·71 ~~0.73~~	YEAR'S TOTAL 28.82 ~~28.55~~
Rain Days.	11	10	19	10	11	16	12	25	14	19	15	6	168

W. 8,000, IX. 17.

Shon Sheffrays well R

NANTY BWCH
SHON. ~~SHEFFREY'S~~
MONMOUTHSHIRE

1911 - 1920

FORM A2. BRITISH RAINFALL.

10 MAY 1912

...ed

Kept at Nantybwch ... in.

...und 1 ft. 5 in.

in the County of Brec... Level 1204 ft.

by D Walter Davies ...ne Nantybwch

...tance 1 mile Direction S.W.

IMPORTANT NO... result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·06	—	·05	—	·23	·07	—	·03	·58	·05	1
2	·02	—	·04	—	·52	—	—	·32	—	·07	·24	·72	2
3	—	—	·02	·02	·83	—	—	·15	—	—	·55	·29	3
4	—	—	·05	·01	—	—	—	·34	·07	·04	·76	·95	4
5	·24	—	·05	—	—	—	—	·23	—	·18	·12	·07	5
6	·64	—	·09	·16	—	—	—	·35	—	—	·30	1·05	6
7	·07	—	—	·01	—	—	—	—	—	—	1·17	—	7
8	·05	—	·16	—	—	—	—	·05	—	—	·68	1·54	8
9	·08	—	·12	—	—	—	—	—	—	—	·72	·85	9
10	—	·09	·57	—	—	—	—	—	—	—	—	1·12	10
11	·45	—	—	—	·10	—	—	—	·02	—	·63	·16	11
12	—	·03	·58	—	—	—	—	—	·36	·01	1·09	·23	12
13	—	—	—	—	·15	—	—	—	·33	·74	·19	·52	13
14	—	·15	—	—	—	—	—	—	—	·03	·11	1·16	14
15	—	·25	·09	—	—	·06	—	—	—	·02	1·16	·33	15
16	—	·03	·02	—	—	·29	—	—	—	·01	·30	·73	16
17	—	·46	—	—	—	1·02	·01	—	—	—	·35	1·22	17
18	—	·74	·13	·44	—	·05	—	—	—	·09	·03	1·24	18
19	—	·10	—	·37	—	·34	—	—	1·16	·80	·10	·85	19
20	·02	·06	—	·57	—	·03	—	—	·65	·18	—	·72	20
21	—	·76	·04	·05	—	·12	—	·12	·02	·56	—	·27	21
22	·03	·07	·02	·30	—	·23	—	—	·17	·62	·02	·82	22
23	—	·68	·01	·04	·04	—	—	—	·48	·45	—	·67	23
24	—	·13	—	—	·02	·48	—	·26	·16	·13	—	·58	24
25	·08	·11	—	·26	—	·11	—	—	·37	·16	—	·22	25
26	—	·29	—	·42	·11	—	—	·15	·02	·43	·05	·36	26
27	—	·95	·42	·30	—	—	—	·56	·35	—	·07	·18	27
28	—	·65	·02	·36	—	·06	—	·21	—	—	·53	·05	28
29	—	. . .	—	·15	—	·64	·06	—	·35	1·12	—	·03	29
30	—	. . .	—	—	—	·03	·02	·42	—	·57	·30	·02	30
31	—	. . .	—	. . .	—	. . .	·22	—	. . .	·09	. . .	—	31
Total	1·68	5·55	2·49	3·46	1·82	3·46	·54	3·23	4·51	6·33	10·05	17·00	TOTAL for year 60·12
No. of Rain Days.	10	17	18	15	8	13	5	13	14	21	23	29	186

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

10 MAY 1912

Sion Cuffrays Well R

Kept at Llanwrtyd, Trecelyar

in the County of Brecon. Mon. 2

by D. Walter Davies

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 1204 ft.

Time of Observation 9. am.

Nearest Railway Station
Name Llanwrtyd
Distance 1 mile Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·06	—	·05	—	·23	·07	—	·03	·58	·05	1
2	·02	—	·04	—	·52	—	—	·32	—	·07	·24	·72	2
3	—	—	·02	·02	·83	—	—	·15	—	—	·55	·29	3
4	—	—	·05	·01	—	—	—	·34	·07	·04	·76	·95	4
5	·24	—	·05	—	—	—	—	·23	—	·18	·12	·07	5
6	·64	—	·09	·16	—	—	—	·35	—	—	·30	1·05	6
7	·07	—	—	·01	—	—	—	—	—	—	1·17	—	7
8	·05	—	·16	—	—	—	—	·05	—	—	·68	1·54	8
9	·08	—	·12	—	—	—	—	—	—	—	·72	·85	9
10	—	·09	·57	—	—	—	—	—	—	—	—	1·12	10
11	·45	—	—	—	·10	—	—	—	·02	—	·63	·16	11
12	—	·03	·58	—	—	—	—	—	·36	·01	1·09	·23	12
13	—	—	—	—	·15	—	—	—	·33	·74	·19	·52	13
14	—	·15	—	—	—	—	—	—	—	·03	·11	1·16	14
15	—	·25	·09	—	—	·06	—	—	—	·02	1·16	·33	15
16	—	·03	·02	—	—	·29	—	—	—	·01	·30	·73	16
17	—	·46	—	—	—	1·02	·01	—	—	—	·35	1·22	17
18	—	·74	·13	·44	—	·05	—	—	—	·09	·03	1·24	18
19	—	·10	—	·37	—	·34	—	—	1·16	·80	·10	·85	19
20	·02	·06	—	·57	—	·03	—	—	·65	·18	—	·72	20
21	—	·76	·04	·05	—	·12	—	·12	·02	·56	—	·27	21
22	·03	·07	·02	·30	—	·23	—	—	·17	·62	·02	·82	22
23	—	·68	·01	·04	·04	—	—	—	·48	·45	—	·67	23
24	—	·13	—	—	·02	·48	—	·26	·16	·13	—	·58	24
25	·08	·11	—	·26	—	·11	—	—	·37	·16	—	·22	25
26	—	·29	—	·42	·11	—	—	·15	·02	·43	·05	·36	26
27	—	·95	·42	·30	—	—	—	·56	·35	—	·07	·18	27
28	—	·65	·02	·36	—	·06	—	·21	—	—	·53	·05	28
29	—	. . .	—	·15	—	·64	·06	—	·35	1·12	—	·03	29
30	—	. . .	—	—	—	·03	·02	·42	—	·57	·30	·02	30
31	—	. . .	—	. . .	—	. . .	·22	—	. . .	·09	. . .	—	31
Total	1·68	5·55	2·49	3·46	1·82	3·46	·54	3·23	4·51	6·33	10·05	17·00	TOTAL for year 60·12
No. of Rain Days.	10	17	18	15	8	13	5	13	14	21	23	29	186

W. 8,000, X. '11.

Lc 7.6.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Shon Sheffrey's well, Nantybwch

in the County of Brecon ? Monmouth 2

by D. Walter Davies

RAIN GAUGE
Pattern Snowdon.
Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 1204 ft.

Time of Observation 7. A.M.

Nearest Railway Station
Name Nantybwch
Distance one mile Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·80	—	·05	·59	—	·20	·07	·58	—	·38	1
2	·02	—	·94	·04	—	·54	—	·01	—	·02	—	·02	2
3	·22	·01	·43	·01	—	·23	·13	1·20	·28	—	·06	·25	3
4	·95	·02	1·22	·03	·02	—	—	·60	—	—	·22	·06	4
5	·55	·07	·25	·05	·17	·02	—	·42	·03	—	—	·10	5
6	·79	·25	·02	—	·15	—	—	1·10	—	·01	·03	·12	6
7	—	·72	·35	—	·32	·42	·07	—	—	—	·02	·22	7
8	·83	·45	·46	·05	—	·03	·12	·08	·01	—	·02	·01	8
9	·08	·17	·65	·17	—	·33	·05	·63	—	—	·05	·82	9
10	·32	·20	—	—	—	·09	·10	·04	—	·01	·65	·02	10
11	·09	·10	—	—	—	—	·17	·07	—	—	·19	1·15	11
12	·05	·12	·18	·10	·18	·04	·12	—	—	·01	~~·65~~ ·02	·30	12
13	·38	—	·02	·02	—	·12	—	—	—	·20	·01	·42	13
14	·20	—	·80	—	—	·05	—	·07	—	·02	—	·25	14
15	1·05	·14	·03	—	·35	·72	—	·03	—	—	—	·53	15
16	·95	·02	·72	—	·09	—	—	·42	—	·19	·05	·05	16
17	·44	—	·17	—	—	·37	—	·77	—	—	·04	·69	17
18	·04	·05	·08	—	—	—	—	·42	—	·17	·02	·20	18
19	·07	·23	·03	—	—	·10	·21	·77	—	·15	·03	·12	19
20	·13	·03	·92	—	—	—	·05	·19	—	·54	·08	·02	20
21	·02	·08	·67	—	·42	—	·01	·57	—	·25	—	—	21
22	·12	·80	·12	—	·25	—	·89	·47	—	—	·05	·25	22
23	·25	·57	·78	—	—	·80	·07	·93	—	·09	·26	·30	23
24	·09	·05	·21	—	—	·74	—	·05	—	·01	·05	·38	24
25	—	—	·13	—	—	·45	·19	1·11	—	·03	·75	·62	25
26	—	·35	·05	—	—	—	·08	1·25	—	1·35	1·08	·82	26
27	—	·12	·17	—	—	·92	·62	—	—	1·28	—	1·08	27
28	—	·22	·04	—	—	·18	·80	1·05	·43	·65	·65	·30	28
29	—	·15	·07	—	—	·02	1·15	·60	·68	·45	·04	·07	29
30	—	. . .	·22	—	—	·28	·08	—	—	·77	—	·02	30
31	—	. . .	·40	. . .	·01	. . .	·85	·12	. . .	·07	. . .	·24	31
Total	7·64	4·92	10·93	·47	2·01	7·04	5·76	13·17	1·50	6·85	4·37	9·81	TOTAL for year 74·47
No. of Rain Days.	22	23	29	8	11	21	19	26	6	21	22	30	238

W. 8,000, X. '11.

Ex DJ

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

5 MAR 1914

Kept at Shon Sheffrey's Well, Nantybwch,

in the County of ~~Brecknock~~ Monmouth 2

by D. Lewis Davies.

Lat. 51°46' N. Long. 3°15' W.

Time of Observation 7 A.M.

Nearest Railway Station NANTYBWCH, L&N.W.Ry.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 1204 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·25	·65	·13	·01	—	—	—	·15	—	·35	·01	1
2	·07	·41	·40	·35	·07	—	—	—	—	·83	·38	·15	2
3	·55	·15	·27	—	·38	·01	—	—	—	·02	—	·27	3
4	1·15	·03	·35	—	·33	·01	—	—	1·42	·32	·12	·30	4
5	·22	·10	·10	—	·17	·38	—	—	·28	·02	·35	·10	5
6	·38	·23	·37	—	·15	·22	·28	—	—	·53	·64	·47	6
7	·18	1·21	—	—	·87	·28	·01	—	—	1·20	·17	·02	7
8	·11	·57	·01	—	·60	·01	·03	—	—	·02	·07	·03	8
9	—	·25	·22	—	·32	·80	·22	·22	·02	·01	·55	·05	9
10	·54	—	·15	—	·07	·02	—	·25	—	·54	·03	—	10
11	1·04	—	·02	·38	·13 ~~·38~~	~~·72~~	—	—	—	·16	·90	·07	11
12	·02	—	—	—	·33	—	—	·01	·12	—	·84	—	12
13	·12	—	·65	·02	—	—	·03	·10	·95	—	·41	—	13
14	·44	—	·72	·42	—	—	—	—	·06	·40	·02	·01	14
15	·16	·01	1·10	1·40	—	—	—	·12	—	—	·07	·07	15
16	·43	—	·85	·15	—	—	·01	·37	—	—	·22	—	16
17	·34	—	·10	·33	·02	—	·03	—	—	—	·27	—	17
18	·28	—	·93	·64	·01	—	—	—	—	—	·24	—	18
19	·35	—	·03	·03	·06	·37	·01	—	·17	·05	·08	·02	19
20	·52	—	·53	·17	·01	—	—	—	—	·15	1·19	—	20
21	—	—	·48	·34	·27	—	·17	·10	—	·08	·30	—	21
22	·85	—	1·22	—	—	·15	—	·95	·44	—	—	—	22
23	·10	—	·02	—	·01	·14	—	·05	·02	—	·11	·07	23
24	·35	·20	—	·15	—	—	—	—	—	—	·14	—	24
25	—	·08	—	·55	—	—	—	—	·05	·12	·07	·37	25
26	—	·01	—	2·66	·03	·01	—	·03	—	·02	·01	·62	26
27	·04	—	·05	·43	—	—	—	—	—	1·77	—	·02	27
28	·37	—	·38	·73	·02	—	—	—	—	·55	—	·17	28
29	·01	. . .	·95	·37	·04	—	—	·04	—	·43	·03	—	29
30	·65	. . .	·02	—	—	—	—	—	—	·60	·20	—	30
31	·09	. . .	·24	. . .	·17	. . .	—	·02	. . .	·15	. . .	—	31
Total	9·44	3·50	10·81	9·25	4·07	2·40	·79	2·26	3·68	7·94	7·76	2·82	YEAR'S TOTAL 64·72
Rain Days.	27	13	26	18	22	12	9	12	11	21	26	18	215

W.7,000, XI. 13

Ex D L

FORM A. BRITISH RAINFALL

17 MAY 1915

REGISTER OF RAINFALL IN 1914.

Kept at Shon Sheffrey's Well, Nantybwch,

in the County of ~~Brecknock~~ Monmouth 2

by D. Walter Davies, Gas & Water Manager, Tredegar Urban District Council

Lat. 51° 46' N. Long. 3° 15' W.

Time of Observation 7 0 am.

Nearest Railway Station Nantybwch, L.&N.W.Ry.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 1204. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·07	·37	·03	—	·13	·68	·59	—	—	·32	·17	1
2	—	—	·02	·05	·05	—	·59	·38	—	—	·25	·57	2
3	·01	—	·48	·30	·54	—	·05	·27	—	—	·02	·35	3
4	·57	—	·27	·35	·24	—	·61	·12	—	—	·52	1·07	4
5	·12	—	·23	·40	·27	—	·09	·02	—	—	·27	·04	5
6	—	·14	·07	·09	·12	·04	·07	·04	—	—	·01	·74	6
7	·05	1·05	·55	·17	·61	·01	·44	·05	·08	—	—	·55	7
8	·35	—	·34	·07	·44	·41	·07	·67	·13	—	·02	·23	8
9	·42	·17	·13	·65	·07	1·36	—	·53	·09	—	—	—	9
10	·03	·90	·04	·25	·22 ~~·65~~	·21	—	—	·32	—	·05	—	10
11	—	·27	·47	·02	·23 ~~·25~~	·19	·09	—	—	—	·53	·54	11
12	—	·85	·22	—	— ~~·02~~	—	—	—	·19	—	·12	·40	12
13	—	1·27	·72	—	—	—	·27	—	·60	·22	·47	·22	13
14	—	1·22	·57	—	—	—	—	·03	—	·14	·49	·01	14
15	—	·02	·47	—	—	—	·05	·45	·09	·02	·27	—	15
16	·02	—	·25	—	—	—	·09	—	·78	—	—	·04	16
17	·05	·35	·33	—	—	—	·04	—	·03	—	—	·82	17
18	—	·01	·37	—	—	—	·03	—	·05	—	—	·52	18
19	—	·18	·40	—	—	—	1·84	—	·07	—	·07	·22	19
20	—	·48	·22	—	—	·28	·08	—	—	—	—	·29	20
21	—	·45	·07	—	—	·06	·04	—	—	·35	—	—	21
22	—	·19	—	·03	·01	—	—	·30	—	·75	—	—	22
23	—	·07	·20	—	·07	—	·05	—	—	·27	—	—	23
24	·03	—	·21	—	·03	—	·10	·12	—	·02	·15	—	24
25	·17	—	·17	—	—	—	·28	·47	—	·42	·12	·27	25
26	—	·03	·04	—	—	—	·20	·24	—	·15	·74	·65	26
27	—	·02	—	—	—	—	—	—	—	·05	·67	·57	27
28	·08	·25	·30	—	·03	—	—	—	—	·09	·20	·32	28
29	·55	✕	·55	—	·10	—	—	—	—	·20	·92	—	29
30	·14	✕	·47	—	—	—	—	·02	—	·18	·82	·84	30
31	1·03	✕	·02	✕	·01	✕	·43	—	✕	·87	✕	·10	31
Total	3·62	7·99	8·55	2·41	3·04	2·69	6·19	4·30	2·43	3·73	7·03	9·53	YEAR'S TOTAL 61·51
Rain Days.	15	20	29	12	16	9	22	16	11	14	21	23	208

W. 8,000. X. 14.

Ebbw V 3968

FORM A. BRITISH RAINFALL

16 JAN

REGISTER OF RAINFALL IN 1915

Kept at Shon Sheffrey's Well, Nantybwch

in the County of ~~Brecknock~~ Mon.

by D. Walter Davies, Tredegar

Lat. 51° 46' N. Long. 3° 15' W.

Time of Observation 9 am.

Nearest Railway Station Nantybwch, L.N.W.R.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 1204. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·85	·34	·02	—	·63	—	—	·35	·07	·30	·10	·42	1
2	·17	·47	·57	·17	—	—	—	1·27	·10	·12	—	·05	2
3	—	·32	·32	·24	·04	—	·17	·03	—	—	—	·34	3
4	·14	·67	·02	—	·23	—	·31	—	—	—	—	1·12	4
5	·32	·62	—	·01	·05	—	·03	·10	—	—	—	1·23	5
6	·34	·08	—	·47	—	—	·67	·04	—	—	—	·34	6
7	·42	1·04	—	·03	—	—	·18	·15	—	—	—	·44	7
8	·40	·33	—	—	—	—	—	·04	—	—	·12	—	8
9	—	·42	—	·12	—	—	—	—	—	—	·67	1·03	9
10	·53	·02	·02	·07	—	—	—	·07	—	·10	·37	·08	10
11	·18	—	—	·04	—	—	—	—	—	—	·95	·04	11
12	·10	·37	—	·05	·34	—	—	·02	—	·15	·69	—	12
13	·05	·85	—	—	·82	—	—	—	·07	—	·07	·02	13
14	·10	·02	—	—	—	—	·05	·25	·17	·02	—	·80	14
15	·64	—	—	—	·07	—	·03	·07	·07	·07	·07	·42	15
16	·07	1·47	—	—	·32	—	1·25	—	—	—	—	—	16
17	—	·57	—	—	·60	—	—	—	—	—	—	—	17
18	—	·72	·02	—	—	—	·04	—	—	—	·05	—	18
19	·01	·03	—	·16	·23	—	·34	—	—	—	—	—	19
20	·57	—	—	—	—	—	·03	—	—	·02	—	·02	20
21	·15	·23	—	·02	—	—	·17	—	—	·24	—	·03	21
22	—	·02	·27	·09	—	—	·77	—	—	·01	—	·54	22
23	·05	·03	·04	—	—	·25	·23	—	·09	·70	·01	·47	23
24	—	—	—	·03	—	—	·04	—	·05	·97	—	1·12	24
25	—	—	·02	—	—	·45	·03	—	—	—	—	·37	25
26	—	·34	—	—	—	·03	·15	—	—	—	—	·94	26
27	—	·05	—	—	—	·15	·18	—	·05	·42	—	·30	27
28	—	·17	—	—	—	·09	—	—	·32	·22	—	·04	28
29	—	X	—	—	—	·17	·12	·01	·04	·02	·32	·12	29
30	·17	X	—	·05	—	·19	·01	—	—	·57	·57	·27	30
31	—	X	—	X	—	X	·17	·08	X	·97	X	1·14	31
Total	5·26	9·18	1·30	1·55	3·33	1·33	5·27	2·57	1·03	4·90	3·99	11·69	YEAR'S TOTAL 51·40
Rain Days.	19	23.	9	14	10	7	21	13	10	16	12	25	179.

W. 8,000. X. 15.

3897

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

Kept at Shon Sheffreys Well, Nantybwch
in the County of Brecon ~~Monmouth~~
by D. David Davies. Gas & Water Works, Manager

Lat. 51° 46′ N Long. 3° 15′ W
Time of Observation 9 a.m.
Nearest Railway Station Nantybwch
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 1204 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	—	·02	—	·02	·37	·45	—	—	·44	·31	—	1
2	1·12	·32	·17	—	·04	·11	·07	—	·31	1·58	·53	—	2
3	·02	1·47	—	—	·02	·12	·02	—	·24	·58	·18	—	3
4	·40	·40	—	·02	·53	·72	—	—	·07	·74	·76	—	4
5	·34	·24	·05	—	·10	·16	·02	—	—	·44	·10	—	5
6	·30	·37	—	—	·26	·20	·54	—	—	·63	·97	—	6
7	·12	·01	·09	—	·22	·05	—	—	—	·69	·60	·18	7
8	—	·05	·02	—	·47	·02	—	—	—	·09	·04	·10	8
9	·04	·04	·01	—	·02	·06	—	—	—	·10	·07	·13	9
10	·02	·34	·03	·17	·07	—	·02	—	—	·09	·03	·04	10
11	·03	—	·10	·29	·08	·13	·09	—	—	·02	—	·08	11
12	·10	·27	·04	·24	·46	—	·46	·22	—	·21	—	—	12
13	·02	·31	·15	·26	—	—	—	·96	—	·14	—	—	13
14	·01	·40	·03	·02	·15	—	—	·32	—	·24	—	—	14
15	—	1·12	·10	·22	·02	—	·03	·37	—	·04	—	—	15
16	·03	·05	—	·23	—	—	—	—	—	·03	—	—	16
17	·27	·27	—	·48	—	—	—	·05	·69	·37	·50	—	17
18	—	·55	·19	·32	—	—	—	—	·25	·08	·07	—	18
19	·21	·01	·86	·38	—	—	—	—	—	—	·21	·11	19
20	·32	·05	·20	—	—	—	—	—	—	—	—	·59	20
21	·38	—	·33	·08	·05	—	—	—	—	—	·02	·11	21
22	·01	—	—	—	—	·08	—	—	—	·55	·03	·08	22
23	·03	·09	—	·11	—	·29	—	·25	—	·04	·30	·39	23
24	—	·04	·05	·28	1·56	—	—	·18	—	·58	·02	·23	24
25	·01	·17	·27	—	—	·05	—	1·53	·03	·30	·72	—	25
26	·14	·12	·05	—	—	·09	—	·39	·27	·38	·11	—	26
27	·07	·10	·20	—	·03	·03	—	·16	·48	·70	—	—	27
28	·04	·14	·34	—	—	—	—	—	·26	·64	·05	1·29	28
29	—	·20	·09	—	—	·75	—	1·06	—	·56	—	·44	29
30	—		—	—	—	·09	—	·04	—	·72	—	·06	30
31	—		—		—		—	·19		·66		·14	31
Total	4·25	7·13	3·39	3·10	4·10	3·32	1·70	5·72	2·70	11·64	5·62	3·97	YEAR'S TOTAL 56·64
Rain Days.	24	25	22	14	17	17	9	13	9	28	20	15	213

W. 8,000, VIII. 16

3732

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Shon Sheffrey's Well, Nantybwch
in the County of Brecon Mon
by D. Walter Davies, Gas & Water Works Manager.

Lat. 51°46′ N. Long. 3°15′ W.
Time of Observation 9. am
Nearest Railway Station Nantybwch, L.N.W.Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 1204 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	—	·17	·22	—	·61	—	·18	·09	—	·08	·05	1
2	·09	—	·03	·12	—	·04	—	—	·09	·18	·34	·01	2
3	·07	·25	—	·12	—	·03	·10	—	—	·84	·05	—	3
4	—	·23	·03	·21	—	—	·14	·05	—	·32	—	·06	4
5	·52	—	·39	·13	—	·07	—	—	·51	·46	·26	—	5
6	—	—	·46	—	—	·16	—	—	—	·64	·41	·07	6
7	·22	—	—	~~·26~~	—	—	·10	·18	—		·10	·10	7
8	·33	—	—	·26	—	·02	·54	·58	·05	·68	·31	·16	8
9	—	—	·26	·09	·16	—	—	·20	·14	·06	·63	—	9
10	·33	—	·46	·30	·15	—	—	·31	—	·03	·02	·01	10
11	·23	—	·02	·48	·35	—	—	·68	—	·72	·10	—	11
12	·05	—	—	·02	·81	—	—	·07	—	·32	—	—	12
13	—	—	·14	·28	—	—	—	·64	·17	·18	·01	·10	13
14	—	—	·11	·14	—	—	·04	·14	—		—	·03	14
15	—	—	—	·10	·17	—	·15	—	·08	·20	—	—	15
16	—	·12	—	·17	—	·60	—	·09	—	·18	·02	—	16
17	·02	·02	·02	·11	·22	—	1·18	·83	·26	·12	·04	·39	17
18	—	—	·03	—	·03	—	·48	·09	1·39	—	—		18
19	·06	·30	·29	—	—	·56	—	·01	·04	—	·02		19
20	·05	·06	—	—	·59	·16	—	·02	·18	·09	·01	·08	20
21	·02	·02	·03	—	·10	·01	—	·10	—		—	—	21
22	—	·01	·02	—	—	—	—	·70	—	·09	·04	—	22
23	—	·19	—	—	·22	·11	—	·46	—	·19	·06	·02	23
24	—	·07	—	—	—	·14	·16	·22	—	·76	·12	—	24
25	—	·02	·13	—	—	·09	—	·40	·06	·10	·13	—	25
26	—	—	—	—	·24	·05	—	·66	·37	—	·13	—	26
27	—	—	—	—	·67	·52	·36	·70	—	·05	·06	—	27
28	—	—	·20	—	—	·10	—	·50	—		·07	·08	28
29	—	—	·25	—	—	·19	—	·04	—	1·20 ~~·07~~	·03	·35	29
30	—	✕	·09	—	—	—	—	·44	—	·22 ~~·03~~	·04	·02	30
31	—	✕	·06	✕	·40	✕	—	·43	✕	·07 ~~·04~~	✕	—	31
Total	2·09	1·29	3·19	2·75	4·11	3·46	3·25	8·72	3·43	7·70	3·08	1·53	YEAR'S TOTAL 44·60
Rain Days.	13	11	20	15	13	17	10	26	13	23	24	15	200

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Copy　　End mos　　10

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL

Kept at Sion Sieffrey's Well, Nantybwch

in the County of Brecon. Mon

by D. Walter Davies

Lat. 51° 46' N. Long. 3° 15' W.
Time of Observation 9 a.m.
Nearest Railway Station Nantybwch, L. & N.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 1204 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·21	·02	·28	·07	—	—	·36	·02	·02	·87	·07	1
2	—	·56	—	·03	—		—	·14	—	·03	·47	·50	2
3	—			·14	·25	·13	—	·05	·48	·20		·04	3
4	—	·16	—	·04	·14	—	—		·53	·55	1·36	·70	4
5	·04	·06	—	·41		·13	—	·27	·23	1·00	·11	·05	5
6		·52	—	·08	—	·07	—	—	·06		—	·15	6
7	—	·16	—		·51	—		—	1·12	·16	·48	·24	7
8	—	·27	—	—	—	·50	—	—		·36	·03		8
9	·20	·50	—	·32	—		·12	—	·41	·20	·21	·36	9
10	·20			·20	—	—	·60	—	·42	·05		·34	10
11	·05	·11	·20	·03	·20	—	·71		·22	·07	·08	·31	11
12	·06	—	·12	—		—	·67	—	·07	·10	—	·13	12
13		·07	—	—	—	·03	·21	—	·41		—	·26	13
14	·82	·02	·06		·05	—		—	·90	·02	—	1·23	14
15	·04	—	—	·03	—	·09	·72	—		—	—		15
16	·09	—	·10	·76	—		·14	·12	·60	—	—	·44	16
17	1·26			—	—	·13	·30	·09	·48	·09		·32	17
18	1·52	—	·25	—	—	·42	·03		·54	·07	—	·81	18
19	·59	·10	·16	—		—	·10	·02	·07	·09	—	·25	19
20		·30	—	·23	—	·10	·50	—	·59		—	—	20
21	·25	·18	—		—	·03		—	·92	·02	—	·81	21
22	·06	·09	—	—	·51	—	·36	—		·03	—		22
23	·26	·26	—	—	·59		·17	—	·03	—	·35	·03	23
24	·08			—	—	—	·42	1·12	·14	·05		1·58	24
25	—	·02	—	—	·12	—	·27		·08	·09	·14		25
26	·04	—	—	·03		—	·30	·07	·09	·06	·18		26
27		—	·67	—	—	—	·07	·34	·47		·14		27
28	—	·12	·33		—	—		—	1·01	·03	·10		28
29	—	X	·14	—	—	—	—	—		·05	—		29
30	—	X	1·05	—	—		—	·04	·06	·15	·07		30
31	—	X		X	—	X	—	·11	X	·10	X	·10	31
Total	5·56	3·71	3·10	2·58	2·44	1·63	5·69	2·73	9·95	3·59	4·59	8·72	YEAR'S TOTAL 54·29
Rain Days.		Readings not taken on Sundays so number of wet days not known.											

W. 6,500, VII. 18.　　W W C

JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Shon Sheffrey's Well, Nantybwch
in the County of Breconshire
by D Walter Davies

Lat. 51° 46' N Long. 3° 15' W
Time of Observation 9 am.
Nearest Railway Station Nantybwch L & NWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 5 in.
" " " " Sea Level 1204 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65	—	·39	—	·20	—	·85	—	—	·50	—	·70	1
2	·25			—	·05	—	·23	·39	1·10	—	·04	·25	2
3	·16	—	·28	—	·07	·34	—		—	—	·05	·87	3
4	·10	·04	·35	—		—	·06	·02	—	—	·10	·52	4
5		·26	·05	—	—	—	—	—	—	—	·05	·59	5
6	1·27	·05	·72	—	—	—		—	·65	—	·47	·61	6
7	·20	—	·19	·02	—	·08	—	—	—	—			7
Frost 8	·81	—	·34	—	—		—	—	—	—		—	8
9		—		·30	—	—	—	·02	—	—		—	9
10	·12	—	·92	·10	·15	—	—		—	·05		·79	10
11	·24	—	·53	·20		·02	·08	—	—	·21	1·72	·18	11
12		—	·66	·70	·02	·65	—	—	·05			—	12
13	·69	—	—		—	—		—	—	·19		·27	13
14	·66	·10	—	·38	—	—	·02	—	—	·09			14
15	·68	·91	—	·13	—		—	·16	—	·09		·39	15
16	·15		—	·02	—	·05	—	22	—	—		—	16
17	·04	·41	—	—	—	·09	·44		—	—		·05	17
18	·61	·10	·68	—	—	—		·27	·03	—		·13	18
19		·48	·52	—	—	·23		·38	·06			·07	19
20	·42	·17	·28	—	—	—		·02	·24	—		·54	20
21	·03	1·34	·14	—	—	·05		·06		—			21
22	—	·09	—	—	—			—	·62	—		·87	22
23	—			·04	—	·04		·02	—	·80	1·69	·27	23
24	—	—	—	·15	—	·10			—	·30		·39	24
25	·30	—	—	·09	—	·01		1·11	·01	—		·18	25
26		—	·29	·32	—	·03		—	·15			·71	26
27	·06	—	·15		—	—	—	—	—	—		·70	27
28	·08	—	·15	·09	—	—	—	—		—			28
29	·04	—	·07	·24	—		·07	·81	—	·20		·74	29
30	—	X			—	·22	—	—	—	·03		·57	30
31	·06	X	·04	X	—	X	·04	—	X	—	X	·10	31
TOTAL	7·52	3·95	6·75	2·78	·49	1·91	1·79	3·48	2·91	2·46	4·12 ~~4·13~~	10·49	YEAR'S TOTAL 48·65
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Nantybwch
in the County of Brecon Mon.
by

Lat. 51° 46′ N Long. 3° 15′ W
Time of Observation 9. a.m.
Nearest Railway Station Nantybwch L.N.W.Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 1204 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·42	·72	—	·71	·09	·06	·27	·08	·64	1
2	·03	—	—	·19	—	—	·19	·06	·05	·30	—	·47	2
3	·03	·16	—	·17	·06	—	·85	·04	·02	1·24	—	·39	3
4	—	—	·05	—	·05	—	—	·76	·02	·64	—	—	4
5	—	—	·34	—	·41	—	·28	·14	·24	·16	—	—	5
6	—	—	·46	·06	·57	—	·05	—	·04	·53	—	·02	6
7	·09	—	—	·19	·09	—	·20	—	—	—	·03	—	7
8	·03	—	—	1·13	·28	—	·41	·21	—	—	—	—	8
9	·94	·65	—	·89	—	—	·19	·09	—	—	—	—	9
10	1·02	·53	·32	·06	—	·72	·38	—	—	·02	·07	—	10
11	·39	·07	·37	·63	·52	·04	·09	—	—	—	—	—	11
12	·34	·10	·10	·36	·06	·85	·18	·06	—	·04	·13	—	12
13	·06	·08	·79	·66	—	—	—	—	—	·02	·05	—	13
14	·26	·08	·36	·97	—	·09	·21	[illegible]	·81	·31	·91	—	14
15	·03	·32	·58	·86	·16	·20	—	—	·34	·06	·17	—	15
16	—	—	·15	·14	—	·62	·31	·03	·64	1·07	·12	—	16
17	·26	—	·05	—	·44	·15	—	·24	1·56	·18	·02	·04	17
18	·24	—	—	·05	·18	·10	·12	·22	·67	—	—	·07	18
19	·05	·24	—	·54	·05	·14	—	·02	·02	—	—	—	19
20	·07	—	—	·87	—	·12	·04	—	—	·02	—	·46	20
21	—	—	—	·04	—	—	·14	—	—	·15	—	·19	21
22	·12	—	—	·22	—	·02	·18	·12	·02	—	—	·35	22
23	·04	—	—	—	—	—	·48	—	—	—	—	·76	23
24	—	—	·80	—	—	—	—	—	—	—	·08	·86	24
25	·13	·08	·35	·05	—	—	·58	—	—	—	—	·11	25
26	·41	·08	·53	·12	—	(·11)	·08	—	—	—	·17	·15	26
27	·91	·17	·69	·34	·05	·54	·12	—	—	—	·02	·41	27
28	·11	·04	·38	·14	·06	·25	·05	—	—	—	—	·26	28
29	·71	—	·23	·12	·16	·02	·35	—	—	—	·19	1·11	29
30	·43	×	·09	·17	·03	·36	·17	—	·39	·07	·40	·72	30
31	·26	×	·45	×	—	×	·05	—	×	·61	×	·24	31
TOTAL	6·96	2·60	7·09	9·39	3·89	4·33	6·41	2·08	4·88	6·69	2·44	7·25	YEAR'S TOTAL 63·01
Days with ·01 in. or more	24	13	19	25	17	16	25	13	14	17	14	18	215
Days with ·04 in. or more	20	13	19	25	16	14	25	11	10	14	11	17	195

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NEWPORT
MALPAS COURT
MONMOUTH
1915

5 made
Malpas WD

RE

1 W

FORM A.
BRITISH RAINFALL.

2 JUN 1916

* Kept at Malpas Court

in the County of Monmo

by J. E. Prother

* Nov and Dec at The Hall Dunster So

tarnam 1¾ miles

auge 5 in.

Ground 1 ft. 4·8 in.

Sea Level 150 ft.

IMPORTANT N he result entered to the previous day. If an rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	0	·05	0	·03	0	0	·19	·08	0		·12	1
2	·48	·35	0	0	·16	0	0	·23	·22	·42		·44	2
3	·18	·31	·21	·22	0	·01	0	·57	·01	·21		·27	3
4	0	·04	·15	·04	·26	0	·34	·06	0	0		·74	4
5	·03	·12	·02	0	·14	0	·16	0	0	0		·38	5
6	·12	·17	0	·17	0	0	0	·29	0	0		·24	6
7	·27	·02	0	·49	0	0	·63	·02	0	0		·23	7
8	·32	·65	0	·02	0	0	·21	·03	0	0		·01	8
9	·39	·22	0	·05	0	0	0	·08	0	0		·70	9
10	·02	·15	0	·01	0	0	0	·03	0	0		·01	10
11	·37	·12	·01	·05	0	0	0	·10	0	·07		·05	11
12	~~·10~~	0	·13	·01	·01	0	0	·01	0			0	12
13	·16	·21	0	·04	·48	0	0	·06	0			·01	13
14	0	·22	0	0	·86	0	0	0	·15			·48	14
15	·15	0	0	0	0	0	·01	·21	·09			·10	15
16	·51	0	0	0	·07	0	·13	·02	·01			·01	16
17	·01	1·36	0	0	·73	0	1·90	·01	0		0	·01	17
18	0	·21	0	0	·37	0	0	·29	0		0	0	18
19	0	·54	0	0	0	0	·03	0	0		0	0	19
20	·24	0	0	·04	·46	0	·54	0	0		0	·08	20
21	0	0	0	·02	0	0	0	0	0		0	·49	21
22	·14	·15	0	0	0	0	·39	0	0		0	·34	22
23	·05	·01	·42	·03	0	0	·40	0	·01		0	·69	23
24	·01	0	·19	0	0	·01	·36	0	·01		0	·38	24
25	0	0	0	·01	0	0	·31	0	·16		0	·13	25
26	0	0	0	0	·01	·30	·01	0	·02		0	·52	26
27	0	·58	0	0	0	·04	·30	0	·04		0	·06	27
28	0	24	0	0	0	·48	·12	0	0		0	·01	28
29	0	✕	·01	0	·01	·01	·05	0	·41		·04	·19	29
30	0	✕	0	0	0	40	·01	·02	0		·33	·36	30
31	·30	✕	0	✕	0	✕	·02	0	✕		✕	·32	31
Total	— ~~3·89~~ 3·85	·05 ~~5·67~~ 5·72	— ~~1·19~~ 1·14	·03 ~~1·20~~ 1·23	— ~~3·53~~ 3·50	— ~~1·25~~ 1·25	·19 5·92 ~~5·92~~	·08 2·22 2·11	— ~~1·21~~ 1·13			7·37	YEAR'S TOTAL
Rain Days.	20 19	~~19~~ 20	~~9~~ 8	~~14~~ 15	~~13~~ 12	7	~~19~~ 61 20	17	~~12~~ 11			28	

W. 8,000. X. 15.

Sim made
Malpas WD
[illegible]

REGISTER OF RAINFALL IN 191

FORM A.
BRITISH RAINFALL.
2 JUN 1916

* *Kept at* Malpas Court Newport Monmouthshire

in the County of Monmouth

by F. E. Prothero

* Nov and Dec at The Hall Dunster Somerset – 120 ft above sea – 51.12 N 3.27 W

Lat. 51 · 37 N Long. 3.1 W
Time of Observation 9 a.m.
Nearest Railway Station Llantarnam 1¾ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4.5 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	0	·05	0	·03	0	0	·19	·08	0		·12	1
2	·46	·35	0	0	·16	0	0	·23	·22	·42		·44	2
3	·18	·31	·21	·22	0	·01	0	·57	·01	·21		·27	3
4	0	·04	·15	·04	·20	0	·34	·06	0	0		·74	4
5	·03	·12	·02	0	·14	0	·16	0	0	0		·38	5
6	·12	·17	0	·17	0	0	0	·29	0	0		·24	6
7	·27	·02	0	·49	0	0	·63	·02	0	0		·23	7
8	·32	·65	0	·02	0	0	·21	·03	0	0		·01	8
9	·39	·22	0	·05	0	0	0	·08	0	0		·70	9
10	·02	·15	0	·01	0	0	0	·03	0	0		·01	10
11	·37	·12	·01	·05	0	0	0	·10	0	·07		·05	11
12	~~·10~~	0	·13	·01	·01	0	0	·01	0			0	12
13	·16	·21	0	·04	·48	0	0	·06	0			·01	13
14	0	·22	0	0	·86	0	0	0	·15			·48	14
15	·15	0	0	0	0	0	·01	·21	·09			·10	15
16	·51	0	0	0	·07	0	·13	·02	·01			·01	16
17	·01	1·36	0	0	·73	0	1·90	·01	0		0	·01	17
18	0	·21	0	0	·37	0	0	·29	0		0	0	18
19	0	·54	0	0	0	0	·03	0	0		0	0	19
20	·24	0	0	·04	·46	0	·54	0	0		0	·08	20
21	0	0	0	·02	0	0	0	0	0		0	·49	21
22	·14	·15	0	0	0	0	·39	0	0		0	·34	22
23	·05	·01	·42	·03	0	0	·40	0	·01		0	·69	23
24	·01	0	·19	0	0	·01	·36	0	·01		0	·38	24
25	0	0	0	·01	0	0	·31	0	·16		0	·13	25
26	0	0	0	0	·01	·30	·01	0	·02		0	·52	26
27	0	58	0	0	0	·04	·30	0	·04		0	·06	27
28	0	24	0	0	0	·48	·12	0	0		0	·01	28
29	0	✕	·01	0	·01	·01	·05	0	·41		·04	·19	29
30	0	✕	0	0	0	40	·01	·02	0		·33	·36	30
31	·30	✕	0	✕	0	✕	·02	0	✕		✕	·32	31
Total	~~3·89~~ 3·85	·05 ~~5·67~~ 5·72	~~1·19~~ 1·14	·03 ~~1·20~~ 1·23	~~3·53~~ 3·50	~~1·25~~ 1·25	·19 5·92 ~~5·92~~	·08 ~~2·22~~ 2·11	~~1·21~~ 1·13			7·37	YEAR'S TOTAL
Rain Days.	20 19	~~19~~ 20	~~9~~ 8	~~14~~ 15	~~13~~ 12	7	~~19~~ 20	17	~~12~~ 11			28	

moved

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
8 - JAN 1912

Kept at [illegible]

in the County of [illegible]

by [illegible]

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level [illegible] ft.

Time of Observation [illegible]

Nearest Railway Station
Name [illegible]
Distance [illegible] Direction [illegible]

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·22	·16	·25			·04			[illegible]	·02	1
2				·37	·42			·23	·41	·03	·26	[illegible]	2
3					·58			·02			[illegible]	[illegible]	3
4			·17					·16	·05		[illegible]	[illegible]	4
5	·22									·02	·18		5
6	·42		·10					·31			[illegible]	[illegible]	6
7	[illegible]										[illegible]		7
8	[illegible]		·27								[illegible]	[illegible]	8
9											[illegible]		9
10	·20		·45						·02		[illegible]		10
11	·20	·04									[illegible]	[illegible]	11
12			·56		·06				·07		[illegible]	[illegible]	12
13									·52	·54	·11	[illegible]	13
14		·05									[illegible]	[illegible]	14
15		·14				·17					[illegible]	[illegible]	15
16		·05				·09					[illegible]	[illegible]	16
17		·05		·02		·11					·40	[illegible]	17
18		·32	·12	·15		[illegible]					·21	·11	18
19				·14		·16			·37	·46		[illegible]	19
20		·02		·61		·10			·11	·22		[illegible]	20
21		·63	·11	·12				·18	·11	·42		[illegible]	21
22	·10		·33	·10		·23			·21	[illegible]		·47	22
23	·12	[illegible]				·18			[illegible]	[illegible]		[illegible]	23
24	·16					·34		·30		·30		[illegible]	24
25		·32		·26	·15					[illegible]		·15	25
26		·22		[illegible]				·42		[illegible]	·08	·34	26
27		1·13	·39	[illegible]				·67	·25		[illegible]	·24	27
28		[illegible]		[illegible]				·63			[illegible]	·22	28
29				[illegible]		·43	·16		·16	·77			29
30							[illegible]	·27		·33	·10	·02	30
31							[illegible]			[illegible]			31
Total	1·45	3·55	2·46	[illegible]	1·26	2·36	[illegible]	[illegible]	[illegible]	4·22	3·34	[illegible]	TOTAL for year V 37·65½
No. of Rain Days.	9	13	10	13	5	10	3	11	12	14	22	27	149

W. 8,000, X. '11.

wrote 20.VI.13 from May

Cord for arith 26.111.13 Ca. by surv. stats + part WD. 13.VI.13.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

Kept at Tredegar Park Gardens

in the County of Monmouth 2

by Jas. Bone

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Brecon + Merthyr

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·10) coll.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·33					·61	·				1
2			·43			·63		·07	·01½	·68		·28	2
3	·34		·46			·92	·13			·02			3
4			1·02			·15	·04	·94	·16			·07	4
5			·12			·10					·21		5
6	·46	·29			·50			·45				·08	6
7	·58	·20		·07	·15			·47			·04	·03	7
8	·87	·31	·26		~~·15~~	·40					·03	·03	8
9	·03		·36	·23		·14	·10	·03				·05	9
10	·22	·12				·39		·32			·05	·90	10
11	·09	·04									·23		11
12	·04	·26	·19	·12			·12				·04	·70	12
13	·12				·03	·33		·03				·20	13
14	·18		·69			·07				·14		·64	14
15	·16	·28										·22	15
16	·49	·02	·37		·46	·67						·26	16
17	·17		·23		·07			·55		·14	·10	·04	17
18	·38	·05	·15		·03	·27		·57				·68	18
19		·07	·02					·23		·05		·15	19
20	·08		·50			·13	·14	·53		·13		·07	20
21	·02	·24	·32		·11	·02		·03		·61			21
22	·40	·35	·16		·49			·33		·12	·01		22
23	·40	·44	·68		·18		·33	·45			·07	·15	23
24	·20	·05	·22		·07	·59	·04	·56		·19	·19	·46	24
25		·07	·05			·42		·53			·09	·13	25
26		·15	·08			·76		·93			·56	·47	26
27		·06					·04	·10		1·04	·67	·19	27
28		·08	·			·80	·87			·96		·72	28
29		·17				·12	·60	·98	·07	·36	·45	·36	29
30			·12			·02	·52	·16	·69	·21		·12	30
31			·15		·06	·10	·23	·06		·33		·03	31
Total	5·25	3·17	6·84	·42	~~2·12~~ 2·47	~~7·03~~ 7·03	·61 ~~3·16~~ 3·77	~~8·43~~ 7·82	~~·93½~~ ·935	~~4·98~~ 4·98	~~2·73~~ 2·73	(·10) ~~7·00~~ 7·10	YEAR'S TOTAL ~~52·5~~ 52·565
Rain Days.	19	19	22	3	11	20	13	21	4	14	13	26	185

W. 7,500, XI. 12

written 29·4·14

cod for auth 28.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

5 FEB 1914

Kept at Tredegar Park Gardens

in the County of Monmouth

by Jas. Bone

Lat. Long.

Time of Observation 9 A.M

Nearest Railway Station Bassaleg

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·21	·41	·03					·27		·26	·05	1
2		·26	·18						·03	·39	·21	·13	2
3	·12	·02	·07		·35							·20	3
4	1·34		·13		·03		·02		1·73	·85		·13	4
5	·03	·11	·08		·42½	·21	·05		·30		·32	·07	5
6	·03	·08	·22		·09	·44				·60	·36	·60	6
7	·02	·54			·35	·39				1·34	·43	·02	7
8		·25			·24	·01	·09			·04		·06	8
9		·21	·08	·03	·22	·39		·13	·03		·20	·04	9
10	·48				·19	·03				·32	·15	·05	10
11	·85			·14	·32				·02	·02	·65	·12	11
12			·05		·22		·02				·47		12
13	·04	·03	·40						·35		·30		13
14	·06		·78	·11					·05			·04	14
15	·07	·1½	·39	1·53				·29		·18	·23	·09	15
16	·25		·57	·03				·12	·03		·03		16
17	·08			·30							·18		17
18	·18		·35	·35							·11		18
19	·10		·13	·04	·04	·15			·18		·03		19
20	·50		·11	·25						·06	·38		20
21			·07	·24	·16					·08	·35		21
22	·91		·81		·06	·39		·24	·38				22
23	·03					·03		·10	·04		·08	·05	23
24	·16			·10			·03						24
25				·34					·06		·06	·32 ·32	25
26				·33				·07					26
27	·10	·08		·40						·22		·27	27
28	·28		·21	·39						·26			28
29	·01		·47	·35				·20		·17	·02	·05	29
30	·75							·02		·71	·02		30
31	·06		·07		·36			·10					31
Total	6·47	1·80½	5·58	4·96	3·05½	2·04	·21	1·27	3·47	5·24	4·84	2·29 2·29	YEAR'S TOTAL ~~40·18~~ 41·23
Rain Days.	24	11	20	17	14	9	5	9	13	14	21	17	~~150~~ 174

W.7,000, XI. 13

H.W.G. Co.ly ann. stats 31.V.15.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

18 MAY 1915

Kept at Tredegar Park Gdns
in the County of Monmouth
by J. Rowe

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station 1½
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04	·06		·18	·46	·38½			·09	·13	1
2					·03	·03	1·37	·09			·56	·35	2
3			·14	·24	·62	·01		·10			·02	·12	3
4	·05		·03	·35	·03		·56	·04			·56	·84	4
5			·16	·44	·14		·12	·24			·02	·07	5
6	·09		·06	·17	·03		·03	-			·13	·44	6
7		56	·70	·33	·42		·31	·15	·09		·05	·23	7
8	·54		·42	·04	·08	·69	·37	·12½	·39		·01	·17	8
9	·24	·05	·20	·33	·03	1·33		·09	·20				9
10	·02	·20		·56	·19	·31			·35		·01½		10
11		·14	·46	·07	·15	·67	·11				·06	·73	11
12		·17½	·13						·23		·17	·18	12
13		·74	·48				·05		·59	·22	·09	·16	13
14		·39	·42				·10	·37	·04	·05	·59		14
15		·13	·30				·06	·71	·28	·02	·51		15
16		·62					·14		·48			·02	16
17			·20				·07					·91	17
18		·12	·08				·03			·02		·49	18
19		·06	·16				·12					·28	19
20		·14	·09				1·14					·25	20
21		·20				·10	·39						21
22		·18			·09	·06		·17		·15			22
23		·07½	·18	·03	·03			·02½		·24			23
24			·02		·02		·13	·11		·36	·18		24
25	·08		·17				·02	·49		·07	·43	·66	25
26			·02				·03	·02		·50	·38	·45	26
27	·02	·03	·03							·21	·10	·26	27
28	·04	·18	·22		·05					·01	·36	·51	28
29	·50		·31		·14					·09	·10		29
30	·27	X	·15			·03				·19	·69	·48	30
31	·04	X		X	·07	X	·77		X	·28	X	·08	31
Total	1·89	3·99	5·17	2·56	2·06	3·41	6·38	3·11½	2·65	2·41	5·11½	7·81	YEAR'S TOTAL 46·56
Rain Days.	11	17	25	11	16	10	21	15	9	14	21	22	192

W. 8,000. X. 14.

Entd. L.N.

FORM A.
BRITISH RAINFALL.
13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Tredegar Park Gardens

in the County of Monmouth

by James Bone

Lat. Long.

Time of Observation 9 A.M

Nearest Railway Station Bassaleg

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	51							·40	·21	·50		·17	1
2	22	·45	·35	·20	·35			·48	·15	·17		·21	2
3				·22	·18		·22	·03				·25	3
4	·03	·20			·14		·76					·80½	4
5	·13	·13	·30	·05				·36				·64	5
6	·32½	·03		·40			·58	·04				·25	6
7	·39	·54		·10				·26				·37	7
8	·33	·22						·10			·18		8
9	·02½	·11						·02			·29	1·15	9
10	·40	·08	·10	·10				·22		·09	·01	·07	10
11		·13									1·26		11
12	·20	·25			·45			·17	·02	·22	·41		12
13	·01	·20			·60			·13	·17				13
14	·09	·01						1·10	·18			1·52	14
15	·50				·08		·48		·04	·08½		·10	15
16		1·14			·43		·85	·02		·02		·03	16
17		·30			·38			·33					17
18		·40			·45		·02						18
19							·43						19
20	·29											·04½	20
21							·18			·53		·03	21
22	·08	·11	·40	·20			·45					·45	22
23	·01	·01½	·25		·04		·17		·02	1·13		·73	23
24							·07		·03	·75		·50	24
25						·23	·18		·10			·45	25
26		·30				·01	·19		·06			·36	26
27		·06				·25	·06		·01	·56		·03	27
28		·15							·45	·06		·03	28
29						·22		·04			·27	·15	29
30	·24	×								·50	·22	·23	30
31	·01	×		×		×	·11		×	·63	×	·32	31
Total	3·79	4·82½	1·40	1·27	3·10	·71	4·75	3·70	1·44	5·24½	2·64	8·89	YEAR'S TOTAL 41·76
Rain Days.	18	20	5	7	10	4	15	15	12	13	7	24	150 Days

W. 8,000. X. 15.

✓ 3889

REGISTER OF RAINFALL IN 1916

Kept at Tredegar Park Gardens

in the County of Monmouth

by J Bone

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station 1½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ½ in.

„ Level „ Sea Level Level ft.

FORM A. BRITISH RAINFALL. 19 JUL 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05					·33				·62	·10		1
2	1·07		·07		·17	·12	·06		·34	1·75	·10		2
3		·61			·37				·03	·46	·20		3
4	·30	·34				·92			·26	·29	·41		4
5	·11½	·30½			·18	·08			·04½	·20	·05		5
6	·27	·41			·38½	·03	·76			·42	·90		6
7	·05	·10½	·05		·24					·07	·62	·07	7
8			·09½		·62	·31				·02	·02½	·42	8
9					·03	·31	·13			·11½	·07	·08	9
10		·52	·03	·06	·07		·05				·02	·14	10
11	·10		·03½	·22	·06								11
12	·05	·19½	·07	·04	·44		·43	·08		·15			12
13		·48	·24	·02				·26		·09	·02		13
14		·58½			·11			·20		·11			14
15	·02	·67	·13	·17	·07			·16	·04				15
16	·14	·08		·38	·03½		·04½	·18		·06			16
17	·13	·18½		·10				·29	·25½	·53	·04½		17
18	·09	·11	·23	·03							·33		18
19	·31		·87								·10½	·26	19
20	·37	·07	·42								·15	·32	20
21		·10		·01½	·07						·07½	·25½	21
22	·35		·20			·22				·26½	·08	·70	22
23		·04		·15		·06		·33		·08½	·41½	·11	23
24		·25	·23	·17½	1·50			·09		·41			24
25	·05	·13	·05		·02			·85		·03	·13		25
26	·09	·20			·07	·15		·02	·41	·34	·04		26
27	·13		·72	·01		·42		·21	·35	·87		·05	27
28		·13	·50					·26	·02	·41		·93	28
29		·58	·02			·54		1·26		·46		·51	29
30		✕						·10½		·77½		·05	30
31		✕		✕		✕		·15	✕	·32	✕	·10	31
Total	3·68½	6·09½	3·960 ✓	1·370 ✓	4·380 ✓	3·490 ✓	1·47½ ✓	4·44½	1·750 ✓	8·850 ✓	3·82½	3·99½ ✓	YEAR'S TOTAL 47·32
Rain Days.	3·685 18 ✓	6·095 21 ✓	17 ✓	17 ✓	17 ✓	12 ✓	1·475 6 ✓	4·445 15 ✓	9 ✓	24 ✓	3·825 20 ✓	3·995 14 ✓	47·32 190 ✓

W. 8,000. X. 14.

cor. by sum. stats 22.IV.12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Pentwyn Rockfield

in the County of Monmouth 4

by The Rev. Canon Harding

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 191 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Monmouth
Distance 3 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·02	·05				·28			·11		1
2					·21			·16	·01	·03	·02	·23	2
3					54			·03			·13	·05	3
4			·16	·02				·05	·02		·24	·60	4
5			·02					·12		·03	·02	·03	5
6	·29		·05								·17	·86	6
7	·03										·50		7
8	·04		·09								·05	·55	8
9	·05										·16	·43	9
10		·04	·31								·01	·63	10
11	·22				1·41						·49	·03	11
12			·48					·02	·10		·24	·15	12
13											·03	·63	13
14									·39			1·01	14
15			·03								·44	·12	15
16						·14					·20	·20	16
17						·12					·15	·50	17
18		·20	·10			·04				·09		·60	18
19				·35		·34			·21		·01	·28	19
20	·03	·06		·18				1·14	·24	·14		·61	20
21		·21		·05		·07			·25	·08		·14	21
22		·08	·21	·02		·09			·01	·49		·48	22
23		·34	·19	·07					·05	·13		·19	23
24		·08	·09			·43		·14		·26		·32	24
25		·06		·03		·05				·05		·04	25
26		·13		·14	·47	·02		·24	·05	·38	·15	·14	26
27		·21	·26	·02				·36			·08	·13	27
28		·12		·15				·07	·09		·48	·01	28
29				·01		·14	·23		·06	·25			29
30					·05	·02	·04	·66		·28	·20		30
31							·03			·02		·02	31
Total	·68	1·63	2·01	1·09	2·68	1·46	·30	3·27	1·48	2·23	3·88	8·98	TOTAL for year 29·69
No. of Rain Days.	7	11	13	12	5	11	3	12	12	13	21	27	147

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

13 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Penterry Rockfield

in the County of Monmouth 4

by Canon Harding

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 191 ft.

Time of Observation 9 A.M.

Nearest Railway Station { Name Monmouth
Distance 3 Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·35	~~·05~~		·33	·06	·02	·02	·38		·14	1
2			·48	·05		·31	·26	·01					2
3	·02	·02	·23		·17	·18	·03	·50	·01		·04	·01	3
4	·17		·93		·22	·06		·06			·22		4
5	·18	·02	·14		·25	·11		·61				·06	5
6	·47	·24	·01		·08	·16		·78				·04	6
7	·05	·29	·17		·02	·41		·03				·05	7
8	·36	·24	·15			·47	·13	·05				·02	8
9	·07	·03	·27	·05		·45	·02	·16				·23	9
10	·15	·07						·06			·08	·01	10
11	·06	·05						·04			·04	·49	11
12		·27	·06	·05	·09	·32	·02	·01	·03			·05	12
13	·03	·02		·02						·05		·06	13
14	·13		·53		·06			·04				·02	14
15	·61	·07	·02	·01	·32	·31		·03				·11	15
16	·49	·01	·16			·04		·10		·04	·08		16
17	·38		·15			·06		·38			·04	·44	17
18	·16	·04	·07				~~·18~~	·24				·03	18
19	·08	·06					·08	·82		·04		·04	19
20	·02		·50				·03	·03		·23		·01	20
21	·02	·03	·31		·81		·07	·25		·21			21
22	·24	·25	·04		·91		·59	·17		·05		·10	22
23	·26	·52	·34			·33	·03	·19		·10	·05	·41	23
24	·14	·06				·28	·04	·03				·19	24
25		·01	·02			·39		1·21			·18	·50	25
26		·12	·01				·13	·83		·75	·45	·33	26
27		·06				·63	·87	·02		·97		·34	27
28		·17				·08	·70	·66	·11	·40		·30	28
29		·23				·01	·35	·19	·38	·54	·29	·02	29
30			·04			·03	·06			·38			30
31			·26		·05		·46	·10		·02		·12	31
Total	4·09	2·88	5·24	·18	2·98	4·96	3·93	7·62	·55	4·16	1·47	4·12	TOTAL for year 42·18
No. of Rain Days.	21	23	23	5	11	20	18	29	5	14	10	26	205

W. 8,000, X. '11.

Written 28·4·14

cwd for asith 28.IV.14

FORM A.
BRITISH RAINFALL.
8- JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Pentwyn Rockfield Monmouth

4

in the County of Monmouth

by Canon Harding

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Monmouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·09	·23	·02	·06				·31	·05	·15		1
2	·01	·25	·13	·10	·05				·02	·83	·20	·01	2
3	·13	·02	·03		·33					·10	·01	·13	3
4	1·22	·01			·18				1·40	·48	·02	·10	4
5	·21	·05	·02		·11	·18	·02		·02	·11	·06	·05	5
6	·04	·10	·21		·09	·19	·05			·38	·21	·49	6
7		·62			·50	·10				·38	·29		7
8	·02	·24			·32	·02	·03	·03		·23		·03	8
9		·18		·01	·10	·07	·01	·11	·14	·02	·12		9
10	·23	·01		·03	·11		·04	·13		·22	·26		10
11	·81	·01		·12	·10		·06	·01		·03	·77		11
12		·01			·25		·03	·02			·46		12
13		·01	·30		·10			·06	·83		·30		13
14	·24	·01	·10	·05				·05	·11	·08	·02		14
15	·16		·53	1·11					·01	·01	·02		15
16	·21		·69	·06									16
17	·15		·05	·12					·05		·02		17
18	·07		·38	·10					·06		·02		18
19	·12		·07			·11			·10				19
20	·27		·21	·06		·02				·08	·31		20
21			·31	·11	·16					·02	·39		21
22	·35		·64	·03		·21		·36	·31				22
23	·02		·01			·03		·02	·02			·08	23
24	·03			·01				·04			·07		24
25		·06		·33				·16	·04		·01	·04	25
26		·01		·56					·03	·04		·20	26
27	·02		·15	·47	·02					·15			27
28	·44		·08	·43	·03					·15		·03	28
29	·02		·60	·42				·05		·20			29
30	·23									·78	·04		30
31	·03		·11		·05			·06		·10			31
Total	5·04	1·68 1·68	4·85 4·85	4·14	2·56	·93	·24	1·10	3·45	4·44 4·44	3·75	1·16	YEAR'S TOTAL 33·34 33·34
Rain Days.	24	16	20	19	17	9	7	13	15	21	21	10	192

W.7,000, XI. 13

TELEGRAPHIC ADDRESS } C/O "INTANGIBLE" LONDON.

JUNIOR CONSTITUTIONAL CLUB,
PICCADILLY, W.

Dear Sir

I am obliged by your correction of my Rainfall — I am sorry my addition was so faulty but I can answer for the correctness of the entries

Daily Rainfall –

[illegible]

John T. Harding

[illegible], Mass.

cord fr monthly mm shts 20.1.1915

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 9 - JAN 1915

Kept at Pentwyn Rockfield Monmouth
in the County of Monmouth 4
by Canon Harding

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Monmouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·08	·02	·07			·40	·24			·19	·06	1
2			·01				·76	·11			·36	·47	2
3			·02	·15	·40		·04	·01			·03	·20	3
4	·09		·01	·17	·15		·23	·03			·36	·65	4
5	·08		·10	·06	·21		·04				·07		5
6		·20	·03		·09			·10			·06	·27	6
7		·46	·18	·13	·39		·23	·08			·02	·14	7
8	·04	·04	·13	·01	·05	·82	·03	·12	·04		·01	·05	8
9	·02	·49	·27	·59	·05	1·28		·23	·06			·01	9
10		·09		·48	·03	·01			·53		·09		10
11			·20	·03	·07	·30	·24		·01		·05	·70	11
12		·23	·11			·02	·04		·20		·05	·30	12
13		·44	·68				·05		·38	·36	·06	·21	13
14		·45	·38				·06	·04		·30	·19	·01	14
15		·01	·17				·02	·35	·13	·05	·14		15
16							·13		·32				16
17		·23	·27				·02		·02			·65	17
18		·03	·09				·03		·01			·33	18
19		·03	·07				~~·03~~	·03			·04	·25	19
20		·26	·03				1·00					·11	20
21		·54				·01	·07			·22			21
22		·08			·21	·05		·09		·16			22
23		·01	·14		·04			·01		·22			23
24			·15					·08		·10	·12		24
25	·13		·14				·14	·31		·22	·02	·20	25
26			·05					·06		·19	·29	·50	26
27	·06						·02			·01	·41	·15	27
28		·09	·17		·03					·01	·09	·64	28
29	·07		·16		·17					·27	·52		29
30	·02	X	·19		·02					·20	·59	·68	30
31	·27	X		X		X	·27		X	·24	X	·05	31
Total	·78	3·76	3·77 3·77	1·69	1·91	2·49	3·82 3·82	1·89	1·70	2·55 2·55	3·76	6·63	YEAR'S TOTAL
Rain Days.	9	18	25	9	14	7	20 ✓	16	10	14	22	22	34·75 186

W. 8,000. X. 14.

3995

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Pentwyn : Rockfield . Monmouth

in the County of Monmouth

by Canon Hardine

Lat. Long.

Time of Observation 9 A.M

Nearest Railway Station Monmouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	·09			·16			·07	·30	·27		·05	1
2	·26	·25	·12	·10				·56	·07	·12		·06	2
3	·40	·25	·03	·01	·09		·49	·04				·16	3
4	·04	·11			·11		·30	·22				·53	4
5	·02	·65		·07				·14				·72	5
6	·18	·02		·23			·42	·08				·40	6
7	·09	·55			·04		·04	·05				·42	7
8	·20	·25		·05				·04			·09		8
9	·04	·08									·29	·76	9
10	·11		·07	·08				·05		·06	·03	·03	10
11	·03		·06	·05				·04			·85	·02	11
12	·09	·21		·15	·45					·08	·44	·01	12
13	·03	·67			1·35			·07	·08				13
14		·01						·10	·06			·48	14
15	·27				·09		·07	·03			·09	·16	15
16		·79			·63		1·08	·01				·02	16
17		·40			·89			·08				·01	17
18	·01	·45									·02		18
19		·01			·16		·20						19
20	·16			·09			·02					·14	20
21	·05	·03					·08			·23		·04	21
22	·11	·26	·47	·12			·38					·44	22
23		·01	·10							·62		·40	23
24	·01		·01				·16		·22	·90		·22	24
25						·43				·07		·23	25
26		·18					·56		·02			·63	26
27		·02				·05	·11			·40		·04	27
28		·13				·12	·01	·03	·31	·06		·01	28
29								·02			·14	·11	29
30	·14	X				·05	·16			·68	·22	·19	30
31		X		X		X	·07	·06	X	1·32	X	·60	31
Total	2·57	5·42	·86	·95	3·97	·65	4·15	1·69	1·06	4·81	2·17	6·88	YEAR'S TOTAL 35·18
Rain Days.	20	22	7	10	10	4	16	18	7	12	9	~~28~~ 27	~~163~~ 162

W. 8,000. X. 15.

3925

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Pentwyn - Rockfield - Monmouth
in the County of Monmouth
by Canon Harding

Lat. Long.
Time of Observation 9 A M
Nearest Railway Station Monmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·04		·06	·12	·19			·20	·16		1
2	·32	·06	·16		·10				·12	·90	·06		2
3		1·08				·01	·04		·05	·32	·19		3
4	·19	·16			·45	·22			·02	·36	·72		4
5	·02	·11	·02		·15	·06	·01			·24	·21		5
6	·01	·19	·03		·13	·09	·84			·31	·90		6
7	·07		·11		·09		·02			·09	·30	·20	7
8		·04	·08		·44	·05					·02	·17	8
9					·10	·24	·01			·06	·04	·10	9
10	·01	·40	·04	·04	·03	·01	·01			·08		·02	10
11	·04	·02	·06	·08	·02	·07						·01	11
12		·03	·06	·02	·32		·22	·04	·03	·06			12
13		·36	·15	·07				·09		·05			13
14		·46	·42	·01	·06			·27		·08			14
15		·14	·16	·10	·06			·12		02			15
16		·16		·16			·16	·12	·12	·02			16
17	·08	·13		·13				·02		·34	·17		17
18		·02	·48	·01					·06	·16	·29	·15	18
19	·13		·78	·07						·01	·12		19
20	·16		·35								·01	30	20
21			·39	·02	·12		·45					·15	21
22				·01		·08				·20		·40	22
23		·04	·02	·01		·02		·18		·11	·12	·13	23
24		·46	·02		1·30			·09		·43	·01	·19	24
25		1·14	·10					·90		·04	·22		25
26	·03	·48	·04			·06		·28	·08	·30			26
27	·03	·06	1·15					·05	·18	·56			27
28		·35	·09						·27	·26	·02	·18	28
29		·36				·39		1·19		·40		·10	29
30		X				·09		03		·35			30
31		X		X		X		·03	X	·33	X	·02	31
Total	1·17	6.25	4·75	·73	3.43	1·51	1·95	3·41	·93	6.28	3.56	2·12	YEAR'S TOTAL 36·09
Rain Days.	13	22	22	13	15	14	10	14	9	27	17	14	198

W. 8,000, VIII. 16

3761

Cnd for month

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
2 JAN 1918

Kept at Pentwyn Rockfield Monmouth

in the County of Monmouth

by The Rev. Canon Harding

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Monmouth

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·19	·36		·47		·94	·16		·08		1
2				·02		·07		·04			·06		2
3				·02		·01		·02		·74	·01		3
4		·20	·10	·08			·10	·07		·19			4
5	·23		·55	·08		·08		·06	·84	·24	·14		5
6			·47			·34				·10	·29		6
7	·12						·08	·18		·35	·06		7
8	·36		·05	·10			·86	·46	·03	·37	·27		8
9			·25	·09	·25			·18	·09	·02	·37		9
10	·25		·35	·20	·30			·39		·02			10
11	·04		·11	·15	·05			·35		·23	·02		11
12	·04				·35	·02		·08		·20			12
13			·08	·09				·16	·07	·01	·02		13
14				·05				·05	·01			·03	14
15	·02						·05	·06	·01	·09		·24	15
16	·03	·03		·07		·10	·13		·01	·01		·10	16
17					·48		·26	·20	·08	·07			17
18	·01				·02		·36		1·49				18
19		·55	·12		·51	·34		·06	·02		·02		19
20	·02	·12	·02		·10	·24			·09				20
21		·04	·20			·01				·03			21
22						·17		·32	·01				22
23		·34			·03	·01		·46		·13			23
24						·08	·05	·16		·30	·05		24
25		·07	·04					·03	·02	·02			25
26					·02	·07	·06	·67	·10				26
27					1·01	·22		·53					27
28			·08			·55		·08				·06	28
29			·12			·45	·03	·01		·81		·42	29
30		✕					·02	·34		·07	·03	·01	30
31		✕	·06	✕	·10	✕		·07	✕	·03	✕		31
Total	1·12 ~~1·13~~ 1·12	1·35	2·79	1·31	3·22	3·23	2·00	5·97 5·97	3·03	4·03	1·42	·86	YEAR'S TOTAL 30·39 ~~30·44~~
Rain Days.	10	7	16	12	12	17	11	26	15	21	13	6	166

W. 8,000, IX. 17.

~~W~~ M OS cor'd by own note

35

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

7 · 1 · 19

Kept at Pentwyn - Rockfield. Monmouth

in the County of Monmouth

by The Rev. Canon J. T. Harding

Lat. .... Long. ....

Time of Observation 9 A M

Nearest Railway Station Monmouth

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04	·01	·04	·03			·14		·09	·75		1
2		·23		·03				·38		·02	·15	·14	2
3		·16		·04	·26			·06	·40		·05	·02	3
4		·05	·03	·13				·04	·16	·06	·86	·50	4
5		·01		·03	·44			·02	·36	·21		·03	5
6	·07	·10		·14					·05	·18		·08	6
7		·15			·56	·01			·71	·05	·40	·16	7
8		·18							·12	·32		·04	8
9		·15		·24		·10	·09		·37	·10		·08	9
10	·02	·01		·24			·35		·28	·04		·20	10
11			·04	·02			·11		·04	·09	·04	·07	11
12		·05	·17		·11		·10						12
13							·02		·22	·04		·08	13
14	·46		·07			·03	·02		·70	·04		·10	14
15	1·06			·15			·27		·01	·02		·30	15
16	·20			·86		·08			·41			·05	16
17	·31		·04	(·04)			·10		·32	·08		·14	17
18	·55						·04		·89	·03		·51	18
19	·12	·04	·16			·32	·10			·06		·05	19
20	·14	·09		·27		·04	·22		·48	·01			20
21	·10	·01		·13					·52	·03		·07	21
22	·02				·33		·09		·23			·29	22
23					·28		·47		·04	·01	·05		23
24	·04	·04					·27		·05	·03	·03		24
25				·07	·15		·34	1·75		·02			25
26		·02		·38			·21		·03		·07	·20	26
27		·04	·13					·22	·13		·04	·03	27
28		·05	·32							·01	·01	·08	28
29			·03						1·58			·02	29
30		X	·31						·03		·06	·23	30
31	·01	X	·19	X		X		·06	X		X		31
Total	3.10	1·42	1·50	2·81 ✓	·2·16	·58	·2·80	1·67 ✓	8·13	1·54	2·51	3·47	YEAR'S TOTAL 31·69
Rain Days.	13	18	12	16	8	6	16	8	24	22	12	24	179

W. 8,000, IX. 17.

[illegible]

5 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Pentwyn - Rockfield - Monmouth
in the County of Monmouth
by Canon Harding

Lat. .... Long. ....
Time of Observation 9 Am
Nearest Railway Station Monmouth
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27		·08		·02	~~·08~~	·08		·06	·16		·55	1
2	·16		·05		·03	~~·15~~	·15	·01	·24		·09	·10	2
3	·02		·11			~~·05~~	·05		·09		·08	·10	3
4	·15	·04	·49				·09		·30			·12	4
5	·04	·26	·22		(·02)			·03	·18		·01	·23	5
6	·17	·04	·09									·16	6
7	·15		·48	·15								·01	7
8	·17		·09	·85	·02								8
9	·45		·02	·06							·15		9
10	·02		·71				·36			·05	·02	·36	10
11	·01		·65	·02	·06							(·16)	11
12	·01		·03	·02		·18			·01	·10		·02	12
13	·06			·24			·02		·06	·02		·12	13
14	·36	·06		·25					·03	·09		·12	14
15	·38	·06										·17	15
16	·17	1·02									·10		16
17		·80		·01				·01			·06		17
18	·16	·37	·48			·12	1·55	·18			·10	·06	18
19	·36	·04	·65			·04		·37	·10		·05	·04	19
20		·48	·48				·03	·19	·01		·05	·01	20
21		·03	·05				·04		·02		·01	·09	21
22									·20			·08	22
23										·93	·09	·06	23
24				·08		·04		·24	·02	·89	·42	·08	24
25	·09			·05	·10			·08				·06	25
26			·04	·01		·03		·48	·03			·21	26
27	·04		·12	·37				·49					27
28	·04		·24					·03			·26	·27	28
29	·04		·01	·04				·29		·08	·03	·30	29
30		×		·15		·23		·01			·44	·47	30
31	·01	×	·03	×		×			×		×	·06	31
Total	3·33	3·20	5·12	1·50	·25	·64	2·37	2·41	1·35	2·32	1·96	4·01	YEAR'S TOTAL 28·46
Days with ·01 in. or more	23	11	21	14	6	6	9	13	14	8	16	26	167

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W M L and Monmouth 3456

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Pentwyn - Rockfield nr Monmouth

in the County of Monmouth

by The Rev. Canon J. T. Harding

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Monmouth

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 191 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·23	·30		·40	·04	·24	·21	·01	·65	1
2	·09			·08	·01		·12	·15	·05	·25		·24	2
3	·04	·06		·16	·03		1·02	·02	·03	·74			3
4				·02	·01			·39		·30			4
5			·27	·03	·03		·30	·05		·16			5
6			·25		·12		·12			·26		·01	6
7			·02	·11			·10						7
8	·03	·04		·47	·08		·92						8
9	·17	·01		·42			06				·04		9
10	·56	·05	·06	·15		1·10	·22						10
11	·18		·24	·36	·38		·09						11
12	·10	·09		·20		·92	·06			·02	·05		12
13	·07	·03	·54	·18							·01	·01	13
14	·03	·03	·54	·41		·23	·03		·20	·19	·36	·05	14
15	·01	·06	·03	1·35		·09			·05	·18	·05		15
16			·01	·04	·20	1·20	·26		·39	·32	·06		16
17	·03		·02	·02	·25	·04			·73	·27		·02	17
18	·12			·02	·10		·02	·29	·57				18
19	·02	·13		·39		·11							19
20		·02		·23		·11						·21	20
21				·01			·04			·09		·14	21
22	·02			·23			·06		·02			·35	22
23							·28	·12				·31	23
24	·02		·36									·26	24
25	·03	·05	·18				·62				·02	·05	25
26	·15		·38			·03	·04				·10	·46	26
27	·71	·03	·11	·02		·34	·09				·03	·03	27
28	1·07		·18			·06	·03					·05	28
29	·45				·30		·09				·13	·57	29
30	·12	X	·18	·05	·10	·11	·09		·26		·30	·34	30
31	·08	X	·26	X		X			X	·60	X	·09	31
TOTAL	4·10	·60	3·66	5·18	1·91	4·34	5,06	1·06	2·34	~~3·69~~ 3·59	1·16	3·84	YEAR'S TOTAL ~~36·94~~ 36·84
Days with ·01 in. or more	22	12	18	23	13	12	23	7	10	13	12	18	183
Days with ·04 in. or more	14	7	13	17	9	11	20	6	8	12	8	14	139

Co'ty ann. stats 16.V.12 HW. L.C.

FORM A2.
BRITISH RAINFALL.
16 MAY 1912

REGISTER OF RAINFALL IN 1911.

Kept at Llanwaches Embankment.
in the County of Monmouthshire. 3
by Charles Cullum

RAIN GAUGE Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " Sea Level 456 ft. O.D.
Time of Observation 9 am.
Nearest Railway Station Name Magor.
Distance 1 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.05	.08	.	.	.	.05	.	.	.04	.08	1
2	.01	.	.01	.18	.39	.	.	.20	.02	.05	.44	.33	2
3	.	.	.	.	.60	.	.	.02	.01	.	.37	.06	3
4	.	.	.28	.01	.	.16	.	.10	.	.02	.59	.48	4
5	.04	.	.04	.	.	.	.	.10	.	.05	.07	.03	5
6	.39	.	.05	.	.	.	.	.05	.	.	.24	.44	6
7	.03	.	.	.	.	.	.	.	.	.	.51	.	7
8	.10	.	.18	.	.	.	.	.	.	.	.08	.50	8
9	.02	.	.02	.	.	.	.	.	.	.	.15	.22	9
10	.04	.07	.48	.	.03	.	.	.	.	.	.02	.11	10
11	.42	.	.	.	.29	.	.	.	.	.	.64	.12	11
12	.	.	.48	.	.	.	.	.	.10	.	.70	.08	12
13	.	.	.	.	.30	.	.	.	.34	.03	.04	.62	13
14	.	.	.	.	.	.	.	.	.	.	.03	.79	14
15	.	.03	.01	.	.	.03	.	.	.	.01	.49	.16	15
16	.	.07	.01	.	.	.29	.	.	.	.	.37	.36	16
17	.	.06	.	.05	.	.45	.	.	.	.	.37	.22	17
18	.	.32	.04	.12	.	.33	.	.	.	.04	.01	.37	18
19	.	.01	.	.08	.	.41	.	.	.24	.10	.01	.22	19
20	.02	.05	.04	.23	.	.01	.	.	.16	.31	.	.74	20
21	.02	.48	.12	.08	.	.22	.	.25	.04	.40	.	.20	21
22	.	.03	.10	.14	.	.22	.	.	.01	.07	.	.68	22
23	.01	.45	.14	.01	.	.01	.	.	.23	.33	.	.29	23
24	.01	.11	.	.	.	.68	.	.48	.	.14	.	.28	24
25	.01	.13	.	.31	.	.11	.	.03	.	.11	.	.10	25
26	.	.17	.	.38	.02	.01	.	.49	.	.45	Snow .12	.22	26
27	.	.87	Snow .15	.03	.	.01	.	.73	.14	.	Snow .14	.14	27
28	.	.26	.01	.30	.09	.01	.	.03	.	.	.41	.01	28
29	.		.	.	.	.26	.01	.01	.29	.53	.01	.	29
30	.		.01	.07	.	.04	.04	.54	.	.36	.11	.01	30
31	.		.		.03		.01	.		.03		.	31
Total	1.12	3.11	2.22	2.07	1.75	2.95	.06	3.08	1.57	3.03	5.96	4.81	TOTAL for year 34.73
No. of Rain Days.	13	15	19	15	8	17	3	14	11	17	24	28	184

W. 8,000, X. '11.

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

5 - JAN 1915

RAINFALL IN 1914

At Llanwaches Embankment

In the County of Monmouthshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top *Above Ground* — ft. 10 in.
Above Sea Level 456 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1.60	·44	29	14
FEB.	4.51	·88	13	18
MAR.	4.98	·57	13	24
APR.	1.93	·46	10	13
MAY	2.14	·63	3	15
JUNE	2·60	1·24	9	10
JULY	5·81	·89	11	22
AUG.	2.98	·61	25	17
SEPT.	1.55	·48	10	9
OCT.	2.21	·46	25	13
NOV.	4.84	·96	30	21
DEC.	7.17	·81	17	24
Total	42.32	775		200

NEWPORT CORPORATION,
WATER DEPARTMENT.

Signed

Please fill in the other side also.

W. 17,000. X.14.

If Gauge has been moved during year state—

Date.	Distance.	Direction.
—	—	—

How was height above sea level ascertained?

Ordnance Map.

State pattern and maker of Gauge, if known.

Snowdon

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Embankment			clear.

In order that the position may be accurately entered on a map please mention

Latitude 51°30' **N.**

Longitude 30

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Magor	4	S.
Church	Llanwaches	3/4 m.	S

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

42.32 60

3974

FORM A. BRITISH RAINFALL.
5. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Llanvaches Reservoir
in the County of Monmouth
by Newport Corporation

Lat. Long.
Time of Observation 9
Nearest Railway Station Magor
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 456 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	39	23	.	.	17	.	.	19	11	40		09	1
2	12	29	18	18	.	02	.	64	02	22		10	2
3	16	08	11	09	11	.	18	15				17	3
4	03	08	01	.	07	01	41	03				84	4
5	09	14	01	06	01		.	24				70	5
6	26	.		42			33	05				32	6
7	20	57		04	13		11	05				37	7
8	34	20		01				09			10	.	8
9	.	08		.				02			30	1.02	9
10	24	03	02	08				03		04	03	06	10
11	02	.	04	02	02			02		.	99	08	11
12	15	07		24	37			.		17	72	Snow 01	12
13	01	57			68			.	28	01	.	01	13
14	13	01			05		11	48	10	01	.	1.30	14
15	34	.	01	01	68		02	03	01	02	02	17	15
16		75			53		83	11		01		05	16
17		37			02		.					01	17
18		38			28		03	.		02		–	18
19		.		04			48	.		.		–	19
20	13	.		25	04			02		10		03	20
21	02	13					17	02		26		01	21
22	07	04	43	02			43			.		38	22
23	03	01	22	.		01	14		09	78		56	23
24	01	.	02	02		02	43		45	57		57	24
25		.				42	07		05	01		33	25
26		55				02	33		01	.		63	26
27		08				13	11		.	46		03	27
28		10	02			02	02		41	06		01	28
29						10	03	03	.	01	13	06	29
30	16	X				10	.		.	27	23	07	30
31		X		X		X	14	05	X	72	X	54	31
Total	2.90	4.76	1.07	1.48	3.16	85	4.37	2.25	1.53	4.14	2.52	8.52	YEAR'S TOTAL 37.55
Rain Days.	20	21	11	14	14	10	19	18	10	19	8	28	192

W. 8,000. X. 15.

Exd FW

3903

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
6 JAN 1917

Kept at Llanvaches

in the County of Monmouth

by Newport Corporation

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Magor
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 456 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	12		03		15	32	35		01	32	27		1
2	87	11	09		06	03			23	1·35	08		2
3	01	60	.		01	02				44	19		3
4	50	24	.		45	86			07	34	31		4
5	05	34	03 s		11	05	04			18	04		5
6	10	34	01 s		39	15	1·00			34	85		6
7	03	Ras 02	18 s		20	.	01			26	47		7
8	01	do 06	07 s		26	13				01	02	34	8
9	.	do 01	.		13	25	08			03	04	23	9
10	.	56	Ras 02	02	10	.				15	01	04	10
11	.	01	03	13	07	.	01			02		05	11
12	02	16	06	01	35	09	25	04		10		01	12
13	.	41	22	.	-			43		11			13
14	.	Ras 45	26	.	08			25		12			14
15	.	41	12	14	.			10		.			15
16	10	06	01	31	03		03	14		03			16
17	11	13	.	25					14	60	Rain & Snow 18		17
18	05	05	13	02						02	do 18		18
19	42	.	67	19						03	do 07		19
20	40	.	33	03							02	18 snow 22	20
21	26	Ras 05	38	02			03				-	19	21
22	.	.	01	06	07	25				21	06	20 34	22
23	01	Snow 22	.	04	.	08		20		14	37	21 Snow 29	23
24	.	do 03	Ras 04	26	1·13	05		13		39	03	22 61	24
25	.	do 05	Ras 22			01		1·09			22	23 18	25
26	06	do 66	Ras 02			13		05	43	15	02	24 24	26
27	08	do 03	Ras 1·82		04	70	47	22	28	80		25 02	27
28	.	do 33	12			.			04	30		26 . 27 .	28
29	.	Rain 25	.			50		1·14		34		28. .64 49	29
30		X	.					.07		45		02	30
31	.	X	.	X		X		.16	X	24	X	01	31
Total	3·20	5·58	4·87	1·48	3·63	3·62	2·27	4·02	1·20	7·47	3·43	3·73	YEAR'S TOTAL 44·50
Rain Days.	8 ~~19~~	25	23	13	17	16	10	13	7	27	19	16	4 20~~5~~

W. 8,000, VIII. 16

3741

FORM A. BRITISH RAINFALL.

7 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Llanvaches Embankment

in the County of Monmouthshire

by

Lat. Long.

Time of Observation

Nearest Railway Station Magor,

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 456 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.	25	Snow 79	.	37	.	1.00	25	.	03	03	1
2	.	.	04	Snow 04	.	13	.	06	01	02	14	.	2
3	01	Snow 18	.	Snow 02	.	01	07	.	.	1.02	03	.	3
4	.	Snow 07	Snow 21	.	.	.	27	03	.	33	.	.	4
5	25	.	R&S 23	24	.	15	.	12	45	35	25	.	5
6	.	.	49	.	.	01	.	.	01	18	27	05	6
7	21	.	.	.	.	.	12	17	.	19	03	06	7
8	R&S 14	.	Snow 20	04	.	.	64	89	03	48	35	05	8
9	.	.	Snow 52	Snow 13	15	.	.	48	11	08	17	.	9
10	28	.	52	R&S 13	28	.	.	23	16	02	.	.	10
11	R&S 03	.	28	R&S 60	09	.	.	1.56	.	35 45	05	.	11
12	R&S 10	.	.	.	43	.	.	07	.	11	.	01	12
13	.	.	19	20	.	06	.	15	06	.	.	.	13
14	.	.	08	09	.	.	.	12	01	37	.	02	14
15	Snow 03	.	.	03	.	.	.	06	07	03	.	R&S 21	15
16	Snow 02	10	.	16	.	.	35	.	01	10	.	R&S 17	16
17	Snow 01	01	.	04	29	.	31	23	27	.	02	.	17
18	.	04	.	02	03	01	66	03	1.62	.	.	.	18
19	.	56	04	.	.	21	.	01	06	.	.	.	19
20	R&S 01	12	01	.	21	19	.	02	02	10	.	.	20
21	.	01	Snow 44	.	02	05	.	02	.	09	.	.	21
22	.	.	02	.	.	17	.	22	.	03	.	.	22
23	.	12	.	.	.	13	.	49	.	53	03	01	23
24	.	03	.	.	01	05	08	31	.	06	01	.	24
25	.	05	R&S 05	.	.	.	05	07	02	01	.	.	25
26	.	.	Snow 03	.	19	08	.	46	33	.	06	.	26
27	.	.	R&S 01	.	1.52	15	01	97	01	.	01	.	27
28	.	.	12	.	22	39	.	12	.	50	.	R&S 03	28
29	.	.	06	.	.	32	.	01	.	09	.	14	29
30	.	X	R&S 01	.	.	.	.	30	.		04	01	30
31	.	X	Snow 06	X	03	X	.	35	X	10	X	R&S 02	31
Total	1.10	1.29	3.86	2.53	3.47	2.48	2.56	8.55	3.50	5.59	1.49	81	YEAR'S TOTAL 37.23
Rain Days.	12	11	22	14	13	17	10	28	18	24	15	13	197

R&S = Rain & Snow

W. 8,000, IX. 17.

~~W~~ M.S.S. 17

REGISTER OF RAINFALL IN 1918

NEWPORT CORPORATION WATER WORKS

FORM A. BRITISH RAINFALL

17·1·19

Kept at Llanvaches

in the County of Monmouth

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		19		05	03		·	19	·	03	44	01	1
2		37		04			·	42	·	06	09	70	2
3		14		27	43		·	32	15	10	10	04	3
4		03		02			·	11	27	06	128	64	4
5		01		10	22		·	11	05	68	12	03	5
6	07	57		30		01	·	09	·	22	·	12	6
7		17		·	65		·	01	60	18	(43)	03	7
8	01	09					06		06	14	01	05	8
9	04	15		41		07	28		92	24	01	22	9
10	02	01		14			45		59	11	03	34	10
11	01	·	06	02	01		26		27	06	12	16	11
12		17	25	·	22		04		01	·		02	12
13	04	·	03	·	01		08		75	04		24	13
14	49	·	05	·	15		04		72	51		38	14
15	138	·	·	06	01	07	43		02	·		35	15
16	30	·	·	63		35	02	13	88	·		18	16
17	25	·	07	04		·	06	10	05	03		35	17
18	143	·	02	·		62	16	·	76	01		28	18
19	16	03	24	·		01	29	01	02	02		04	19
20	02	29	·	21		02	06	01	55	01		·	20
21	08	14	·	01			01		49	·		17	21
22	06	01	·	·	14		39		19	04		40	22
23	13	·	·	·	26		35		02	-	05	04	23
24	01	13	·	·			32	26	18	·	05	01	24
25			·	01	11		28	41	·	04	02	·	25
26			08	06			75	·	34	03	17	32	26
27		·	27	02			03	50	13	·	08	06	27
28		05	15	·			·		02	·	02	09	28
29			82	·			·		134	03	·	04	29
30		X	58	·			·		02	06	04	08	30
31		X		X		X	·	01	X	01	X	-	31
Total	4·49	2·55	2·62	2·39	2·24	115	4·33	2·98	9·43	2·44	3·04	5·35	YEAR'S TOTAL 43·67
Rain Days.	16	17	12	17	12	7	20	15	26	23	14	28	210

W. 6,500, VII. 18. W W C

A. made Enqd R 3550

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

14 JAN 20

Kept at Llanvaches

in the County of Monmouthshire

by Newport Corpn: Water Dept.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Magor - 4 mls - S.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

" " " " Sea Level 456 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60	& snow ·01	·15	·05	·08		·21		·11	·07		·76	1
2	·34		·10	·01	·05		·26	·02	·63	·01	·06	·17	2
3	·14		·20		·07				·05	·01	·15	·22	3
4	& snow ·06	& snow ·21	·55		·01	·09	·78	·02	·36		·01	·16	4
5	& snow ·02	& snow ·37	·75		·01				·41		·04	·35	5
6	·11	& snow ·09	·21									·06	6
7	·24		·70	·10								·03	7
8	·12		·16	·04		·02							8
9	·25			·02							·35		9
10	·01		·36	·02	·04					·02	·01	·26	10
11	·05		·53	·10	·14	·02	·28			·02		·24	11
12	·02		·07	·09	·03	·37	·04		·01	·04	·02	·02	12
13	·17	·05		·46					·02			·25	13
14	·92	·12		·41	·01		·07		·01			·04	14
15	·53	·04		·02						·06		·28	15
16	·20	·94				·01					·08	·01	16
17	—	& snow ·34		·04		·05		·01			·25	·02	17
18	·05	& snow ·02	·68				·10	1·02	·03		·13	·06	18
19	·19	·68	& snow 1·21			·19	1·55	·57			·05	·04	19
20	·83	·16	& snow ·39			·06		·27			·02	·06	20
21	·02	1·12	& snow ·05			·08		·02	·02		·02	·04	21
22		·22					·05		·40		·02	·18	22
23		·01						·02		1·33	·21	·02	23
24				·02		·04			·02	1·16	·37	·32	24
25	·17			·03	·02	·04		·72	·06		·01	·05	25
26	·07	·04	·12	·11		·02		·06	·18			·62	26
27	& snow ·07	& snow ·01	& snow ·04	& snow ·28				·38				·04	27
28	·02		& snow ·17	& snow ·03				·47			& snow ·33	·59	28
29	·02			·09				·01		·05	·02	·50	29
30	& snow ·01			·11		·33		·48			·50	·64	30
31	& snow ·02		& snow ·05									·05	31
TOTAL	5·25	4·43	6·49	2·03	·46	1·32	3·34	4·01	2·31	2·77	2·65	6·08	YEAR'S TOTAL 41·14
Days with ·01 in. or more	27	17	19	19	10	13	9	14	14	10	20	29	201

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

Ese Jl

3437

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llanvaches

in the County of Monmouth

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.30	.66		.51	.05	.09	.15	.07	.59	1
2	.02		.02	.15	.04		.16	.16	.07	.51		.34	2
3	.05	.06		.08	.02		.42	.01	.02	.17		.02	3
4			.01	.03			.01	.91		.32			4
5			.21	.05	.11		.56	.02		.14		.02	5
6			.28		.41		.16			.31		.02	6
7	.20		.03	.12	.26		.07						7
8	.06	.02		.57	.21		.36	.02		.01			8
9	.37	.08		.39		.05	.09	.03	.02		.01		9
10	1.75	.21	.14	.14		.42	.27				.02		10
11	.38		.25	.52	.60	.06	.17						11
12	.25	.29	.02	.20	.04	1.03	.16			.02	.15	.02	12
13	.04	.05	.41	.24			.01				.10	.02	13
14	.10	.04	.57	.41		.03	.10		.19	.37	.83	.01	14
15	.06	.09	.07	.60	.08	.25	.02		.19	.26	.10		15
16	.01	.01	.03	.04	.06	.43	.32	.02	.54	.27	.13		16
17	.16		.01	.14	.38	.24	.01	.04	1.56	.31	.01		17
18	.29			.04	.18	.04		.46	.14			.01	18
19	.01	.21		.34	.01	.17			.04				19
20	.01	.06		.16		.19	.01					.24	20
21							.04			.21		.09	21
22	.05			.15		.02	.12	.10		.01		.28	22
23	.01						.47	.09		.02		.68	23
24	.05		.53				.01	.02			.03	.63	24
25		.10	.15	.01			1.05					.03	25
26	.22		.46			.01	.02				.10	.02	26
27	.26	.07	.06	.05	.07	.64	.03				.01	.39	27
28	.72	.02	.17		.18	.06	.08					.05	28
29	.32	.01	.15	.07	.18	.10	.01				.15	.74	29
30	.41	X	.08	.08		.28	.29		.58		.31	.59	30
31	.46	X	.25	X	.01	X			X	.26	X	.28	31
TOTAL	6.26	1.32	3.92	4.88	3.50	4.02	5.53	1.93	3.44	3.34	2.02	5.07	YEAR'S TOTAL 45.23
Days with ·01 in. or more	25	15	22	24	18	17	28	13	11	16	14	21	224
Days with ·04 in. or more	20	11	15	22	15	14	19	7	9	12	9	12	165

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

88 466

FORM A2. BRITISH RAINFALL.

26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Newchurch Reservoir

in the County of Monmouth 3

by ~~C Cullum~~ R. H. Haynes

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			02	·06				·32			·14	·12	1
2			·01	·19	·48			·31	·01	·05	·43	·51	2
3			·01		·67			·04	·01		·53	·08	3
4			·27			·03		·21		·03	·61	·64	4
5	·04		·07	·01				·15		·06	·03	·02	5
6	·50		·03					·11	·01		·30	·72	6
7	·04										·50		7
8	·11		·18								·12	·49	8
9	·03		01						·01		·18	·25	9
10	·04	·07	·54								·03	·24	10
11	·49				·26						·69	·11	11
12			58						·12		·52	·08	12
13			·04		·13				·35	·02	·06	·70	13
14											·07	1·05	14
15		·04	01			·04				·01	·55	·12	15
16		·07				·33					·46	·60	16
17		·07		·11		·13					·36	·25	17
18		·35	07	·13		·24				·06	·01	·51	18
19		·03		·13		·24			·34	·18	·01	·26	19
20	·02	·07	·08	17					·16	·28		·84	20
21	·02	·56	·14	·09		·25		62	04	·55		·23	21
22		·04	17	·16		·35			·03	·07		·72	22
23		·69	·23	·02		·01			·35	·30	·01	·34	23
24		·14				·56		·36		·21		·29	24
25	·01	·15		·33		11		·01		·12		·07	25
26		·21		·40	·01	·01		·51		·53	·14	·20	26
27		·78	30	·06				·74	22		·15	·13	27
28		·28		·40	·01	01		·01			·43	·01	28
29						27	·01		·43	·53	·01		29
30			·01	·05		·03	·04	·19		·39	·36		30
31					·01		·01			·01			31
Total	1·30	3·55	2·77	2·31	1·57	2·61	·06	3·58	2·08	3·40	6·70	9·58	TOTAL for year 39·51
No. of Rain Days	10	15	19	15	7	15	3	13	13	17	25	27	179

9,000, IX. '10.

ol

Exd D.M.

y-61

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Newchurch Reservoir

in the County of Monmouth 3

by

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·24			·18	·02	·02 ~~·04~~		·64		·31 26	1
2		·01 ~~·01~~	·38	·02	·02	·68	·04			·01		·01 ·01	2
3			·56			·47	·09	·73 ~~69~~	·06		·02 ·01	·04 ·04	3
4			·96			·06		·12 ~~09~~			·09 ·05	·01 ·01	4
5	·17	·12 ~~[illegible]~~	·10		·10	·05		·31 ~~29~~			·02 ·02	·13 ·09	5
6	·35	·20 ~~14~~	·01		·09			1·21 ~~98~~			·01	·03 ·02	6
7	·38	·31 ~~23~~	·01		·15	·50	·15				·02 ·03	·03 ·03	7
8	·03	·37 ~~28~~	·23		·06	·04	·06	·32 ~~34~~				·09 ·09	8
9	·78	·11 ~~07~~	·27	·08		·86	·05	·22 ~~22~~			·03 ·03	·64 ·64	9
10	·10	·10 ~~08~~				·14	·01	·05 ~~02~~			·18 ·17		10
11	·09	·02 ~~01~~					·03				·01 ·01	·81 ·65	11
12	·11	·29 ~~20~~	·16	·12		·20	·05					·44 ·25	12
13	·01	·01 ~~04~~	·07	·02	·04					·14		·40 ·38	13
14	·09		·90					·06 ~~09~~		·02		·09 ·12	14
15	·22	·25 ~~24~~	·03	·03	·11	·51		·07 ~~02~~				·26 ·39	15
16	1·06	·04	·50		·35	·03		·24 ~~23~~		·12	·10 ·10	·04 ·03	16
17	·65	·01	·16		·02	·08		·95 ~~82~~			·02 ·04	·60 ·54	17
18	·13	·06	·12		·02			·75 ~~67~~		·02	·02 ·02	·09 ·17	18
19	·12	·07	·02			·01	·19	·51 ~~46~~		·03	·01 ·01	·02 ·01	19
20	·06	·02	·70				·04	·06 ~~06~~		·54		·01 ·01	20
21	·10	·09	·49		·05		·04	·35 ~~23~~		·13			21
22	·40	·48	·11		·71		·23	·22 ~~33~~		·04	·06 ·05	·08 ·03	22
23	·37	·41	·52		·70	·34	·01	·36 ~~46~~		·14	·19 ·20	·53 ·36	23
24	·20	·05	·15			·37	·02	·07 ~~07~~				·38 ·24	24
25		·01	·02			·73		1·06 ~~95~~		·01	·53 ·53	·45 ·34	25
26		·19	·02				·20	·52 ~~47~~		1·19	·59 ·49	·14 ·12	26
27		·04				·86	1·15			1·43		·67 ·69	27
28		·10				·20	·89	1·21 ~~·03~~	·03	·35	·65 ·56	·44 ·44	28
29		·13			·01	·22	·63	·29 ~~26~~	·65	·47		·07 ·06	29
30			·10			·03	·04		·01	·32		·02	30
31			·22		·01		·85	·12 ~~09~~				·61 ·50	31
Total	5·42	3·49 3·49	7·05	·27	2·44	6·56	4·79	9·82 ~~8·77~~	·75	5·60	2·54 ~~2·23~~	7·44 ~~6·52~~	TOTAL for year 56·17
No. of Rain Days.	20	25	26	5	15	21	21	24	4	17	16	29	223

W. 8,000, X. '11.

fl. ✓ corr by h. 28·IV·14 WDJJ

473

31 JAN 1914

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at Newchurch

in the County of Monmouth

by

Corrected 3

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·15	·32	·05					·30		·31	·05	1
2	·04	·33	·55	·10	·08					·33	·41	·08	2
3	·16	·03	·10		·66						·01	·29	3
4	1·45	·03 ·08	·19		·13				2·44	·15	·14	·05	4
5	·03	·10	·08		·34	·33	·05		·61		·12	·11	5
6	·07	·96	·22		·20	·30	·01			·66	·48	·52	6
7		·42			·49	·21	·02			·45	·47	·01	7
8	·02	·37	·02		·25	·04				·06		·02	8
9			·03		·14	·16	·01	·29	·03		·18	·02	9
10	·55			·03	·25			·18		·31	·23		10
11	1·04			·11	·29			·02		·05	1·16	·08	11
12		·02			·37			·03	·01		·49	·02	12
13	·04		·52				·01	·10	·98		·23		13
14	·11		·61	·02					·05	·11			14
15	·36	·05	·32	1·76				·07	·01			·06	15
16	·32	·01	·77	·09									16
17	·08		·08	·21			·01				·16		17
18	·25		·45	·36			·01				·10		18
19	·16		·33			·17	·02		·56	·02	·02		19
20	·54		·15	·12	·01	·01				·05	·40		20
21	·02		·07	·21	·22		·04	·11			·75		21
22	·52		·66		·05	·02		·37	·36	·03	·01		22
23	·04					·25		·02	·01		·13	·12	23
24	·12			·11				·02			·01		24
25		·02		·53					·04	·02	·01	·16	25
26		·02		·35				·06		·01		·31	26
27	·02		·02	·62						·20			27
28	·46		·21	·48	·06					·18		·09	28
29			·53	·42				·12		·20	·02		29
30	·68									·80	·03		30
31	·05		·08		·30			·02					31
Total	7·15	2·59	6·31	5·57	3·84	1·49	~~·16~~ ·18	1·41	5·40	3·63 3·63	5·87 ~~6·17~~	1·99	YEAR'S TOTAL 45·43
Rain Days.	25	14	22	17	16	9	9	13	12	17	23	16	193

W. 7,500, XI. ·12

84 455

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 22 JAN 1915

Kept at Newchurch Reservoir

in the County of Monmouth 3

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·06		·06	·78	·09			·14	·16	1
2				·03	·12		·77	·02			·50	·36	2
3			·03	·20	·75			·28			·04	·06	3
4	·27		·02	·35	·09		·58	·20			·53	·88	4
5	·05		·05	·20	·10		·06				·05	·02	5
6	·03	·32	·01	·05	·22		·04	·28			·01	·20	6
7		·60	·29	·25	·47	·02	·24	·12				·03	7
8	·15		·38	·05	·01	·80	·12	·24	·02		03	·12	8
9	·09	·08	·28	·35	·05	1·37		·64	·04		·01		9
10	·03	·30		·57	·10	·02		·01	·48		·01		10
11		·12	·47	·01	·02	·57	·71				·09	·85	11
12		·06	·17	·01		·02			·28		·07	·36	12
13		1·15	·81				·08		·41	·30	·08	·30	13
14		·73	·61				·06	·07		·17	·56		14
15	·02	·07	·20					·38	·10	·02	·34		15
16			·01				·26		·30			·01	16
17		·73	·32				·02	·30	·10			1·19	17
18		·03	·06				·22			·02		·43	18
19		·06	·12				·87				·06	·30	19
20		·28	·11			·02	·11					·17	20
21		·32					·10			·33			21
22		·14	·05	·01	·17	·07		·14		·22			22
23		·08	·12		·03		·02	·04		·25			23
24			·28				·04	·12		·21	·10		24
25	·11		·26				·03	·72		·70	·02	·92	25
26							·05	·05		·12	·41	·51	26
27	·02		·02							·11	·30	·41	27
28	·03	·29	·52		·02						·43	·60	28
29	·45		·36		·19					·17	·61		29
30	·06		·35				·01			·26	1·04	·46	30
31	·21						·94			·16		·06	31
Total	1·52	5·38	5·90	2·14	2·34	2·95	6·11	3·70	1·73	3·04	5·43	9·40	YEAR'S TOTAL 48·64
Rain Days.	13	18	2[illegible]	13	14	9	22	17	8	14	22	22	194

W.7,000, XI. 13

Dl

cord 25.0.16

3979
~~427~~

FORM A.
BRITISH RAINFALL.
24 MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at Newchurch Reservoir

in the County of Monmouth H. Dl

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·32			·18			·23	·16	·31		·13	1
2	·14	·44	·21	·16		·01		·82	·01	·21		·12	2
3	·21	·14	·12	·08	·10		·15	·14				·21	3
4	·04	·12			·09	·01	·29	·03				·24	4
5	·08	·20	·01	·08	·01			·28				1·48	5
6	·25			·60			·38	·10				·23	6
7	·12	·80		·04	·16		·03	·06				·45	7
8	·34	·43		·02				·13			·12		8
9		·15						·04			·34	1·07	9
10	·27	·03	·08	·06				·06		·08	·04	·07	10
11	·01		·08	·02	·02			·02			1·15	·07	11
12	·15	·08		·20	·45					·22	·81	·01	12
13		·72			·87				·25	·01		·02	13
14	·12						·11	·38	·05	·01		1·59	14
15	·41				·02		·02	·03	·01	·02	·02	·13	15
16		·97			·65		1·24	·03				·05	16
17		·47			·60					·01		·02	17
18		·44			·03		·06			·01	·01		18
19				·06	·30		·57						19
20	·15			·24				·02		·04		·05	20
21	·02	·18			·03		·25			·29		·02	21
22	·06	·06	·48	·04			·63					·56	22
23	·04	·02	·14			·01	·19		·07	·86		·50	23
24	·01			·03		·01	·44		·40	·64		·54	24
25						·47	·08		·01	·01		·33	25
26		·62					·37		·01			·69	26
27		·09				·05	·10			·58		·03	27
28		·11	·02			·04	·02		·42	·09		·01	28
29						·17		·06		·01	·19	·07	29
30	·19	✕				·11				·30	·23	·08	30
31		✕		✕		✕	·13	·03	✕	·99	✕	·58	31
Total	2·96	6·39	1·14	1·63	3·51	·88	5·06	2·46	1·39	4·69	2·91	9·35	YEAR'S TOTAL 42·37 184
Rain Days.	19	20	8	13	14	9	18	17	10	19	7 9	28	~~182~~

W. 8,000. X. 14.

Dl

3907
~~396~~

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Newchurch Reservoir

in the County of Monmouth

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·15		·13	·37	·28		·02	·27	02		1
2	·82	·13	·11		·06	·02			·26	1·21	·11		2
3	·04	·68			·01	·02				·50	·19		3
4	·45	·32			·53	·86			·04	·21	·47		4
5	·04	·38	·03		·16	·04	·03			·28	·06		5
6	06	·53	·01		·41	·07	1·06			·64	1·30		6
7	·03	·05	·18		·23		·15			·18	·27	·33	7
8	·01	·02	·06		·34	·15				·02	·02	·25	8
9		·01			·19	·32	·07			·03	·05	·04	9
10		·53	·01	·02	·10					·20	·02	·05	10
11		·02	·03	·11	·08	·13				·01			11
12	·03	·20	·08	·03	·35		·23	·03		·14			12
13		·47	·26					·45		·07			13
14		·61	·26		·07			·26		·09			14
15		·36	·14	·14				·10					15
16	·14	·07	·04	·31	·02		·03	·14		·20			16
17	·13	·15		·14					·10	·46	·31		17
18	·04	·02	·22	·01						·01	·19	·27	18
19	·48		·70	·14						·03	·07		19
20	·36	·01	·41	·05							·03	·38	20
21	·23	·03	·48	·02	·09		·03					·29	21
22				·04		·22				·25	·14	·81	22
23	·01	·29		·04		·09		·19		·15	·61	·17	23
24		·03	·09	·19	1·25	·03		·14		·45	·02	·28	24
25		·08	·21			·01		·77			·18	·01	25
26	·03	·50	·02			·12		·06	·55	·17	·02		26
27	·06	·02	1·83		·05	·14	1·06	·24	·35	·90			27
28		·32	·12						·03	·32		·66	28
29		·20				·65		1·34		·39		·27	29
30								·06		·42		·01	30
31								·12		·60		·01	31
Total	3·06	6·03	5·44	1·24	4·07	3·24	2·94	3·90	1·35	8·20	4·08	3·83	YEAR'S TOTAL 47·38
Rain Days.	18	26	22	13	17	16	9	13	7	27	19	15	202

W. 8,000. X. 15.

8L

Sec 8L

3745
380

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Newchurch Reservoir
in the County of Monmouth
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.24	.75		.43		1.22	.07		.03	.04	1
2			.04	.04		.10		.05			.11		2
3	.01	.28		.02		.01	.08			1.06	.03		3
4		.10	.24				.25	.03		.07			4
5	.20		.25	.30		.18		.13	.51	.33	.29		5
6			.59			.01				.20	.35	.07	6
7	.28					.01	.08	.19		.29	.05	.06	7
8	.20		.28	.04			.74	1.20	.01	.52	.39	.04	8
9			.48	.20	.12			.45	.11	.07	.19		9
10	.35		.52	.15	.46			.49	.06	.01			10
11	.03		.27	.88	.08			1.35		.34	.05		11
12	.11				.42			.02		.30		.01	12
13			.21	.14		.05		.20	.08	.12			13
14	.01		.09	.10				.12				.03	14
15	.04			.04			.06	.04	.07	.38		.17	15
16	.02	.11		.14			.02		.01	.09		.21	16
17	.01	.01		.04	.30		.34	.49	.36	.13	.02		17
18		.05			.03		.66	.04	2.00				18
19		.57	.04			.21		.01	.03				19
20	.02	.03	.01		.23	.30		.02					20
21			.46		.02	.07		.03		.09			21
22			.02			.08		.35		.09			22
23		.14				.04		.74		.05	.03	.01	23
24		.06			.01	.03	.10	.18		.45	.01		24
25		.05	.09				.09	.10	.07	.05			25
26			.02		.17	.08		.56	.30	.01	.07		26
27			.01		1.35	.14	.01	1.03	.01		.01		27
28			.11		.01	.88		.30				.03	28
29			.06			.23		.01		.57		.20	29
30			.01					.38		.06	.04	.01	30
31			.06		.13			.47		.09		.03	31
													YEAR'S TOTAL
Total	1.28	1.40	4.10	2.84	3.33	2.85	2.43	10.20	3.69	5.37	1.67	.91	40.07
Rain Days.	12	10	22	13	13	17	11	28	14	23	15	13	191

W. 8,000, VIII. 16

81

81

21

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Newchurch Reservoir

in the County of Monmouth

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·24		·09	·04			·23		·03	·55	·02	1
2		·40		·04				·49		·02	·20	·78	2
3		·22		·27	·43			·19	·16	·09	·12	·06	3
4		·07		·02				·08	·28	·04	1·25	·82	4
5		·03		·33	·22			·12	·06	·74	·12	·05	5
6	·06	·50		·02		·01		·09		·15		·18	6
7		·20			·74			·02	·93	·20	·40	·05	7
8	·02	·14					·03		·05	·17		·07	8
9		·15		·30		·09	·32		1·08	·32	·01	·38	9
10	·03	·04		·25			·54		·46	·18	·02	·32	10
11	·02		·04	·01	·01		·21		·17	·02	·12	·05	11
12		·24	·39		·24		·03		·01			·02	12
13	·09		·01		·01		·09		·98	·14		·16	13
14	·83		·04		·16		·15		·49	·61		·40	14
15	1·73			·12	·01	·08	·45		·01			·56	15
16	·37			·63		·12	·01	·13	1·03			·08	16
17	·25		·10	·07			·02	·10	·05	·04		·32	17
18	1·30		·05			·75	·21		·69	·03		·27	18
19	·18	·02	·16				·24	·01	·02	·01		·03	19
20	·01	·27		·31			·08		·51	·01			20
21	·10	·18		·02			·04		·52	·03		·17	21
22	·07				·25		·46		·38	·06		·37	22
23	·15				·13		·38				·05		23
24	·01	·18					·52	·33	·24		·08	·02	24
25	·01			·03	·08		·86	·76		·05	·02		25
26				·19			·47		·29	·03	·15	·37	26
27			·22				·01	·47	·16		·07	·03	27
28		·10	·27						·04		·01	·05	28
29			·35						1·20	·03		·03	29
30		X	·78							·06	·03	·03	30
31		X	·43	X		X			X	·04	X		31
Total	5·23	2·98	2·84	2·70	2·32	1·05	5·12	3·02	9·81	3·10	3·20	5·69	YEAR'S TOTAL 47·06
Rain Days.	17	16	12	16	12	5	20	13	24	24	16	27	202

W. 8,000, IX. 17.

A made 121 3554

14 JAN 20

COUNTY BOROUGH OF NEWPORT.

WATER DEPARTMENT.

Deamiter of Funnel 5"
Height of top 1' 0" above ground
" " " 550' " sea level

RAINFALL RETURN.

Nearest Station - Chepstow - 8 mls S.E.

Wm. Jones. Taken at Newchurch Mon For the ~~Month~~ Year of 1919 ~~19~~

RAINFALL.

AMOUNTS MEASURED EACH DAY AT 9 A.M. AND ENTERED TO PRECEDING DAY.

MONTH ~~DAY.~~	January ~~Pant-yr-eos (Old Gauge)~~	February ~~Pant-yr-eos (New Gauge)~~	March ~~Ynis-y-fro (Old Gauge)~~	April ~~Ynis-y-fro (New Gauge)~~	May ~~Friars Street, Newport~~	June ~~Llanvaches~~	July ~~Nant-y-pwdda~~	August ~~Newchurch~~	September ~~Pant-y-rhiw~~	October ~~Pwllifor~~	November ~~Ynys-y-paste~~	December ~~Maen Fawr~~	Year's ~~Blaen-caer-nant~~	Total ~~Tospantan~~
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	·61	snow ·01	·20	·05	·06		·24		·12	·11		·78		
2	·33		·16	·02	·03		·32	·03	·68	·01	·05	·12		
3	·07		·36		·07				·10	·02	·15	·13		
4	snow ·07	snow ·20	·46		·01	·10	·10	·05	·65		·01	·12		
5	snow ·03	snow ·36	·51						·42		·04	·37		
6	·36	snow ·04	·25									·03		
7	·14		·72	·10								·02		
8	·11		·15	·04		·03								
9	·29			·03							snow ·25			
10			·86	·03	·07					·03	·01	·41		
11	·06		·49	·11	·22	·03	·25					·28		
12	·02		·04	·10	·03	·31	·09		·01	·03	·03	·02		
13	·40	·06		·45					·02			·48		
14	·91	·19		·27			·04		·01			·08		
15	·46	·08								·06		·36		
16	·18	1·21				·01					·06	·01		
17		snow ·68		·04		·06		·01			·30	·01		
18	·08	·04	·98				·11	1·04	·08		·14	·02		
19	·68	·86	snow 1·00			·22	2·29	·52			·05	·03		
20	·50	·09	snow ·39			·06		·29			·02	·04		
21		·34	snow ·07			·07		·02	·07		·02	·03		
22		·01					·05		·44		·02	·15		
23								·02		1·46	·23	·02		
24				·04		·04			·03	·94	·33	·31		
25	·15			·01	·04	·02		1·17	·06		·01	·04		
26	·04	·02	·11	·13				·05	·13			·60		
27	snow ·08	snow ·02	snow ·02	snow ·32				·40				·03		
28	·63		snow ·26	·03				·50			snow ·33	·47		
29	·01			·08				·01		·07	·04	·46		
30	snow ·01			·10		·29		·40			·60	·86		
31	·01		·08									·07		
Total	5·63	4·21	7·11	1·95	·53	1·24	3·49	4·57	2·82	2·73	2·69	6·35	43·26	
No. of Rainy Days.	25	16	19	18	8	12	9	14	14	9	20	29	193	

from M.O Exd

3537 ~~80~~

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Newchurch

in the County of Monmouth

by Newport (Mon) Water Department

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.61	R+8. .01	.20	.05	.06	.							1
2	.33	.	.16	.02	.03	.							2
3	.07	.	.36	.	.07	.							3
4	+8 .07	R+8 .20	.46	.	.01	.10							4
5	+8 .03	R+8 .36	.51	.	.	.							5
6	.36	R+8 .04	.25	.	.	.							6
7	.14	.	.72	.10	.	.							7
8	.11	.	.15	.04	.	.03							8
9	.29	.	.	.03	.	.							9
10	.	.	.86	.03	.07	.							10
11	.06	.	.49	.11	.22	.03							11
12	.02	.	.04	.10	.03	.31							12
13	.40	.06	.	.45	.	.							13
14	.91	.19	.	.27	.	.							14
15	.46	.08	.	.	.	.							15
16	.18	1.21	.	.	.	.01							16
17	.	R+8 .68	.	.04	.	.06							17
18	.08	.04	.98	.	.	.							18
19	.68	.86	R+8. 1.00	.	.	.22							19
20	.50	.09	R+8. .39	.	.	.06							20
21	.	.34	+8 .07	.	.	.07							21
22	.	.01	.	.	.	.							22
23	.	.	.	.	.	.							23
24	.	.	.	.04	.	.04							24
25	.15	.	.	.01	.04	.02							25
26	.04	.02	.11	.13	.	.							26
27	R+8. .08	R+8. .02	R+8. .02	R+8. .32	.	.							27
28	.03	.	+8 .26	.03	.	.							28
29	.01	.	.	.08	.	.							29
30	8. .01	X	.	.10	.	.29							30
31	8. .01	X	.08	X	.	X			X		X		31
Total	=143 mm 5.63	=107mm 4.21	=181mm 4.11	=50mm 1.95	=13mm .53	=31mm 1.24							YEAR'S TOTAL
Rain Days.	25 19	16 12	19 18	18 13	8 5	12 8							

W. 8,000, IX. 17.

3441

20 APL

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Newchurch

in the County of Monmouth

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in **Millimetres** should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·29	·70		·59	·02	·11	·31	·06	·63	1
2	·05		·03	·17	·02		·20	·08	·04	·28		·54	2
3	·06	·10		·08			·50		·01	·14			3
4			·01	·03			·03	1·12		·32			4
5			·30	·06	·04		·55	·01		·15		·01	5
6			·31		·46		·16			·34			6
7	·13		·03	·14	·24		·06						7
8	·06	·01		·67	·09		·26	·01					8
9	·53	·08	·02	·48		·15	·09	·02	·04		·01		9
10	1·53	·22	·17	·12		·45	·39				·03		10
11	·22		·41	·49	·59	·09	·24						11
12	·20	·35	·02	·31	·04	1·02	·18			·02	·17	·02	12
13	·06	·06	·45	·30							·14	·02	13
14	·09	·03	·61	·81		·02	·15		·20	·34	1·12	·01	14
15	·02	·06	·14	·65	·13	·22	·04		·19	·25	·12		15
16	·01	·02	·02	·01	·09	·76	·40	·02	·99	·33	·06		16
17	·17		·01	·16	·60	·17	·02	·02	1·55	·43			17
18	·20			·06	·09	·02		·36	·13			·01	18
19		·24		·52	·02	·18			·03				19
20	·01	·04		·27		·22	·02					·38	20
21							·04			·17		·11	21
22	·05			·30			·18	·08				·32	22
23	·01						·74	·07				·71	23
24	·05		·68				·01	·01			·03	·59	24
25		·08	·18				1·04					·04	25
26	·33		·44			·02	·02				·15	·02	26
27	·32	·04	·08	·02	·05	·56	·03				·03	·48	27
28	·58	·02	·21		·15	·14	·06					·11	28
29	·62	·01	·18	·03	·11	·07					·24	·81	29
30	·60		·08	·07		·34	·20		·64		·33	·93	30
31	·07		·34		·01					·34		·18	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	5·97	1·36	4·74	6·04	3·53	4·43	6·20	1·82	3·93	3·42	2·49	5·92	49·85
Days with ·01 in. or more	24	15	23	23	17	16	26	12	11	13	13	19	212
Days with ·04 in. or more	20	10	15	19	14	13	20	5	9	12	9	13	159

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

466

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

NEWPORT W.W.
FRIARS. STREET YARD.
MONMOUTHSHIRE
1911 - 1920

RE N 1911

Kept at Friars Str
rn
eter of top in.
in the County of Mon
t of top above Ground ft. in.
„ „ Sea Level ft.
by C. Cullum
vation
ay Station { Name
Distance Direction

IMPORTANT NOTE a.m., and the result entered to the previous day. If an Obs lmost universal rule, he is earnestly requested to add the readi lowing year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·08	·04			·11			·07	·02	1
2				·64	·42			·23		·05	·55	·38	2
3			·01	·01	·60			·03			·30	·07	3
4			·16		·01			·21	·03	·01	·56	·54	4
5	·18		·05					·43		·01	·14		5
6	·43		·03					·05			·25	·44	6
7	·05										·60		7
8	·03		·23								·14	·65	8
9	·01										·14	·25	9
10	·20	·06	·53		·24						·02	·35	10
11	·44				·03						·85	·20	11
12			·50						·09		·67	·20	12
13									·46	·37	·09	·44	13
14		·07								·03	·06	·82	14
15		·12				·14					·56	·11	15
16	·01	·03				·39					·33	·37	16
17		·13		·04		·12					·39	·24	17
18		·51	·08	·16		·39				·04		·39	18
19		·05		·10		·28		·01	·35	·39		·45	19
20	-03	·05	07	·47		·03			·10	·38		·82	20
21	·02	·59	·03	·07		·15		·36	·08	·55		·18	21
22	·02	·05	·13	·18		·21			·01	·18		·73	22
23	·04	·32	·13	·01		·06			·12	·49		·30	23
24	·02	·19				·37		·66		·12		·22	24
25	·03	·20		·43		·02			·05	·22		·17	25
26		·23		·44	·19			·28		·43	·10	·30	26
27		1·05	·12	·03				·83	·16		·06	·15	27
28		·28		·45	·04	·01		·03			·40	·02	28
29				·04		·32	·02	·03	·26	·87	·01		29
30						·05	·04	·30	·02	·37	·21	·01	30
31					·03		·04			·13			31
Total	1·51	3·93	2·09	3·15	1·60	2·54	·10	3·56	1·73	4·64	6·50	8·82	TOTAL for year 4017 ✓
No. of Rain Days	14	16	14	15	9	14	3	14	12	17	22	27	177 ✓

9,000, IX. '10.

DL

466

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Friars Street, Newport
in the County of Monmouth 3
by C. Cullum

RAIN GAUGE Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
„ „ „ Sea Level .... ft.
Time of Observation ....
Nearest Railway Station Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·08	·04			·11			·07	·02	1
2				·64	·42			·23		·05	·55	·38	2
3			·01	·01	·60			·03			·30	·07	3
4			·16		·01			·21	·03	·01	·56	·54	4
5	·18		·05					·43		·01	·14		5
6	·43		·03					·05			·25	·44	6
7	·05										·60		7
8	·03		·23								·14	·65	8
9	·01										·14	·25	9
10	·20	·06	·53		·24						·02	·35	10
11	·44				·03						·85	·20	11
12			·50						·09		·67	·20	12
13									·46	·37	·09	·44	13
14		·07								·03	·06	·82	14
15		·12				·14					·56	·11	15
16	·01	·03				·39					·33	·37	16
17		·13		·04		·12					·39	·24	17
18		·51	·08	·16		·39				·04		·39	18
19		·05		·10		·28		·01	·35	·39		·45	19
20	·03	·05	·07	·47		·03			·10	·38		·82	20
21	·02	·59	·03	·07		·15		·36	·08	·55		·18	21
22	·02	·05	·13	·18		·21			·01	·18		·73	22
23	·04	·32	·13	·01		·06			·12	·49		·30	23
24	·02	·19				·37		·66		·12		·22	24
25	·03	·20		·43		·02			·05	·22		·17	25
26		·23		·44	·19			·28		·43	·10	·30	26
27		1·05	·12	·03				·83	·16		·06	·15	27
28		·28		·45	·04	·01		·03			·40	·02	28
29				·04		·32	·02	·03	·26	·87	·01		29
30						·05	·04	·30	·02	·37	·21	·01	30
31					·03		·04			·13			31
Total	1·51	3·93	2·09	3·15	1·60	2·54	·10	3·56	1·73	4·64	6·50	8·82	TOTAL for year 4017
No. of Rain Days	14	16	14	15	9	14	3	14	12	17	22	27	177

9,000, IX. '10.

88 ✓ ~~W.D.?)~~ 461

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Friars Street Newport

in the County of Monmouth 3

by

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·43			·61		·07	·01	·57		·28	1
2			·47		·01	·73	·14			·01			2
3		01	·29			·14	·09	·75	·11		·02	·05	3
4			1·23	·01		·10		·02			·19		4
5	·26	·16	·17		·03	·02		·44				·08	5
6	·49	·14			·21			·40			·03	·02	6
7	·45	·21	04	·03	·16	·37	·04				·02	·03	7
8	·21	·29	·13	·01	·10	·13	·10					·08	8
9	·97	·06	·48	·16		·24	·03	·25			·04	·98	9
10	·06	·11				·03	·04				·28	·03	10
11	·23	·02					·02					·77	11
12	·06	·23	24	·09		·19	·04					·17	12
13	·03		01	·01	·05	·04				·20	·02	·75	13
14	·14		·67			·02		·02		·01		·25	14
15	·17	29		·01	·09	·62		·06				·48	15
16	·14	·02	37		·37	·03		·32		·15	·12	·03	16
17	·48		14		·03	·18		·73			·02	·58	17
18	·47	07	·13		·01			·22		·02		·15	18
19	·18	·06	02			·08	·11	·72		·09		·02	19
20	·10	·03	·56				·02	·02		·53			20
21	·01	·13	·38		·08		·04	·37		·13			21
22	·02	·42	·08		·72		·16	·41		·03	·08	·17	22
23	·45	·48	61		·13	·55	·02	·44		·13	·27	·54	23
24	·22	·05	·16			·41		·05				·19	24
25	·20	·02	07			·76		1·17		·05	·70	·47	25
26		·18	·02				·11	·13		1·09	·63	·29	26
27		·06	·01			·85	·90			1·07		·73	27
28		·07				·16	·74	1·01	·04	·39	·55	·37	28
29		·18				·01	·56	·25	·63	·23		·10	29
30			·11		·01	·07	·19			·30		·05	30
31			·13		·55		·61	·08				·42	31
Total	5·34	3·29	6·95	·32	2·55	6·34	3·96	7·93	·79	5·00	2·97	8·08	TOTAL for Year 53·52
No. of Rain Days.	21	23	25	7	15	23	19	22	4	17	14	27	217

W. 8,000, X. '11.

82 ✓

REGISTER OF RAINFALL IN 1913

473

BRITISH RAINFALL. FORM A.
31 JAN 1914

Kept at Friars Street, Newport ~~W~~ DH

in the County of Monmouth 3

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·15	·41	·04	·02				·24		·27		1
2		·33	·29	·01	·11				·04	·37	·25	·13	2
3	·11	·03	·08		·24					·01	·01	·21	3
4	1·55	·01	·22		·03	·02	·03		2·48	·86	·09	·10	4
5	·04	·07	·09		·41	·11	·02		·34		·25	·17	5
6	·04	·08	·23		·05	·52				·53	·40	·50	6
7		·68			·35	·31				·57	·40	·01	7
8		·37	·01		·26	·02	·02			·05		·05	8
9		·21	·03		·15	·32	·09	·42	·03		·21	·03	9
10	·47		·03		·10	·03		·02		·28	·24		10
11	·96			·11	·28					·01	·74	·11	11
12		·03			·23			·01	·04		·41		12
13	·02		·75					·08	·39		·28		13
14	·08		·64	·10					·07	·17	·03	·02	14
15	·09	·01	·45	1·72				·23	·02		·17	·05	15
16	·19		·60	·04			·02	·07			·02		16
17	·10		·02	·25							·16		17
18	·13		·41	·40	·01	·01					·15		18
19	·11		·25	·02	·01	·16			·20	·02	·02		19
20	·55		·13	·20						·02	·49		20
21			·09	·33	·19		·07	·10		·02	·40		21
22	·78		·87		·03	·30		·19	·36				22
23	·06					·05		·05	·02		·08	·12	23
24	·18			·12							·01		24
25		·03		·32					·05	·02	·04	·20	25
26		·05		·36				·02		·01		·41	26
27	·09		·08	·41						·12			27
28	·44		·16	·43	·02					·28		·10	28
29			·37	·36	·01			·21		·16			29
30	·84									·82	·02		30
31	·09		·07		·34			·06					31
													YEAR'S TOTAL
Total	6·94	2·05	6·28	5·22	2·84	1·85	·25	1·46	4·28	4·32	5·14	2·21	42·84
Rain Days.	22	13	23	17	19	11	6	12	13	18	24	15	193

W. 7,500, XI. ·12

8L

455

REGISTER OF RAINFALL IN 1914

Kept at Friars Street, Newport
in the County of Monmouth 3
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A. BRITISH RAINFALL. 22 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·06		·19	·36	·43			·09	·13	1
2				·03	·07	·03	1·12	·07			·59	·31	2
3			·14	·25	·60		·01	·03			·04	·09	3
4	·42		·05	·35	·06		·57	·04			·75	·93	4
5	·14		·14	·44			·08				·15	·06	5
6	·03	·19	·05	·13	·15	·03	·03	·28			·04	·50	6
7	·03	·47	·46	·28	·43		·45	·13	·01		·01	·19	7
8	·31		·44	·01	·11	·75	·10	·13	·28		·01	·16	8
9	·21	·06	·21	·38	·05	1·15		·13	·16				9
10	·02	·22		·66	·14	·09			·39				10
11		·14	·47	·01	·03	·58	·31				·06	·72	11
12		·17	·14				·03		·22		·10	·20	12
13		·87	·62				·09		·53	·19	·11	·15	13
14		·45	·47				·05	·34		·10	·57		14
15		·10	·26					·57	·10	·01	·46		15
16							·22		·25			·02	16
17		·74	·20				·06		·04			·92	17
18		·06	·07				·03			·01		·45	18
19		·06	·18				1·18		·02		·05	·23	19
20		·16	·07			·03						·21	20
21		·20				·39	·39			·25		·01	21
22		·20		·01	·21	·02		·18		·24			22
23		·06	·19				·01			·37			23
24			·01				·02	·13		·04	·17		24
25			·15				·04	·59		·57	·01	·86	25
26		·03	·01				·02	·01		·15	·36	·40	26
27		·01									·45	·26	27
28	·03	·18	·22		·05						·09	·45	28
29	·64		·41		·12		·03			·11	·41		29
30	·09		·17			·03				·22	·79	·46	30
31	·06				·01		·80			·24		·05	31
Total	1·98	4·37	5·17	2·61	2·03	3·29	6·00	3·06	2·00	2·50	5·31	7·76	YEAR'S TOTAL 46·08
Rain Days.	11	19	24	12	13	11	23	14	10	13	21	23	194

W.7,000, XI. 13

82 ex Mill 455

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

22 JAN 1915

Kept at Pant-yr-eos Reservoir

in the County of Monmouth 3

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge — in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03	.05	.06		.18	.52	.57			.16	.22	1
2			.02	.02	.07	.02	1.16	.07			.46	.48	2
3			.18	.32	.93		.04	.03			.01	.20	3
4	.76		.08	.50	.10		.92	.03			.60	1.45	4
5	.10		.21	.53	.05		.08				.26	.05	5
6	.09	.16	.06	.20	.26		.08	.32			.07	.95	6
7	.02	.68	.61	.30	.72	.01	.63	.14	.03		.01	.15	7
8	.32		.45	.03	.25	.40	.18	.47	.31		.01	.10	8
9	.28	.08	.27	.56	.09	1.32		.14	.16		.05		9
10	.05	.62	.02	.75	.12	.31			.38		.02		10
11		.17	.62	.03	.08	.50	.17				.28	.75	11
12		.40	.16			.01			.28		.35	.28	12
13		1.55	.60				.12		.78	.30	.28	.19	13
14		1.07	.65				.03	.25	.01	.05	.87		14
15		.08	.45				.05	.35	.45		.50		15
16			.02				.16		.50			.02	16
17		.85	.25				.07		.14			2.02	17
18		.07	.10				.04		.02			.54	18
19		.14	.08				1.33		.03		.02	.32	19
20		.27	.19			.05	.02					.39	20
21		.24	.01			.01	.05			.36		.03	21
22		.47		.01	.06	.07		.18		.27			22
23		.07	.23		.04		.02			.37			23
24	.04		.06				.06	.15		.05	.19		24
25	.09		.15				.07	.94		.82	.04	1.04	25
26	.01	.04	.01				.09	.09		.21	.57	.84	26
27	.02	.01	.03				.02			.04	.35	.37	27
28	.06	.26	.50		.07					.01	.28	.70	28
29	.83		.38		.21					.16	.97	.03	29
30	.25		.31			.02	.01			.24	.85	.46	30
31	.27				.01		1.03			.34		.05	31
													YEAR'S TOTAL
Total	3.19	7.26	6.75	3.31	3.06	2.90	6.95	3.73	3.09	3.22	7.20	11.63	6229
Rain Days.	15	20	29	12	15	12	25	14	12	13	23	24	214

?Big

W.7,000, XI. 13

DL

corrd by Obs. 26.V.16

3971
~~#5~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
24. MAY 1916

Kept at Friars Street, Newport
in the County of Monmouth
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.52	.37			.14			.24	.12	.41		.17	1
2	.16	.25	.21	.22		.01		.46	.02	.12		.13	2
3		.05	.19	.07	.20		.20	.04				.22	3
4	.03	.07	.04		.11		.63					.88	4
5	.12	.14		.13				.30				.65	5
6	.28	.02		.38			.62	.03				.37	6
7	.34	.45		.02			.04	.04				.40	7
8	.38	.19		.03				.09			.19		8
9	.03	.10		.03				.02			.30	1.24	9
10	.42	.04	.01	.06						.07	.03	.05	10
11	.03		.14	.03	.01						1.23	.03	11
12	.18	.17		.07	.46			.16		.22	.55		12
13		.16			.74			.03	.16			.03	13
14	.12						.05	.54	.15	.01		1.53	14
15	.50				.07		.11	.05	.02	.03	.05	.09	15
16	.01	.99			.60		.86	.03		.01		.03	16
17		.33			.33			.06					17
18		.40			.01		.03						18
19				.05	.42		.44						19
20	.20			.06						.10		.04	20
21	.10	.11					.23			.43		.01	21
22	.06	.01	.40	.03			.49		.01	.02		.44	22
23	.01		.18			.03	.22		.01	.97		.65	23
24			.01	.01			.30		.20	.72		.62	24
25						.24	.10		.03			.34	25
26		.40				.05	.38					.71	26
27		.06				.37	.08			.59		.03	27
28		.19				.03			.43	.08		.03	28
29						.17	.09	.02			.20	.09	29
30	.28			.01		.11				.34	.24	.15	30
31	.01						.20	.04		.57		.33	31
Total	3.77	4.50	1.18	1.20	3.09	1.01	5.07	2.15	1.15	4.69	2.79	9.26	YEAR'S TOTAL 39.86
Rain Days.	20	20	8	15	11	8	18	16	10	16	~~6~~ 8	26	~~174~~ 176

W. 8,000. X. 14.

3900
396

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Friars Street Newport

in the County of Monmouth

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·01	·01		·11	·39	·28			·52	·13		1
2	1·06	·13	·04		·05	·03			·32	1·78	·07		2
3		·65			·15	·08			·02	·46	·14		3
4	·38	·38		·01	·44	·94			·04	·30	·23		4
5	·07	·49			·15	·07				·22	·02		5
6	·20	·46			·37	·02	·73			·41	·92		6
7	·05	·09	·09		·21		·01			·12	·63	·23	7
8		·04	·05		·54	·30						·17	8
9		·01			·04	·31	·10			·03	·05	·05	9
10		·46	·01	·04	·05		·03			·12	·01	·11	10
11	·05		·03	·18	·05	·02			·01	·03			11
12	·03	·18	·07	·01	·45		·40	·06		·13			12
13		·56	·28					·33		·12			13
14		·45	·03	·01	·08			·12		·09			14
15		·75	·20	·17	·02			·23	·04				15
16	·15	·07		·29	·02		·03	·11		·03			16
17	·13	·18		·10				·34	·34	·47	·10		17
18	·05	·08	·35	·04					·08		·18	·18	18
19	·46		·83	·02							·09		19
20	·45	·02	·33								·16	·34	20
21	·24	·07	·35	·14	·07		·01					·23	21
22	·01			·05		·20				·24	·05	·70	22
23	·02	·20		·11		·07		·27		·08	·44	·09	23
24		·04	·04	·21	1·64	·02		·09		·46	·04	·22	24
25	·01	·27	·23					1·00		·02	·21	·03	25
26	·06	·10	·06			·13		·06	·48	·33	·03		26
27	·10		1·57		·04	·32		·22	·30	1·07			27
28		·19							·06	·38		·84	28
29		·35	·04			·51		1·25		·45		·68	29
30		X						·09		·48		·03	30
31		X		X		X		·17	X	·33	X	·08	31
Total	3·65	6·23	4·61	1·38	4·48	3·41	1·59	4·34	1·69	8·67	3·50	3·98	YEAR'S TOTAL 47·53
Rain Days.	19	25	19	14	18	15	8	14	10	25	18	15	200

W. 8,000. X. 16.

8L

3735
~~380~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

✓ *Kept at* Friars Street, Newport

in the County of Monmouth

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·19	·18		·29		·65	·17		·02	·03	1
2			·04	·02		·19		·01			·22		2
3	·04	·10		·01			·09			1·14	·02		3
4	·01	·15	·18				·14	·13		·19		·01	4
5	·26		·35	·20		·23		·15	·44	·29	·24		5
6			·28							·25	·32	·09	6
7	·28						·16	·16		·21	·02	·04	7
8	·08		·28	·07		·04	·53	·66		·62	·43	·07	8
9			·25	·02	·07			·46	·13	·09	·11		9
10	·30		·58	·24	·65			·17					10
11	·01		·29	·43	·11			·63	·05	·44	·11		11
12	·10		·02		1·82			·04		·56	·01		12
13			·18	·19		·05		·20	·08	·07			13
14			·16	·07				·18	·02				14
15	·02			·02			·03		·05	·44		·31	15
16		·18		·15			·01	·02	·01	·02		·26	16
17				·02	·28		·38	·21	·35	·14	·02		17
18		·04			·04	·01	·63	·14	1·52				18
19		·73	·06			·28		·03	·02				19
20	·01	·08	·01		·30	·16							20
21		·02	·19		·01	·02		·02		·09			21
22			·01					·36		·08			22
23		·15			·05	·03	·01	·89		·05	·04		23
24		·01				·04	·27	·45		·56	·06	·01	24
25		·02	·04					·06	·01	·10	·02		25
26					·44	·01		1·05	·28	·02	·12		26
27			·02		·92	·26		·94					27
28			·18		·54	·79		·14			·01		28
29			·08			·38		·01		·56	·02	·18	29
30		X	·01					·28		·18	·03		30
31		X	·03	X	·05	X		·37	X	·05	X	·02	31
Total	1·13	1·48	3·43	1·62	5·28	2·78	2·25	8·41	3·13	6·15	1·82	1·02	YEAR'S TOTAL 38·50
Rain Days.	11	10	22	13	13	15	10	27	13	22	18	10	184

W. 8,000, VIII. 16

81

13
~~33-5~~

FORM A.
BRITISH RAINFALL.
22.1.19

REGISTER OF RAINFALL IN 1918

Kept at Friars Street Newport

in the County of Monmouth

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·28		·06	·02			·32		·01	·36	·01	1
2		·28		·03				·53		·01	·02	·65	2
3		·16		·47	·25			·68	·15	·07	·08	·03	3
4		·12		·03				·06	·24	·15	1·01	·65	4
5		·02		·11	·09			·13	·11	·70	·09	·03	5
6	·07	·86		·28		·01				·25		·04	6
7		·15			·55	·01		·03	·27	·30	·40		7
8		·09					·07		·37	·20	·02	·06	8
9		·15		·43		·14	·23		·95	·15	·02	·29	9
10	·03	·03		·14			·48		·35	·06	·01	·30	10
11	·01	·02	·10	·02			·18		·40	·21	·08	·16	11
12		·14	·26		·17		·01		·02			·03	12
13	·06		·01				·04		·81	·12		·26	13
14	·75		·11		·08	·03	·13		·50	·08		·30	14
15	1·19			·06		·50	·41		·02			·50	15
16	·32			·76		·01		·12	·72			·02	16
17	·42		·14	·04			·10	·05	·01	·02		·36	17
18	1·50		·02			·54	·21		1·15	·05		·46	18
19	·14	·04	·21	·04			·11		·05	·01		·07	19
20	·01	·28		·05		·01	·10		·47				20
21	·05	·13					·06		·56	·03		·22	21
22	·02				·20		·44		·50	·08		·52	22
23	·18				·37		·35				·05	·04	23
24		·14					·35	·25	·12		·09		24
25				·05	·15		·53	·55		·11	·05		25
26				·40			·52		·33	·05	·14	·45	26
27		·02	·12					·43	·25		·10	·05	27
28		·07	·50						·02		·02	·10	28
29			·29						1·40	·01		·04	29
30		×	·52							·06	·08	·11	30
31		×	·63	×		×		·01	×		×		31
Total	4·75	2·98	2·91	2·97	1·88	1·25	4·32	3·16	9·77	2·73	2·62	5·75	YEAR'S TOTAL 46·09
Rain Days.	14	18	12	16	9	8	18	12	24	22	17	26	196

W. 8,000, IX. 17.

35245

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

14 JAN 20

Kept at Friars Street, Newport,
in the County of Monmouthshire
by Newport Corpn: Water Dept.

Lat. — Long.
Time of Observation —
Nearest Railway Station Newport – ¼ ml
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. — in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·80	·01	·12	+ snow ·07	·17	·01	·25	·	·15	·12	·	·72	1
2	·29	·	·17	·	·01	·	·22	·	·68	·	·03	·23	2
3	·		·36	·	·07	·	·	·	·	·	·10	·42	3
4	·06	+ snow ·24	·53		·	·22	·23	·01	·37	·	·	·28	4
5	·01	·28	·76	·	·	·	·	·	·17	·	·03	·31	5
6	·19	·10	·36	·	·	·	·	·	·	·	·	·12	6
7	·24	·	·63	·09	·	·	·	·	·	·	·	·	7
8	·09	·	·16	·03	·	·01	·	·	·	·	·	·	8
9	·38	·	·02	·05	·	·	·	·	·	·	·35	·	9
10	·01	·	·41	·01	·06	·	·	·	·	·	·01	·19	10
11	·08	·	·58	·11	·13	·	·27	·	·	·01	·	·27	11
12	·01	·	·03	·05	·	·46	·	·	·	·01	·	·01	12
13	·27	·03	·	·57	·	·	·	·	·03	·	·	·15	13
14	·80	·12	·	·17	·02	·	·17	·	·03	·	·	·10	14
15	·53	·12	·	·	·	~~[illegible]~~	·	·	·	·	~~·15~~	·16	15
16	·14	1·33		·	·	·01	·	·	·	·	·15	·01	16
17	·	·73	·	·	·	·	·	·	·	·	·31	·03	17
18	·04	·01	·70	·	·	·	·11	·87	·	·	·17	·07	18
19	·41	·78	·47	·	·	·18	1·23	·48	·	·	·05	·03	19
20	·44	·19	·32	·	·	·04	·	·23	·	·	·04	·11	20
21	·	1·21	·02	·	·	·	·	·	·01	·	·03	·05	21
22	·	·07	·	·	·	·	·	·	·33	·	·01	·29	22
23	·	·	·	·	·	·	·	·	·02	1·25	·24	·03	23
24	·	·	·	·	·	·06	·	·	·01	1·16	·47	·35	24
25	·15	·	·	·10	·	·02	·	·55	·06	·	·02	·13	25
26	·02	·01	·17	·01	·	·01	·01	·06	·18	·	·	·68	26
27	·11	·	·17	·37	·	·	·	·70	·	·		·05	27
28	·01	·	·27	·	·	·	·	·51	·	·	+ snow ·33	·77	28
29	·01	·	·	·06	·	·	·	·	·	·02	·	·35	29
30	·	X	·	·03	·	·18	·	·29	·	·	·49	·59	30
31	·	X	·	X	·01	X	·	·	X	·	X	·06	31
TOTAL	5·09	5·23	6·25	1·66	·47	1·20	2·49	3·70	2·04	2·57	2·83	6·56	YEAR'S TOTAL 40·09
Days with ·01 in. or more	23	15	19	14	7	11	8	9	12	6	17	28	169

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

3545

FORM A.
BRITISH RAINFALL
9 MAR 26

REGISTER OF RAINFALL IN 1919.

Kept at Newport (M.O.)
in the County of Monmouthshire.
by Newport Corporation Water Works.

Lat. 51° 35' N Long. 3° 0' W
Time of Observation 9 h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. – in.
" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	0.80	0.01	0.12	0.07	0.17	·01	0.25	-	0.15	0.12	-	0.72	1
2	0.29	-	0.17	-	0.01	-	0.22	-	0.68	-	0.03	0.23	2
3	-	-	0.36	-	0.07	0.22	-	-	-	-	0.10	0.42	3
4	0.06	0.24	0.53	-	-	-	0.23	0.01	0.37	-	-	0.28	4
5	0.01	0.28	0.76	-	-	-	-	-	0.17	-	0.03	0.31	5
6	0.19	0.10	0.36	-	-	-	-	-	-	-	-	0.12	6
7	0.24	-	0.63	0.09	-	0.01	-	-	-	-	-	-	7
8	0.09	-	0.16	0.03	-	-	-	-	-	-	-	-	8
9	0.38	-	0.02	0.05	-	-	-	-	-	-	0.35	-	9
10	0.01	-	0.41	0.01	0.06	-	-	-	-	0.01	0.01	0.19	10
11	0.08	-	0.58	0.11	0.13	0.46	·2	-	-	0.01	-	0.27	11
12	0.01	-	0.03	0.05	-	-	-	-	-	-	-	0.01	12
13	0.27	0.03	-	0.51	-	-	-	-	0.03	-	-	0.15	13
14	0.80	0.12	-	0.17	0.02	-	0.17	-	0.03	-	-	0.10	14
15	0.53	0.12	-	-	-	0.01	-	-	-	-	-	0.16	15
16	0.14	1.33	-	-	-	-	-	-	-	-	0.15	0.01	16
17	-	0.73	-	-	-	-	-	-	-	-	0.31	0.03	17
18	0.04	0.01	0.70	-	-	0.18	0.11	0.87	-	-	0.17	0.07	18
19	0.41	0.78	0.47	-	-	0.04	1.23	0.48	-	-	0.05	0.03	19
20	0.44	0.19	0.32	-	-	-	-	0.23	-	-	0.0~~3~~4	0.11	20
21	-	1.21	0.02	-	-	-	-	-	0.01	-	0.03	0.05	21
22	-	0.07	-	-	-	-	-	-	0.33	-	·01 0.24	0.29	22
23	-	-	-	-	-	0.06	-	-	0.02	1.25	0.47	0.03	23
24	-	-	-	-	-	0.02	-	-	0.01	1.16	0.02	0.35	24
25	0.15	-	-	0.10	-	0.01	-	0.55	0.06	-	-	0.13	25
26	0.02	0.01	0.17	0.01	-	-	-	0.06	0.18	-	-	0.68	26
27	0.11	-	0.17	0.37	-	-	0.01	0.70	-	-	0.33	0.05	27
28	0.01	-	0.27	-	-	-	-	0.51	-	-	-	0.77	28
29	0.01		-	0.06	-	0.18	-	-	-	0.02	0.49	0.35	29
30	-		-	0.03	-	~~0.25~~	-	0.29	-	-	-	0.59	30
31	-		-		·01		-	-		-		0.06	31
Total	5.09	5.23	6.25	1.66	0.4~~6~~7	~~1.44~~ 1·20	~~2.22~~ 2.49	3.70	2.04	2.57	2.83	6.56	YEAR'S TOTAL 40.0~~5~~9
Rain Days.	23	15	19	14	~~6~~7	10	8	9	12	6	17	28	169

Copied from M.O. Form 3203

W. 6,500, VII. 18. W W C

[illegible] 3432

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Newport (M.O)
in the County of Monmouthshire
by Newport Corporation Water Works

Lat. 51°35'N Long. 3° 0'W
Time of Observation 9h G.M.T
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. – in.
" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.02	0.21	0.57	-	0.55	0.04	0.11	0.26	0.19	0.39	1
2	-	-	-	0.10	0.03	.	0.18	0.11	.	0.48	-	0.27	2
3	0.06	0.02	-	0.04	-	-	0.47	-	-	0.14	-	0.09	3
4	-	-	-	0.02	-	-	0.03	0.97	-	0.29	-	-	4
5	-	-	0.32	0.09	0.23	-	0.40	0.02	-	0.23	-	-	5
6	-	-	0.10	0.01	0.69	-	0.12	.	-	0.16	-	-	6
7	0.32	-	.	0.14	0.15	-	0.11	-	-	-	-	-	7
8	0.01	-	-	0.67	0.15	-	0.11	0.04	-	-	-	-	8
9	0.62	0.30	-	0.50	-	0.07	0.08	0.05	0.03	-	-	-	9
10	1.62	0.38	0.17	0.19	.	0.55	0.29	-	-	-	-	-	10
11	0.28	-	0.23	0.29	0.55	0.02	0.17	-	-	-	-	-	11
12	0.32	0.27	0.02	0.25	0.01	0.82	0.11	0.02	-	0.01	0.19	0.02	12
13	0.11	0.04	0.48	0.28	-	-	-	-	-	-	-	0.02	13
14	0.15	0.04	0.57	0.51	-	0.25	0.15	-	0.33	0.27	0.88	-	14
15	0.05	0.10	0.12	0.57	0.08	0.11	-	-	0.10	0.29	0.10	-	15
16	-	-	0.03	0.10	0.17	0.02	0.30	-	0.74	0.25	0.15	-	16
17	0.27	-	0.01	0.04	0.42	0.01	.	0.04	1.31	0.37	-	-	17
18	0.15	-	-	-	0.18	0.06	.	0.36	0.72	-	-	-	18
19	0.01	0.27	-	0.47	0.01	0.06	-	-	-	-	-	-	19
20	0.03	0.05	-	0.29	.	0.23	-	-	-	-	-	0.29	20
21	-	-	-	-	-	-	0.04	-	-	0.07	-	0.10	21
22	0.10	-	-	0.08	-	0.01	0.18	0.02	-	-	-	0.30	22
23	-	-	-	-	-	-	0.41	-	-	-	-	0.87	23
24	0.05	-	0.40	-	-	-	-	-	-	-	0.09	0.55	24
25	-	0.06	0.16	-	-	-	0.65	-	-	-	-	0.01	25
26	0.22	0.03	0.35	-	-	-	0.01	-	-	-	0.08	0.03	26
27	0.20	0.07	0.04	0.06	-	0.69	0.02	-	-	-	0.02	0.41	27
28	0.62	0.02	0.19	-	0.38	0.09	0.08	.	-	-	-	0.08	28
29	0.35	0.01	0.18	0.08	0.19	0.04	0.11	-	-	-	0.22	0.65	29
30	0.66		0.14	0.10	-	0.32	0.16	-	0.49	-	0.34	0.63	30
31	0.35		0.23		-		-	-		0.27		0.25	31
TOTAL	6.55	1.66	3.74	5.09	3.81	3.35	4.73	1.67	3.83	3.09	2.26	4.96	YEAR'S TOTAL 44.74
Days with ·01 in. or more	22	14	19	23	15	16	23	10	8	13	10	17	190
	19	15	15	21	12	12	20	7	7	12	9	13	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

copied from M.O 3203

NEWPORT. W.W.
NANT - Y - PRIDD

1911, 15 - 1920

FORM A2. BRITISH RAINFALL.
16 MAY 1912

REG N 1911.

Kept at Nantyfri

in the County of Mon

by Charles C

n Snowdon
ter of top 5 in.
t of top above Ground — 1 ft. — in.
„ „ Sea Level 500 ft. O.D.
vation 9 am.
ay Station { Name Chepstow. Distance 8 mls Direction SE.

IMPORTANT NOTE. a.m., and the result entered to the previous day. If an Obse lmost universal rule, he is earnestly requested to add the readi ollowing year in the space provided for it at the end of this paragraph e measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·02	·07	·	·	·	·09	·	·	·08	·10	1
2	·	·	·01	·20	·46	·	·	·22	·01	·05	·48	·41	2
3	·	·	·	·	·67	·	·	·02	·01	·	·54	·07	3
4	·	·	·31	·	·	·25	·	·10	·	·02	·60	·59	4
5	·03	·	·06	·01	·	·	·	·13	·	·05	·04	·01	5
6	·48	·	·04	·	·	·	·	·10	·01	·	·29	·58	6
7	·04	·	·	·	·	·	·	·	·	·	·47	·	7
8	·10	·	·18	·	·	·	·	·	·	·	·11	·53	8
9	·03	·	·02	·	·	·	·	·	·01	·	·16	·23	9
10	·05	·07	·55	·	·	·	·	·	·	·	·07	·20	10
11	·50	·	·	·	·23	·	·	·	·	·	·68	·12	11
12	·	·	·59	·	·	·	·	·	·12	·	·60	·07	12
13	·	·	·02	·	·22	·	·	·	·36	·03	·05	·70	13
14	·	·	·	·	·	·	·	·	·	·	·05	1.03	14
15	·	·04	·01	·	·	·05	·	·	·	·02	·56	·16	15
16	·	·03	·	·	·	·33	·	·	·	·	·44	·50	16
17	·	·05	·	·08	·	·14	·	·	·	·	·38	·26	17
18	·	·31	·08	·12	·	·26	·	·	·	·04	·01	·42	18
19	·	·01	·	·10	·	·26	·	·	·33	·14	·01	·30	19
20	·02	·06	·07	·13	·	·	·	·	·14	·29	·	·84	20
21	·02	·55	·14	·11	·	·19	·	·35	·04	·50	·	·20	21
22	·	·03	·16	·18	·	·30	·	·	·01	·08	·	·70	22
23	·	·50	·17	·02	·	·01	·	·	·28	·32	·01	·33	23
24	·	·11	·	·	·	·55	·	·46	·	·17	·	·30	24
25	·01	·17	·	·33	·	·10	·	·02	·	·10	·	·08	25
26	·	·20	·	·34	·	·	·	·52	·	·49	·14	·22	26
27	·	·81	·20	·03	·	·	·	·95	·14	·	·17	·14	27
28	·	·30	·	·36	·09	·01	·	·01	·	·	·42	·01	28
29	·	X	·	·	·	·24	·01	·	·31	·62	·01	·	29
30	·	X	·01	·05	·	·03	·04	·34	·	·44	·26	·01	30
31	·	X	·	X	·02	X	·02	·	X	·02	X	·	31
Total	1.28	3.24	2.64	2.13	1.69	2.72	·07	3.31	1.77	3.38	6.55	9.11	TOTAL for year 34.89
No. of Rain Days.	~~10~~	~~15~~	~~18~~	~~16~~ 15	~~6~~	~~14~~	~~3~~	~~13~~	~~13~~	~~17~~	~~26~~	~~28~~	171

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
16 MAY 1912

Kept at Nantypridd, Wentwood.
in the County of Monmouthshire 3
by Charles Cullum

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground — 1 ft. — in.
„ „ „ Sea Level 500 ft. O.D.

Time of Observation 9 am.
Nearest Railway Station Name Chepstow.
Distance 8 mls. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·02	·07	·	·	·	·09	·	·	·08	·10	1
2	·	·	·01	·20	·46	·	·	·22	·01	·05	·48	·41	2
3	·	·	·	·	·67	·	·	·02	·01	·	·54	·07	3
4	·	·	·31	·	·	·25	·	·10	·	·02	·60	·59	4
5	·03	·	·06	·01	·	·	·	·13	·	·05	·04	·01	5
6	·48	·	·04	·	·	·	·	·10	·01	·	·29	·58	6
7	·04	·	·	·	·	·	·	·	·	·	·47	·	7
8	·10	·	·18	·	·	·	·	·	·	·	·11	·53	8
9	·03	·	·02	·	·	·	·	·	·01	·	·16	·23	9
10	·05	·07	·55	·	·	·	·	·	·	·	·02	·20	10
11	·50	·	·	·	·23	·	·	·	·	·	·68	·12	11
12	·	·	·69	·	·	·	·	·	·12	·	·60	·07	12
13	·	·	·02	·	·22	·	·	·	·36	·03	·05	·70	13
14	·	·	·	·	·	·	·	·	·	·	·05	1·03	14
15	·	·04	·01	·	·	·05	·	·	·	·02	·56	·16	15
16	·	·03	·	·	·	·33	·	·	·	·	·44	·50	16
17	·	·05	·	·08	·	·14	·	·	·	·	·38	·26	17
18	·	·31	·08	·12	·	·26	·	·	·	·04	·01	·42	18
19	·	·01	·	·10	·	·26	·	·	·33	·14	·01	·30	19
20	·02	·06	·07	·13	·	·	·	·	·14	·29	·	·84	20
21	·02	·55	·14	·11	·	·19	·	·35	·04	·50	·	·20	21
22	·	·03	·16	·18	·	·30	·	·	·01	·08	·	·70	22
23	·	·50	·17	·02	·	·01	·	·	·28	·32	·01	·33	23
24	·	·11	·	·	·	·55	·	·46	·	·17	·	·30	24
25	·01	·17	·	·33	·	·10	·	·02	·	·10	·	·08	25
26	·	·20	·	·34	·	·	·	·52	·	·49	·14	·22	26
27	·	·81	·20	·03	·	·	·	·95	·14	·	·17	·14	27
28	·	·30	·	·36	·09	·01	·	·01	·	·	·42	·09	28
29	·	X	·	·	·	·24	·01	·	·31	·62	·01	·	29
30	·	X	·01	·05	·	·03	·04	·34	·	·44	·26	·01	30
31	·	X	·	X	·02	X	·02	·	X	·02	X	·	31
Total	1.28	3.24	2.64	2.13	1.69	2.72	·07	3.31	1.77	3.38	6.55	9.11	TOTAL for year 34.89
No. of Rain Days.	~~10~~	~~15~~	~~18~~	~~16~~ 15	~~6~~	~~14~~	~~2~~	~~13~~	~~13~~	~~17~~	~~20~~	~~28~~	~~170~~ 171

W. 8,000, X. '11.

3975

FORM A.
BRITISH RAINFALL.
5. JAN. 1916

REGISTER OF RAINFALL IN 19 15

Kept at Nantypwydd Wentwood

in the County of Monmouth

by Newport Corporation

Lat. ……… Long. ………

Time of Observation 9 am

Nearest Railway Station Magor

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	45	29		.	20	-	.	24	16	32		15	1
2	14	36	18	12	.	02	.	70		27		14	2
3	21	11	11	07	10	.	16	15				22	3
4	07	10	[illegible]	.	08	01	40	04				19	4
5	05	18	01	07	02		.	26				1.38	5
6	25	.	01	52	.		39	08				28	6
7	11	69		04	16		06	07				38	7
8	41	24		02	.			20			11	.	8
9	.	11						04			30	1.08	9
10	24	04	04	07				07	-	06	02	07	10
11	01		06	01	02			05	01	.	1.00	07	11
12	15	03		20	53			01	26	16	94	01	12
13	.	67			83			.	06	01	.	-	13
14	10				.		12	28	01	01	.	1.62	14
15	37		01		03		03	03		02	01	10	15
16		87			64		1.12	11		.		04	16
17		41			63		.			01		01	17
18		45			04		05			01		-	18
19		.		05	31		56					-	19
20	12	.		26	.		.	01				07	20
21	01	17			03		21			33		01	21
22	08	04	50	04			54			.		46	22
23	04	01	17			01	18		09	90		54	23
24	01			02		01	45		44	58		55	24
25						42	11		02	.		30	25
26		60				01	39		02	.		70	26
27		08				06	18		.	54		05	27
28		09	01			03	04		40	08		01	28
29		X				15	05	06		01	18	08	29
30	18	X				11	.	.		29	23	10	30
31		X		X		X	15	04	X	98	X	55	31
Total	3.00	5.54	1.10	1.49	3.62	83	5.19	2.44	1.47	4.58	2.79	9.16	YEAR'S TOTAL 41.21
Rain Days.	~~19~~	~~20~~	~~10~~	~~13~~	~~14~~	~~10~~	~~19~~	~~18~~	10 ~~20 18~~	~~17~~	~~8~~	~~27~~	~~185~~

W. 8,000. X. 15.

End HW

3904

FORM A.
BRITISH RAINFALL.

6 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Nanty prydd

in the County of Monmouth

by Newport Corporation

Lat. .... Long. ....

Time of Observation between 9 & 10 am

Nearest Railway Station Chepstow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	10		13		11	35	31		02	28	02		1
2	80	13	Ra S. 07	.	05	02	.		26	1·32	07		2
3	03	67	.	.	01	02	.	.	.	48	18		3
4	47	29	.	.	51	81	.	.	05	53	40		4
5	04	36	03^5		14	05	04			24	04		5
6	05	42	01^5		38	20	1·05	.	.	58	1·05		6
7	03	01	21^5		19	.	16			14	·39	33	7
8	01	02	08^5		26	14		.		01	02	20	8
9		01	.		24	30	08			02	05	04	9
10		58	02^5	01	11	.				13	02	04	10
11		03	03^5	12	07	10	.			02	.	.	11
12	02	22	07	03	37	.	26	04		08	.		12
13		51	25	.	.	.	.	44		07	.		13
14		52	27	.	07	.	.	27	.	10	.		14
15		35	12	13	.	.	.	10	.	.	.		15
16	12	07	03	31	03	.	03	15	.	11			16
17	13	16	.	14	.	.	.	.	12	54	R. & S. 20		17
18	05	02	18	02	.		.	.	.	01	do 16	Snow 25	18
19	45	.	68	16		.				03	do 06	.	19
20	37	01	32	05							03	38	20
21	21	Ra S. 03	38	04			02					Ra S. 27	21
22				03	07	26				24	10	do 65	22
23	01	Snow 27		04		08		18		14	37	do 20	23
24		·04	~~Ra S.~~ 07	·18	1·16	05		16		39	02	26	24
25		·07	24			01		1·07			15	02	25
26	03	·61	03			13		06	51	16	01		26
27	06	·03	1·50		·06	33	78	26	33	75			27
28		·34	·08						04	32		70	28
29		·22	.			64		1·48		34		27	29
30		X						07		40		01	30
31		X		X		X		15	X	47	X	01	31
Total	2·98	5·99	4·80	1·26	3·83	3·49	2·73	4·43	1·33	7·90	3·34	363	YEAR'S TOTAL 45·71
Rain Days.	~~18~~	~~26~~	~~22~~	~~13~~	~~17~~	~~16~~	~~9~~	~~13~~	~~7~~	~~27~~	~~19~~	~~15~~	~~202~~

W. 8,000, VIII. 16

3742

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 7. JAN 1918

Kept at Nantypridd (Wentwood)

in the County of Monmouthshire

by

Lat. Long.

Time of Observation

Nearest Railway Station Chepstow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	25	Snow 63	.	34	.	1·12	10	.	03	03	1
2	.	.	04	Snow 05	.	11	.	06	.	02	14	.	2
3	01	Snow 29	.	Snow 03	.	01	06	.	.	1·14	03	.	3
4	.	Snow 09	Snow 22	.	.	.	27	02	.	10	.	.	4
5	26	.	R&S 23	27	.	21	.	13	43	32	27	.	5
6	.	.	42	.	.	01	.	.	.	21	30	06	6
7	22	.	.	.	.	.	10	16	.	26	04	06	7
8	R&S 18	.	Snow 24	03	.	.	63	97	02	50	41	04	8
9	.	.	Snow 50	Snow 17	14	.	.	40	10	08	21	.	9
10	30	.	53	R&S 14	48	.	.	33	12	02	.	.	10
11	R&S 02	.	30	R&S 71	09	.	.	1·57	.	33	04	.	11
12	R&S 09	.	.	.	43	.	.	05	.	28	.	01	12
13	.	.	20	19	.	08	.	19	09	11	.	.	13
14	.	.	09	07	.	.	.	12	.	.	.	02	14
15	Snow 03	09	.	05	.	.	08	04	06	35	.	R&S 18	15
16	Snow 03	01	.	13	.	.	06	.	01	02	.	R&S 21	16
17	Snow 01	04	.	03	31	.	35	34	36	12	04	.	17
18	.	56	.	.	02	01	69	04	1·87	.	.	.	18
19	.	04	03	.	.	23	.	01	02	.	.	.	19
20	R&S 02	.	01	.	21	28	.	02	.	.	.	.	20
21	.	.	Snow 41	.	01	06	.	02	.	10	.	.	21
22	.	11	02	.	.	10	.	23	.	08	.	.	22
23	.	04	.	.	.	08	.	69	.	04	04	01	23
24	.	04	.	.	01	04	08	22	.	54	01	.	24
25	.	.	R&S 07	.	.	.	05	08	06	06	.	.	25
26		.	Snow 02	.	16	07	.	49	33	01	06	.	26
27	.	.	R&S 01	.	1·35	18	01	1·00	01	.	01	.	27
28	.	.	10	.	08	75	.	19	.	.	.	R&S 02	28
29	.	X	R&S 05	.	.	21	.	01		54	.	R&S 14	29
30	.	X	R&S 01	.	.	.	.	34	.	09	03	01	30
31	.	X	Snow 07	X	11	X	.	52	X	11	X	R&S 02	31
Total	1·17	1·31	3·82	2·50	3·40	2·77	2·38	9·36	3·58	5·43	1·66	81	YEARLY TOTAL 38·19
Rain Days.	~~11~~	~~10~~	~~22~~	~~13~~	~~13~~	~~17~~	~~11~~	~~28~~	~~15~~	~~24~~	~~15~~	~~13~~	~~192~~

14

W. 8,000, IX. 17.

~~W~~ M 85 18

REGISTER OF RAINFALL IN 1918

NEWPORT CORPORATION WATER WORKS

FORM A. BRITISH RAINFALL.

17·1·19

Kept at Nantyprydd

in the County of Monmouth

by

Lat. Long. -

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		24		09	03			20	·	04	51	05	1
2		38		04				47	·	04	11	73	2
3		15		26	44			26	15	12	10	05	3
4		06		02				10	27	02	128	69	4
5		03		23	21			12	04	64	12	04	5
6	08	48		15		01		08	·	15	·	15	6
7		18		·	70	·		02	62	32	41	04	7
8	02	11		·			04		04	20	·	05	8
9		14		34		05	31		94	21	01	28	9
10	04	01		20	·		64		54	13	03	37	10
11	02	·	05	05	01		14		24	06	12	06	11
12		18	35	·	23		02		01	·		01	12
13	08		01	·	01		10		96	04		19	13
14	80		06	·	16		16		56	74		35	14
15	146		·	10	01	05	45		01			43	15
16	37		·	60		23	03	12	93	·		09	16
17	1·24		08	07		·	04	11	03	04		35	17
18	1·34		03	·		69	18	·	72	03		27	18
19	17	02	16	·		·	31	01	03	01		03	19
20	01	27		26		01	06	·	45	01		·	20
21	09	16		02			02	·	50	01		18	21
22	06			·	21		44	·	21	05		38	22
23	14			·	17		42	-	·	·	06		23
24	01	11		·			37	29	19		08	01	24
25	·			02	11		45	44	·	05	03	·	25
26	·			12			37		28	03	15	33	26
27	·		19	·			02	49	12	·	07	03	27
28	·	10	28	·					03	·	02	05	28
29	·	X	35	·					159	02		02	29
30	·	X	76	·						04	08	05	30
31	·	X	39.	X		X		01	X	02	X	·	31
Total	5·26	2·62	2·71	2·53	2·29	1·04	4·90	3·02	9·46	3·08	3·13	5·28	YEAR'S TOTAL 45·32
Rain Days.	~~16~~	~~16~~	~~12~~	~~10~~	~~12~~	~~6~~	~~20~~	~~11~~	~~24~~	~~24~~	~~16~~	~~27~~	[illegible]

W, 6,500, VII. 18. W W C

A made Eng RR 3551

COUNTY BOROUGH OF NEWPORT.

WATER DEPARTMENT.

Diameter of Funnel 5"
Height of top 1' 0" above ~~ground~~
" " 500' " sea level

RAINFALL RETURN.

nearest Station – Chepstow – 8 mls S.E. Year

Taken at Nantypridd Mon: For the ~~Month~~ of 1919 19

Wm. Jones.

RAINFALL.

AMOUNTS MEASURED EACH DAY AT 9 A.M. AND ENTERED TO PRECEDING DAY.

MONTH ~~Day~~	January ~~Pant-yr-eos (Old Gauge)~~	February ~~Pant-yr-eos (New Gauge)~~	March ~~Ynis-y-fro (Old Gauge)~~	April ~~Ynis-y-fro (New Gauge)~~	May ~~Friars Street, Newport~~	June ~~Llanvaches~~	July ~~Nant-y-pridd~~	August ~~Newchurch~~	September ~~Pant-y-rhiw~~	October ~~Pwllffor~~	November ~~Ynys-poste~~	December ~~Darren Fawr~~	Years ~~Blaen-caer-Fannell~~	Total ~~Torpantau~~
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	·57	·01	·19	·04	·05		·24		·10	·10		·76		
2	·35		·16	·02	·03		·29	·02	·60	·01	·05	·13		
3	·07		·39		·07				·08	·01	·15	·15		
4	Snow ·08	Snow ·23	·46			·09	·39	·02	·54		·01	·14		
5	Snow ·03	Snow ·40	·55						·38		·03	·38		
6	·26	Snow ·07	·28									·04		
7	·11		·62	·07								·02		
8	·08		·16	·02		·02								
9	·22			·04							·24			
10			·57	·03	·06					·03		·32		
11	·05		·40	·10	·20	·02	·27					·24		
12	·02		·05	·10	·04	·21	·03		·01	·02	·02	·02		
13	·30	·05		·39					·02			·32		
14	·86	·15		·14			·03		·01			·06		
15	·46	·06								·04		·32		
16	·20	1·02				·01					·07	·01		
17		Snow ·52		·04		·06		·01			·25	·01		
18	·07	Snow ·03	·86				·12	1·09	·06		·13	·03		
19	·54	·78	Snow 1·01			·23	2·14	·50			·05	·04		
20	·53	·11	Snow ·32			·06		·27			·02	·05		
21	·02	1·27	Snow ·05			·07		·02	·07		·02	·03		
22		·02					·06		·38		·02	·15		
23								·02		1·44	·20	·03		
24				·09		·03			·02	·95	·33	·32		
25	·14			·01	·02	·02		·92	·04		·01	·04		
26	·05	·13	·10	·10				·06	·17			·64		
27	Snow ·07	Snow ·10	& Snow ·02	Snow ·30				·26				·04		
28	·02		Snow ·22	Snow ·02				·62			Snow ·30	·57		
29	·02	X		·08				·01		·06	·03	·41		
30	Snow ·01	X		·10		·30		·42			·50	·67		
31	Snow ·02	X	Snow ·06	X		X			X		X	·04		
Total	5·15	4·95	6·47	1·69	·47	1·12	3·57	4·24	2·48	2·66	2·43	5·97	41·~~15~~ 20	
No. of Rainy Days.	~~26~~	~~11~~	~~19~~	~~18~~	~~7~~	~~12~~	~~9~~	~~14~~	~~14~~	~~9~~	~~19~~	~~29~~ 8	~~192~~	

3438

20 APL 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Nant-y-gridd

in the County of Monmouth

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·31	·65		·49	·03	·11	·48	·06	·65	1
2	·04		·02	·17	·02		·19	·15	·04	·40		·44	2
3	·04	·08		·08			·47	·01	·01	·16			3
4			·01	·03			·02	1·05		·31			4
5			·24	·05	·10		·56	·01		·16		·01	5
6			·27		·40		·14			·36		·01	6
7	·12		·02	·15	·39		·07						7
8	·05	·01		·59	·07		·28	·01					8
9	·47	·08	·02	·44		·16	·07	·02	·03		·01		9
10	1·55	·13	·15	·14		·56	·37				·02		10
11	·29		·32	·50	·60	·10	·19						11
12	·20	·30	·02	·25	·03	1·03	·17			·02	·16	·02	12
13	·05	·05	·44	·22			·01				·12	·02	13
14	·09	·04	·57	·70		·02	·12		·18	·35	·94	·01	14
15	·04	·08	·09	·41	·12	·23	·03		·17	·25	·13		15
16	·01	·02	·01	·03	·08	·45	·37	·02	·77	·31	·05		16
17	·14		·01	·20	·58	·21		·03	1·67	·38			17
18	·23			·08	·12	·03		·51	·11			·01	18
19		·23		·39	·03	·19			·02				19
20	·01	·06		·13		·23						·35	20
21							·04			·19		·10	21
22	·05			·16			·14	·10				·26	22
23	·01						·57	·08				·72	23
24	·05		·59				·02	·01			·03	·66	24
25		·09	·16				1·08					·03	25
26	·28		·44			·01	·01				·12	·02	26
27	·25	·04	·06	·04	·06	·65	·02				·02	·43	27
28	·64	·02	·18		·16	·10	·07					·10	28
29	·56	·01	·17	·05	·11	·10	·01				·18	·70	29
30	·75		·09	·07		·32	·27		·68		·31	·78	30
31	·10		·28		·01					·30		·22	31
TOTAL	6·02	1·24	4·18	5·19	3·53	4·39	5·78	2·03	3·79	3·67	2·15	5·54	YEAR'S TOTAL 47·51
Days with ·01 in. or more	~~24~~	~~16~~	~~23~~	~~23~~	~~17~~	~~16~~	~~26~~	~~13~~	~~11~~	~~18~~	~~13~~	~~20~~	~~214~~
Days with ·04 in. or more	~~21~~	~~11~~	~~15~~	~~21~~	~~12~~	~~13~~	~~19~~	~~6~~	~~8~~	~~12~~	~~9~~	~~12~~	~~159~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dl

466

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

RE… IN 1911

NEWPORT W.W.

PANT-Y-ROOS RES

OLD GAUGE

1911 -13,157920

Kept at Pant-yr-…
in the County of Mo…
by C. Cullum…

…ttern
…ameter of top ……… in.
…eight of top above Ground ……… ft. ……… in.
" " " Sea Level ……… ft.
…servation
…ilway Station { Name ……… Distance ……… Direction ………

IMPORTANT NOT… 9 a.m., and the result entered to the previous day. If an O… almost universal rule, he is earnestly requested to add the rea… following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03		.03			.30			.10	.10	1
2				.03	.71			.45		.01	.46	.80	2
3			03		1.10			.04			.65	.15	3
4			.15		.02			.11			.95	.83	4
5	.22		.05	.02				.18		.03	.12		5
6	.82		.02					.15			.25	1.10	6
7	.04										.61		7
8	.07		.28								.20	.80	8
9	.01										.35	.41	9
10	.15	.06	.81		.10							.55	10
11	.58				.59						.80	.21	11
12			.51		.30				.09		.87	.12	12
13					.02				.34	.27	.15	.50	13
14		.06								.02	.20	1.09	14
15		.16				.08				.01	.87	.17	15
16		.07				.47					.33	.90	16
17		.21		.07		.25					.32	.65	17
18		.80	.05	.20		.15				.04		.60	18
19		.08		.30		.12			.38	.76	.04	.69	19
20		.04	.05	.54		.01			.42	.49		.98	20
21	.02	.90	.06	.17		.45		.35	.08	.66		.17	21
22	.04	.12	.10	.50		.26			.13	.15		.72	22
23	.03	.56	.11	.02		.13			.78	.40	.01	.51	23
24	.02	.22				.45		.36		.14		.31	24
25	.01	.25		.52		.03			.13	.12		.14	25
26		.25		.51	.24			.45	.02	.55	.07	.32	26
27		1.64	.17	.05				.61	.26	.01	.08	.15	27
28		.43		.38	.05	.02		.15			.40	.01	28
29				.08		.66	.01	.04	.24	1.04			29
30						.12	.20	.03		.58	.30		30
31					.02		.05			.11			31
Total	2.01	5.85	2.42	3.39	3.18	3.20	.26	3.22	2.87	5.39	8.13	12.98	TOTAL for year 52.96
No. of Rain Days	12	16	14	14	11	14	3	13	11	18	22	26	174

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Pant-yr-eos Reservoir

in the County of Monmouth 3

by C. Cullum

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03		·03			·30			·10	·10	1
2				·03	·71			·45		·01	·46	·80	2
3			·03		1·10			·04			·65	·15	3
4			·15		·02			·11			·95	·83	4
5	·22		·05	·02				·18		·03	·12		5
6	·82		·02					·15			·25	1·10	6
7	·04										·61		7
8	·07		·28								·20	·80	8
9	·01										·35	·41	9
10	·15	·06	·81		·10							·55	10
11	·58				·59						·80	·21	11
12			·51		·30				·09		·87	·12	12
13					·02				·34	·27	·15	·50	13
14		·06								·02	·20	1·09	14
15		·16				·08				·01	·87	·17	15
16		·07				·47					·33	·90	16
17		·21		·07		·25					·32	·65	17
18		·80	·05	·20		·15				·04		·60	18
19		·08		·30		·12			·38	·76	·04	·69	19
20		·04	·05	·54		·01			·42	·49		·98	20
21	·02	·90	·06	·17		·45		·35	·08	·66		·17	21
22	·04	·12	·10	·50		·26			·13	·15		·72	22
23	·03	·56	·11	·02		·13			·78	·40	·01	·51	23
24	·02	·22				·45		·36		·14		·31	24
25	·01	·25		·52		·03			·13	·12		·14	25
26		·25		·51	·24			·45	·02	·55	·07	·32	26
27		1·64	·17	·05				·61	·26	·01	·08	·15	27
28		·43		·38	·05	·02		·15			·40	·01	28
29				·08		·66	·01	·04	·24	1·04			29
30						·12	·20	·03		·58	·30		30
31					·02		·05			·11			31
Total	2·01	5·85	2·42	3·39	3·18	3·20	·26	3·22	2·87	5·39	8·13	12·98	TOTAL for year 52·90
No. of Rain Days	12	16	14	14	11	14	3	13	11	18	22	26	174

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Pant-yr-cos Reservoir

in the County of Monmouth 3

by

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·45			·46	·01	·04	·02	·59		·46	1
2		·01	·78		·01	·48	·09			·02			2
3			·28			·30	·04	1·15	·23		·03	·14	3
4	·01		1·85			·04		·12			·23		4
5	·47	·12	·14		·05	·06		·69				·11	5
6	·40	·20	·03		·10			·56			·02	·04	6
7	·51	·38	·07	·01	·23	·35	·07				·02	·09	7
8		·43	·26	·03	·24	·15	·12	·04				·02	8
9	1·07	·11	·42	·15		·58	·10	·22			·04	1·23	9
10	·10	·11		·03		·06	·10	·03			·46	·03	10
11	·21	·02					·15				·11	1·14	11
12	·25	·16	·30	·08		·25	·06					·48	12
13	·09		·02		·04	·08				·36	·01	·88	13
14	·39		·73			·01		·04		·03		·48	14
15	·39	·37	·03	·02	·01	·78		·03				·57	15
16	·38	·02	·84		·44	·02		·56		·23	·14	·04	16
17	·93		·18		·05	·31		1·06		·01	·02	·70	17
18	·55	·08	·13		·01	·01		·41		·06		·24	18
19	·11	·12				·04	·07	·58		·09	·02	·08	19
20	·11	·03	·80				·01	·04		·90	·01	·01	20
21	·10	·15	·56		·03		·05	·41		·12			21
22	·02	·72	·05		·83	·01	·56	·49		·04	·10	·25	22
23	·31	·52	·70		·98	·82	·01	·80		·11	·40	·62	23
24	·26	·10	·28		·01	·71	·01	·04		·02	·03	·28	24
25	·14	·01	·22			1·01		1·05		·07	·87	·45	25
26		·30	·03				·17	·18		1·39	·72	·50	26
27		·20	·04			1·25	·97			1·60		·95	27
28		·15	·01			·13	·92	1·59	·14	·53	·53	·45	28
29		·20			·05	·21	·63	·37	·63	·23	·01	·20	29
30			·16			·02	·19		·01	·37		·05	30
31			·15		·01		·69	·10				·73	31
Total	6·80	4·51	9·51	·32	3·09	8·14	5·02	10·60	1·03	6·77	3·77	11·12	TOTAL for year 70·68
No. of Rain Days.	21	23	27	6	16	25	21	24	5	19	19	28	234

W. 8,000, X. '11.

82 ✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

31 JAN 1914

473

Kept at Pant-yr-eos Reservoir

in the County of Monmouth

by

3

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·20	·64	·04		·01			·15		·63	·01	1
2	·03	·39	·56	·15	·11					·41	·31	·27	2
3	·14	·15	·24		·49					·10		·26	3
4	1·78	·05	·43		·10	·03			2·12	·52	·19	·16	4
5	·04	·06	·13		·46	·11	·01		·50		·31	·15	5
6	·32	·18	·35		·11	·54	·06			·58	·25	·43	6
7	·04	1·14			·49	·32				1·33	·58	·01	7
8	·06	·63			·32	·05	·03			·08		·07	8
9		·26	·08	·02	·30	·57	·12	·24	·03		·40	·07	9
10	·59		·10		·08					·56	·16		10
11	1·49			·19	·26					·06	·89	·20	11
12	·01				·52		·01		·04		·79		12
13	·09		·98	·02	·03			·08	·39		·49		13
14	·22		·94	·14					·18	·20	·05		14
15	·18	·03	·57	2·34				·19	·01		·12	·08	15
16	·21		·80	·08			·03	·14			·04		16
17	·14		·05	·26							·28		17
18	·21		·56	·63	·02	·01	·01				·23		18
19	·18		·17	·02	·02	·23			·31	·06	·08	·01	19
20	·92		·41	·32	·01					·14	·80		20
21			·37	·33	·24		·10	·20		·02	·45		21
22	·72		·91		·03	·14		·36	·35				22
23	·10		·01			·20		·12	·03		·14	·19	23
24	·35	·01		·14				·01			·04		24
25		·02		·44					·04	·03	·09	·40	25
26		·06		·82				·05		·01		·72	26
27	·09		·12	·68						·67			27
28	·41		·14	·67	·03					·56		·14	28
29	·01		·50	·40				·12		·36			29
30	1·31				·01			·74		1·20	·03		30
31	·05		·09		·18			·04		·05			31
Total	9·74	3·18	9·15	7·69	3·81	2·21	·37	2·29	4·15	6·94	7·35	3·17	YEAR'S TOTAL 60·05
Rain Days.	27	13	23	19	20	11	8	12	12	19	23	16	203

W. 7,500, XI. 12

82

Corr^d by Observer 25. v. 16

3973
~~437~~

FORM A.
BRITISH RAINFALL.

24. MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at Pantiyr-eos Reservoir

in the County of Monmouth

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·51	·63	·05		·27			·18	·24	·40	·02	·30	1
2	·26	·35	·30	·25		·01	·01	·73	·06	·26		·16	2
3	·02	·10	·28	·11	·12	·01	·26	·07				·25	3
4	·06	·26	·05		·17	·02	·25					·90	4
5	·19	·30	·01	·14	·01	·03		·35				1·17	5
6	·30	·07		·76			·85	·04				·56	6
7	·35	1·03		·05			·23	·16				·62	7
8	·40	·30		·03				·09			·26		8
9	·06	·20		·09				·03			·45	1·35	9
10	·67	·02	·01	·08				·19		·09	·05	·10	10
11	·08		·11	·01	·01			·02		·02	1·03	·07	11
12	·22	·22		·11	·35			·03		·22	·61	·01	12
13	·06	·49			·61			·01	·17		·02	·03	13
14	·45	·01	·01				·09	·25	·18	·01		2·08	14
15	·60				·10		·06	·06	·04	·06	·05	·41	15
16	·03	1·49			·53		1·84	·02				·03	16
17		·64			·43			·02				·01	17
18		·37			·03		·07			·01	·02		18
19		·04		·09	·50		1·00						19
20	·35			·08	·01		·01	·02		·07		·04	20
21	·32	·19			·01		·52			·26		·02	21
22	·03	·03	·40	·08			·61		·01	·01		·72	22
23	·04	·02	·22			·04	·48		·05	1·15		·66	23
24			·01				·02		·08	·57		·42	24
25			·02			·27	·03		·07	·02		·30	25
26		·71				·15	·29		·04			·88	26
27		·14				·12	·22			1·04		·07	27
28		·30	·02			·05	·09		·40	·20		·06	28
29						·24	·03	·02			28	·16	29
30	·30	×		·02		·02				·50	29	·40	30
31	·01	×		×		×	·18	·10	×	·61	×	·67	31
Total	5·31	7·91	1·49	1·90	3·15	·96	7·14	2·39	1·34	5·50	3·08	12·45	YEAR'S TOTAL 52·62
Rain Days.	22	23	13	14	14	11	21	19	11	18	~~9~~ 11	28	~~203~~ 205

W. 8,000. X. 14.

8L Ev 8L 3902 346

FORM A. BRITISH RAINFALL. 30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Pant-yr-eos Reservoir

in the County of Monmouth

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·01	·05		·09	·54	·47			·58	·23		1
2	1·65	·21	·12		·09	·06	·02		·38	1·65	·11		2
3	·03	·84			·10	·02	·01		·02	·60	·25		3
4	·68	·33			·33	1·12			·06	·52	·63		4
5	·10	·57	·01		·22	·10	·01			·44	·14		5
6	·40	·53	·03		·44	·10	1·34			·75	1·37		6
7	·09	·09	·11		·28	·01	·03			·17	·29	·25	7
8	·01	·05	·05		·50	·14				·02	·01	·21	8
9		·02	·01		·03	·17	·13			·15	·10	·04	9
10		·54	·05	·07	·12		·09			·28	·05	·19	10
11	·08	·01	·06	·28	·05	·01				·04			11
12	·04	·25	·07	·06	·38		·54	·21		·25			12
13		·45	·24	·03				·46		·43	·01		13
14		·86	·02	·05	·08			·23		·16	·02		14
15	·01	1·50	·16	·15	·02			·22		·01			15
16	·14	·11	·02	·32	·01		·05	·08	·02	·05			16
17	·38	·24		·22						·60	·20		17
18	·09	·18	·24	·09					·44	·01	·17	·25	18
19	·85		·98	·11					·13		·11	·01	19
20	·75	·05	·26	·01							·04	·34	20
21	·65	·03	·23	·11	·07		·01				·01	·20	21
22	·02		·01	·05		·29				·36	·08	·56	22
23	·05	·27		·12		·07		·23		·09	·92	·14	23
24		·10	·09	·43	1·57	·05		·13		·63	·12	·18	24
25	·02	·22	·34					·45		·07	·34	·02	25
26	·12	·17	·09		·01	·13		·19	·01	·21	·04		26
27	·10	·02	1·00		·01	·39	·06	·88	·46	1·22			27
28	·01	·16	·01					·01	·40	·47	·04	1·05	28
29		·23	·04			1·10		·71	·07	·62	·01	1·00	29
30		X			·07	·03		·05		·57		·04	30
31		X		X		X		·22	X	·56	X	·15	31
Total	6·37	8·04	4·29	2·10	4·47	4·33	2·76	4·07	1·99	11·51	5·29	4·63	YEAR'S TOTAL 59·85
Rain Days.	23	27	25	15	20	17	12	14	10	28	24	16	231

W. 8,000. X. 15.

3738

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Pant-yr-eos Reservoir

in the County of Monmouth

by Old Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		.17	.45		.57		.73	24		.03	.05	1
2	.01		.03	.01		.33		.01		.02	.30	.01	2
3	.09	13		.03		.02	.09			1.19	.05		3
4	.01	.12	.35				.20		.01	.42	.01	.01	4
5	.34		.69	39		.14		.03	.39	.29	.39		5
6			.37			.11				.48	.41	.14	6
7	.46						.10	.16		.35	.10	.06	7
8	.32		.28	.08			.46	1.01	01	.77	.43	.07	8
9			.33	.11	.08			.72	.22	.08	.22		9
10	.36		.65	.31	.04			.23		.02		.02	10
11	.04		.25	.64	.08			.90		.60	.12		11
12	.17				1.15			.25		.40	.01		12
13			.29	.45		.05		.28	.16	.06			13
14			.15	.13				.10	.05			.01	14
15	.04			.03	.01		.14		.06	.68		.40	15
16	.02	.15		.26		.05	.10	.03	.03	.02		.16	16
17		.02	.01	.04	.26		.55	.46	42	.15	.03		17
18	.01	.05			.06		.91	.22	1.65	.01			18
19	.01	.72	.08			.41		.01	.02				19
20	.02	.18	.06		.30	.08			.03		.01		20
21		.02	.15		.06	.03	.03	.02		.18			21
22	.01	.01	.01			.01		.62		.20			22
23		.22			.15	.03		.76		.10	.04		23
24		.01			.01	.20	.19	.64		.93	.08		24
25		.05	.08					.13	.10	.14	.04		25
26			.01		.33	.04		.78	.39	.05	.10		26
27			.01		.80	.35	.02	.96		.02			27
28			.25		.05	.52		.35			.03		28
29			.11			.36		.03		.78	.10	.18	29
30		X						.45		.24	.08	.01	30
31		X	.05	X	.18	X		.34	X	.13	X		31
Total	1.94	1.68	4.38	2.93	3.56	3.30	2.79	10.22	3.78	8.31	2.58	1.12	YEAR'S TOTAL 46.59
Rain Days.	16	12	22	13	15	17	11	26	15	26	20	12	205

W. 8,000, VIII. 16

82

~~335~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Pant-yr-cos Reservoir

in the County of Monmouth

by Old Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·28		·08	·02			·30		·01	·66	·01	1
2		·32		·08				·68	·01	·03	·03	1·07	2
3		·34		·36	·26			·02	·17	·11	·06	·02	3
4	·02	·12		·07				·07	·23	·18	1·64	1·17	4
5		·02		·12	·04			·34	·13	1·20	·13	·08	5
6	·08	1·00		·39		·01		·03	·02	·43		·11	6
7		·23			·36	·04		·04	1·03	·34	·51	·09	7
8	·05	·12					·02		·33	·23	·03	·02	8
9	·02	·26		·44		·32	·31		1·23	·40	·04	·23	9
10	·06	·10		·13			·56		·76	·10	·09	·55	10
11	·02	·05	·19	·03			·18		·43	·18	·11	·25	11
12		·32	·25		·23		·04		·07	·01		·08	12
13	·10	·01	·01			·01	·12		1·17	·30		·44	13
14	1·14		·11		·10		·25		·59	·39		·54	14
15	·92				·01	·26	·49		·05	·01		·52	15
16	·41			·70		·03	·03	·24	·44			·13	16
17	·40		·09	·02			·25	·11	1·06	·03		·56	17
18	1·72		·04			·94	·34		1·20	·08		·41	18
19	·20	·04	·19	·02			·35	·04	·08	·02		·08	19
20	·03	·38		·07		·05	·18		·43			·01	20
21	·04	·22		·02			·12		1·11	·02		·30	21
22	·03	·01			·32		·76		·23	·01		·60	22
23	·33				·43		·42		·02		·15	·07	23
24	·04	·17					·70	·47	·20		·16	·02	24
25				·01	·11		·84	·82	·01	·10	·05		25
26				·06			·78		·55	·07	·15	·57	26
27		·03	·16				·04	·58	·36	·03	·12	·08	27
28		·06	·69						·01	·04	·04	·18	28
29			·23						1·08	·01		·14	29
30		×	·90						·01	·09	·10	·11	30
31		×	·57	×		×		·01	×		×		31
Total	5·62	4·08	3·43	2·60	1·88	1·66	6·78	3·75	13·01	4·42	4·07	8·44	YEAR'S TOTAL 59·74
Rain Days.	19	20	12	16	10	8	20	14	29	26	17	29	220

W. 8,000, IX. 17.

3549

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

24 JAN 20

Kept at Pant-yr-eos (Old Gauge)
in the County of Monmouthshire
by Newport Corpn. Water Dept.

Lat. — Long. —
Time of Observation —
Nearest Railway Station Risca 2 mls S.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·82	–	·19	& Snow ·05	·21	·01	·19	·	·45	·26	·	·81	1
2	·45	–	·27	·	·02	·	·14	·	·37	·02	·02	·25	2
3	·01		·15	·	·10	–	·	·	·02	·	·07	·65	3
4	·04	& Snow ·27	·41	·	·02	·14	·27	·04	·75	·	·01	·14	4
5	·01	& Snow ·44	& Snow ·43	·		·	·	·	·09	·	·08	·51	5
6	·29	& Snow ·13	& Snow ·46	·		·	·	·	·02	·	·	·22	6
7	·25	·	·83	·11	·	·		·	·	·	·	·	7
8	·20		·19	·07		·04	·		·	·	·	·	8
9	·67	–	·04	·07	·01	·	·		–	·	·23	·	9
10	·02	–	·71	·04	·01	·	·	·	·	·02	& Snow ·02	·66	10
11	·09	·	·65	·22	·27	·	·22	·	·	·01		·22	11
12	·06	·	& Snow ·03	·11	·02	·72	·01	·	·01	·02	& Snow ·05	·02	12
13	·47	·07	·	·75	·	·	·	·	·04	·02	·	·22	13
14	1·34	·18	–	·49	·03	·	·09	·	·04	·05	·	·23	14
15	·56	·14	·	·02	·		·	·04	·	·03	·	·46	15
16	·22	·91	·	·	·	·03	·	·	·	·	·15	·01	16
17	·	& Snow ·71		·	·	·02	·	·03	·	·	·57	·03	17
18	·04	·	·68	·	·	·	·19	·91	·01	·	·20	·10	18
19	·51	·74	& Snow ·90	·	·	·30	·99	·65	·02		·15	·03	19
20	·94	·41	& Snow ·35	·	·	·08	·	·21	·03	·	·07	·20	20
21	·02	1·47	& Snow ·01	·	·	·	·01	·01	·03	·	·03	·08	21
22	–	·22	·	·	·	·01	·01	·	1·08	·	·02	·36	22
23	·	·	·	·	·	·	·	·	·01	1·40	·36	·09	23
24	·	·	·	·03	·	·08	·	·	·02	·87	·50	·49	24
25	·20	·	·	·07	·	·03	·	·56	·09	·	·05	·20	25
26	·07	·	·30	·03	·	·02	·	·17	·34		·	·97	26
27	& Snow ·13	& Snow ·02	& Snow ·17	& Snow ·28	·	·	·01	·51	·	·		·06	27
28	& Snow ·01	·	& Snow ·28	& Snow ·01	·	·	·	·40	·	·	& Snow ·30	·81	28
29	·02	·	& Snow ·01	·10		·	·	·	·	·07	·01	·54	29
30	·		·	·09	·	·23	·	·09	·	·	·62	·96	30
31	·						·03	·				·07	31
TOTAL	7·44	5·71	7·06	2·54	·69	1·71	2·16	3·62	3·42	2·77	3·51	9·39	YEAR'S TOTAL 50·02
Days with ·01 in. or more	25	13	20	17	9	13	12	12	18	11	20	28	198

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

from M.O. est

3548 N 980

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Pant-yr-eos Reservoir

in the County of Monmouth

by Newport (Mon.) Water Department

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·82	–	·19	+ Snow ·05	21	·01							1
2	·45	–	·27	.	02	.							2
3	·01	–	·15	.	1.0	.							3
4	·04	+S. ·27	·41	.	02	·14							4
5	·01	+S. ·44	R+S. ·43	.	.	.							5
6	·29	+S. ·13	R+S. ·46	.	.	.							6
7	·25	–	·83	·11	.	.							7
8	·20	–	·19	·07	.	·04							8
9	·67	–	·04	·07	·01	.							9
10	·02	–	·71	·04	·01	.							10
11	·09	–	·65	·22	·27	.							11
12	·06	–	R+S. ·03	·11	·02	·72							12
13	·47	·07	–	·75	.	.							13
14	1·34	·18	–	·49	·03	.							14
15	·56	·14	–	·02	.	.							15
16	·22	·91	–	.	.	·03							16
17	–	+S. ·71	–	.	.	·02							17
18	·04	–	·68	.	.	.							18
19	·51	+S. ·74	+ Snow. ·90	.	.	·30							19
20	·94	·41	R+S. ·35	.	.	·08							20
21	·02	1·47	R+S. ·01	.	.	.							21
22	–	·22	–	.	.	·01							22
23	–	–	–	–	–	–							23
24	–	–	–	·03	.	·08							24
25	·20	–	–	·07	.	·03							25
26	·07	–	·30	·03	.	·02							26
27	+S. ·13	+S. ·02	R+S. ·17	+ Snow ·28	.	.							27
28	S. ·01	–	R+S. ·28	+ Snow ·01	.	.							28
29	·02	–	R+S. ·01	·10	.	.							29
30	–	X	–	·09	–	·23							30
31	.	X	.	X	.	X			X		X		31
	= 189 mm	= 145 mm	= 179 mm	= 65 mm	= 18 mm	= 43 mm							YEAR'S TOTAL
Total	7·44	5·71	7·06	2·54	·69	1·71							
Rain Days.	25	13	20	17	9	13							
	19	12	17	13	3	7							

W. 8,000, IX. 17.

3436

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Pant-yr-cos (Old Gauge)
in the County of Monmouth
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	·02	·23	·70		1·13	·11	·09	·29	·13	·85	1
2	·07			·10	·03		·45	·07	·01	·69		·65	2
3	·15	·06		·08	·01		·43	·01	·01	·40		·17	3
4				·01			·02	1·40		·50			4
5			·63	·06	·29		·44	·06	·03	·23			5
6			·27	·01	·73		·17			·35	·01	·01	6
7	·38		·01	·16	·15		·20				·01		7
8	·05	·01		·66	·12		·19	·07					8
9	·98	·58	·01	·37		·03	·10	·05	·02				9
10	2·06	·76	·28	·10		·87	·67				·02		10
11	·47		·38	·50	·61	·03	·11					·01	11
12	·77	·38	·02	·41	·06	·71	·12	·02		·01	·27	·01	12
13	·10	·05	·61	·52		·05					·03	·03	13
14	·23	·09	·53	·60		·15	·18		·48	·59	1·67	·03	14
15	·03	·14	·16	1·41	·03	·06	·03		·18	·29	·09		15
16	·01	·02	·07	·08	·11	·28	·26	·01	1·08	·33	·22		16
17	·30		·01		·41	·03		·08	1·30	·25			17
18	·25			·03	·18	·09	·04	·27	·25				18
19	·01	·20		·51	·09	·21	·01	·11	·08				19
20	·03	·01		·53		·30	·01			·02	·01	·61	20
21				·03			·15			·10		·23	21
22	·11			·38		·02	·19	·04				·32	22
23	·03		·03				·66					·90	23
24	·12		·75	·02			·01	·02			·17	1·17	24
25	·03	·07	·31				1·39					·03	25
26	·32	·03	·45	·01		·01	·01				·15	·12	26
27	·58	·15	·08	·08	·05	·75	·01				·07	·66	27
28	·72	·04	·25		·60	·22	·13					·13	28
29	·55	·02	·14	·15	·10	·04	·03				·56	1·07	29
30	·75		·13	·04	·01	·35	·24		·50		·55	1·03	30
31	·49		·25		·01		·01			·35		·62	31
													YEAR'S TOTAL
TOTAL	9·60	2·62	5·39	7·08	4·29	4·20	7·39	2·32	4·03	4·40	3·96	8·65	63·93
Days with ·01 in. or more	27	17	22	26	19	18	29	14	12	14	15	20	233
Days with ·04 in. or more	20	11	16	20	14	13	20	10	8	12	10	14	168

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

~~380~~

FORM A.
BRITISH RAINFALL.

REGISTE … IN 1917

NEWPORT W.W.
PANT-Y-REOS RES
NEW. GAUGE

1917 – 1920.

Kept at Pant-yr-eos Re … Long.

in the County of Monmou … ation

… auge ……… in.

by … uge above Ground ……… ft. ……… in.

„ Sea Level ……… ft.

IMPORTANT NOTE.— … m. and the result entered to the previous day. If an Observ … ost universal rule, he is earnestly requested to add the reading … wing year in the space provided for it at the end of this p … measurement of rain, the selection and placing of rain g … the British Rainfall Organization are given in "*Rules for Rainfall Observers*, … t-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.70	.19		.03	.05	1
2								.01		.02	.29	.01	2
3							.09			1.19	.05		3
4							.20		.01	.42	.01	.01	4
5								.02	.39	.29	.37		5
6										.48	.39	.13	6
7							.11	.17		.35	.08	.06	7
8							.50	1.13	.01	.77	.43	.07	8
9								.73	.22	.08	.21		9
10								.22		.02		.02	10
11								.83		.60	.12		11
12								.23		.40	.01		12
13								.27	.14	.06			13
14								.09	.04			.01	14
15							.13		.06	.68		.37	15
16							.09	.02	.03	.02		.25	16
17							.54	.43	.35	.15	.03		17
18							.85	.18	1.51	.01			18
19								.01	.01				19
20									.02		.01		20
21							.02	.01		.18			21
22						.01		.58		.20			22
23						.02		.72		.10	.04		23
24						.17	.18	.39		.93	.08		24
25								.11	.09	.14	.04		25
26						.04		.73	.36	.05	.10		26
27						.36	.01	.84		.02			27
28						.59		.29			.03		28
29						.41		.03		.78	.09	.20	29
30						—		.38		.24	.07	.01	30
31								.29		.13			31
Total						mp	2.72	9.41	3.43	8.31	2.48	1.19	YEAR'S TOTAL
Rain Days.							11	26	15	26	20	12	

6.89
26

W.7,000, XI. 13

81

~~380~~

FORM A.
BRITISH RAINFALL.

REGISTER 17

Kept at Pant-yr-eos Reservoir

in the County of Monmouth

New Gauge

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·70	·19		·03	·05	1
2								·01		·02	·29	·01	2
3							·09			1·19	·05	—	3
4							·20		·01	·42	·01	·01	4
5								·02	·39	·29	·37		5
6										·48	·39	·13	6
7							·11	·17		·35	·08	·06	7
8							·50	1·13	·01	·77	·43	·07	8
9								·73	·22	·08	·21		9
10								·22		·02		·02	10
11								·83		·60	·12		11
12								·23		·40	·01		12
13								·27	·14	·06			13
14								·09	·04			·01	14
15							·13		·06	·68		·37	15
16							·09	·02	·03	·02		·25	16
17							·54	·43	·35	·15	·03		17
18							·85	·18	1·51	·01			18
19								·01	·01				19
20									·02		·01		20
21							·02	·01		·18			21
22						·01		·58		·20			22
23						·02		·72		·10	·04		23
24						·17	·18	·39		·93	·08		24
25								·11	·09	·14	·04		25
26						·04		·73	·36	·05	·10		26
27						·36	·01	·84		·02			27
28						·59		·29			·03		28
29						·41		·03		·78	·09	·20	29
30								·38		·24	·07	·01	30
31								·29		·13			31
Total						mmp	2·72	9·41	3·43	8·31	2·48	1·19	YEAR'S TOTAL
Rain Days.							11	26	15	26	20	12	

6·89
26

W.7,000, XI. 13

82

16
~~315~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Pant-yr-eos Reservoir

in the County of Monmouth

by New Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·28		·06	·02			·22		·01	·70	·01	1
2		·29		·06				·66	·01	·01	·02	1·04	2
3		·29		·36	·22			·02	·16	·08	·05	·02	3
4	·02	·07		·07				·07	·23	·16	1·17	1·13	4
5		·01		·11	·04			·29	·09	1·01	·10	·08	5
6	·08	·96		·35		·01		·02	·02	·28		·10	6
7		·21			·27	·03		·02	·83	·30	·33	·08	7
8	·05	·05					·01		·31	·15	·02	·01	8
9	·02	·12		·35		·29	·30		1·09	·28	·03	·22	9
10	·06	·07		·13			·58		·60	·08	·08	·49	10
11	·02	·01	·16	·03			·16		·31	·17	·11	·24	11
12		·26	·28		·19		·03		·07	·01		·05	12
13	·10	·01	·01			·01	·12		·89	·25		·38	13
14	1·12		·07		·06		·24		·52	·32		·53	14
15	·78				·01	·25	·49		·05	·01		·41	15
16	·41			·75		·03	·02	·23	·41			·09	16
17	·34		·07	·03			·23	·07	·88	·03		·44	17
18	1·43		·04			·92	·30		1·13	·07		·18	18
19	·19	·03	·16	·01			·32	·04	·07	·02		·06	19
20	·02	·28		·06		·04	·13		·30			·01	20
21	·03	·20		·02			·11		·83	·02		·29	21
22	·02	·01			·28		·73		·20	·01		·27	22
23	·18				·35		·39		·02		·14	·04	23
24	·03	·12					·69	·39	·12		·15	·01	24
25				·01	·10		·76	·62	·01	·08	·04		25
26				·04			·69		·17	·06	·15	·50	26
27		·02	·07				·04	·38	·29	·02	·11	·07	27
28		·05	·57						·01	·03	·04	·15	28
29			·23						1·20	·01		·08	29
30		X	·72						·01	·08	·09	·09	30
31		X	·50	X		X		·01	X		X		31
Total	4·92	3·34	2·88	2·44	1·54	1·58	6·34	3·04	10·83	3·55	3·33	7·07	YEAR'S TOTAL 50·86
Rain Days.	19	20	12	16	10	8	20	14	29	26	17	29	220

W. 8,000, IX. 17.

3548

14 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1919.

Kept at Pant-yr-eos (new Gauge)
in the County of Monmouthshire
by Newport Corpn: Water Dept:

Lat. — Long.
Time of Observation —
Nearest Railway Station Risca – 2mls SW
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56		·18	& Snow ·06	·20	·01	·19		·40	·23		·72	1
2	·30		·22		·01		·13		·25	·01	·01	·17	2
3	·01		·16		·08				·02		·05	·48	3
4	·04	& Snow ·30	·47		·07	·14	·24	·04	·64	·02	·07	·11	4
5	·01	& Snow ·48	& Snow ·49						·07		·07	·39	5
6	·33	& Snow ·20	& Snow ·28						·02	·01		·19	6
7	·17		·61	·10									7
8	·19		·17	·06		·04							8
9	·50		·03	·06	·01						·25		9
10	·02		·63	·03	·01					·01	& Snow ·02	·52	10
11	·08		·34	·20	·17		·21			·01		·20	11
12	·05		·03	·10	·02	·37	·07		·01	·01	& Snow ·05	·02	12
13	·28	·07		·48					·03			·16	13
14	·73	·18		·19	·03		·07		·03	·01		·20	14
15	·42	·16		·01				·04		·02		·33	15
16	·20	1·15				·02					·10	·01	16
17		& Snow ·76				·02		·03			·32	·63	17
18	·04		·69				·18	·66	·01		·17	·02	18
19	·37	& Snow ·80	& Snow ·71			·10	·80	·53	·02		·11	·02	19
20	·74	·37	& Snow ·18			·07		·20	·03		·03	·14	20
21	·01	1·45	& Snow ·02				·01	·01	·02		·02	·06	21
22		·10				·01	·01		·92		·01	·29	22
23									·01	1·35	·24	·02	23
24				·02		·07			·01	1·18	·28	·24	24
25	·15			·05		·03		·45	·05		·03	·16	25
26	·06		·28	·02		·02		·07	·27			·71	26
27	·11	& Snow ·01	& Snow ·15	& Snow 20			·01	·52				·05	27
28	·01		·26	& Snow ·01				·33			& Snow ·29	·62	28
29	·02		·01	·05						·01	·01	·44	29
30				·07		·23		·08			·29	·62	30
31							·02					·03	31
TOTAL	5·40	6·03	5·91	1·71	·54	1·13	1·88	2·96	2·81	2·87	2·36	6·95	YEAR'S TOTAL 40·55
Days with ·01 in. or more	25	13	20	17	9	13	12	12	18	12	20	28	199

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3435

APL 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Pant-yr-eos (New Gauge)
in the County of Monmouth
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	·01	·19	·61		1·04	·10	·08	·29	·07	·55	1
2	·07			·07	·02		·40	·06	·01	·63		·55	2
3	·14	·04		·06	·01		·34	·01	·01	·25		·14	3
4				·01			·02	1·26		·41			4
5			·52	·06	·26		·40	·04	·02	·22			5
6			·15	·01	·65		·13			·28	·01	·01	6
7	·24		·01	·14	·14		·20				·01		7
8	·04	·01		·54	·10		·19	·06					8
9	·48	·25	·01	·36		·03	·06	·04	·02				9
10	1·16	·23	·27	·08		·77	·65				·02		10
11	·36		·28	·45	·55	·03	·10					·01	11
12	·20	·30	·01	·37	·04	·59	·11	·02		·01	·24	·01	12
13	·09	·04	·45	·42		·04					·02	·02	13
14	·18	·07	·50	·43		·14	·17		·44	·57	1·50	·02	14
15	·02	·11	·11	1·25	·02	·05	·02		·17	·29	·04		15
16	·01	·02	·06	·06	·10	·24	·25	·01	·95	·33	·20		16
17	·25		·01		·26	·02		·06	1·23	·20			17
18	·21			·03	·07	·06	·03	·21	·23				18
19	·01	·20		·43	·07	·18	·01	·11	·07				19
20	·02	·01		·30		·25	·01			·02	·01	·25	20
21				·02			·13			·10		·19	21
22	·09			·32		·01	·15	·03				·17	22
23	·02		·02				·52					·75	23
24	·10		·45	·02			·01	·02			·15	·83	24
25	·02	·06	·15				1·20					·02	25
26	·23	·02	·25	·01		·01	·01				·11	·09	26
27	·33	·10	·06	·06	·05	·47	·01				·06	·36	27
28	·64	·03	·18		·60	·15	·06					·09	28
29	·38	·01	·14	·12	·09	·03	·02				·49	·61	29
30	·56	×	·10	·04	·01	·30	·18		·50		·35	·95	30
31	·38	×	·25	×	·01	×	·01		×	·33	×	·51	31
													YEAR'S TOTAL
TOTAL	6·24	1·51	3·99	5·85	3·66	3·37	6·43	2·03	3·73	3·93	3·28	6·13	50·15
Days with ·01 in. or more	27	17	22	26	19	18	29	14	12	14	15	20	233
Days with ·04 in. or more	20	10	16	20	14	12	19	9	8	12	10	14	164

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

82

RE N 1911

OLD GAUGE

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

NEWPORT W.W.
YNIS-Y-FRO (OLD GAUGE)
MONMOUTHSHIRE
1911,-14, 16-1920

Kept at Ynis-y-fr

in the County of 3 M

by C. Cullum

rn

eter of top ..... in.

t of top above Ground ..... ft. ..... in.

" " Sea Level ..... ft.

vation

ay Station { Name
Distance ..... Direction

IMPORTANT NOTE a.m., and the result entered to the previous day. If an Obs lmost universal rule, he is earnestly requested to add the readi lowing year in the space provided for it at the end of this measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·03	·02			·03			·05	·05	1
2				·27	·41			·28		·02	·41	·40	2
3			·01		·60			·03			·32	·09	3
4			·13					·09	·01		·37	·49	4
5	·16		·03	·01				·16		·01	·08		5
6	·42		·01	·02				·03			·29	·44	6
7	·02										·56		7
8	·04		·17								·14	·56	8
9											·13	·23	9
10	·16	·03	·56		·12							·21	10
11	·43	—			·09						·74	·18	11
12			·44		·01				·09		·59	·14	12
13					·01				·36	·23	·08	·32	13
14		·03								·01	·05	·62	14
15		·10				·07					·50	·14	15
16		·03				·32					·18	·34	16
17		·14		·03		·13					·39	·19	17
18		·26	·05	·12		·12				·02		·30	18
19		·03		·13		·14			·26	·46		·42	19
20	·01	·04	·01	·34		·01			·19	·38		·80	20
21	·01	·57	·08	·12		·17		·91	·04	·42		·14	21
22	·02	·04	·11	·24		·14			·02	·09		·60	22
23	·02	·30	·10			·13			·27	·29		·25	23
24	·01	·14				·26		·28	·01	·14		·24	24
25		·15		·32		·02			·05	·15		·12	25
26		·15		·36	·18			·28		·29	·04	·24	26
27		1·28	·11	·03				·50	·08		·05	·12	27
28		·27		·36	·04	·01		·04			·34	·01	28
29				·03		·28	·04	·02	·17	·80			29
30						·05	·22	·03		·26	·08		30
31					·01		·03			·09			31
Total	1·30	3·56	1·82	2·41	1·49	1·85	·29	2·68	1·55	3·66	5·39	7·64	TOTAL for year 33·64
No. of Rain Days	11	16	14	15	10	14	3	13	12	16	20	26	170

9,000, IX. '10.

DL [illegible]

RE N 1911

OLD GAUGE 466

FORM A2. BRITISH RAINFALL.

26 JAN 1912

Kept at Ynis-y-fro Reservoir

in the County of 3 Monmouth 3

by C. Cullum

RAIN GAUGE
- Pattern
- Diameter of top .... in.
- Height of top above Ground .... ft. .... in.
- " " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
- Name
- Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·03	·02			·03			·05	·05	1
2				·27	·41			·28		·02	·41	·40	2
3			·01		·60			·03			·32	·09	3
4			·13					·09	·01		·37	·49	4
5	·16		·03	·01				·16		·01	·08		5
6	·42		·01	·02				·03			·29	·44	6
7	·02										·56		7
8	·04		·17								·14	·56	8
9											·13	·23	9
10	·16	·03	·56		·12							·21	10
11	·43				·09						·74	·18	11
12			·44		·01				·09		·59	·14	12
13					·01				·36	·23	·08	·32	13
14		·03								·01	·05	·62	14
15		·10				·07					·50	·14	15
16		·03				·32					·18	·34	16
17		·14		·03		·13					·39	·19	17
18		·26	·05	·12		·12				·02		·30	18
19		·03		·13		·14			·26	·46		·42	19
20	·01	·04	·01	·34		·01			·19	·38		·80	20
21	·01	·57	·08	·12		·17		·91	·04	·42		·14	21
22	·02	·04	·11	·24		·14			·02	·09		·60	22
23	·02	·30	·10			·13			·27	·29		·25	23
24	·01	·14				·26		·28	·01	·14		·24	24
25		·15		·32		·02			·05	·15		·12	25
26		·15		·36	·18			·28		·29	·04	·24	26
27		1·28	·11	·03				·50	·08		·05	·12	27
28		·27		·36	·04	·01		·04			·34	·01	28
29				·03		·28	·04	·02	·17	·80			29
30						·05	·22	·03		·26	·08		30
31					·01		·03			·09			31
Total	1·30	3·56	1·82	2·41	1·49	1·85	·29	2·68	1·55	3·66	5·39	7·64	TOTAL for year 33·64
No. of Rain Days	11	16	14	15	10	14	3	13	12	16	20	26	170

9,000, IX. '10.

8L ✓ OLD GAUGE 461

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Ynis-y-fro Reservoir

in the County of Monmouth 3

by

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.32			.42		.09	.01	.48		.28	1
2			.38			.47	.08			.04			2
3			.13			.12	.07	.72	.09		.01	.08	3
4		.03	1.09			.04		.06			.15		4
5	.20	.10	.08		.03	.03		.57				.05	5
6	.31	.20			.16			.29			.01	.04	6
7	.45	.26	.03		.13	.34	.01					.06	7
8		.05	.07	.02	.14	.08	.07					.01	8
9	.89	.08	.36	.14		.26	.06	.18			.03	.86	9
10	.04	.01		.01		.02	.05				.25		10
11	.15	.13					.07				.03	.70	11
12	.17		.22	.07		.25	.03					.37	12
13	.05		.01	.01	.04	.03				.17		.30	13
14	.14		.61			.01		.02		.03		.05	14
15	.16	.32				.55		.01				.12	15
16	.13	.01	.41		.40			.30		.17	.09	.03	16
17	.58		.14		.03	.14		.69			.01	.43	17
18	.37	.04	.08		.02			.19				.12	18
19	.07	.05	.01			.03	.07	.60		.07		.01	19
20	.11	.01	.60					.02		.41			20
21	.07	.40	.34		.04		.03	.35		.09			21
22	.01	.32	.03		.75		.35	.26		.01	.06	.12	22
23	.28	.05	.57		.15	.54	.01	.32		.09	.23	.46	23
24	.18		.12			.42		.04			.01	.11	24
25	.09	.21	.07			.89		.92		.01	.50	.27	25
26		.07	.03				.05	.04		1.07	.45	.09	26
27		.06	.01			.84	.76			1.17		.32	27
28		.10 16				.07	.45	1.06	.04	.39	.34	.20	28
29		1.16			.05	.08	.48	.20	.58	.20		.05	29
30			.09			.02	.16			.33		.04	30
31			.08		.01		.62	.04				.42	31
Total	4.45	~~2.64~~ 2.66	5.58	.25	1.95	5.65	3.42	6.97	.72	4.73	2.17	5.59	TOTAL for year 44.44
No. of Rain Days.	20	21	25	5	13	22	18	22	4	16	14	26	206

Bad

8L ✓ entd by B.R. 28.IV.14 OLD GAUGE 473

BRITISH RAINFALL. FORM A.

31 JAN 1914

REGISTER OF RAINFALL IN 1913

#DS1

Kept at Ynis-y-fro Reservoir

in the County of Monmouth 3

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·12	·37	·03					·15		·39	·01	1
2		·25	·24	·06	·01					·25	·17	·08	2
3	·07	·06	·09		·30					·01		·19	3
4	1·52		·28		·04	·01			1·96	·92	·11	·04	4
5	·04	·03	·06		·35	·07			·43		·18	·13	5
6	·22	·07	·16		·04	·40	·02			·42	·21	·52	6
7	·01	·60			·25	·26				·90	·56		7
8	·03	·32			·21	·01				·04		·02	8
9		·16	·11	·01	·20	·32	·12	·15	·03		·21	·01	9
10	·40		·02		·04					·24	·05		10
11	·95			·14	·28					·03	·51	·07	11
12					·32				·01		·35		12
13	·04		·48		·01			·04	·25		·25		13
14	·07		·53	·08					·07	·14	·03	·01	14
15	·08	·02	·38	1·65				·24			·21	·03	15
16	·12		·50	·04			·01	·08			·01		16
17	·08		·04	·16							·12		17
18	·10		·36	·27							·19		18
19	·07		·13	·01		·15			·19	·01	·01		19
20	·45		·15	·18						·05	·39		20
21			·07	·22	·16		·06	·11		·01	·47		21
22	·69		·65		·01	·07		·24	·28				22
23	·02					·18		·05	·01		·04	·14	23
24	·10	~~·01~~		·08							·01		24
25		·05 ~~·02~~		·32					·03	·02	·03	·15	25
26		~~·06~~		·66				·04				·22	26
27	·06		·04	·55						·30			27
28	·35		·09	·41	·01					·20		·05	28
29			·25	·32				·07		·18			29
30	·90							·06		·86	·01		30
31	·04		·06		·22			·01		·01			31
Total	6·42	1·68 ~~1·72~~	5·06	5·25	2·45	1·47	·21	1·09	3·41	4·59	4·51	1·67	YEAR'S TOTAL 37·71
Rain Days.	24	12	22	18	16	9	4	11	11	18	23	15	183

W. 7,500, XI. 12

Sl OLD GAUGE 455

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

22 JAN 1915

Kept at Ynis-y-fro Reservoir

in the County of Monmouth 3

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·02	·04		·17	·40	·35			·15	·17	1
2				·02	·06	·04	1·08	·09			·46	·33	2
3			·12	·25	·59		·02	·04			·01	·10	3
4	·29		·07	·39	·07		·60	·05			·72	·84	4
5	·05		·10	·39	·03		·04	·02			·16	·05	5
6	·05	·15	·01	·15	·15	·01	·04	·23			·03	·58	6
7	·01	·40	·32	·28	·40		·45	·05	·03		·02	·14	7
8	·25		·33	·03	·12	·47	·19	·32	·30		·01	·10	8
9	·16	·08	·28	·72	·04	1·35		·08	·16		·01		9
10	·01	·25		·53	·11	·19			·29				10
11		·17	·47	·08	·03	·50	·06		·02		·05	·73	11
12		·16	·13				·02		·21	·01	·09	·18	12
13		·90	·48				·08		·46	·29	·09	·18	13
14		·49	·40				·03	·13	·02	·08	·59	·01	14
15		·07	·22				·05	·70	·11	·02	·48		15
16			·04				·15		·13			·02	16
17		·77	·13				·04		·12			1·07	17
18		·05	·04				·08					·39	18
19		·08	·14				1·08		·03		·05	·29	19
20		·19	·05			·03	·02					·29	20
21		·19	·01			·02	·26			·29		·02	21
22		·25	·01	·01	·09	·02		·11		·20			22
23		·06	·16		·02		·02	·05		·30			23
24	·01		·06				·02	·09		·10	·18		24
25	·05		·14		·02		·02	·49		·59	·02	·64	25
26		·05					·03	·02		·11	·26	·68	26
27	·02	·01	·03								·25	·26	27
28	·02	·17	·26		·03					·01	·26	·33	28
29	·60		·14		·14					·09	·38		29
30	·15		·22			·03				·16	·72	·50	30
31	·09				·01		·84			·30		·07	31
Total	1·76	4·51	4·38	2·89	1·91	2·83	5·62	2·82	1·88	2·45	4·99	7·97	YEAR'S TOTAL 44·01
Rain Days.	14	20	27	12	16	11	24	16	12	14	22	24	212

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

11 JUN 1917

Kept at Newport Ynis-y-fro Reservoir

in the County of Monmouth

by Old Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09				.05	.35	.37						1
2	.97	.16			06	.06			.36				2
3	.04	.59			.07	.01	.01		.05				3
4	.30	.36			.56	.94			.04				4
5	.07	.58			.16	.08							5
6	.08	.47			.37	.05	.85						6
7	.04	.06			.20	.01						.22	7
8	.01	.07			.57	.14						.20	8
9					.06	.14	.11					.06	9
10		.47		05	.08		.04					.16	10
11	.07			.14	.05	.02	.01		.02				11
12	.02	.15		.05	.30		.38						12
13		.44		.03	.01								13
14		.51		.07	.09							.01	14
15	.01	.40		.08	.01				.02				15
16	.15	.08		.30	.03		.06						16
17	.18	.17		.16					.25				17
18	.09	.07		.08					.11			.19	18
19	.50			.05									19
20	.43	.04										.26	20
21	.16	.03		.03	.07		.01					.23	21
22	.01			.10		.22						.60	22
23	.03	.14		.14		.05						.11	23
24		.07		.32	1.80	.07						.20	24
25	.02	.19				.01			.01			.03	25
26	.07	.09			.10	.13			.47				26
27	.12				.03	.37			.32				27
28	.01	.09							.03			.73	28
29		.26				.71						.57	29
30		X										03	30
31		X		X		X			X		X	.08	31
Total	3.47	5.49	4.20	1.60	4.61	3.36	1.84	4.16	1.68	8.75	3.73	3.68	YEAR'S TOTAL 46.57
Rain Days.	23	23		14	20	17	9		11			16	

W. 8,000, VIII. 16

JL

Ex 81

3735 ~~380~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Ynis-y-fro Reservoir
in the County of Monmouth
by
Old Gauge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·16	·20		·38		·60	·21		·03	·06	1
2			·02	·04		·19		·02			·27		2
3	·04	·06		·03			·09			·92	·03		3
4	·01	·17	·33				·13	·02	·01	·20		·03	4
5	·28		·42	·20		·18		·04	·33	·28	·27		5
6			·29			·02				·07	·34	·07	6
7	·31						·12	·12		·43	·03	·03	7
8	·12		·24	·06		·02	·43	·81	·01	·56	·35	·05	8
9			·28	·09	·06			·48	·19	·08	·11		9
10	·31		·64	·16	·15			·22					10
11	·05		·28	·36	·21			·38	·02	·50	·10		11
12	·09		·02		1·35			·14		·46	·02	·01	12
13			·26	·14		·02		·15	·06	·06	·01		13
14			·12	·07				·15	·01				14
15	·03			·03	·01		·10		·03	·49		·26	15
16	·01	·15	·01	·20			·08	·02	·02	·07		·30	16
17		·01		·04	·25		·43	·14	·32	·12	·04		17
18	·01	·05		·01	·07	·02	·53	·07	1·41		·01		18
19	·01	·68	·04			·35		·04	·04				19
20	·01	·17			·33	·08			·02			·01	20
21		·03	·14		·03	·02		·03		·08			21
22	·02		·01			·01		·33		·07			22
23		·16			·07	·03		·62		·05	·03	·01	23
24		·02			·01	·08	·10	·75		·45	·06		24
25		·04	·03				·01	·07	·03	·12	·02		25
26					·26	·08		·87	·28	·02	·07		26
27			·01		·65	·33		1·02			·01		27
28			·15		·31	·73		·17			·01	·01	28
29			·08			·36		·03		·57	·03	·17	29
30		X	·02					·32		·19	·03		30
31		X	·04	X	·05	X		·23	X	·05	X	·01	31
Total	1·33	1·54	3·59	1·63	3·81	2·90	2·02	7·84	2·99	5·84	1·87	1·02	YEAR'S TOTAL 36·38
Rain Days.	15	11	22	14	15	17	10	27	16	22	21	13	203

W. 8,000, VIII. 16

DL

REGISTER OF RAINFALL IN 1918

Eq DL

~~355~~ 14

FORM A.
BRITISH RAINFALL.

22. 1 19

Kept at Ynis-y-fro Reservoir

in the County of Monmouth

by Old Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.23	—	.08	.03			.24		.03	.46	.02	1
2		.31	—	.05				.75	.01	.02	.02	.80	2
3		.20		.47	.33			.13	.11	.05	.06	.03	3
4		.09		.07				.04	.27	.06	1.02	.78	4
5		.03		.04	.08			.12	.11	.82	.09	.05	5
6	.08	.68	—	.31		.01		.01	.06	.23		.07	6
7		.12			.45	.01		.03	.41	.21	.33	.03	7
8	.03	.10					.02		.44	.15	.02	.02	8
9	.01	.11		.49		.15	.24		.90	.20	.02	.16	9
10	.03	.03		.15			.50		.50	.06	.01	.45	10
11	.01	.03	.10	.04	.01		.25		.39	.17	.07	.10	11
12	.01	.17	.29		.18		.02		.03			.04	12
13	.07	.01	.02			.01	.08		.75	.07		.17	13
14	.75		.12		.12	.01	.10		.70	.22		.37	14
15	.70			.01		.28	.43		.03	.01		.39	15
16	.30			.63		.01		.04	.53			.05	16
17	.28		.11	.03			.09	.09	.07	.02		.45	17
18	1.64		.02			.59	.13		.95	.05		.31	18
19	.18	.03	.19	.01			.12	.02	.06	.03		.04	19
20	.03	.31	.01	.04		.02	.14		.55				20
21	.03	.11		.02			.05		.56	.03		.25	21
22	.03	.01			.29		.53		.32	.04		.37	22
23	.18				.30		.39		.02		.07	.05	23
24	.02	.12					.24	.17	.09		.11		24
25					.12		.57	.78		.06	.04	.01	25
26				.07			.62		.27	.04	.14	.48	26
27		.01	.08	.17			.09	.39	.16	.01	.11	.02	27
28		.05	.51						.01	.01	.03	.05	28
29			.20	.01					1.29	.02		.03	29
30		X	.60						.01	.08	.08	.09	30
31	.01	X	.58	X		X		.02	X		X		31
Total	4.40	2.75	2.83	2.69	1.91	1.09	4.61	2.83	9.60	2.69	2.68	5.68	YEAR'S TOTAL 43.76
Rain Days.	20	20	13	18	10	9	19	14	28	25	17	28	221

W. 8,000, IX. 17.

3546

14 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ynys-y-fro (Old Gauge)
in the County of Monmouthshire
by Newport Corpn. Water Dept.

Lat. — Long. —
Time of Observation —
Nearest Railway Station Bassaleg - 1¼ mls. S.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·78		·16	& snow ·03	·07	·02	·14		·17	·19		·65	1
2	·31		·13		·02		·16		·32	·01	·01	·12	2
3	·02		·16		·07				·02		·08	·29	3
4	·04	·22	·48		·01	·13	·31	·01	·49	·02		·17	4
5	·01	& snow ·30	& snow ·47						·14		·03	·21	5
6	·20	& snow ·07	·24						·01	·01		·06	6
7	·26		·71	·06									7
8	·10		·13	·06	—	·01							8
9	·40		·02	·08	·01						& snow ·36		9
10	·01		·43	·02	·02					·01	·01	·29	10
11	·04		·45	·09	·14	·01	·24			·01		·22	11
12	·02		·06	·04	·03	·37				·01	·02	·01	12
13	·27	·04		·47					·02			·15	13
14	·91	·11		·25	·03		·07		·04	·01		·17	14
15	·50	·10		·02				·02		·01		·21	15
16	·07	1·07			·01	·02					·12	·01	16
17		& snow ·56						·02			·14	·02	17
18	·02		·61				·11	·86	·01		·14	·04	18
19	·33	& snow ·78	& snow ·60			·12	1·39	·47			·03	·02	19
20	·75	·22	& snow ·35			·04		·21			·04	·04	20
21	·01	1·28	& snow ·06				·01	·01	·02		·03	·02	21
22		·06	& snow ·01			·01	·01		·43		·02	·16	22
23										1·26	·22	·02	23
24				·02		·06			·02	1·10	·29	·27	24
25	·11			·02		·02		·56	·02		·03	·09	25
26	·04		·09	·01		·01		·05	·16			·73	26
27	& snow ·08	snow ·02	& snow ·05	& snow ·29		·01	·01	·62				·03	27
28	& snow ·02	·07	& snow ·17	& snow ·02				·36			& snow ·14	·71	28
29	·02			·03						·01		·39	29
30				·04		·14		·20			·46	·80	30
31	& snow ·02		& snow ·01				·01					·04	31
TOTAL	5·34	4·84	5·39	1·54	·41	·97	2·46	3·39	1·87	2·65	2·17	5·94	YEAR'S TOTAL 36·97
Days with ·01 in. or more	26	14	21	17	10	14	11	12	14	12	18	28	197

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

from M.O exd 3546017? 80

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919.

Kept at Ynis-y-fro Reservoir

in the County of Monmouth

by Newport (Mon.) Water Department

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	–	·16	+Snow ·03	·07	·02							1
2	·31	–	·13	·	·02	·							2
3	·02	–	·16	·	·07	-							3
4	·04	·22	·48	·	·01	·13							4
5	·01	+S. ·30	R+S. ·47	·	·	-							5
6	·20	+S ·07	·24	·	·	·							6
7	·26	-	·71	·06	-	·							7
8	·10	–	·13	·05	·	·01							8
9	·40	–	·02	·08	·01	·							9
10	·01	–	·43	·02	·02	·							10
11	·04	–	·45	·09	·14	·01							11
12	·02	·	·06	·04	·03	·37							12
13	·27	·04	–	·47	·	·							13
14	·91	·11	–	·25	·03	·							14
15	·50	·10	-	·02	-	-							15
16	·07	1·07	·	·	·01	·02							16
17	–	+S. ·56	·	·	·	-							17
18	·02	–	·61	·	·	-							18
19	·33	+S ·48	R+S. ·60	·	·	·12							19
20	·45	·22	R+S. ·35	·	·	·04							20
21	·01	1·28	R+S ·06	·	·	-							21
22	·	·06	R+S ·01	·	·	·01							22
23	·	·	·	·	·	-							23
24	·	·	·	·02	-	·06							24
25	·11	·	–	·02	·	·02							25
26	·04	–	·09	·01	·	·01							26
27	+S. ·08	+S ·02	R+S ·05	+snow ·29	·	·01							27
28	+S ·02	·01	R+S ·17	+Snow ·02	-	-							28
29	·02	·	–	·03	·	·							29
30	–	X	–	·04	·	·14							30
31	+S. ·02	X	R+S. ·01	X	–	X			X		X		31
Total	=136 mm 5·34	=123 mm 4·84	=137 mm 5·39	=39 mm 1·54	=10 mm ·41	=25 mm ·97							YEAR'S TOTAL
Rain Days.	26	14	21	17	10	14							
	17	12	18	9	3	6							

W. 8,000, IX. 17.

3433

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Ynis-y-fro (Old Gauge)
in the County of Monmouth
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·17	·60		·89	·07	·09	·25	·13	·67	1
2	·01			·08	·03		·20	·07	·01	·27		·27	2
3	·07	·01		·05	·02		·34		·01	·20		·06	3
4			·01	·01			·02	1·26		·34			4
5			·40	·08	·21		·37	·04	·01	·18			5
6			·10	·01	·65		·11			·27	·02	·01	6
7	·18		·01	·12	·09		·13				·01		7
8		·02		·56	·15		·14	·06		·01			8
9	·46	·10	·01	·52		·04	·06	·03	·02				9
10	1·42	·18	·18	·09		·55	·40				·02	·01	10
11	·17		·26	·37	·63	·03	·09					·01	11
12	·16	·28	·02	·33	·02	·80	·16	·02		·02	·20		12
13	·04	·05	·46	·29		·15					·02	·02	13
14	·17	·06	·50	·40		·30	·16		·38	·32	·86	·02	14
15	·06	·09	·06	·95	·05	·09	·02		·13	·39	·07		15
16	·01	·02	·04	·06	·22	·09	·34	·01	·70	·25	·13		16
17	·19		·02	·03	·38	·02		·05	1·00	·27			17
18	·13	·01		·01	·12	·07		·27	·20				18
19	·01	·17		·30	·03	·08	·01	·03	·02				19
20	·01	·01		·20		·20				·01		·31	20
21				·02			·04			·07		·10	21
22	·06			·16		·02	·18	·03				·24	22
23			·02				·43					·70	23
24	·05		·41	·01				·01			·12	·47	24
25	·02	·06	·20				·93					·03	25
26	·19	·02	·27	·01			·01				·09	·03	26
27	·22	·04	·04	·05	·03	·53	·01				·05	·48	27
28	·55	·03	·20		·27	·04	·08					·08	28
29	·40	·01	·15	·06	·11	·07	·04				·27	·57	29
30	·49	✕	·10	·03	·06	·23	·18		·57		·34	·64	30
31	·37	✕	·22	✕	·01	✕	·02		✕	·30	✕	·35	31
TOTAL	5·44	1·16	3·70	4·97	3·63	3·31	5·36	1·95	3·14	3·15	2·33	5·07	YEAR'S TOTAL 43·21
Days with ·01 in. or more	24	17	23	27	19	17	26	13	12	15	14	20	227
Days with ·04 in. or more	19	9	16	19	12	14	20	7	7	12	10	13	158

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Co

FORM A2.
BRITISH RAINFALL.

16 MAY 1912

R IN 1911.

—

NEWPORT W.W
YNIS-Y-FRO (NEW GAUGE)
MONMOUTHSHIRE
1911, 15 – 1920

Kept at Ynis-y-
in the County of M
by Char

tern Snowdon
meter of top 5 in.
ght of top above Ground 1 ft. = in.
" " " Sea Level 130 ft. O.D.
ervation 9 am.
lway Station Name Bassaleg
Distance 1¼ miles Direction S

IMPORTANT NOT 9 a.m., and the result entered to the previous day. If an Ol almost universal rule, he is earnestly requested to add the rea following year in the space provided for it at the end of thi he measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·02	·05	·03	·	-	·05	·	·	·08	·07	1
2	·	·	·	·33	·50	·	·	·34	·	·03	·52	·48	2
3	·	·	·02	·	·68	·	·	·05	·	·	·40	·12	3
4	·	·	·17	·	·01	·	·	·12	·02	·	·46	·59	4
5	·20	·	·05	Snow ·02	·	·	·	·19	·	·03	·12	·	5
6	·50	·	·02	Snow ·03	·	·	·	·05	·	·	·37	·50	6
7	·04	·	·	·	·	·	·	·	·	·	·66	·	7
8	·05	·	·24	·	·	·	·	·	·	·	·20	·65	8
9	·	·	·	·	·	·	·	·	·	·	·17	·30	9
10	·20	·05	·65	·	·15	·	·	·	·	·	·	·27	10
11	·52	·	·	·	·13	·	·	·	·	·	·85	·24	11
12	·	·	·50	·	·03	·	·	·	·13	·	·68	·18	12
13	·	·	·	·	·02	·	·	·	·42	·29	·13	·40	13
14	·	·05	·	·	·	·	·	·	·	·03	·08	·75	14
15	·	·14	·	·	·	·11	·	·	·	·	·59	·17	15
16	·	·05	·	·	·	·10	·	·	·	·	·28	·41	16
17	·	·18	·	·05	·	·19	·	·	·	·	·46	·26	17
18	·	·30	·08	·15	·	·17	·	·	·	·03	·	·37	18
19	·	·05	·	·17	·	·18	·	·	·30	·54	·	·50	19
20	·03	·06	·02	·44	·	·02	·	·	·24	·47	·	·90	20
21	·02	·67	·11	·16	·	·25	·	1·01	·07	·50	·	·17	21
22	·03	·06	·14	·30	·	·18	·	·	·05	·14	·	·70	22
23	·04	·39	·14	·	·	·16	·	·	·32	·37	·	·32	23
24	·02	·19	·	·	·	·32	·	·34	·02	·18	·	·30	24
25	·01	·20	·	·41	·	·03	·	·	·07	·20	·	·16	25
26	·	·21	·	·45	·23	·	·	·34	·	·35	·06	·27	26
27	·	1·42	·14	·04	·	·	·	·58	·12	·	·07	·16	27
28	·	·33	·	·42	·06	·02	·	·06	·	·	·41	·02	28
29	·	—	·	·05	·	·33	·04	·04	·21	·87	·		29
30	·	—	·	·	·	·07	·22	·05	·	·37	·12	·	30
31	·	—	·		·02	—	·03	·		·13	—	·	31
Total	1.66	4.35	2.30	3.07	1.86	2.43	·29	3.22	1.97	4.53	6.68	9.26	TOTAL for year 44.82
No. of Rain Days.	12	16	14	15	11	14	3	13	12	16	20	26	172

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
16 MAY 1912

REGISTER OF RAINFALL IN 19 11.

Kept at Ynis-y-fro Reservoir (New Gauge)
in the County of Monmouthshire 3
by Charles Cullum

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. = in.
" " " Sea Level 130 ft. O.D.

Time of Observation 9 am.
Nearest Railway Station: Name Bassaleg
Distance 1¼ miles Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·02	·05	·03	·	·	·05	·	·	·08	·07	1
2	·	·	·	·33	·50	·	·	·34	·	·03	·52	·48	2
3	·	·	·02	·	·68	·	·	·05	·	·	·40	·12	3
4	·	·	·17	·	·01	·	·	·12	·02	·	·46	·59	4
5	·20	·	·05	Snow ·02	·	·	·	·19	·	·03	·12	·	5
6	·50	·	·02	Snow ·03	·	·	·	·05	·	·	·37	·50	6
7	·04	·	·	·	·	·	·	·	·	·	·66	·	7
8	·05	·	·24	·	·	·	·	·	·	·	·20	·65	8
9	·	·	·	·	·	·	·	·	·	·	·17	·30	9
10	·20	·05	·65	·	·15	·	·	·	·	·	·	·27	10
11	·52	·	·	·	·13	·	·	·	·	·	·85	·24	11
12	·	·	·50	·	·03	·	·	·	·13	·	·68	·18	12
13	·	·	·	·	·02	·	·	·	·42	·29	·13	·40	13
14	·	·05	·	·	·	·	·	·	·	·03	·08	·75	14
15	·	·14	·	·	·	·11	·	·	·	·	·59	·17	15
16	·	·05	·	·	·	·40	·	·	·	·	·25	·41	16
17	·	·18	·	·05	·	·19	·	·	·	·	·46	·26	17
18	·	·30	·08	·15	·	·17	·	·	·	·03	·	·37	18
19	·	·05	·	·17	·	·18	·	·	·30	·54	·	·50	19
20	·03	·06	·02	·44	·	·02	·	·	·24	·47	·	·90	20
21	·02	·67	·11	·16	·	·25	·	1·01	·07	·50	·	·17	21
22	·03	·06	·14	·30	·	·18	·	·	·05	·14	·	·70	22
23	·04	·39	·14	·	·	·16	·	·	·32	·37	·	·32	23
24	·02	·19	·	·	·	·32	·	·34	·02	·18	·	·30	24
25	·01	·20	·	·41	·	·03	·	·	·07	·20	·	·16	25
26	·	·21	·	·45	·23	·	·	·34	·	·35	·06	·27	26
27	·	1·42	·14	·04	·	·	·	·58	·12	·	·07	·16	27
28	·	·33	·	·42	·06	·02	·	·06	·	·	·41	·02	28
29	·	—	·	·05	·	·33	·04	·04	·21	·87	·	·	29
30	·	—	·	·	·	·07	·22	·05	·	·37	·12	·	30
31	·	—	·		·02	—	·03	·		·13	—	·	31
Total	1.66	4.35	2.30	3.07	1.86	2.43	·29	3.22	1.97	4.53	6.68	9.26	TOTAL for year 41.~~8~~62
No. of Rain Days.	12	16	14	15	11	14	3	13	12	16	20	26	172

W. 8,000, X. '11.

DL

Corrd by Observer 25.v.16 New Gauge

3972
~~437~~

FORM A.
BRITISH RAINFALL.
24. MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at Ynis-y-fro Reservoir

in the County of Monmouth

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.51	.37	.08		.17			.10	.15	.40	.02	.15	1
2	.22	.34	.22	.17		.01		.63	.06	.34		.17	2
3		.08	.19	.08	.15	.01	.34	.04				.17	3
4	.02	.12	.05		.16		.19					.81	4
5	.15	.19	.01	.05		.02		.32				.85	5
6	.24	.03		.50			.57	.03				.31	6
7	.24	.59		.03			.08	.06		.01		.42	7
8	.31	.20		.04				.08			.14		8
9	.04	.13		.12				.01			.37	1.22	9
10	.34	.11	.01	.06				.05		.08	.02	.11	10
11	.06		.11	.03	.01			.01		.02	1.09	.04	11
12	.14	.07		.04	.35			.06		.18	.47	.01	12
13	.06	.32			.62			.02	.16	.01		.02	13
14	.10	.02					.02	.28	.16	.03		1.61	14
15	.39				.09		.04	.06	.04	.05	.04	.22	15
16		1.12			.49		1.61	.03				.03	16
17		.38			.45			.08				.02	17
18		.42	.02		.02		.03						18
19				.03	.38		.49						19
20	.22			.02						.03		.04	20
21	.08	.11					.26			.42		.01	21
22	.03	.01	.41	.04			.40		.02	.01		.53	22
23	.02		.20			.05	.30		.02	.89	—	.67	23
24			.01	.02			.14		.12	.68		.60	24
25						.18	.06		.05	.01		.35	25
26		.58				.03	.32		.04			.79	26
27		.05				.14	.09			.62		.05	27
28		.15	.02			.02	.14		.40	.12		.05	28
29						.28	.01	.03			20	.11	29
30	.29	X		.02		.05				.48	22	.16	30
31		X		X		X	.19	.05	X	.52	X	.57	31
Total	3.46	5.39	1.33	1.25	2.89	.79	5.28	1.94	1.22	4.90	2.57	10.09	YEAR'S TOTAL 41.11
Rain Days.	19	21	12	15	11	10	19	18	11	19	9 ~~7~~	28	192 190

W. 8,000. X. 14.

3961

FORM A.
BRITISH RAINFALL.

11 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Newport Ynis-y-fro Reservoir

in the County of Monmouth

by

New Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03							.58	.23		1
2			08							1.86	.10		2
3										.54	.19		3
4										.26	.48		4
5			.01							.30	.06		5
6			.02							.52	1.08		6
7			.05							.15	.30		7
8			.04							.01			8
9			.01							.06	.07		9
10			.04							.05	.03		10
11			.04							.05			11
12			.07					.09		.11	.01		12
13			.25					.38		.14	.02		13
14			.02					.39		.13			14
15			.18					.21		.01			15
16			.01					.15		.02			16
17								.28		.59	.12		17
18			.20							.01	.13		18
19			1.15								.12		19
20			.34								.16		20
21			.28										21
22										.34	.04		22
23								.25		.04	.57		23
24			.06					.12		.39	.04		24
25			.26					.84		.04	.22		25
26			.04					.08		.28	.04		26
27			1.20					28		1.06			27
28			.03							.44	.02		28
29			.05					.97		50			29
30		✕	.01					.14		.49			30
31		✕		✕		✕		.17	✕	.30	✕		31
Total	3.73	5.87	4.47	1.77	4.90	3.51	1.90	4.35	1.80	9.27	4.03	3.87	YEAR'S TOTAL 49.47
Rain Days.			25					14		28	21		

W. 8,000, VIII. 16

8h

2327 ~~286~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Ynis-y-fro Reservoir

in the County of Monmouth

by New Gauge

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·40		·63	·25		·03	·08	1
2						·20		·02			·30		2
3							·10			·92	·04		3
4							·15	·02	·01	·20		·04	4
5						·20		·05	·35	·28	·30		5
6						·03				·07	·38	·09	6
7							·13	·15		·43	·03	·05	7
8						·03	·45	·85	·01	·56	·38	·07	8
9					·06			·50	·20	·08	·14		9
10					·15			·25					10
11					·22			·42	·03	·50	·13		11
12					1·40			·16		·46	·02	·01	12
13						·03		·18	·07	·06	·01		13
14								·17	·01				14
15					·01		·12		·04	·49		·28	15
16							·10	·02	·02	·07		·35	16
17					·26		·45	·17	·35	·12	·05		17
18					·07	·02	·58	·08	1·49		·01		18
19						·37		·05	·06				19
20					·34	·09			·03			·01	20
21					·03	·02		·03		·08			21
22						·01		·36		·07			22
23					·09	·04		·66		·05	·04	·01	23
24					·01	·09	·12	·70		·45	·08		24
25							·02	·10	·03	·12	·03		25
26					·28	·09		·91	·31	·02	·10		26
27					·70	·35		1·09			·01		27
28					·32	·76		·18			·01	·01	28
29						·39		·03		·57	·04	·18	29
30								·36		·19	·05		30
31					·06			·26		·05		·01	31
Total					4·00	3·12	2·22	8·40	3·26	5·84 6·48	2·18	1·19	YEAR'S TOTAL
Rain Days.					15	17	10	27	16	22	21	13	

W.7,000, XI. 13

82

Exe 82

REGISTER OF RAINFALL IN 1918

~~35~~ 15

FORM A.
BRITISH RAINFALL.

22. 1. 19

Kept at Ynis-y-fro Reservoir

in the County of Monmouth

by New Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·26		·09	·04			·27		·03	·52	·02	1
2		·36		·06				·78	·01	·03	·02	·85	2
3		·23		·50	·36			·14	·14	·06	·08	·03	3
4		·10		·08				·07	·30	·09	1·13	·83	4
5		·05		·06	·10			·16	·13	·90	·12	·08	5
6	·09	·73		·35		·01		·01	·07	·30		·09	6
7		·15			·48	·01		·04	·45	·28	·39	·03	7
8	·03	·12					·02		·47	·21	·02	·02	8
9	·02	·14		·53		·17	·25		·94	·25	·02	·18	9
10	·03	·05		·17			·54		·54	·08	·01	·50	10
11	·01	·04	·12	·05	·01		·28		·42	·20	·10	·13	11
12	·01	·20	·32		·20		·02		·04			·06	12
13	·08	·01	·02			·01	·09		·81	·11		·20	13
14	·81		·13		·13	·01	·12		·75	·28		·41	14
15	·75			·01		·29	·46		·03	·01		·42	15
16	·34			·65		·01		·06	·56			·06	16
17	·33		·12	·05			·11	·11	·09	·02		·50	17
18	1·72		·03			·63	·14		1·03	·07		·37	18
19	·20	·04	·22	·01			·15	·03	·07	·04		·06	19
20	·05	·36	·01	·05		·02	·15		·59				20
21	·04	·14		·02			·07		·61	·04		·28	21
22	·05	·01			·33		·55		·36	·06		·43	22
23	·21				·34		·43		·02		·08	·07	23
24	·03	·16					·28	·20	·12		·12		24
25				·08	·14		·60	·82		·10	·04	·01	25
26				·20			·67		·32	·07	·15	·53	26
27		·01	·09				·10	·42	·20	·01	·13	·04	27
28		·06	·56	·01					·02	·01	·03	·08	28
29			·23						1·35	·02		·04	29
30		X	·64						·01	·10	·10	·12	30
31	·01	X	·62	X		X		·02	X		X		31
Total	4·82	3·22	3·11	2·97	2·13	1·16	5·03	3·13	10·45	3·37	3·06	6·44	YEAR'S TOTAL 48·89
Rain Days.	20	20	13	18	10	9	19	14	28	25	17	28	221

W. 8,000, IX. 17.

3547

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ynys-y-fro (New Gauge)
in the County of Monmouthshire
by Newport Corpn: Water Dept.

Lat. — Long. —
Time of Observation
Nearest Railway Station Bassaleg – 1¼ mls. S.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·86		·20	& snow ·06	·12	·02	·15		·22	·23		·72	1
2	·37		·16		·02		·20		·37	·01	·01	·17	2
3	·03		·23		·08				·02		·10	·32	3
4	·06	& snow ·29	·56		·01	·15	·36	·01	·53	·02		·19	4
5	·01	& snow ·39	& snow ·55						·18		·06	·26	5
6	·25	& snow ·10	·32						·02	·01		·08	6
7	·32		·82	·09									7
8	·14		·17	·07		·01							8
9	·47		·02	·10	·01						& snow ·30		9
10	·01		·50	·05	·02					·01	·01	·35	10
11	·06		·51	·13	·17	·01	·27			·01		·25	11
12	·02		·07	·06	·04	·41				·01	·02	·01	12
13	·35	·05		·56					·04			·19	13
14	1·04	·13		·39	·04		·08		·07	·01		·20	14
15	·61	·11		·03				·02		·02		·26	15
16	·08	1·17			·01	·02					·15	·01	16
17		& snow ·65						·02			·20	·03	17
18	·02		·70				·14	·91	·01		·16	·04	18
19	·39	& snow ·86	& snow ·68			·15	1·47	·52			·03	·02	19
20	·85	·27	& snow ·27			·06		·26			·04	·06	20
21	·01	1·40	& snow ·04				·01	·01	·02		·03	·02	21
22		·07	& snow ·01			·01	·01		·50		·02	·21	22
23										1·35	·18	·02	23
24				·02		·07			·03	1·18	·25	·33	24
25	·15			·03		·03		·62	·04		·03	·15	25
26	·05		·13	·01		·01		·06	·20			·81	26
27	·11	& snow ·02	& snow ·08	& snow ·35		·01	·01	·68				·04	27
28	& snow ·03	·01	& snow ·23	& snow ·03				·41			·21	·79	28
29	·02			·03						·01		·44	29
30				·06		·18		·25			·50	·86	30
31	& snow ·02		& snow ·01				·01					·05	31
TOTAL	6·33	5·52	6·26	2·07	·52	1·14	2·71	3·77	2·25	2·87	2·30	6·88	YEAR'S TOTAL 42·62
Days with ·01 in. or more	26	14	21	17	10	14	11	12	14	12	18	28	197

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3434

9 APL 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Ynis-y-fro (New Gauge)
in the County of Monmouth
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·21	·65		·93	·09	·10	·29	·19	·75	1
2	·01			·11	·05		·25	·10	·01	·32		·38	2
3	·10	·01		·07	·02		·35		·01	·27		·11	3
4			·01	·01			·03	1·32		·40			4
5			·46	·11	·25		·41	·06	·01	·22			5
6			·13	·01	·73		·13			·30	·02	·01	6
7	·25		·01	·16	·11		·15				·01		7
8		·02		·62	·19		·17	·07		·01			8
9	·52	·14	·01	·56		·05	·09	·05	·02				9
10	1·54	·27	·21	·11		·57	·46				·02	·01	10
11	·26		·32	·39	·67	·04	·12					·01	11
12	·24	·33	·03	·39	·03	·71	·20	·03		·02	·22		12
13	·06	·06	·54	·35		·12					·02	·04	13
14	·20	·08	·57	·48		·32	·18		·42	·40	·95	·02	14
15	·08	·12	·10	·80	·06	·10	·02		·16	·41	·09		15
16	·01	·03	·06	·08	·25	·12	·36	·01	·80	·30	·18		16
17	·22		·03	·03	·45	·02		·06	1·09	·31			17
18	·14	·01		·02	·16	·08		·30	·26				18
19	·01	·22		·35	·03	·10	·01	·03	·02				19
20	·01	·02		·28		·25				·01		·42	20
21				·02			·05			·08		·17	21
22	·07			·20		·02	·20	·03				·34	22
23			·02				·50					·85	23
24	·07		·48	·01				·01			·14	·58	24
25	·02	·08	·25				1·09					·04	25
26	·24	·02	·35	·01			·01				·13	·06	26
27	·29	·03	·05	·06	·03	·60	·01				·06	·56	27
28	·63	·03	·24		·30	·06	·09					·11	28
29	·45	·01	·17	·08	·14	·09	·05				·32	·70	29
30	·56		·11	·05	·01	·32	·22		·61		·43	·75	30
31	·43		·25		·01		·02			·34		·43	31
TOTAL	6·41	1·48	4·43	5·57	4·14	3·57	6·10	2·16	3·51	3·68	2·78	6·34	YEAR'S TOTAL 50·17
Days with ·01 in. or more	24	17	23	27	19	17	26	13	12	15	14	20	227
Days with ·04 in. or more	19	8	16	20	13	15	20	8	7	12	10	16	164

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PORTSKEWETT

SUDBROOK

MONMOUTHSHIRE

1911 – 1920

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

REGIS 1911

ot Known

Kept at The G.W.R. Seve
Pumping Station.
in the County of Monm
by The Great Western

of top 8" in.
op above Ground - ft. 10" in.
" Sea Level 22 ft.
n 9. a. m.
tation Name Portskewett.
Distance 1 mile Direction North

IMPORTANT NOTE.—R ., and the result entered to the previous day. If an Observer st universal rule, he is earnestly requested to add the reading a wing year in the space provided for it at the end of this para easurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02					·05			·01	·20	1
2				·28	·34			·10		·05	·45	·22	2
3					·45			·20			·20	·30	3
4			·17	·01					·04	·01	·40	·30	4
5			·03					·09		·02	·13	·10	5
6	·26		·04					·01			·04	·27	6
7											·69	·02	7
8	·06		·12								·19	·24	8
9	·02										·20	·25	9
10	·05	·08	·25		·03							·09	10
11	·20				·08						·65	·15	11
12		·01	·52		·08				·03		·51	·01	12
13			·02						·62	·02		·56	13
14		·02										·80	14
15		·04				·03					·26	·14	15
16		·02				·09					·28	·31	16
17		·03		·01		·06				·03	·19	·15	17
18		·42	·02	·12		·63						·26	18
19		·01		·03		·33			·10	·08	·30	·03	19
20		·04		·10		·01		·31	·06	·08		·67	20
21		·30	·31	·11		·02				·42		·24	21
22		·01	·17	·07		·88				·22		·46	22
23	·06	·25	·17							·03		·25	23
24		·09				·32		·46		·37		·17	24
25		·12		·18		·05		·09	·08	·06		·50	25
26		·02		·29	·05	·02	·06	·08		·40	·60	·28	26
27		·52	·18	·06				·39	·25		·15	·13	27
28		·31		·44				·05			·13		28
29				·05		·26			·29	·29	·10		29
30						·03	·01	·28		·25		·20	30
31					·03		·02			·15			31
Total	·65	2.29	2.02	1.75	1.06	2.73	·09	2.11	1.47	2.48	5.48	7.30	Total 29.43
No. of Rain Days.	6	17	13	13	7	13	3	12	8	16	19	28	155

FOR W. K. LAURENCE

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The G.W.R. Severn Tunnel Pumping Station. Sudbrook.
in the County of Monmouth. 3
by The Great Western Railway Co.

Rain Gauge
Pattern Not Known
Diameter of top 8" in.
Height of top above Ground - ft. 10" in.
" " " Sea Level 22 ft.
Time of Observation 9. a.m.
Nearest Railway Station
Name Portskewett.
Distance 1 Mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02					·05			·01	·20	1
2				·28	·34			·10		·05	·45	·22	2
3					·45			·20			·20	·30	3
4			·17	·01					·04	·01	·40	·30	4
5			·03					·09		·02	·13	·10	5
6	·26		·04					·01			·04	·27	6
7											·69	·02	7
8	·06		·12								·19	·24	8
9	·02										·20	·25	9
10	·05	·08	·25		·03							·09	10
11	·20				·08						·65	·15	11
12		·01	·52		·08				·03		·51	·01	12
13			·02						·62	·02		·56	13
14		·02										·80	14
15		·04				·03					·26	·14	15
16		·02				·09					·28	·31	16
17		·03		·01		·06				·03	·19	·15	17
18		·42	·02	·12		·63						·26	18
19		·01		·03		·33			·10	·08	·30	·03	19
20		·04		·10		·01		·31	·06	·08		·67	20
21		·30	·31	·11		·02				·42		·24	21
22		·01	·17	·07		·88				·22		·46	22
23	·06	·25	·17							·03		·25	23
24		·09				·32		·46		·37		·17	24
25		·12		·18		·05		·09	·08	·06		·50	25
26		·02		·29	·05	·02	·06	·08		·40	·60	·28	26
27		·52	·18	·06				·39	·25		·15	·13	27
28		·31		·44				·05			·13		28
29				·05		·26			·29	·29	·10		29
30						·03	·01	·28		·25		·20	30
31					·03		·02			·15			31
Total	·65	2·29	2·02	1·75	1·06	2·73	·09	2·11	1·47	2·48	5·48	7·30	Total 29·43
No. of Rain Days.	6	17	13	13	7	13	3	12	8	16	19	28	155

FOR W. K. LAURENCE.

W. 8,000, X. '11.

Got. H56

FORM A2.
BRITISH RAINFALL.

3 - JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at The G.W.R. Severn Tunnel Pumping Station. Sudbrook
in the County of Monmouth.
by The Great Western Railway Co.

3

Rain Gauge
Pattern Not Known
Diameter of top 8" in.
Height of top above Ground – ft. 10 in.
" " " Sea Level 22' ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Portskewett.
Distance 1 mile Direction North.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12			·30		·02		·52		·31	1
2			·13			·30	·23	·06					2
3			·37	·02		·30	·02	·47	·02		·03	·01	3
4	·10		·84		·07	·10					·17		4
5	·17		·19		·02	·01		·33				·03	5
6	·55	·29			·07			1·11				·07	6
7	·02	·17	·04			·38		·24				·02	7
8	·47	·11	·13			·15	·14	·48			·01	·14	8
9	·04	·07	·20	·07		·09	·01	·03				·29	9
10						·10					·15	·01	10
11	·16	·05										·45	11
12	·01	·24	·05	·09	·02							·03	12
13	·03					·10						·35	13
14	·07		·81					·12		·13		·10	14
15		·17	·03		·43			·01				·34	15
16	·33	·01	·24			·52		·27		·10	·12		16
17	·64		·22			·08		·82			·02	·56	17
18	·17	·04	·16					·61				·29	18
19	·15	·03				·04	·09	·28					19
20	·02		·41		·13			·06		·41	·01		20
21		·08	·18		·70		·03	·11		·14			21
22	·48	·35	·09		·26		·27	·13		·20		·06	22
23	·23	·37	·45			·09		·27			·26	·32	23
24	·12		·09				·04	·14				·08	24
25		·03	·03			1·16		·75			·37	·44	25
26		·06					·16	·25		·71	·66	·12	26
27		·01				·48	1·09			1·06		·72	27
28		·07				·16	1·00	·81	·03	·24	·37	·59	28
29		·02					·48	·07	·31	·44		·15	29
30						·01	·08		·04	·16		·02	30
31			·19		·23		·61	·06				·24	31
Total	3·76	2·17	4·97	·18	1·93	4·37	4·25	7.50	·40	4·11	2·17	5·74	TOTAL 41·55
No. of Rain Days.	18.	18.	21.	3.	9.	18.	14.	24.	4.	11.	11.	25	176.

W. 8,000, X. '11.

Exc 3L

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

9 JAN 1914

Kept at The G.W.R. Severn Tunnel Pumping Station. Ludbrook.
in the County of Monmouth.
by The Great Western Railway Co.

3

Lat. 51.34.55 Long. 2°42′40″.
Time of Observation 9. a.m
Nearest Railway Station Portskewett.
Diameter of Rain Gauge 8″ in.
Height of top of Gauge above Ground ft. 10″ in.
" " " " Sea Level 22′ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·11	·22	·06					·47		·07		1
2	·01	·21	·10	·03					·02	·06	·14	·01	2
3	·13		·07		·36							·24	3
4	·97	·12	·14		·18				1·88	·13		·02	4
5		·08	·21		·05	·36	·05		·28		·30	·11	5
6		·02	·24		·34	·25	·01			·53	·25	·55	6
7		·34			·21		·08			·05	·26		7
8		·14	·01		·20	·02	·08			·04		·02	8
9		·15				·17		·13	·02		·03		9
10	·11		·01	·03	·06	·02		·04		·13	·23		10
11	·82			·12	·21					·04	·70	·02	11
12		·04			·10						·45		12
13		·01	·36					·04	1·14		·22		13
14	·03		·43	·03					·01	·14		·01	14
15	·20		·33	·69				·07	·04		·03		15
16	·21	·04	·42	·22			·01						16
17	·02		·01	·26					·01		·08		17
18	·19		·18	·23							·07		18
19	·11		·10		·01	·14			·18			·01	19
20	·37		·06							·05			20
21			·03	·17	·11		·08	·05		·38	·51		21
22	·46		·62		·03			·25	·31	·02			22
23	·01					·17		·05	·02		·06	·12	23
24	·06			·05				·08					24
25				·24					·01	·03	·01	·07	25
26		·03		·14								·11	26
27				·24						·30			27
28	·67		·12	·28	·02					·11			28
29	·03		·46	·34						·14		·05	29
30	·37		·01					·05		·39	·01		30
31			·03		·24								31
Total	4·77	1·29	4·16	3·13	2·12	1·13	·31	·76	4·39	2·54	3·42	1·34	YEAR'S TOTAL 29·36
Rain Days.	18.	12.	22.	16.	14.	7.	6.	9.	13.	16.	17.	13.	163

FOR W. K. LAURENCE
res

W.7,000, XI. 13

Ex Fl

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
18 JAN 1915

Kept at The G.W.R. Severn Tunnel Pumping Station.
in the County of Monmouth. 3
by The Great Western Railway Co.

Lat. 51° 34′ 35″ Long. 2° 42′ 40″
Time of Observation 9. a. m.
Nearest Railway Station Portskewett
Diameter of Rain Gauge 8″ in.
Height of top of Gauge above Ground — ft. 10″ in.
" " " " Sea Level 22′ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02				·75	·45			·23	·15	1
2				·08			·49	·30			·40	·59	2
3			·04	·27	·47		·21				·14	·08	3
4	·22		·01	·20	·04		·34				·56	·79	4
5	·02		·06	·35	·06		·05	·09			·07	·05	5
6		·13	·06	·04	·04		·20	·11				·26	6
7		·32	·32	·38	·31		·27	·11				·09	7
8	·15		·50		·03	1·10	·01		·09		·03	·06	8
9	·16	·04	·23	·16	·02	1·29							9
10		·17		·21	·04			·18	·56				10
11		·06	·27		·02	·50	·15		·08			·70	11
12		·08	·12						·50			·22	12
13		·48	·35				·04		·24			·26	13
14		·64	·42						·10	·39			14
15			·14					·59	·30		·88		15
16							·16		·15				16
17		·43	·21				·03					·67	17
18		·02					·22					·42	18
19		·08	·28				·43					·25	19
20			·04			·05						·16	20
21		·47					·03			·13			21
22		·08			·40					·07			22
23		·07	·25		·07								23
24			·08					·13		·52	·12		24
25	·06		·14					·45		·25		·41	25
26							·07			·07	·27	·29	26
27	·06										·30	·35	27
28	·02	·20	·17							·11	·28	·66	28
29	·46		·19		·12					·05	·28		29
30	·18	×	·21							·22	·76	·52	30
31	·04	×		×		×	·50		×		×	·03	31
Total	1·37	3·27	4·11	1·69	1·62	2·94	3·95	2·41	2·02	1·81	4·32	7·01	YEAR'S TOTAL 36·52
Rain Days.	10	15	22	8	12	4	17	9	8	9	13	21	148

W. 8,000. X. 14.

397

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
5 JAN 1916

Kept at The G.W.R. Severn Tunnel Pumping Station
in the County of Monmouth
by The Great Western Railway Company

Lat. 51.34.55 Long. 2.42.40
Time of Observation 9.a.m
Nearest Railway Station Portskewett.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground ft. 10" in.
" " " " Sea Level 22' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30				·37			·07	·11	·35		·20	1
2	·20	·13	·13	·27				·40		·11		·13	2
3	·21	·23	·05	·03	·13		·30					·17	3
4		·06	·01		·13		·17	·09				·81	4
5	·12	·03						·09				·35	5
6	·29	·24		·33			·36					·37	6
7	·36	·01		·01			·12	·03				·30	7
8	·32	·42									·10		8
9		·28						·12			·31	·93	9
10	·17	·07		·07							·02	·03	10
11	·03	·08	·13								·95	·01	11
12	·15				·40					·08	·36		12
13		·19			·86				·06				13
14	·07	·33						·65	·15			·75	14
15	·34	·03			·04			·05				·04	15
16					·78		·75					·02	16
17		·68			·25								17
18		·34											18
19		·29			·14		·39						19
20												·09	20
21	·10									·17		·02	21
22	·03		·43				·35					·24	22
23	·04	·10	·15				·22		·06			·58	23
24							·39		·43	·75			24
25						·46	·02			·40		·63	25
26		·15					·13			·05		·53	26
27		·09				as ·13 ·13	·13					·01	27
28		·12				·04	·13		·39	·30			28
29						·23	·05	·07		·04			29
30	·17	X				·10				·21	·17	·21	30
31		X		X		X		·04	X	·64	X	·30	31
Total	2·90	3·87	·90	·71	3·10	·96	3·51	1·61	1·20	3·10	1·91	6·72	YEAR'S TOTAL 30·49
Rain Days.	16	20	6	5	9	5	14	10	6	11	6	22	130

W. 8,000. X. 15.

✓ Portskewett Sudbrook

3899

FORM A. BRITISH RAINFALL.

JAN 1917

REGISTER OF RAINFALL IN 19 16.

Kept at G.W.R. Severn Tunnel Pumping Stn.

in the County of Monmouth

by the Great Western Railway Company.

Lat. 51.34.55 Long. 2.42.40

Time of Observation 9-0 a.m.

Nearest Railway Station Portskewett.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground - ft. 10 in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.27				.10		.49			.47	.18		1
2	.75	.08							.07	1.34	.04		2
3		.65								.38	.13		3
4	.63	.09			.50	.85				.06	.26		4
5	.02				.14		.04			.07	.03		5
6	.10	.39			.50	.08	.42			.51	.53		6
7		.06	.05		.18					.09	.52	.48	7
8		.13	.01		.41	.02						.23	8
9					.02	.15					.02		9
10		.50		.05	.06					.07		.03	10
11				.13	.06	.34							11
12	.07	.12			.29		.20			.09			12
13		.47	.30					.52		.02			13
14		.47	.23		.05			.30		.07			14
15		.25	.06					.09					15
16	.09			.41			.04	.70					16
17	.04	.17		.13				.07	.29		.14		17
18	.02								.01	.41			18
19	.29		.54	.12							.29		19
20	.33		.46	.12							.07	.30	20
21	.18		.42									.38	21
22					.09	.24				.20	.04	.70	22
23		.21						.24		.07	.13	.30	23
24				.21	1.15			.07		.25			24
25		.31	.20					.91		.02			25
26		.05				.24		.07	.53	.18			26
27		.02	1.20			.19	.09	.05	.26	.71			27
28	.13	.17	.02	.02					.05	.27		.81	28
29		.27	.02			.27		1.78		.26		.45	29
30		×								.61			30
31		×		×		×		.16	×	.22	×	.02	31
													YEAR'S TOTAL
Total	2.92	4.41	3.51	1.19	3.55	2.38	1.28	4.96	1.21	6.37	2.38	3.70	37.86
Rain Days.	13	18	12	8	13	9	6	12	6	22	13	10	142

W. 8,000, VIII. 16

3734

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 19 17.

Kept at G.W.R. Severn Tunnel Pumping Stn.

in the County of Monmouth.

by the Great Western Railway Company.

Lat. 51°.34'.55" Long. 2°.42'.40"
Time of Observation 9-0 a.m.
Nearest Railway Station Portskewett.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground - ft. 10 in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.42	.50		.15		1.07					1
2				.02		.12		.03			.07		2
3							.08	.03		1.01	.03		3
4		.31	.12				.20			.22			4
5	.21		.15	.23		.20		.11	.67	.30	.12		5
6			.46			.05					.36		6
7	.17			.03						.17		.05	7
8	.29						.70	1.72					8
9					.18			.78	.12	.50	.37		9
10	.27		.70	.24				.21	.07	.03			10
11	.05		.53	.29				.78		.12			11
12			.03		.32			.07		.55			12
13			.15	.10		.05		.11	.11	.12			13
14			.10	.03				.37					14
15								.25		.18		.25	15
16		.09		.09					.01	.04			16
17				.11	.30			.07	.27	.07			17
18							.30	.01	1.17				18
19		.64	.04			.15	.45						19
20		.06			.23	.34							20
21			.39					.04					21
22						.35		.10		.13			22
23								.31			.07		23
24						.05		.24		.32			24
25			.02				.03	.04		.07			25
26								.20	.30		.06		26
27					1.10	.15		.66					27
28			.06		.10	.35		.07			.01		28
29			.06			.38				.46		.24	29
30		✕						.41		.03			30
31		✕	.10	✕		✕		.22	✕	.05	✕		31
Total	.99	1.10	3.33	1.64	2.23	2.34	1.76	7.90	2.72	4.37	1.09	.54	YEAR'S TOTAL 30.01
Rain Days.	5	4	15	10	6	12	6	24	8	18	9	3	120

W.K. Woodward

W. 8,000, IX. 17.

Exd M.J. 12

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL
1. 10

Kept at G.W.R.Severn Tunnel Pumping Stn.

in the County of Monmouth.

by the Great Western Railway Co.

Lat. 51.34.55 Long. 2.42.40. W.
Time of Observation N. 9-0 a.m.
Nearest Railway Station Portskewett.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground - ft. 10 in.
„ „ „ „ Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.14						.20			.40	.26	1
2		.16						.47		.06		.10	2
3		.08		.30	.37			.18			.20		3
4		.05						.06		.10	.77	.19	4
5					.30			.11	1.40	.20			5
6	.11	.69		.24						.30		.12	6
7		.18			.65				.50	.39	.52	.02	7
8		.11					.19		.15	.13			8
9		.07		.34		.18	.25		.62	.02			9
10				.13			.34		.55			.48	10
11							.10		.56		.12	.12	11
12		.08	.32		.18								12
13	.10								.45			.37	13
14	.46		.05		.09	.02	.42		.30	.21		.15	14
15	.94			.24		.08	.44		.08			.56	15
16	.34		.05	.30		.12			.36			.04	16
17	.19			.14			.14	.10	.07			.17	17
18	1.02					.44	.10		1.38			.20	18
19			.14				.10		.09				19
20	.05	.12		.20			.12		.33				20
21		.02							.68	.12			21
22	.05				.24		.29		.11			.42	22
23	.03				.23		.46						23
24		.17					.45		.08				24
25					.20		.40	.54		.10			25
26							.47		.13		.20	.15	26
27			.10					.34	.20		.06	.02	27
28			.26						.06				28
29									1.03			.22	29
30		×	.64						.08				30
31		×	.38	×		×			×		×		31
Total	3.29	1.87	1.94	1.89	2.26	.84	4.27	2.00	9.21	1.63	2.27	3.59	YEAR'S TOTAL 35.06
Rain Days.	10	12	8	8	8	5	15	8	22	10	7	17	~~130~~

W. 6,500, VII. 18. w w c

35744

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

21 JAN 20

Kept at G.W.R. Severn Tunnel Pumping Station.
in the County of Monmouth.
by the Great western Railway Co.

Lat. 51° 34' 55" N. Long. 2° 42' 40" W.
Time of Observation 9-0 a.m.
Nearest Railway Station Portskewett.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40		·07		·08		·26					·64	1
2	·23		·03				·25		·63		·15	·20	2
3							·28		·06		·09	·31	3
4	·34	·17	·52			·11		·03	·25			·17	4
5			·76				·16		·57		·01	·28	5
6	·10		·28									·05	6
7	·15		·42									·02	7
8			·18										8
9	·35	·29									·15	·10	9
10			·28	·21						·28			10
11			·48		·19		·21					·17	11
12			·15	·08		·25							12
13	·22	·17		·28								·15	13
14	·57	·07		·25					·02			·02	14
15	·46											·11	15
16	·13	·96											16
17		·34									·18		17
18			·52					·82			·06		18
19	·36	·44	·68				2·06	·36	·03		·03		19
20	·28	·11	·39			·21		·30			·02		20
21		·99	·01									·17	21
22		·05					·06		·36			·17	22
23						·11				1·09	·21		23
24									·01	1·35	·20	·32	24
25	·25							·21				·07	25
26			·08			·09		·07				·37	26
27			·02	·42		·01		·48				·10	27
28			·22					·30			·20	·34	28
29												·52	29
30		×		·18				·33			·60	·43	30
31		×		×		×			×		×		31
TOTAL	3·84	3·59	5·09	1·42	·27	·78	3·28	2·90	1·93	2·72	1·90	4·71	YEAR'S TOTAL 32·43
Days with ·01 in. or more	13	10	17	6	2	6	7	9	8	3	12	21	~~114~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3431

JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at G. W. R. Severn Tunnel Pumping Station.
in the County of Monmouth.
by the Great Western Rly. Co.

Lat. 51° 34′ 55″ N Long. 2° 42′ 40″ W.
Time of Observation 9-0 a.m.
Nearest Railway Station Portskewett.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. =

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02		·55		·41	·16	·12	·13		·52	1
2				·36			·20	·09	·08	·10		·15	2
3		·06		·17			·45	·02	·01	·24			3
4								·71		·28			4
5			·19	·04	·07		·51	·01		·04			5
6			·27		·30								6
7				·08	·28		·18						7
8		·02		·53	·22		·44	·07					8
9	·64	·13		·56			·02		·06				9
10	1·35	·15		·40		·71	·30						10
11	·22		·17	·21	·50		·04						11
12	·23	·12	·03	·15		1·02	·08						12
13	·09	·02	·25	·16							·09		13
14	·04		·75	·36			·04		·09	·69	·75		14
15	·05	·08		·28	·12	·28				·18	·14		15
16				·14		·50	·59		·58		·06		16
17	·43				·26	·19		·16	1·47	·50			17
18				·10	·10			·43	·44				18
19		·20		·39	·04								19
20				·07		·37							20
21							·05			·15			21
22							·04	·12				·17	22
23							·49	·03				1·01	23
24			·31								·04	·25	24
25		·17					·63				·01		25
26	·28		·66				·01					·10	26
27	·15	·02			·05	·84						·20	27
28	·75		·13		·06								28
29	·26		·16			·09					·10	·57	29
30	·21	✕	·05	·17		·18	·43		·58		·42	·40	30
31	·15	✕	·26	✕		✕			✕	·50	✕	·21	31
TOTAL	4·85	·97	3·25	4·17	2·55	4·18	4·91	1·80	3·43	2·81	1·61	3·58	YEAR'S TOTAL 38·11 ✓
Days with ·01 in. or more	14	10	13	17	12	9	18	10	9	10	8	10	~~140~~ ✓
Days with ·04 in. or more	14	7	11	17	12	9	16	7	8	10	7	10	128 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

PANDY
TREWYN

MONMOUTH

1911- 1912

FORM A2.
BRITISH RAINFALL.

23 MAY 1912

Kept at Tr

in the County of

by P. B

in.

round 1 ft. — in.

ea Level 444 ft.

A.M.

ame Pandy

istance ¾ mile Direction E

IMPORTANT he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·01	·02	·16		·03	1·01			·10	·05	1
2	·03			·11	·50			·23		·06	·15	·34	2
3			·01					·02		·03	·27	·14	3
4	·12		·09					·06	·06		·14	·85	4
5	·20		·03					·15		·12	·15		5
6			·07	·06				·02			·34	1·16	6
7	·01										·52		7
8	·04		·11								·31	1·28	8
9											·36	·70	9
10		·04	·27									·82	10
11	·17				·30						·65		11
12			·41		·37				·26		·58	·16	12
13					·13				·17		·01	·39	13
14										·01		1·53	14
15		·10				·05				·01		·15	15
16						·18				·01	·60	·44	16
17		·05		·05		·94					·16	·94	17
18		·57	·15	·30		·02				·10		·70	18
19		·08		·44		·30			·70	·20	·01	·64	19
20		·07	·10	·14					·40	·50		·65	20
21		·20	·35	·05		·05		·14		·32		·11	21
22		·16	·40			·05		·12	·06	·18		·78	22
23	·02	·39	·04			·04		·08	·14	·10		·22	23
24		·06				·32				·12		·14	24
25		·09				·02			·10			·04	25
26		·18		·20	·71			·03		·29	·16	·16	26
27		·26	·35	·11				·34	·14			·15	27
28		·17		·23			·48	·04			·26		28
29						·16	·67		·14	·52			29
30					·06	·02	·05			·31	·05		30
31							·03			·02			31
Total	·60	2·42	2·39	1·71	2·23	2·15	1·26	2·24	2·17	2·90	4·82	12·54	TOTAL for year 37·43
No. of Rain Days.	8	14	14	11	7	12	5	12	10	17	18	24	152

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
23 MAY 1912

Kept at Trewyn
in the County of Monmouth 4
by P. B. Barneby

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 444 ft.
Time of Observation 9·30 A.M.
Nearest Railway Station
Name Pandy
Distance ¾ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·01	·02	·16		·03	1·01			·10	·05	1
2	·03			·11	·50			·23		·06	·15	·34	2
3			·01					·02		·03	·27	·14	3
4	·12		·09					·06	·06		·14	·85	4
5	·20		·03					·15		·12	·15		5
6			·07	·06				·02			·34	1·16	6
7	·01										·52		7
8	·04		·11								·31	1·28	8
9											·36	·70	9
10		·04	·27									·82	10
11	·17				·30						·65		11
12			·41		·37				·26		·58	·16	12
13					·13				·17		·01	·39	13
14										·01		1·53	14
15		·10				·05				·01		·15	15
16						·18				·01	·60	·44	16
17		·05		·05		·94					·16	·94	17
18		·57	·15	·30		·02				·10		·70	18
19		·08		·44		·30			·70	·20	·01	·64	19
20		·07	·10	·14					·40	·50		·65	20
21		·20	·35	·05		·05		·14		·32		·11	21
22		·16	·40			·05		·12	·06	·18		·78	22
23	·02	·39	·04			·04		·08	·14	·10		·22	23
24		·06				·32				·12		·14	24
25		·09				·02			·10			·04	25
26		·18		·20	·71			·03		·29	·16	·16	26
27		·26	·35	·11				·34	·14			·15	27
28		·17		·23			·48	·04			·26		28
29						·16	·67		·14	·52			29
30					·06	·02	·05			·31	·05		30
31							·03			·02			31
Total	·60	2·42	2·39	1·71	2·23	2·15	1·26	2·24	2·17	2·90	4·82	12·54	TOTAL for year 37·43
No. of Rain Days.	8	14	14	11	7	12	5	12	10	17	18	24	152

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

Kept at Trewyn

in the County of Monmouth 4

by P. B. Barneby.

Lat. 51°53'50" Long. 2°58'30"

Time of Observation 9.30 a.m.

Nearest Railway Station Pandy

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 444 ft.

FORM A.
BRITISH RAINFALL.
23 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·33			·54	·05		·02	·45		·16	1
2			·40	·01	·04	·34	·24	·03					2
3	·04		·42		·24	·20	·02	2·03	·06		·02	·03	3
4	·28		·93		·12	·07		·20			·29		4
5	·53	·03	·19		·15			·50	·03			·07	5
6	·67	·35			·12			·23				·03	6
7	·05	·60	·30			·22	·13	·02					7
8	·46	·27	·38	·03		·03		·03					8
9	·07	·04	·60	·14		·31	·04	·30			·03		9
10	·34	·17				·20	·04	·10			·27	·42	10
11		·18				·04	·01	·03			·12	·45	11
12	·01	·30			·15	·01	·04					·11	12
13	·02			·01				·01	·02			·04	13
14	·11	·13	·64		·13			·02				·01	14
15	·80	·02			·28	·30		·01				·25	15
16	·86		·21			·01		·08			·02	·03	16
17	·14		·20			·14		·36		·16	·01	·36	17
18	·10	·04	·05			·04		·26		·03		·06	18
19	·60	·16				·01	·06	·49		·03			19
20		·02	·82				·14	·09		·24			20
21	·24	·08	·50		·64	·01	·03	·38		·32			21
22	·30	·20	·07		·38		·34	·17		·04			22
23	·70	·28	·44			·30				·10		·44	23
24		·03	·01			·38	·04	·02			·04		24
25						·27	·06	1·33		·11	·04		25
26		·15	·04				·08	·83		·88		·95	26
27		·01	·03			·48	·86			·84		·31	27
28		·09				·03	·96	·65		·31	·40	·29	28
29		·34	·04			·13	·24	·25	1·00	·23		·02	29
30			·14			·14	·22		·13	·47			30
31			·19		·10		·43	·04		·02		·12	31
Total	6·32	3·49	6·93	·19	2·35	4·20	4·03	8·46	1·26	4·23	1·24	4·15	YEAR'S TOTAL 46·85
Rain Days.	19	21	22	4	11	23	20	26	6	15	10	19	196

W. 7,500, XI. '12

W.D. from Jan 15

and forward of W.D.

REG

RAGLAN

LLANARTH COURT

MONMOUTH

1913

FORM A.
BRITISH RAINFALL.

22 JAN 1914

Kept at Llanarth Cour

. G.W.R.

in the County of Mon

in.

by E. R. Herbert

1 ft. 2 in.

el 125 approx. ft.

IMPORTANT NOT ult entered to the previous day. If an Ob de, he is earnestly requested to add the reading at 9 a.m. on 1st ne space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	·06	0	·1	0	·08	0	0	·03	0	·05	0	1
2	0	·09	·32	·02	·1	0	0	0	·35	0	·2	0	2
3	·2	·31	·18	·03	·12	0	0	0	0	·9	·21	0	3
4	2·4	0	·08	0	·35	0	0	0	0	·13	0	·15	4
5	·1	·02	·03	0	·07	0	0	0	1·8	·7	·05	·22	5
6	·08	·04	·02	0	·03	·24	0	0	·15	0	·15	·1	6
7	0	·12	·25	0	·27	·1	·04	0	0	·35	·20	·47	7
8	0	·8	0	0	·38	·15	0	0	0	·54	·23	0	8
9	0	·34	0	0	·33	0	0	0	0	·25	·01	0	9
10	·4	·2	0	0	·18	·07	·03	·2	·05	·12	·25	0	10
11	·65	0	0	·07	·28	0	0	·12	0	·19	·08	0	11
12	0	0	0	·23	·15	0	0	0	0	·14	1·00	0	12
13	0	0	0	0	·23	0	0	0	·04	0	·40	0	13
14	0	0	·15	0	·09	0	0	0	·54	0	·12	0	14
15	·24	0	·35	0	0	0	0	0	·1	·1	0	0	15
16	·06	·01	·55	·84	0	0	0	·32	0	0	·03	0	16
17	·42	0	·7	·11	0	0	0	·02	0	0	0	0	17
18	·17	0	·09	·17	0	0	0	0	0	0	06	0	18
19	·07	0	·49	·13	0	0	0	0	0	0	0	0	19
20	·15	0	·02	·02	0	·1[illegible]	0	0	·18	0	·0	0	20
21	·37	0	·3	·11	·22	0	0	0	0	·05	·5[illegible]	0	21
22	0	0	·38	·3	0	0	·07	0	0	0	·29	0	22
23	·57	0	·64	0	0	0	0	·25	·35	0	·0[illegible]	0	23
24	·0[illegible]	0	0	0	0	·15	0	0	·02	0	08	·12	24
25	02	·03	0	·03	0	0	0	0	0	0	0[illegible]	0	25
26	0	·06	0	·22	0	0	0	·1	·03	·03	02	·01	26
27	0[illegible]	0	0	1·10	0	0	0	0	0	0	0	·4	27
28	·02	0	0	·5	·15	0	0	0	0	·2	0	0	28
29	·4	—	·25	·65	·05	0	0	0	0	·26	0	·05	29
30	·01	—	·4	·4	0	0	0	·07	0	·28	0	0	30
31	·35	—	0	—	0	—	0	0	—	1·10	—	0	31
Total	·06 ~~6·68~~ 6·74	— ~~2·08~~ 2·02	·10 ~~5·2~~ 5·30	— ~~5·93~~ 4·93	·08 ~~3·00~~ 3·08	— ~~·89~~ ·81	— ~~·14~~ ·14	·03 ~~1·08~~ 1·11	— ~~3·64~~ 3·64	·05 ~~5·51~~ 5·56	— ~~3·93~~ 3·88	— ~~1·52~~ 1·52	YEAR'S TOTAL 38·70
Rain Days.	~~19~~ 20	~~12~~ 11	~~18~~ 19	~~18~~ 17	~~16~~ 17	~~7~~ 6	3	~~7~~ 8	~~12~~ 11	~~16~~ 17	~~19~~ 18	8	155

W.D. from Jan 15

and forw... & W.D...

REGIS

FORM A.
BRITISH RAINFALL.

22 JAN 1914

Kept at Llanarth Court.

in the County of Monmouth

by E. R. Herbert

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Raglan. G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 125 approx. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	·06	0	·1	0	·08	0	0	·03	0	·05	0	1
2	0	·09	·32	·02	·1	0	0	0	·35	0	·2	0	2
3	·2	·31	·18	·03	·12	0	0	0	0	·9	·21	0	3
4	2·4	0	·08	0	·35	0	0	0	0	·13	0	·15	4
5	·1	·02	·03	0	·07	0	0	0	1·8	·7	·05	·22	5
6	·08	·04	·02	0	·03	·24	0	0	·15	0	·15	·1	6
7	0	·12	·25	0	·27	·1	·04	0	0	·35	·20	·47	7
8	0	·8	0	0	·38	·15	0	0	0	·54	·23	0	8
9	0	·34	0	0	·33	0	0	0	0	·25	·01	0	9
10	·4	·2	0	0	·18	·07	·03	·2	·05	·12	·25	0	10
11	·65	0	0	·07	·28	0	0	·12	0	·19	·08	0	11
12	0	0	0	·23	·15	0	0	0	0	·14	1·00	0	12
13	0	0	0	0	·23	0	0	0	·04	0	·40	0	13
14	0	0	·15	0	·09	0	0	0	·54	0	·12	0	14
15	·24	0	·35	0	0	0	0	0	·1	·1	0	0	15
16	·06	·01	·55	·84	0	0	0	·32	0	0	·03	0	16
17	·42	0	·7	·11	0	0	0	·02	0	0	0	0	17
18	·17	0	·09	·17	0	0	0	0	0	0	06	0	18
19	·07	0	·49	·13	0	0	0	0	0	0	0	0	19
20	·15	0	·02	·02	0	·1[illegible]	0	0	·18	0	·0	0	20
21	·37	0	·3	·11	·22	0	0	0	0	·05	·5[illegible]	0	21
22	0	0	·38	·3	0	0	·07	0	0	0	·29	0	22
23	·57	0	·64	0	0	0	0	·25	·35	0	·0[illegible]	0	23
24	·0[illegible]	0	0	0	0	·15	0	0	·02	0	08	·12	24
25	02	·03	0	·03	0	0	0	0	0	0	0[illegible]	0	25
26	0	·06	0	·22	0	0	0	·1	·03	·03	02	·01	26
27	·0[illegible]	0	0	1·10	0	0	0	0	0	0	0	·4	27
28	·02	0	0	·5	·15	0	0	0	0	·2	0	0	28
29	·4	—	·25	·65	·05	0	0	0	0	·26	0	·05	29
30	·01	—	·4	·4	0	0	0	·07	0	·28	0	0	30
31	·35	—	0	—	0	—	0	0	—	1·10	—	0	31
Total	·06 ~~6·68~~ 6.74	— ~~2·08~~ 2.02	·10 ~~6·2~~ 5.30	— ~~5·93~~ 4.93	·08 ~~3·00~~ 3.08	— ~~·89~~ ·81	— ~~·14~~ ·14	·03 ~~1·08~~ 1.11	— ~~3·64~~ 3.64	·05 ~~5·51~~ 5.56	— ~~3·93~~ 3.88	— ~~1·52~~ 1.52	YEAR'S TOTAL 38·70
Rain Days.	~~19~~ 20	~~12~~ 11	~~18~~ 19	~~18~~ 17	~~16~~ 17	~~7~~ 6	3	~~7~~ 8	~~12~~ 11	~~16~~ 17	~~19~~ 18	8	155

W.7,000, XI. 13

FORM E.
BRITISH RAINFALL.

22 JAN 1914

To be filled up if the Observer desires to do so and returned to
DR. H. R. MILL, *Director*, BRITISH RAINFALL ORGANIZATION, 62 CAMDEN SQUARE, LONDON, N.W.

BRIEF REMARKS on the weather of the year or on any meteorological occurrences

at Llanarth Court *in the County of* Monmouth *for the year* **19**13

I enclose my record of rainfall for the year 1913 as I was unable to obtain my permanent gauge until Jan 15th I was obliged to keep a record from Jan 1st – 15th with a self recording gauge and therefore if the records for those days ~~are~~ do not agree with other observations in this locality I should suggest that they be disregarded.

(*Signed*) Philip R. Herbert

Please write on one side of the paper, as if the remarks are selected for publication in BRITISH RAINFALL this form will be sent to the Printer. If there is not room to describe any very remarkable phenomenon, such as a cloudburst, serious flood or disastrous drought, please continue on an additional sheet.

W.—5,000.—XI.-13.

FORM A2.
BRITISH RAINFALL.
3 JUN 1912

RHYMNEY
BLAIN
MONMOUTHSHIRE
1911

Kept at Bla... ...dford

...5 in.

in the County of ... ...Ground 1 ft. 0 in.

...Sea Level 1350 ft.

by Wr. Hug... ...m.

...Name Rhymney Bdge.

...Distance 2/3 mile Direction South.

IMPORTAN... the result entered to the previous day. I... ...ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·13	·09	–	–							1
2	·02	–	·02	–	·42	–							2
3	–	–	·04	–	·58	–							3
4	–	–	·15	·05	·03	–							4
5	·25	–	·09	·05	–	–							5
6	·34	–	·16	–	–	–							6
7	·15	–	–	–	–	–							7
8	·11	–	·21	–	–	–							8
9	·09	–	·02	–	–	–							9
10	·09	·08	·46	–	–	–							10
11	·36	–	–	–	·08	–							11
12	–	·03	·38	–	–	–							12
13	–	–	–	–	103	–							13
14	–	·21	·03	–	–	–							14
15	–	·26	·02	–	–	·04							15
16	–	·09	–	–	–	·32							16
17	–	·65	–	·34	–	·88							17
18	–	·92	·09	·26	–	·40							18
19	–	·09	·02	–	–	·03							19
20	~~·02~~	·12	–	·44	–	–							20
21	~~·02~~	·86	·03	·09	–	·18							21
22	·02	·14	·02	·27	–	·19							22
23	·09	·52	·03	·04	·08	·10							23
24	·05	·22	–	–	·03	·46							24
25	·19	·15	–	·21	–	·06							25
26	·01	·14	–	·49	·01	–							26
27	·01	1·16	–	·28	–	–							27
28	–	·39	·05	·36	–	·04							28
29	–	+	–	·14	–	·40							29
30	–	+	·02	–	–	·07							30
31	–		–		–								31
Total	1·44	6·09	1·94	3·11	1·26	3·47							TOTAL for year
No. of Rain Days.	14	14	19	14	8	13							

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 JUN 1912

REGISTER

Kept at Blaen Rhymney

in the County of Monmouth

by Mr. Hugh P. Raikes M. Inst. C.E.

Rain Gauge:
Pattern Bradford
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 1350 ft.

Time of Observation 9 a.m.

Nearest Railway Station:
Name Rhymney Bdge.
Distance 2/3 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·13	·09	–	–							1
2	·02	–	·02	–	·42	–							2
3	–	–	·04	–	·58	–							3
4	–	–	·15	·05	·03	–							4
5	·25	–	·09	·05	–	–							5
6	·37	–	·16	–	–	–							6
7	·15	–	–	–	–	–							7
8	·11	–	·21	–	–	–							8
9	·09	–	·02	–	–	–							9
10	·09	·08	·46	–	–	–							10
11	·36	–	–	–	·08	–							11
12	–	·03	·38	–	–	–							12
13	–	–	–	–	·03	–							13
14	–	·21	·03	–	–	–							14
15	–	·26	·02	–	–	·04							15
16	–	·09	–	–	–	·32							16
17	–	·65	–	·34	–	·88							17
18	–	·92	·09	·26	–	·40							18
19	–	·09	·02	–	–	·03							19
20	~~·02~~	·12	–	·44	–	–							20
21	~~·02~~	·86	·03	·09	–	·18							21
22	·02	·17	·02	·27	–	·19							22
23	·02	·52	·03	·04	·08	·10							23
24	·06	·22	–	–	·03	·46							24
25	·19	·15	–	·21	–	·06							25
26	·01	·17	–	·49	·01	–							26
27	·01	1·16	–	·28	–	–							27
28	–	·39	·05	·36	–	·04							28
29	–	+	–	·14	–	·70							29
30	–	+	·02	+	–	·07							30
31	–		–		–								31
Total	1·74	6·09	1·97	3·11	1·26	3·47							TOTAL for year
No. of Rain Days.	14	17	19	14	8	13							

W. 8,000, X. '11.

Sample ✓

REC

Rogerstone —

BRYNHEDYDD

MONMOUTH

1916

FORM 1A.
BRITISH RAINFALL.

Kept at Brynhed ... erin

in the County of Monm ... in.

by C. E. Forestier-W ... ft. in.

...el 333 ft.

IMPORTANT NOT ... ult entered to the previous day. If an Ob ... le, he is earnestly requested to add the rea ... following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·08		0·01			0·40	0·34			0·75	0·13		1
2	0·73	0·16	0·04		0·10				0·32	1·63	0·10		2
3	0·01	0·65			0·15				0·04	0·55	0·17		3
4	0·26	0·27			0·34	0·10				0·40	0·42		4
5	0·11	0·54			0·23	1·00				0·35	0·04		5
6	0·17	0·55	0·01		0·38	0·10	0·95			0·50	1·20		6
7		0·07	0·06		0·24					0·08	0·23	0·25	7
8	0·06	0·02	0·05		0·14					0·02	0·03	0·21	8
9					0·50		0·18				0·07	0·03	9
10		0·50	0·04	0·07	0·06		0·03			0·15	0·03		10
11	0·11	0·01		0·19	0·44					0·02			11
12	0·04	0·22	0·10	0·02	0·01				0·04	0·20			12
13		0·55	0·23	0·03	0·07		0·54	0·23		0·18			13
14	0·01	0·62	0·01	0·03				0·50		0·08			14
15		0·82	0·11	0·13				0·18					15
16	0·15	0·07		0·31			0·04	0·6		0·08			16
17	0·20	0·19		0·09				0·04	0·33	0·63	0·18		17
18	0·07	0·13	0·28						0·07		0·12	snow 0·24	18
19	0·53		1·21								0·17		19
20	0·50	0·04	0·30								0·18	0·20	20
21	0·22	0·06	0·28		0·06							0·25	21
22	0·03			0·12		0·25				0·31	0·14	0·77	22
23		0·05		0·23		0·09		0·39			0·50		23
24	0·02	0·20	0·07	0·29	1·42			0·27		0·42	0·07		24
25		0·06	0·26		0·18	0·25		1·12		0·04	0·20		25
26	0·09	0·15	0·08		0·02	0·48		0·06	0·34	0·26			26
27	0·12	0·16	0·50						0·34	1·17	0·06		27
28		0·11				0·15		0·40	0·03	0·44		0·85	28
29		0·30				0·68		1·00		0·55		1·00	29
30		X						0·15		0·57		0·03	30
31		X		X		X		0·02	X	0·39	X	0·11	31
Total	3·51 ✓	6·50 ✓	3·64 ✓	1·51 ✓	4·34 ✓	3·50 ✓	2·06 ✓	4·27 ✓	1·56 ✓	9·77 ✓	4·04 ✓	3·94 ✓	YEAR'S TOTAL 48·66
Rain Days.	20 ✓	25 ✓	16 ✓	11 ✓	16 ✓	10 ✓	6 ✓	13 ✓	8 ✓	24 ✓	19 ✓	11 ✓	161

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Smale

REG

FORM A.
BRITISH RAINFALL.

Kept at Brynhedydd

in the County of Monmouthshire

by C. E. Forester-Walker

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Rhiwderin

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 333 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·08		0·01			0·40	0·34			0·75	0·13		1
2	0·73	0·16	0·04		0·10				0·32	1·63	0·10		2
3	0·01	0·65			0·15				0·04	0·55	0·17		3
4	0·26	0·27			0·34	0·10				0·40	0·42		4
5	0·11	0·54			0·23	1·00				0·35	0·04		5
6	0·17	0·55	0·01		0·38	0·10	0·95			0·50	1·20		6
7		0·07	0·06		0·24					0·08	0·23	0·25	7
8	0·06	0·02	0·05		0·14					0·02	0·03	0·21	8
9					0·50		0·18				0·07	0·03	9
10		0·50	0·04	0·07	0·06		0·03			0·15	0·03		10
11	0·11	0·01		0·10	0·44					0·02			11
12	0·04	0·22	0·10	0·02	0·01				0·04	0·20			12
13		0·55	0·23	0·03	0·07		0·54	0·23		0·18			13
14	0·01	0·62	0·01	0·03				0·50		0·08			14
15		0·82	0·11	0·13				0·18					15
16	0·15	0·07		0·31			0·04	0·6		0·08			16
17	0·20	0·19		0·09				0·04	0·33	0·63	0·18		17
18	0·07	0·13	0·28						0·07		0·12	snow 0·24	18
19	0·53		1·21								0·17		19
20	0·50	0·04	0·30								0·18	0·20	20
21	0·22	0·06	0·28		0·06							0·25	21
22	0·03			0·12		0·25				0·31	0·14	0·77	22
23		0·05		0·23		0·09		0·39			0·50		23
24	0·02	0·20	0·07	0·29	1·42			0·07		0·42	0·07		24
25		0·06	0·26		0·18	0·25		1·12		0·04	0·20		25
26	0·09	0·15	0·08		0·02	0·48		0·08	0·39	0·26			26
27	0·12	0·16	0·50						0·34	1·17	0·06		27
28		0·11				0·15		0·40	0·02	0·44		0·85	28
29		0·30				0·68		1·00		0·55		1·00	29
30		X						0·15		0·57		0·03	30
31		X		X		X		0·02	X	0·39	X	0·11	31
Total	3·51	6·50	3·64	1·51	4·34	3·50	2·08	4·27	1·56	9·77	4·04	3·94	YEAR'S TOTAL 48·66
Rain Days.	20	25	16	11	16	10	6	13	8	24	19	11	181

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REG 1911

ROGERSTONE
RHIWERN
MONMOUTHSHIRE
1911 - 1920

Kept at Parkhous
in the County of Monm
by L. Forester-M

of top 5 in.
top above Ground 1 ft. 3 in.
„ „ Sea Level 250 ft.
on 9. A.M.
Station Name Rhiwderin
Distance 1½ Direction East

IMPORTANT NOTE.— n., and the result entered to the previous day. If an Observe st universal rule, he is earnestly requested to add the reading wing year in the space provided for it at the end of this pa measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	·02	·05	·16	.	.	·16	.	.	·13	·02	1
2	.	.	.	·06	·82	.	.	·28	.	·01	·54	·40	2
3	.	.	·01	.	·70	.	.	·05	.	.	·35	·11	3
4	.	.	·10	.	·01	.	.	·09	·03	.	·50	·54	4
5	·37	.	·05	·01	.	.	.	·17	.	·01	·12	.	5
6	·32	.	·02	.	.	.	.	·07	.	.	·36	·43	6
7	·08	.	.	.	.	.	.	.	.	.	·48	.	7
8	·04	.	·25	.	.	.	.	.	.	.	·19	·75	8
9	·02	.	.	.	.	.	.	.	.	.	·21	·30	9
10	·30	·04	·54	.	·24	.	.	.	.	.	·01	·29	10
11	·34	.	.	.	·23	.	.	.	.	.	·57	·21	11
12	.	.	·54	.	·01	.	.	.	·09	.	·69	·22	12
13	.	.	.	.	.	.	.	.	·40	·28	·14	·40	13
14	.	·06	.	.	.	.		.	.	·02	·08	·75	14
15	.	·19	.	.	.	·11	.	.	.	.	·62	·10	15
16	.	·05	.	.	.	·28	.	.	.	.	·25	·38	16
17	.	·19	.	·02	.	·02	.	.	.	.	·41	·32	17
18	.	·60	·03	·19	.	·35	.	.	.	·03	.	·36	18
19	.	·08	.	·34	.	·17	.	.	·32	·52	·01	·63	19
20	.	·07	·03	·47	.	·03	.	.	·12	·35	.	·58	20
21	·01	·70	.	·08	.	·17	.	1·25	·04	·57	.	·16	21
22	·02	·07	·13	·25	.	·33	.	.	·03	·20	.	59	22
23	·05	·29	·09	.	.	·11	.	·01	·38	·44	.	·35	23
24	·01	·24	.	.	.	·42	.	·39	·06	·17	.	·28	24
25	·07	·14	.	·47	.	·03	.	.	.	·28	.	·13	25
26	.	·25	.	·50	·06	.	.	·42	·20	·36	·04	·35	26
27	.	1·44	·05	·04	.	.	.	·54	.	.	·04	·12	27
28	.	·27	·01	·44	·03	·02	.	·03	·05	01	·38	·02	28
29	.	.	.	·02	.	·42	·09	·03	·23	1·01	·01	·01	29
30	.	.	·01	·02	.	·05	·08	·05	.	·41	·11	·01	30
31	.	.		.	.	.	·02	.	.	·11	.	.	31
Total	1·63	4·68	1·88	2·96	1·76	2·51	·19	3·54	1·95	4·72	6·24	8·81	TOTAL for year 40·87
No. of Rain Days.	12	16	15	15	9	14	3	14	12	17	23	28	178

W. 8,000, X. '11.

REG 1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Park House, Rhiwderin
in the County of Monmouth. 2
by L. Forestier-Walker.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 250 ft.
Time of Observation 9 - A.M.
Nearest Railway Station Name Rhiwderin
Distance 1½ Direction East.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·02	·05	·16	·	·	·16	·	·	·13	·02	1
2	·	·	·	·06	·82	·	·	·28	·	·01	·54	·40	2
3	·	·	·01	·	·70	·	·	·05	·	·	·35	·11	3
4	·	·	·10	·	·01	·	·	·09	·03	·	·50	·54	4
5	·37	·	·05	·01	·	·	·	·17	·	·01	·12	·	5
6	·32	·	·02	·	·	·	·	·07	·	·	·36	·43	6
7	·08	·	·	·	·	·	·	·	·	·	·48	·	7
8	·04	·	·25	·	·	·	·	·	·	·	·19	·75	8
9	·02	·	·	·	·	·	·	·	·	·	·21	·30	9
10	·30	·04	·54	·	·24	·	·	·	·	·	·01	·29	10
11	·34	·	·	·	·23	·	·	·	·	·	·57	·21	11
12	·	·	·54	·	·01	·	·	·	·09	·	·69	·22	12
13	·	·	·	·	·	·	·	·	·40	·28	·14	·40	13
14	·	·06	·	·	·	·	·	·	·	·02	·08	·75	14
15	·	·19	·	·	·	·11	·	·	·	·	·62	·10	15
16	·	·05	·	·	·	·28	·	·	·	·	·25	·38	16
17	·	·19	·	·02	·	·02	·	·	·	·	·41	·32	17
18	·	·60	·03	·19	·	·35	·	·	·	·03	·	·36	18
19	·	·08	·	·34	·	·17	·	·	·32	·52	·01	·63	19
20	·	·07	·03	·47	·	·03	·	·	·12	·35	·	·58	20
21	·01	·70	·	·08	·	·17	·	1·25	·04	·57	·	·16	21
22	·02	·07	·13	·25	·	·33	·	·	·03	·20	·	59	22
23	·05	·29	·09	·	·	·11	·	·01	·38	·44	·	·35	23
24	·01	·24	·	·	·	·42	·	·39	·06	·17	·	·28	24
25	·07	·14	·	·44	·	·03	·	·	·	·28	·	·13	25
26	·	·25	·	·50	·06	·	·	·42	·20	·36	·04	·35	26
27	·	1·44	·05	·04	·	·	·	·54	·	·	·04	·12	27
28	·	·27	·01	·44	·03	·02	·	·03	·05	01	·38	·02	28
29	·	·	·	·02	·	·42	·09	·03	·23	1·01	·01	·01	29
30	·	·	·01	·02	·	·05	·08	·05	·	·41	·11	·01	30
31	·	·		·	·	·	·02	·	·	·11	·	·	31
Total	1·63	4·68	1·88	2·96	1·76	2·51	·19	3·54	1·95	4·72	6·24	8·81	TOTAL for year 40·87
No. of Rain Days.	12	16	15	15.	9	14	3	14	12	17	23	28	178

W. 8,000, X. '11.

Corr for auth 26.III.13

FORM A2. BRITISH RAINFALL.

7. JAN 13

REGISTER OF RAINFALL IN 1912.

Kept at Park House Rhiwderin

in the County of Monmouth. 2

by L. Forestier-Walker

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 250 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Rhiwderin
Distance 1¼ miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	·33	.	.	·69	.	·16	·02	·43	.	·29	1
2	.	.	·41	.	.	·65	·08	.	.	·01	.	.	2
3	·01	.	·39	.	.	·18	·14	·93	·13	.	·03	·09	3
4	·32	.	1·38	·01	·01	·04	.	·11	.	.	·20	.	4
5	·51	·11	·14	.	·06	·02	.	·53	·01	.	·01	·07	5
6	·44	·11	.	.	·20	.	.	·38	.	.	·03	·04	6
7	.	·24	·03	·03	·14	·35	·04	.	.	.	·03	·04	7
8	·99	·29	·12	.	.	·14	·06	.	.	.	·01	·03	8
9	·03	·05	·34	·22	.	·57	·04	·30	.	.	·03	1·15	9
10	·31	·11	·01	.	.	·01	·06	·02	.	.	·27	·03	10
11	·02	·03	.	.	.	.	·03	.	.	.	·10	·81	11
12	·04	·20	·32	·10	·03	·20	·05	.	.	.	.	·15	12
13	·21	·01	·02	.	.	·08	.	.	.	·28	.	·82	13
14	·17	·04	·63	.	·07	·02	.	·03	.	.	.	·28	14
15	·24	·20	·01	·02	·40	·69	.	·04	.	.	.	·45	15
16	·46	·01	·48	.	·08	·03	.	·43	.	·21	·12	·08	16
17	·43	.	·12	.	·02	·19	.	·74	.	.	·02	·60	17
18	·09	·08	·10	.	.	·01	.	·32	.	·04	.	·20	18
19	·10	·04	·02	.	.	·22	·04	·55	.	·15	·01	·03	19
20	·05	·02	·67	.	·04	·01	·02	·02	.	·62	·02	.	20
21	·01	·16	·36	.	·68	.	·05	·33	.	·11	.	.	21
22	·20	·43	·21	.	·11	·01	·31	·42	.	·03	·11	·22	22
23	·17	·52	·65	.	.	·49	·01	·43	.	·05	·30	·47	23
24	·11	·05	·18	.	.	·60	.	·01	.	.	·01	·22	24
25	.	·02	·08	.	.	·76	.	·92	.	·07	·68	·41	25
26	.	·22	·03	.	.	.	·11	·08	.	84	·61	·32	26
27	.	·08	·03	.	.	·93	·78	.	.	1·29	·01	·80	27
28	.	·11	.	.	.	·10	·60	1·26	·11	·47	·48	·35	28
29	.	·22	·02	.	.	·05	·56	·24	·62	·19	.	·09	29
30	.	.	·09	.	·03	·04	·20	.	.	·36	.	·04	30
31	.	.	·10	.	·17	.	·52	·09	.	.	.	·44	31
Total	4·91	3·35	7·27	·38	2·04	7·08	3·70	8·34	·89	5·15	3·08	8·52	54·71 Total for Year 54·[illegible]
No. of Rain Days.	21	24	28	5	14	26	19	23	5	16	20	27	228.

W. 8,000, X. '11.

✓ [illegible] 28.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

3 - JAN 1914

Kept at Park House Rhiwderin

in the County of Monmouth

by L. Forestier-Walker

Lat. Long.

Time of Observation Rh 9 AM

Nearest Railway Station Rhiwderin

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·20	·52	·03	.	.	.	.	·16	·01	·33	·01	1
2	·03	·34	·28	·09	·08	.	.	.	(·02) ·27	·12	·21	·18	2
3	·10	·03	·08	.	·31	.	.	.	.	.	·01	·20	3
4	1·34	·01	·28	.	·04	·05	·01	.	1·33	·38	·11	·13	4
5	·06	·04	·10	.	·44	·09	·03	.	·23	.	·25	·06	5
6	·08	·11	·20	.	·06	·61	·05	.	.	·50	·27	·26	6
7	·01	·75	.	.	·35	·32	.	.	.	·68	48	·02	7
8	·02	·36	.	.	·20	·01	·03	.	.	·01	.	·08	8
9	.	·22	·04	·01	·18	·40	·15	·10	.	.	·25	·03	9
10	·46	.	·06	.	·05	·03	.	·03		·62	·11	·01	10
11	·83	·01	.	·14	·25	.	.	.	.	·01	·60	·15	11
12	.	.	.	.	·32	.	·01	·02	·02	.	·42	.	12
13	·06	.	·83	·01	·01	.	.	·06	·33	.	·35	.	13
14	·11	·01	·75	·09	.	.	.	·01	·17	·18	·06	·03	14
15	·12	.	·41	1·73	.	.	.	·14	·02	.	·19	·07	15
16	·21	.	·64	·05	.	.	·02	·11	.	.	·03	.	16
17	·14	.	·03	·24	.	.	·01	.	.	.	·22	.	17
18	·08	.	·45	·40	.	.	.	.	.	.	·20	.	18
19	·13	.	·26	·05	·02	·21	.	.	·24	.	·05	.	19
20	·51	.	·19	·33	.	.	.	.	.	·10	·64	.	20
21	.	.	·08	·22	·20	.	·16	·17	.	·02	·30	.	21
22	·74	.	·86	.	·03	·27	.	·16	·34	.	·01	.	22
23	·06	.	.	.	.	·03	.	·08	·03	.	·09	·14	23
24	·20	·02	.	·13	.	.	.	.	.	.	·03	.	24
25	.	·03	.	·49	.	.	.	.	·05	·02	·06	·21	25
26	.	·02	.	·42	.	.	.	·04	·01	·01	.	·39	26
27	·07	.	·08	·59	.	.	.	.	.	·59	.	.	27
28	·22	.	·12	·46	·02	.	.	.	.	·36	.	·07	28
29	·01	.	·36	·26	·02	.	.	·18	.	·30	·01	.	29
30	·90	.	.	.	.	.	.	1·01	.	94	04	.	30
31	·08	.	·08	.	·36	.	.	·05	.	.	.	.	31
Total	6·62	2·15	6·70	5·74	2·94	2·02	·47	2·16	2·95	4·85	5·35	2·04	YEAR'S TOTAL 43·99
Rain Days.	26	14	22	19	18	10	9	14	13	17	26	17	205

W. 7,500, XI. ·12

Ex IL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
JAN 1915

Kept at Parkhouse Rhiwderin
in the County of Monmouth. 2
by L. Forestier-Walker

Lat. Long.
Time of Observation 9 AM.
Nearest Railway Station Rhiwderin
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	·01	·02	·07	.	·17	·47	·38	-	.	·12	·16	1
2	.	.	.	·02	·05	·01	1·21	·04	.	.	·43	·40	2
3		.	·15	·26	·60	.	.	·03	.	.	.	·13	3
4	·36	.	·06	·40	·08	.	·75	·02	.	.	·58	·96	4
5	·11	.	·15	·48	·03	.	.	.	.	.	·13	·06	5
6	·02	·12	·08	·15	·14	·03	·69	·41	.	.	·07	·68	6
7	·04	·43	·55	·34	·47	·57	.	·23	·11	.	.	·23	7
8	·47	.	·45	·02	·07	1·27	.	·16	·17	.	·01	·13	8
9	·23	·06	·22	·61	·05	·26	.	·09	·20	.	.	.	9
10	·02	·28	·01	·51	·19	·59	.	.	·33	.	·09	.	10
11	.	·15	·51	.	13	.	·15	.	.	.	·24	·66	11
12	.	·24	·16	.	.	.	.	.	·23	.	·12	·19	12
13	.	·88	·52	.	.	.	·08	.	·60	·27	·78	·11	13
14	.	·68	·41	.	.	.	·06	·30	·01	·05	·48	.	14
15	.	·10	·32	.	.	.	·07	·47	·14	·01	.	.	15
16	.	.	·02	.	.	.	·10	.	26	.	.	·02	16
17	.	·84	·17	.	.	.	·09	.	·05	.	.	1·01	17
18	.	·11	·10	.	.	.	·07	.	.	.	.	·53	18
19	.	·06	·13	.	.	·02	1·48	.	.	.	.	·23	19
20	.	·17	·12	.	.	.	.	.	.	.	.	·37	20
21	.	·13	·01	.	.	·03	·41	.	.	·25	.	.	21
22	.	25	.	·01	·05	.	.	·16	.	·17	.	·01	22
23	.	·06	·18		·02	.	.	.	.	·31	.	.	23
24	.	·01	·03	.	.	.	·10	·13	.	03	·18	.	24
25	·07	.	·14	.	·01	.	·06	71	.	·66	·02	·97	25
26	.	·02	·02	.	.		·03	.	.	·17	·53	·61	26
27	·01	·01	·01	.	.	.	.	.	.	·05	·39	·26	27
28	·06	·23	·30	.	·09	.	.	.	.	.	·08	·46	28
29	·64		·22	.	·19	·02	.	.	.	·06	·37	.	29
30	·06	✕	·15	.	.	.	.	.	.	·18	·84	·49	30
31	·08	✕	.	✕	.	✕	·79	.	✕	·23	✕	04	31
Total	2.17	4.64	5.21	2.87	2.17	2.91	6.61	3.13	2.10	2.44	5.46	8.71	YEAR'S TOTAL 48.42
Rain Days.	13.	21	28	11	15.	10	17	13	10	13.	18	23.	192

W. 8,000. X. 14.

396

FORM A.
BRITISH RAINFALL
4. JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Park House Rhiwderin

in the County of Monmouth.

by L. Foster Walke.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Rhiwderin Boh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·55	.	.	·16	.	.	·11	·11	·35	.	·21	1
2	·19	·16	·25	·29	.	.	.	·65	·20	·15	.	·11	2
3	.	·07	·26	·10	·05	.	·18	·02	.	.	.	·17	3
4	·04	·14	·04	.	·09	.	·15	.	.	.	.	·77	4
5	·21	·17	·01	·13	.	.	.	·28	.	.	.	·73	5
6	·34	·03	.	·42	.	.	·74	·03	.	.	.	·34	6
7	·48	·70	.	·02	.	.	·06	·07	.	.	.	·47	7
8	·40	·19	.	·04	.	.	.	·09	.	.	·33	.	8
9	·04	·14	.	·03	.	.	.	02	.	.	·20	·90	9
10	·64	·01	.	·09	.	.	.	.	.	·05	·01	·06	10
11	·01	.	·11	.	·19	.	.	.	.	.	·80	·07	11
12	·19	·22	.	·10	·39	.	.	.	.	.	·25	.	12
13	·01	·23	.	.	.	.	.	·05	·18	·15	·02	·07	13
14	·16	.	.	.	·09	.	·05	1·16	·14	.	.	1·77	14
15	·57	.	.	.	·38	.	·18	·09	·06	.	·04	·14	15
16	·02	1·39	.	.	·28	.	1·29	·03	.	·04	.	.	16
17	.	·23	.	.	.	.	.	·02	.	.	.	.	17
18	.	·45	.	.	·45	.	·05	.	.	.	.	.	18
19	.	.	.	·02	.	.	·59	.	.	.	.	.	19
20	·34	.	.	·03	.	.	.	.	.	·08	.	·03	20
21	·18	·13	.	.	.	.	·32	.	.	·24	.	.	21
22	03	·01	·21	·05	.	.	·47	.	·01	·02	.	·54	22
23	.	·01	·19	.	.	.	·18	.	·07	1·38	.	·75	23
24	.	.	.	.	.	.	·18	.	·11	·32	.	·57	24
25	.	.	.	.	.	·31	·09	.	.	.	.	·29	25
26	.	·43	.	.	.	·28	·21	.	.	.	.	·64	26
27	.	·10	.	.	.	·05	·09	.	.	·74	.	·02	27
28	.	·10	.	.	.	.	07	.	·48	·07	.	·02	28
29	.	.	.	.	.	·17	.	.	.	.	·19	·15	29
30	·25	X	.	·06	.	·02	.	.	.	·34	·24	·33	30
31	.	X	.	X	.	X	·17	·04	X	·36	X	·38	31
Total	4·70	5·46	1·07	1·38	2·08	·83	5·07	2·66	1·36	4·29	2·08	9·53	YEAR'S TOTAL 40·57
Rain Days.	19.	21	7	13	9.	5.	18.	14.	9.	14.	9.	24	162.

W. 8,000. X. 15.

3895

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Park House Rhiwderin
in the County of Monmouth.
by L. Forestier-Walker.

Lat. Long.
Time of Observation 9 AM.
Nearest Railway Station 1¼
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 250. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	.	.	.	·02	·37	·33	.	.	·64	·16	.	1
2	1·21	·16	·02×	.	·01	·11	.	.	·26	1·48	·11	.	2
3	.	·61	.	.	·23	·15	.	.	.	·50	·19	.	3
4	·40	·30	.	.	·08	·94	.	.	·03	·38	·30	.	4
5	·13	·57	.	.	·11	·05	.	.	.	·31	·04	.	5
6	·28	·56	.	.	·39	·03	1·08	.	.	·62	1·18	.	6
7	·05	·10	·07	.	·25	.	.	.	.	·09	·24	·24	7
8	.	·03	.	.	·37	·20	.	.	.	.	·02	·13	8
9	.	.	.	.	·05	(·30)	·18	.	.	·03	·08	·06	9
10	.	·39	·03×	·05	·03	.	·02	.	.	·11	·03	·11	10
11	·05	.	·05×	·05	·06	.	·01	.	.	·03	.	.	11
12	·03	·24	·03	·15	·34	.	·53	·07	.	·21	.	.	12
13	.	·61	·11	·01	.	.	.	·40	.	·20	.	.	13
14	.	·62	·02	·01	·06	.	.	·24	.	·10	.	.	14
15	.	·88	.	·16	.	.	·03	·20	.	.	.	.	15
16	·13	·07	.	·28	.	.	.	·11	.	·06	.	.	16
17	·22	·20	.	·05	.	.	.	.	(32) ·23	·54	·15×	.	17
18	·06	·15	·27	·06	.	.	.	.	·05	·01	·12	·21×	18
19	·53	.	·70	·05	·06	.	.	.	.	.	·09	.	19
20	·45	·01	·14	.	.	.	·02	.	.	.	·16	·29	20
21	·30	·02	·10	.	.	.	.	.	.	.	.	·14	21
22	.	.	.	·02	.	.	.	.	.	·29	·09	·52	22
23	·02	·14×	.	·22	.	·24	.	·28	.	·01	·56	·10	23
24	.	·05×	·06	·29	1·33	·10	.	·10	.	·50	·03	·12	24
25	·02	·13×	·38	.	.	·08	.	1·08	.	·04	·21	·01	25
26	·10	·06×	·07	.	·07	·12	.	·02	·32	·22	·04	.	26
27	·10	.	·97 ⊗	.	·03	·48	.	·33	·39	1·18	.	.	27
28	.	·13×	·03	.	.	·01	.	.	·04	·46	03	1·05	28
29	.	·19	.	.	.	·82	.	·85	.	·53	.	·60	29
30	.	X	.	.	·02	.	.	·13	.	·54	.	·03	30
31	.	X	.	X	.	X	.	·17	X	·35	X	·10	31
Total	4·21	6·22	3·05	1·40	3·51	4·01	2·20	3·98	1·41	9·43	3·83	3·71	YEAR'S TOTAL 46·96
Rain Days.	18	23	16	13.	18	15.	8.	13.	7.	26.	20.	15.	192.

W. 8,000, VIII. 16

⊗ Severe Blizzard. × Snow.

3726

FORM A.

BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Park House Rhiwderin

in the County of Monmouth

by L. Forestier-Walker.

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Rhiwderin B&M Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 15 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.	.14	.41x		.24	.	.66	.15	.	.03	.02	1
2	.01	.	.	.06x	.	.24	.	.	.	.	.18	.	2
3	.08	.10x	.	.03x	.	.	.14	.	.	1.18	.03	.	3
4	.	.13x	.31x	.	.	.	.11	.	.	.19	.	.	4
5	.32	.	.40x	.20	.	.09	.	~~.77~~ 26	.19	.26	.26	.	5
6		.	.13	.	.	.	.	.	.	.30	.36	.19	6
7	.41	.	.	.	.	.	.11	.17	.	.28	.05	.	7
8	.11	.	.35x	.07	.	.	.46	.84	.	.78	.48	.08	8
9	.	.	.19x	.04x	.03	.	.	~~.44~~ 67	.14	.12	.18	.	9
10	.35	.	.41	.25x	.02	.	.	.19	.	.01	.	.	10
11	.03	.	.16	.49x	.07	.	.	.34	.	.59	.11	.	11
12	.05	.	.02	.	.96	.	.	.17	.	.56	.	.	12
13	.	.	.21	.23	.	.02	.	.18	.13	.04	.	.	13
14		.	.11	.05	.	.	.	.22	.02	.	.	.	14
15	.02x	.	.	.01	.	.	.16	.05	.05	.62	.	.48	15
16		.09	.	.18	.	.	.	.01	.	.02	.	.	16
17	.	.01	.	.02	.17		.49	~~.36~~ .49	.36	.13	.02	.08	17
18	.	.02	.		.03	.	.60	~~1.11~~ .19	1.41	.	.	.	18
19	.	.75	.06	.	.	.37	.	.07	.01	.	.	.	19
20	.	.09	.04	.	.38	.03	.	.	.	.			20
21		.02	.11x	.	.02	.	.	.	.	.13	.	.	21
22	.	.	.	.	.	.	.	.36		.12	.		22
23	.	.18	.	.	.09	.03	.	.77	.	.08	.03	.	23
24	.	.	.		.	.03	.47	.69	.	.78	.05	.	24
25	.	.03	.04	.	.	.	.	.09	.05	.14	.		25
26	.		.	.	.28	.	.	.89	.32	.02	.	.	26
27	.	.	.	.	.54	.28	.	.91	.	.	.14	.	27
28	.	.	.15	.	.14	.46	.	.22	.	.	.02	.	28
29	.	.	.12	.	.	.25	.	.	.	.64	.01	.10	29
30	.	X	.	.	.	.	.	.40	.	.23	.02	.	30
31	.	X	.06	X	.12	X	.	.32	X	.08	X	.	31
Total	1.41	1.42	3.01	2.04	2.85	2.04	2.54	8.84	2.83	7.30	1.97	.95	YEAR'S TOTAL 37.20
Rain Days.	10	10	18	13.	13	11	8	24	11	23	16	6	163.

W. 8,000, IX. 17.

Rainfall marked X means snow (melted).

4

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at Rhiwderin
in the County of Monmouth
by L. Forester-Walker

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Rhiwderin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·91

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	·24	·05	·11	.	.	.	·42	.	·01	·48	.	1
2	.	·27	.	·02	.	.	.	·55	.	·01	·06	·82	2
3	.	·19	.	·30	·10	.	.	.	·27	·06	·10	·03	3
4	.	·11	.	·01	.	.	.	·05	·16	·31	1.16	·84	4
5	.	·03	.	·26	·05	.	.	·15	·13	·70	·18	·05	5
6	.	1.05	.	·17	.	.	.	.	·10	·27	.	·10	6
7	·08	·06	.	.	·41	·02	.	·02	1.07	·29	·33	·03	7
8	.	·13	.	.	.	·02	·05	.	·11	·26	·03	.	8
9	·04 ×	·13	.	·44	.	·25	·25	.	·97	·24	·04	·29	9
10	·02	·05	.	·07	.	.	·45	.	·45	·05	·03	·33	10
11	·01	·03	·20	·02	.	.	·23	.	·58	·47	·08	·18	11
12	.	·18	·20	.	·19	.	.	.	·05	.	.	·04	12
13	·12 ×	.	.	.	·07	.	·10	.	1.03	·24	.	·29	13
14	·77 ×	.	.	.	.	·04	·11	.	·39	·06	.	·39	14
15	·52 ×	.	·04	·08	.	·02	·35	.	·01	.	.	·53	15
16	·22 ×	.	·07	·46	.	.	.	·21	·34	.	.	·05	16
17	·56	.	.	·01	.	.	·23	·10	·05	·02	.	·76	17
18	1.59	.	·06	·01	.	·78	·15	.	1.10	.	.	·15	18
19	·11	·07	.	·04	.	.	·06	·04	·07	·04	.	.	19
20	·03	·31	.	.	.	·03	·20	.	·50	·04	.	·01	20
21	·02	·09	.	.	.	.	·10	.	·62	.	.	·22	21
22	·01	.	.	.	·35	.	·68	.	·29	.	.	55	22
23	·26	.	.	.	·28	.	·40	.	.	.	·05	.	23
24	.	·15	.	.	.	.	·43	·72	·14	.	·16	.	24
25	.	.	.	.	·10	.	·72	·46	·02	·11	·05	.	25
26	.	.	.	04	.	.	·66	.	·38	·05	·13	·57	26
27	.	.	·63	.	.	.	·04	·47	·26	·02	·11	·05	27
28	.	.	·18	.	.	.	.	.	·09	·03	.	·16	28
29	.	.	·33	.	.	.	.	.	1.04	.	.	·04	29
30	.	✕	·65	.	.	.	.	.	.	·09	·09	·15	30
31	.	✕	·36	✕	.	✕	.	·05	✕	.	✕	.	31
Total	4.36	3.09	2.77	2.04	1.55	1.16	5.21	3.24	10.22	3.37	3.08	6.63	YEAR'S TOTAL 46.72
Rain Days.	15	16	11	15	8	7	18	12	26	21	16	24	189

W. 8,000, IX. 17.

×. denotes Snow.

3535

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rhiwderin
in the County of Monmouth
by L. Forestier-Walker & M.P.

Lat. .... Long. ....
Time of Observation 9 AM.
Nearest Railway Station Rhiwderin
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·91	.	·03	·01	·19	.	·16	.	·20	·22	.	·69	1
2	·35	.	·22	.	·02	.	·22	.	·29	.	·02	·46	2
3	.	.	·30	.	·11	.	.	.	·03	.	·03	·53	3
4	·01	·10	·21	.	.	·11	·06	.	·43	.	.	·19	4
5	.	·33	·32	.	.	.	.	.	·08	.	·03	·31	5
6	·35	·06	·70	.	.	.	.	.	.	.	.	·17	6
7	·09	.	·47	·10	.	.	.	.	.	.	.	.	7
8	·06	.	·15	·04	.	.	.	.	.	.	.	.	8
9	·40	.	·04	·12	.	.	.	.	.	.	·20	.	9
10	.	.	·50	·08	.	.	.	.	.	.	.	·33	10
11	·07	.	·20	·12	·19	.	·22	.	.	·01	.	·12	11
12	·03	.	·01×	·11	.	·59	.	.	.	·03	.	.	12
13	·50	.	.	·65	.	.	.	.	·02	·04	.	·16	13
14	·95	·20	.	.	·09	.	·07	.	·01	·09	.	·21	14
15	·47	·09	.	·25	.	.	.	.	.	·06	.	·29	15
16	·16	·66	.	.	.	.	.	.	.	.	·13	.	16
17	.	·31×	.	.	.	.	.	.	.	.	·42	·05	17
18	·09	·21	.	.	.	.	·12	·93	.	.	·22	·12	18
19	·70	·47	1·21	.	.	·18	·70	·57	.	.	·09	·04	19
20	·27	·20	·35	.	.	·08	.	·13	.	.	·02	·17	20
21	.	1·35	·02	.	.	.	.	.	·04	.	·03	·06	21
22	.	·02		.	.	.	.	.	·41	.	·02	·26	22
23	.	.	.	.	.	.	.	.	.	1·22	·26	·04	23
24	.	.	.	·05	.	·06	.	.	·03	·63	·49	·42	24
25	.	.	.	.	.	.	.	·43	·08	.	·08	·26	25
26	.	.	·18	·05	.	.	.	·03	·23	.		·89	26
27	·01×	(·07)	·12	·31	.	.	.	·65	.	.		·07	27
28	.	.	·27×	.	.	.	.	·30	.	.	·29×	·90	28
29	·13	.	.	·06	.	.	.	.	.	·04	.	·42	29
30	.		.	·08	.	·19	.	·19	.	.	·39	·63	30
31	.		.		.		.	.		.		·03	31
TOTAL	5·55	4·07	5·30	2·03	·60	1·21	1·55	3·23	1·85	2·34	2·72	7·82	YEAR'S TOTAL 38·27
Days with ·01 in. or more	18	13	18	14	5	6	7	8	12	9	16	26	152

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

× Snow Max daily fall 1·35 in on Feb 21.

3422

6 JAN 19

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rhiwderin
in the County of Monmouth
by L. Forestier-Walker. M.P.

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Rhiwderin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	·02	·16	·42	.	·85	·07	·07	·16	·09	·59	1
2	.	.	.	·05	·05	.	·09	·09	·01	·32	.	·30	2
3	·06	. ·03	.	·04	.	.	·28	.	·01	·23	.	·09	3
4	.	.	.	.	.	.	·03	1·26	.	·29	.	.	4
5	.	.	·44	·08	·35	.	·44	·07	·02	·26	.	.	5
6	.	.	·12	.	·84	.	·06	.	.	·19	·02	.	6
7	·39	.	.	·14	·17	.	·11	.	.	.	·01	.	7
8	.	.	.	·31	·14	.	·09	·10	.	·01	.	.	8
9	·82	·56	.	·24	.	·09	·16	·08	·03	.	.	.	9
10	1.62	·32	·27	·08	.	·32	·37	.	.	.	.	.	10
11	·23	.	·26	·29	·46	·02	·08	.	.	.	.	.	11
12	·37	·29	·03	·22	.	·59	·09	.	.	.	·21	.	12
13	·11	·03	·67	·31	.	·02	.	·02	.	.	·01	·02 x	13
14	·22	·07	·35	·58	.	·14	·16	.	·46	·24	·91	.	14
15	·05	·12	·11	·61	.	·08	.	.	·09	·29	·10	.	15
16	.	·01	·06	·09	·14	·12	·25	.	·64	·25	·13	.	16
17	·29	.	.	.	·38	·08	.	·07	1·05	·20	.	.	17
18	·15	.	.	·01	·10	·03	.	·28	·12	.	.	.	18
19	.	·10	.	·39	·03	·09	.	·04	.	.	.	.	19
20	.	·04	.	·27	.	·27	.	.	.	·01	.	·41	20
21	.	.	.	·02	.	.	·09	.	.	·05	.	·09	21
22	·07	.	.	·17	.	.	·24	·04	.	.	.	·19	22
23	.	.	.	.	.	.	·40	.	.	.	.	·81	23
24	·04	.	·49	·02	.	.	.	·01	.	.	.	·47	24
25	.	·08	·22	.	.	.	1·11	.	.	.	·06	·04	25
26	·27	·03	·37	.	.	.	.	.	.	.	·08	·09	26
27	·25	·07	·12	·08	·02	·67	.	.	.	.	.	·39	27
28	·47	·04	·10	.	·57	·13	·08	.	.	.	.	·13	28
29	·33	·03	·12	·10	·14	·02	·17	.	.	.	·28	·54	29
30	·71	X	·17	·08	.	·37	·15	.	·43	.	·42	·78	30
31	·32	X	·28	X	.	X	·02	·02	X	·31	X	·31	31
TOTAL	6·77	1·82	4·20	4·34	3·81	3·04	5·32	2·15	2·93	2·81	2·32	5·25	YEAR'S TOTAL 44·76
Days with ·01 in. or more	19	15	18	23	14	16	22	13	11	14	12	16	193
Days with ·04 in. or more	19	10	16	20	12	13	20	10	7	12	9	15	163

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W. x Snow.

REGISTE 12

Kept at Witla Cour

in the County of Monm

by Hattyse

ong.

tion

uge 5½ in.

ge above Ground 1 ft. 3 in.

„ Sea Level 168 ft.

FORM A.
BRITISH RAINFALL.
22 JAN 1913

RUMNEY

WITLA COURT

MONMOUTHSHIRE

1912 – 1920

IMPORTANT NOTE.—Ra n. and the result entered to the previous day. If an Observer st universal rule, he is earnestly requested to add the reading at ng year in the space provided for it at the end of this parag easurement of rain, the selection and placing of ra he British Rainfall Organization are given in "*Rul* ee on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·27	—	·01	·48	—	·08	—	·55	—	·29	1
2	·02	—	·33	—	—	·02	·09	—	—	—	—	—	2
3	·02	—	·26	—	—	·15	·12	1·05	·21	—	—	·08	3
4	·34	—	·65	—	—	·04	—	·05	—	—	·26	—	4
5	·44	·01	·13	—	·02	—	—	·50	—	—	—	·06	5
6	49	·20	—	—	·14	—	—	·26	—	—	·06	·02	6
7	·02	·17	·04	—	·18	·49	—	·02	—	—	·02	—	7
8	·66	·20	·11	·01	—	1·08	·06	·15	—	—	—	·07	8
9	·07	·06	·34	·17	—	·65	·05	·34	—	—	04	·43	9
10	·31	·07	—	—	—	—	·03	—	·04	—	·24	—	10
11	·06	·07	—	—	—	—	·01	—	—	—	·13	·71	11
12	·07	·36	·20	·10	—	—	·06	—	—	—	—	·09	12
13	·17	—	·01	—	—	—	—	—	—	·07	—	·47	13
14	·16	—	·68	—	·12	—	—	·02	—	·01	—	·09	14
15	·12	·21	—	·03	·46	·82	—	·06	—	—	—	·54	15
16	·32	—	·37	—	·17	·02	—	·48	—	·13	·08	·04	16
17	·15	—	·13	—	·02	·27	—	·67	—	—	·01	·61	17
18	·19	·08	·22	—	—	—	—	·19	—	·13	—	·22	18
19	·13	·07	·04	—	—	·06	·05	·50	—	·16	—	·03	19
20	·04	·04	·59	—	·10	—	—	·38	—	·60	·01	—	20
21	·01	·16	·30	—	—	—	·03	·06	—	·08	—	—	21
22	·31	·33	·17	—	·58	—	·05	·61	—	·02	·05	·14	22
23	·29	·42	·65	—	·02	—	—	·85	—	·14	·12	·42	23
24	·10	·05	·14	—	—	·52	—	·04	—	·08	—	·11	24
25	—	—	—	—	—	·60	—	·91	—	·12	·42	·43	25
26	—	·16	·01	—	—	—	·04	·10	—	1·00	·80	·22	26
27	—	·04	·02	—	—	·87	·91	1·17	—	1·02	—	·89	27
28	—	·10	—	—	—	·11	·57	—	·10	·40	·46	·40	28
29	—	·16	—	—	—	—	·40	·14	·51	·14	—	·12	29
30	—		·07	—	·02	·10	·23	—	—	·26	—	·03	30
31	—		·10		—		·47	·03		—		·17	31
Total	4·49	2·94	5·83	·31	1·84	7·18	3·17	8·69	·86	4·97	2·73	6·98	YEAR'S TOTAL 49·99
Rain Days.	23	20	24	4	12	16	16	24	4	17	14	25	199

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 22 JAN 1913

Kept at Witla Court

in the County of Monmouth

by Hatthyssens

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 168 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·27	—	·01	·48	—	·08	—	·55	—	·29	1
2	·02	—	·33	—	—	·92	·09	—	—	—	—	—	2
3	·02	—	·26	—	—	·15	·12	1·05	·21	—	—	·08	3
4	·34	—	·65	—	—	·04	—	·05	—	—	·26	—	4
5	·44	·01	·13	—	·02	—	—	·50	—	—	—	·06	5
6	49	·20	—	—	·14	—	—	·26	—	—	·06	·02	6
7	·02	·17	·04	—	·18	·49	—	·02	—	—	·02	—	7
8	·66	·20	·11	·01	—	1·08	·06	·15	—	—	—	·07	8
9	·07	·04	·34	·17	—	·65	·05	·34	—	—	04	·73	9
10	·31	·07	—	—	—	—	·03	—	·04	—	·24	—	10
11	·06	·07	—	—	—	—	·01	—	—	—	·13	·71	11
12	·07	·36	·20	·10	—	—	·06	—	—	—	—	·09	12
13	·17	—	·01	—	—	—	—	—	—	·07	—	·47	13
14	·16	—	·68	—	·12	—	—	·02	—	·01	—	·09	14
15	·12	·21	—	·03	·46	·82	—	·06	—	—	—	·54	15
16	·32	—	·37	—	·17	·02	—	·48	—	·13	·08	·04	16
17	·15	—	·13	—	·02	·27	—	·67	—	—	·01	·61	17
18	·19	·08	·22	—	—	—	—	·19	—	·13	—	·22	18
19	·13	·07	·04	—	—	·06	·05	·50	—	·16	—	·03	19
20	·04	·04	·59	—	·10	—	—	·38	—	·60	·01	—	20
21	·01	·16	·30	—	—	—	·03	·06	—	·08	—	—	21
22	·31	·33	·17	—	·55	—	·05	·61	—	·02	·05	·14	22
23	·29	·42	·65	—	·02	—	—	·85	—	·17	·12	·42	23
24	·10	·05	·14	—	—	·52	—	·04	—	·08	—	·11	24
25	—	—	—	—	—	·60	—	·91	—	·12	·42	·43	25
26	—	·16	·01	—	—	—	·04	·10	—	1·00	·80	·22	26
27	—	·04	·02	—	—	·87	·91	1·17	—	1·02	—	·89	27
28	—	·10	—	—	—	·11	·57	—	·10	·40	·46	·40	28
29	—	·16	—	—	—	—	·40	·17	·51	·17	—	·12	29
30	—		·07	—	·02	·10	·23	—	—	·26	—	·03	30
31	—		·10		—		·47	·03		—		·17	31
													YEAR'S TOTAL
Total	4·49	2·94	5·83	·31	1·84	7·18	3·17	8·69	·86	4·97	2·73	6·98	49·99
Rain Days.	23	20	24	4	12	16	16	24	4	17	14	25	199

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

12 MAY 1914

Kept at Witla Court
in the County of Monmouth
by J. F. Matthyssens.

Lat. Long.
Time of Observation 9·10. A.M.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 166 7/8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·15	·38	·01	–	–	–	–	·18	·03	·29	·03	1
2	·02	·25	·06	·11	–	–	·07	–	·04	·20	·20	·09	2
3	·07	–	·05	–	·30	–	–	–	–	–	–	–	3
4	1·35	–	·08	–	·03	–	·03	–	1·95	·21	·08	·32	4
5	·02	·09	·10	–	·46	·16	·07	–	·31	–	·57	·11	5
6	·07	·07	·20	–	·06	·30	·18	–	–	·89	·32	·49	6
7	–	·50	–	–	·30	·22	·01	–	–	·53	·34	–	7
8	–	·18	–	–	·17	·02	·01	–	–	–	–	·09	8
9	–	·18	·10	·02	·10	·27	·04	·06	–	–	·15	·04	9
10	·43	–	·05	–	·06	·03	–	·03	–	·61	·13	–	10
11	·80	–	·02	·15	·37	–	–	~~·03~~	–	·03	·45	·06	11
12	–	–	–	–	·27	–	–	·03	·01	–	·37	·01	12
13	·11	–	·42	–	–	–	–	·06	·39	–	·30	–	13
14	·09	–	·68	·10	–	–	–	–	·08	·21	·14	·05	14
15	·06	–	·34	1·54	–	–	–	·04	·03	–	·06	·08	15
16	·26	–	·61	·07	–	–	·04	·10	–	–	·03	–	16
17	·21	–	–	·18	–	–	·08	–	–	–	·09	–	17
18	·15	–	·30	·30	–	–	–	–	–	–	·10	–	18
19	·13	–	·11	·01	–	·17	–	–	·17	~~·07~~	·03	–	19
20	·46	–	·09	·22	–	–	–	–	–	·07	·38	–	20
21	–	–	·08	·40	·34	–	·08	·04	–	·15	·33	–	21
22	1·16	–	·96	–	–	·26	–	·18	·29	–	–	–	22
23	·02	–	–	–	–	–	–	·13	·06	–	·11	·13	23
24	·13	·05	–	·15	–	–	–	·04	–	–	·01	–	24
25	–	·01	–	·35	–	–	–	–	·06	·03	·07	·17	25
26	–	–	–	·39	–	–	–	·05	·01	·02	–	·25	26
27	·09	–	·08	·53	–	–	–	–	–	·29	–	–	27
28	·41	–	·11	·46	·05	–	–	–	–	·30	·01	–	28
29	–	–	·43	·25	·03	–	–	·15	–	·33	·01	–	29
30	·87	·35	·09	–	–	–	–	–	–	·92	·13	–	30
31	·14		–		·32		–	·09		–		–	31
Total	7·08	1·48	5·34	5.24	2.86	1.43	~~·53~~	1.00	3.58	4.82	4·70	1·92	YEAR'S TOTAL 40·06
Rain Days.	23	9	22	18	14	8	·61	13	13	16	25	14	185

10

W.7,000, XI. 13

wd for pr. W.D. 20.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
13 JAN 1915

Kept at Witla Court
in the County of Monmouth
by J. F. Matthy ~~sews~~

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 176 ~~88~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .40

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	'02	'09	—	'20	'02	'73	—	—	'09	'75	1
2	—	—	—	'01	'04	—	'40	'36	—	—	'49	'10	2
3	'09	—	'14	'24	—	—	1'30	'21	—	—	'02	'40	3
4	'20	—	'15	'38	'65	—	—	'11	—	—	'56	'13	4
5	'07	—	'25	'56	'05	—	'50	(—)	—	—	—	'83	5
6	—	'10	'09		03	'01	'06	'25	—	—	—	—	6
7	'07	'34	'37	'21	13		'52	'16	—	—	—	'50	7
8	'51	—	'50	01	'35	'63	(—)	'12		—	—	'80	8
9	'43	'03	'25	05	'09	1'24	—	'70	'14	—	—	'18	9
10	'01	'20	—	43	'05	—	—	—	'30	—	'13	—	10
11	—	'14	'42	44	'17	'50	'18	—	'35	—		—	11
12	—	'16	'13	01	'12	—	—	—	—	—	'10	'72	12
13	—	'55	'55	—	—	—	'03	—	'30	'20	'22	'23	13
14	—	'35	'33	—	—	—	'02	—	'80	'40	'15	'14	14
15	—	'01	'34	—	—	—	'02	'25	—	—	'57	—	15
16	—	—	'02	—	—	—		'70	'50	—	'60	—	16
17	—	'53	'27	—	—	—	'13	—	'26	—	—	'20	17
18	—	'06	'05	—	—	—	'14	—	'20	—	—	'98	18
19	—	'12	'20	—	—	—	'03	—	—	—	—	'50	19
20	—	'15	'10	—	—	'03	1'41	—	—	—	—	'30	20
21	—	'15	—	—	—	—	—	—	—		—	'29	21
22	—	'20	—	—	'07	'24	'27	—	—	'23	—	—	22
23	—	'08	'19	'01	'02	—	—	'12	—	'10	—	—	23
24	—	—	'04	—	—	—	'02	—	—	'33	—	—	24
25	'09	—	'15	—	'09	—	'16	'15	—	'40	20	—	25
26	—	'05	'19	—	—	—	'01	'62	—	'60	—	'71	26
27	'01	'01	—	—	—	—	'02	—	—	'18	'39	'36	27
28	'04	'17	'18	—	·08	—	—	—	—	'20	'44	'21	28
29	'50		'24	—	·14	—		—	—	(—) '05	'12	'51	29
30	'04	X	'16	—	—	—	—	—	—	'20	'30	—	30
31	'04	X	—	X	—	X	'05	—	X	'27	X	'45	31
						·02	1·73	—	(—)		·75	·40	YEAR'S TOTAL
Total	2.10	3.40	5.64	2.44	2.08	~~2.86~~ 2·87	~~5.29~~ 6·00	~~4.48~~ 3·75	2.85	3.16	~~4.38~~ 5·13	~~9.29~~ 8·94	48·36 48·36
Rain Days.	13	19	25	12	15	~~17~~ 18	20	~~11~~ 12	8	12	~~15~~ 16	21	180

W. 8,000. X. 14.

cord for W.D.
written 7.VI.16.
16.6.16

3955

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL

Kept at Ditta Court
in the County of Monmouthshire
by Matthyssens.

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Marshfield G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 176 7/8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·30) est

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	–	·08	–	–	–	·08	–	·10	–	·78	·18	1
2	·48	·50	–	–	·20	–	–	·62	·12	·30	–	·20	2
3	·12	·14	·42	·25	–	·02	–	·30	·10	·18	–	·16	3
4	–	·02	·18	·20	·05	–	·14	·03	–	–	–	·20	4
5	·03	·11	·02	–	·18	–	·75	–	–	–	–	·76	5
6	·28	·12	–	·06	–	–	–	·28	–	–	–	·50	6
7	·38	–	–	·30	–	–	·72	·06	–	–	–	·28	7
8	·34	·64	–	–	–	–	·10	·03	–	–	–	·38	8
9	·26	·09	–	·08	–	–	–	·08	–	–	·18	·02	9
10	–	·12	–	–	–	–	–	–	–	–	·29	·98	10
11	·35	–	–	·10	–	–	–	·52	–	–	–	·08	11
12	–	–	·05	–	–	–	–	–	–	·04	1·20	–	12
13	·18	·17	–	·05	·30	–	–	·21	–	–	·30	–	13
14	–	·18	–	–	·68	–	–	·35	·23	·20	–	·11	14
15	–	–	–	–	–	–	–	·04	·19	·24	–	1·35	15
16	·28	–	–	–	·10	–	·25	–	·17	·06	–	·13	16
17	–	1·12	–	–	·30	–	1·23	·02	–	–	–	–	17
18	–	·26	–	–	·50	–	–	·28	–	–	–	–	18
19	–	·44	–	–	·35	–	·02	–	–	–	–	–	19
20	·02	–	–	–	–	–	·33	–	–	–	–	–	20
21	·33	–	–	–	–	–	–	–	–	·11	–	·13	21
22	·13	·10	–	–	–	–	·12	–	–	·38	–	–	22
23	·11	–	·39	·05	–	–	·52	–	–	·02	–	·36	23
24	–	·02	·30	–	–	–	·03	–	·02	·96	–	·56	24
25	–	–	–	–	–	–	·04	–	·03	·53	–	·38	25
26	–	–	–	–	–	·27	·13	–	·03	–	–	·21	26
27	–	·26	–	–	–	·11	·11	–	–	–	–	·56	27
28	–	·02	–	–	–	·16	·09	–	·40	·56	–	·04	28
29	–	–	–	–	–	–	–	–	–	–	–	–	29
30	–	×	–	–	–	·28	–	–	–	–	·16	·16	30
31	·29	× ·08	–	×	–	× ·08	–	·10	×	·30	× ·18	·28	31
Total	3·58 ~~3·62~~	4·39 ~~4·31~~	1·36 ~~1·44~~	1·09 ~~1·09~~	2·66 ~~2·66~~	·92 ~~·84~~	4·58 ~~4·66~~	2·92 ~~2·82~~	1·29 ~~1·39~~	·78 ~~3·91~~ 4·69	2·31 ~~2·91~~	·30 ~~8·02~~ 8·14	YEAR'S TOTAL ~~37·67~~ 37·93
Rain Days.	5 ~~16~~ 15	8 ~~17~~ 18	6 ~~7~~ 6	8	9	6 ~~5~~ 6	5 ~~16~~ 15	4 ~~13~~ 14	9 ~~10~~ 9	~~18~~ 14	6	23	143

W. 8,000. X. 15.

cordly [illegible] dots

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Witla Court

in the County of Monmouth.

by M. Mattly secus.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 176 7/8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	—	—	·12	—	·34	—		·95	·12	—	1
2	·84	·11	—	—	·20	—	—	—	·23	1·33	·11	—	2
3	·10	·49	—	—	·32	·30	·04	—	·04	·43	·20	—	3
4	·20	·28	—	—	—	·49	—	—	·04	·25	·19	—	4
5	·18	·20	—	—	·30	·16	·45	—	—	·19	·02	—	5
6	·19	·33	—	—	·36	·23	·10	—	—	·44	·70	—	6
7	·03	·11	—	—	·40	—	—	—	—	·09	·35	·28	7
8	—	—	—	—	·30	·20	·04	—	—	·01	·01	·22	8
9	—	—	—	—	·25	·17	·10	—	—	·02	·01	·01	9
10	—	·53	—	—	—	—	—	—	—	·12	·01	·15	10
11	—	—	·08	·30	·30	—	—	—	—	·02	—	—	11
12	·10	·10	—	·18	·14	—	·29	·27	—	·22	—	—	12
13	—	·52	·34	—	—	—	—	·34	—	·09	—	—	13
14	—	·54	—	·08	·21	—	—	·19	—	·06	—	—	14
15	·04	·42	·11	·16	—	—	—	·05	—	·01	—	—	15
16	·14	—	—	·36	—	—	—	·21	—	·05	—	—	16
17	·15	·27	—	·20	—	—	—	·04	·35	·42	10 ·01	—	17
18	—	·28	·36	—	—	—	—	·01	·05	·08	·29	—	18
19	·27	—	·90	·11	—	—	—	—	—	—	·14	—	19
20	·14	·10	·30	—	—	—	—	—	—	—	·24	·52	20
21	·09	—	·28	—	·08	—	—	—	—	—	—	·16	21
22	—	—	—	·18	—	·23	—	—	—	·24	·08	·74	22
23	—	—	—	·20	—	·10	—	·28	—	·01	·33	·97	23
24	—	—	—	·18	1·25	—	—	·08	—	·45	—	·21	24
25	—	—	—	—	—	·08 80	—	1·09	·02	·14	·22	—	25
26	·15	—	·12	—	—	·15	—	·08	·66	·17	—	·94	26
27	·16	·36	·50	—	—	·98	—	·27	·45	·77	—		27
28	—	—	·10	—	—	·40	—	·01	·05	·67	—		28
29	—	·44	·12	—	—	·14	—	1·06	—	·48	—	·42	29
30	—		—	—	—	—	—	·04	—	·49	—	·10	30
31	—		—		—		—	·10		·34		·09	31
													YEAR'S TOTAL
Total	2·93	5·08	3·21	1·95	4·23	3·63	1·36	4·12	1·89	8·54	3·12	3·91	43·97
Rain Days.	16	16	11	10	13	13	7	16	9	28	17	13	169

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

6. JAN 1918

Kept at Witla Court.
in the County of Monmouthshire
by Matthyssens.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 176 7/8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·20		·36		·26		·68	·12		·04		1
2	·03					·21					·23		2
3	·06					·02	·22			1·46	·03		3
4			·21	·09			·10						4
5	·34		·30			·06			·16	·25	·20		5
6	·28		·01	·20		·05					·30	·12	6
7	·04			·01			·49	·20		·15	·08	·04	7
8				·04			·61	·81		1·10	·41	·08	8
9			·50	·02	·13			·35	·10	·20	·16		9
10	·32		·60	·21	·05			·10					10
11			·30	·40	·15			·36		·29	·11		11
12	·05		·41	·02	·91			·11		·66		·02	12
13				·11		·15		·20	·25				13
14				·02	·02			·15					14
15				·03				·08		·38		·36	15
16		·82		·15				·18	·11	·03		·21	16
17				·03	·20		·65	·03	·31	·16	·06		17
18		·05		·01	·05	·03	·27	·05	1·25		·03		18
19		·45				·37					·01		19
20			·06		·24	·06							20
21		·06			·03					·60			21
22								·32		·14			22
23		·20			·10	·06	·19	·93		·04			23
24						·05		·32		·40	·04		24
25								·12		·15	·04		25
26					·36			·67	·28	·12	·15		26
27			·26		·45	·34	·06	1·35			·02		27
28					·50	·78		·24			·05		28
29			·10			·24		·02		·48	·02		29
30		X						·47		·24	·02	·17	30
31		X		X		X		·50	X	·14	X		31
Total	1·13	1·78	2·75	2·03	3·19	2·71	2·57	8·39	2·58	6·71	2·02	1·00	YEAR'S TOTAL 36·77
Rain Days.	8	6	10	15	13	14	8	23	8	16	19	7	150

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
7 . 1 . 19

Kept ~~at~~ Witla Court,
in the County of Monmouthshire,
by J. F. Matthyssens.

Lat. ……… Long. —
Time of Observation 9. a. m.
Nearest Railway Station Marshfield.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 170 7/8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	'19		'15	'06			'40		'03	'30	'02	1
2	—	'22		'02				'51	—	'02		(41)	2
3	—	'15		'38	'08				'23	'06	'32	'03	3
4	—	'14		'04				'08	'19	'20	1'11	'50	4
5	—			'17	'12			'17	'15	'60	'10	'05	5
6	'16	'80		'22					'14	'28		'07	6
7		'15			'49	'03		'02	'65	'38	'38	'03	7
8		'22					'09		'28	'20	'08		8
9	'05	'10		'64			'57		'86	'20	'04	'26	9
10	'04	'07		'09		'25	'45		'45	'05	'03	'38	10
11	'03	'07	'15	'02			'21		'49	'59	'11	'32	11
12		'09	'24		'11		'22		'04			'14	12
13		'09			'06		'16		'60	'14		'31	13
14	'85	'13	'05			'05	'15		'41	'05		'22	14
15	'28					'22	'31		'04			'49	15
16				'56		'04		'23	'40			'04	16
17	1'41		'05	'05			'15	'09				'35	17
18	1'42		'07			'93	'25		1'20	'07		'30	18
19	'12	'15	'23				'11		'17	'04		'11	19
20		'21		'11			'65	'04	'51				20
21	'03	'08				'03	'20		'60	'04		'18	21
22	'02	'03			'27		'80		'25			'60	22
23	'15	'08			'19		'25				'03		23
24							'39	'56	'19		'15		24
25					'15		'50	'50		'07	'08		25
26				'10			'12		'18	'04	'23	'60	26
27			'26					'42	'50		'16	'08	27
28		'05	'40						'09	'03	'04	'30	28
29			'32						1'13			'07	29
30		✕	'41					'05		'03	'10	'15	30
31		✕	'47	✕		✕		'03	✕		✕		31
Total	4'56	2'92	2·65	2·55	1·53	1'55	5·58	3·10	9·75	2·12	3·26	6'01	YEAR'S TOTAL 45·58
Rain Days.	12	~~18~~ 19	~~12~~ 11	13	9	7	18	13	~~25~~ 24	20	~~15~~ 16	26	188 ✓

W. 6,500, VII. 18. W & C

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at Witla Court,

in the County of Monmouthshire.

by J. F. Matthyssens

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station Marshfield.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 176⅞ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·71		·10	·10	·10		·48		·13	·20		·79	1
2	·28		·14			·11	·13		·36			·32	2
3	·02				·20				·09		·04	·66	3
4		·33	·79				·01	·04	·41			·13	4
5		·40	·53						·06			·55	5
6	·28	·10	·46	·11							·02	·13	6
7	·12		·35										7
8	·10		·19	·10		·03							8
9	·30		·05	·13							·34	·15	9
10			·41	·06	·10						·02		10
11	·08		·51	·12	·16		·22			·05		·20	11
12	·10		·02			·57				·06			12
13	·31			·66	·10							·21	13
14	·71	·20		·21	·15		·10					·17	14
15	·57	·09		·06						·15		·15	15
16	·26	·98				·02	·02				·21		16
17		·34									·44	·07	17
18	·11		·61				·15	·40	·02		·33	·09	18
19	·35	·70	·55			·10	·98	·53			·15	·04	19
20	·42	·20	·15			·09		·05			·07	·12	20
21		1·10	·06				·10	·01	·03		·05	·04	21
22		·05					·02		·88		·17	·20	22
23										1·13	·25	·05	23
24						·11			·04	1·00		·44	24
25	·20							·62	·04			·08	25
26	·12		·10					·06	·06			·61	26
27	·15			·31		·03		1·04	·04			·03	27
28			·05					·13				·80	28
29	·05		·10	·06						·04	·33	·30	29
30			·05	·07		·19		·14			·71	·45	30
31							·03					·10	31
Total	5.24	4.49	5.22	1.99	.81	1.25	2.24	3.02	2.16	2.63	3.13	6.88	YEAR'S TOTAL 39.06
Days with ·01 in. or more	20	11	19	12	6	9	11	10	12	7	14	26	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

11 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Witla Court

in the County of Monmouthshire

by J. F. Mattey

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 176⅞ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·21	·54		·70	·09	·07	·20	·06	·63	1
2	06			·10			·10	·11		·24		·16	2
3		·02		·04			·25	·02	·04	·25			3
4							·04	1·35		·35			4
5			·30	·11	·60		·42	·08		·26			5
6			·09		·85		·06			·05			6
7				·23	·13		·16				·10		7
8		·01		·57	·05		·22	·17			·02		8
9	·75	·45	·09	·53		·10	·19	·24	·05				9
10	1·21	·25	·30	·16			·17						10
11	·14	·10	·20	·33	·60	·30	·10		·05				11
12	·32			·20	·02	·53	·14	·05			·14		12
13	·06	·07	·53	·23							·04		13
14	·28	·04	·49	·58		·05	·11		·17	·50	·56		14
15	·09	·15	·07	·34	·11	·26			·04	·31	·24		15
16	·02	·02	·04	·16			·30	·07	·50	·43	·27		16
17	·40		·06		·70	·16	·04	·21	1·02	·15			17
18	·16				·04	·04		·17	·13				18
19	·03	·23		·45		·19		·09					19
20		·05		·12		·26	·05			·09			20
21				·05			·03			·91		·40	21
22							·15	·05				·06	22
23							·50	·02				·36	23
24	·05		·41	·17		·03	·01				·07	·28	24
25	·02	·12	·21				·74						25
26	·29	·02	·28	·04		·25	·04				·11	·05	26
27	·15	·02	·10		·10	·62	·01					·37	27
28	·70		·11	·05	·46	·10	·05					·16	28
29	·25	·04	·16	·06	·10	·09	·33				·27	·48	29
30	·60	×	·10	·10		·30	·11		·63		·54	·76	30
31	·21	×	·37	×		×	·02	·03	×	·40	×	·20	31
Total	5·79	1·59	3·91	4·83	4·30	3·28	5·04	2·75	2·70	4·14	2·42	3·91	Year's Total 44·66
Days with ·01 in. or more	20	15	18	22	13	15	27	15	10	13	12	12	192
Days with ·04 in. or more	17	10	18	22	12	14	23	12	10	13	11	12	174

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

TINTERN

MONMOUTHSHIRE

1919 - 20

FORM A. 2. METEORO ANIZATION.

Kept at Tintern 40 W

in the County of M Gauge in.

by J. Roberts e Ground ft in.

Sea Level 99 ft.

IMPORTANT NO tered to the previous day. If an Observer prefers not to conform sted to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	15·0		3·7				2·0		6·6	3·4	·1	18·7	1
2	7·5		2·8		1·0		6·0	·2	16·8	·6	2·8	3·0	2
3	4·0		5·2		·7	·8			2·6		2·5	4·0	3
4	2·8	7·0	12·0		·9	·5	7·4	·6	16·5			4·4	4
5		8·0	14·0				·3		14·2		·6	21·1 2·11	5
6	5·0	2·1	7·0						·2			3·0	6
7	5·1		16·8	3·3								·1	7
8	5·5		3·0			1·6							8
9				2·3							4·5		9
10			16·5							1·0		10·8	10
11	11·4		20·5	1·0	5·5	·5	4·7			·7		6·0	11
12			3·5	2·2		6·2	·2			1·0		·3	12
13	6·2			14·5					·3	·3		7·0	13
14	20·2	2·2		8·2			1·0		1·0			4·0	14
15	18·0	·5						·3		1·3		5·6	15
16	6·2	27·0									3·2	·2	16
17		18·5				·6		1·1			2·3		17
18	2·2	1·0	16·5				·8	25·0	1·0		3·5	·9	18
19	7·0	17·2	30·0			6·5	55·2	17·5	·6		·7		19
20	17·2	1·8	10·0			1·0		2·5	·4		1·0	1·6	20
21		31·0	·9			·1	1·0	·1	1·0		·7	3·3	21
22		1·0					·9		6·6			2·4	22
23										10·2	6·0	1·5	23
24						1·7		·3		37·8	7·8	4·2	24
25	3·8				1·4			18·1	·7	·2	·2	·4	25
26			2·2	9·5				·6	4·0		·2	16·5	26
27			1·0	8·0				15·5	·1			·4	27
28	3·8	·3						11·6			3·3	9·4	28
29				2·4				·4		2·5		7·6	29
30		×		3·0		7·4		9·1			21·0	26·0	30
31		×		×		×	·8		×		×	1·7	31
TOTAL	140·9	117·6	165·6	54·4	9·5	26·9	80·3	102·9	72·6	59·0	60·4	156·1	YEAR'S TOTAL 1046·2
Days with 0·2 mm. or more	17	13	17	10	5	10	12	14	15	11	16	26	166

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Form A. 2. METEORO[illegible]ANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Tintern

in the County of Monmouth

by J. Roberts.

Lat. 50·45 N Long 2·40 W

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	15·0		3·7				2·0		6·6	3·4	·1	18·7	1
2	7·5		2·8		1·0		6·0	·2	16·8	·6	2·8	3·0	2
3	4·0		5·2		·7	·8			2·6		2·5	4·0	3
4	2·8	7·0	12·0		·9	·5	7·4	·6	16·5			4·4	4
5		8·0	14·0				·3		14·2		·6	21·1 2·11	5
6	5·0	2·1	7·0						·2			3·0	6
7	5·1		16·8	3·3								·1	7
8	5·5		3·0			1·6							8
9				2·3							4·5		9
10			16·5							1·0		10·8	10
11	11·4		20·5	1·0	5·5	·5	4·7			·7		6·0	11
12			3·5	2·2		6·2	·2			1·0		·3	12
13	6·2			14·5					·3	·3		7·0	13
14	20·2	2·2		8·2			1·0		1·0			4·0	14
15	18·0	·5						·3		1·3		5·6	15
16	6·2	27·0									3·2	·2	16
17		18·5				·6		1·1			2·3		17
18	2·2	1·0	16·5				·8	25·0	1·0		3·5	·9	18
19	7·0	17·2	30·0			6·5	55·2	17·5	·6		·7		19
20	17·2	1·8	10·0			1·0		2·5	·4		1·0	1·6	20
21		31·0	·9			·1	1·0	·1	1·0		·7	3·3	21
22		1·0					·9		6·6			2·4	22
23										10·2	6·0	1·5	23
24						1·7		·3		37·8	7·8	4·2	24
25	3·8				1·4			18·1	·7	·2	·2	·4	25
26			2·2	9·5				·6	4·0		·2	16·5	26
27			1·0	8·0				15·5	·1			·4	27
28	3·8	·3						11·6			3·3	9·4	28
29				2·4				·4		2·5		7·6	29
30		✕		3·0		7·4		9·1			21·0	26·0	30
31		✕		✕		✕	·8		✕		✕	1·7	31
													YEAR'S TOTAL
TOTAL	140·9	117·6	165·6	54·4	9·5	26·9	80·3	102·9	72·6	59·0	60·4	156·1	1046·2
Days with 0·2 mm. or more	17	13	17	10	5	10	12	14	15	11	16	26	166

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

506 3457

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tintern

in the County of Monmouth

by J. Roberts

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level 99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1		·1	·3	10·5	16·5		14·0	1·3	2·6	·8	·6	12·5	1
2	1·2			2·3			6·0	1·2		5·5		19·1	2
3	·8	3·0		3·3	·3		8·5		1·4	5·5		·3	3
4			·3	·9	·3		1·0	30·3		10·7			4
5			4·5	1·0	2·0		7·2	·3		4·2			5
6			12·2		8·8		2·5			6·5		·3	6
7			·5	1·3	5·4		2·7			·1			7
8	·5	·6	·2	13·7	·8		15·5	·7					8
9	1·4	1·3		16·4		·7	3·2	·1	·2	·2			9
10	4·5	2·5	13·7	3·2		10·4	7·5				·6		10
11	9·6	·2		9·4	13·0		6·5						11
12	4·3	8·0	·8	7·1	·4	23·7	1·2				3·9		12
13	3·0		13·1	7·8						·4	1·0		13
14	1·6	3·0	19·3	20·0		2·7	3·3		4·5	11·1	26·8	1·6	14
15	·2	1·7	·2	16·3	2·4	4·0			4·7	3·5	1·4		15
16			·1	1·3		19·7	16·5		17·0	10·4	3·5		16
17	1·0			·1	12·9	2·0		1·4	37·5		·3		17
18	10·6			·8	4·0	·2	3·0	7·2	11·8			·2	18
19	·4	5·6		11·0		4·6	·7					·1	19
20		·7		5·3	·2	3·9	·1		·4			9·7	20
21				4·5			·2			3·4		2·4	21
22	1·7			8·0			3·4	2·5	·1			3·4	22
23				·1			12·2					14·0	23
24	1·5	·3	16·0				·2	·3				13·5	24
25	4·4	2·2	6·7				33·1				1·8	1·1	25
26	3·1		11·5				2·3				3·0	1·1	26
27	12·2	·2	2·8	1·8	1·5	12·7	·2					10·8	27
28	20·6	·2	3·3		4·1	1·7	1·5				13·5	1·4	28
29	9·5	·3	3·5	·9	2·1	2·5	2·8				13·6	20·0	29
30	10·0		3·5	1·8		8·0	1·5		18·0			23·9	30
31	7·3		6·5							12·2		4·4	31
TOTAL	109·4	29·9	119·0	148·8	74·7	96·8	156·8	45·3	98·2	74·5	70·0	139·8	YEAR'S TOTAL 1163·2
Days with 0·2 mm. or more	22	15	19	23	16	14	26	9	10	13	12	18	197
10	18	8	13	20	11	12	22	6	8	10	9	15	152

(4[illegible]). Wt.2[illegible]58—21[illegible] 500. 10[illegible] Gp.13[illegible].&E.W.

4007.
TREDEGAR.
LABORATORY

1914 – 16, 18 – 20.

1917 780712

FORM A.
BRITISH RAINFALL.

REGI

Kept at (Labor… Iron… … 14' West
… 2 A.M
in the County of M… … Tredegar.
… 5 in.
by Wm. Mo… …round 1 ft. 3 in.
…ea Level 950 ft.

IMPORTANT NOT… …e result entered to the previous day. If an Obs… …al rule, he is earnestly requested to add the read… …in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Nil	·04	·05	·07	Nil	Nil	·80	1·27	Nil	Nil	·67	·13	1
2	Nil	Nil	·05	Trace	Nil	·15	·65		Nil	Nil	·04	·60	2
3	·53	Nil	·76	1·26	·81	Nil	Nil		Nil		·03	1·37	3
4		Nil	·27		·43	Nil	·95	·07	Nil		·76	1·53	4
5	·18	Nil	·36		·15	·06		·09		Nil	·08		5
6	·01	1·15	1·21	·18	·50		·04	Trace		Nil	Nil		6
7	·16			·08	·39		·61	1·37	·12	Nil	Nil	·33	7
8	·15			·56	·47	·69	Trace		Trace	Nil	·07	·11	8
9	·25	·10	0·05	·74		1·46	Nil		·14	Nil	·08	Trace	9
10	Nil	·92				Trace	Nil	Nil	·16	Nil	·19	·59	10
11		·33	·58	Nil	·19	·18	Nil	Nil	·35	Nil	·27	·18	11
12	Nil	1·03	·35	Nil	Nil	Nil	·13	Nil	Trace	Nil	·51	·56	12
13	Nil	1·30	2·14	Nil	Nil	Nil	·27	Trace	·77	·36	1·05		13
14	Nil	2·52		Nil	Nil	Nil	·05	·02	·01	·13		Nil	14
15	Trace			Nil	Nil	Nil	·02	·45	·04	·01		Nil	15
16	0·06	Nil	·19	Nil	Nil	Nil	·11	Nil	·20	Nil	Nil	·12	16
17		·75	·36	Nil	Nil	Nil	2·47	Nil	·76	·01	Nil	1·49	17
18		·12	·60	Nil	Nil	Nil		Nil	Trace		Nil	·66	18
19	Nil	·16	·17	Nil	Nil	Nil		Nil	·15	Nil	Nil	·47	19
20	Nil	1·34	·40	Nil	Nil	0·35	Nil	Nil		Nil	Nil		20
21	Nil			Nil	Nil		·16	·41		·53	Nil	·01	21
22	Nil			·05	0·10	·05	·12		Nil	·61	Nil	Nil	22
23	·27	·08	·26	Nil		Nil			Trace	·83	Nil	Nil	23
24		Nil	·29	Nil		Nil	·42	·07	Nil		·22	1·53	24
25		·05	·07	Nil	Trace	Nil		·60	Nil		·41		25
26	·01	Trace	·02	Nil	Nil	Nil		Nil	·02	·26	·66		26
27	Nil	Nil	1·12	Nil	Nil	Nil	Trace	Nil	Trace	·23	2·25		27
28	·13	·20		Nil	·22	Nil	Trace	Nil	Nil	·13		·53	28
29	·65			Nil	Nil	Nil	Trace	·17	Nil	·23		·09	29
30	·89		·77	Nil		Nil	·20		Nil	·30	·70	·92	30
31			Nil				·43	Nil		·60		·61	31
Total	3.29	10·09	10·07	2·94	3.26	2·94	7·43	4·52	2·72	4·73	7·99	11·83	YEAR'S TOTAL 71·31
Rain Days.	~~14~~ 18	~~19~~ 20	~~26~~ 30	10	~~12~~ 13	~~8~~ 10	~~20~~ 22	~~13~~ 17	~~12~~ 13	~~13~~ 16	~~19~~ 20	~~22~~ 25	~~187~~ 214

W. 8,000. X. 14.

REGISTER

FORM A.
BRITISH RAINFALL.

Kept at (Laboratory) Tredegar Iron & Coal Co Ltd
in the County of Monmouth.
by Wm. Morgan.

Lat. 51° 47′ Long. 3° 14′ West
Time of Observation 9·0 A.M.
Nearest Railway Station Tredegar.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 950 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Nil	·04	·05	·07	Nil	Nil	·80	1·27	Nil	Nil	·67	·13	1
2	Nil	Nil	·05	Trace	Nil	·15	·65		Nil	Nil	·04	·60	2
3	·53	Nil	·76	1·26	·81	Nil	Nil		Nil		·03	1·37	3
4		Nil	·27		·43	Nil	·95	·07	Nil		·76	1·53	4
5	·18	Nil	·36		·15	·06		·09		Nil	·08		5
6	·01	1·15	1·21	·18	·50		·04	Trace		Nil	Nil		6
7	·16			·08	·39		·61	1·37	·12	Nil	Nil	·33	7
8	·15			·56	·47	·69	Trace		Trace	Nil	·07	·11	8
9	·25	·10	0·05	·74		1·46	Nil		·14	Nil	·08	Trace	9
10	Nil	·92				Trace	Nil	Nil	·16	Nil	·19	·59	10
11		·33	·58	Nil	·19	·18	Nil	Nil	·35	Nil	·27	·18	11
12	Nil	1·03	·35	Nil	Nil	Nil	·13	Nil	Trace	Nil	·51	·56	12
13	Nil	1·30	2·14	Nil	Nil	Nil	·27	Trace	·77	·36	1·05		13
14	Nil	2·52		Nil	Nil	Nil	·05	·02	·01	·13		Nil	14
15	Trace			Nil	Nil	Nil	·02	·45	·04	·01		Nil	15
16	0·06	Nil	·19	Nil	Nil	Nil	·11	Nil	·20	Nil	Nil	·12	16
17		·75	·36	Nil	Nil	Nil	2·47	Nil	·76	·01	Nil	1·49	17
18		·12	·60	Nil	Nil	Nil		Nil	Trace		Nil	·66	18
19	Nil	·16	·17	Nil	Nil	Nil		Nil	·15	Nil	Nil	·47	19
20	Nil	1·34	·40	Nil	Nil	0·35	Nil	Nil		Nil	Nil		20
21	Nil			Nil	Nil		·16	·41		·53	Nil	·01	21
22	Nil			·05	0·10	·05	·12		Nil	·61	Nil	Nil	22
23	·27	·08	·26	Nil		Nil			Trace	·83	Nil	Nil	23
24		Nil	·29	Nil		Nil	·42	·07	Nil		·22	1·53	24
25		·05	·07	Nil	Trace	Nil		·60	Nil		·41		25
26	·01	Trace	·02	Nil	Nil	Nil		Nil	·02	·26	·66		26
27	Nil	Nil	1·12	Nil	Nil	Nil	Trace	Nil	Trace	·23	2·25		27
28	·13	·20		Nil	·22	Nil	Trace	Nil	Nil	·13		·53	28
29	·65			Nil	Nil	Nil	Trace	·17	Nil	·23		·09	29
30	·89		·77	Nil		Nil	·20		Nil	·30	·70	·92	30
31			Nil				·43	Nil		·60		·61	31
Total	3·29	10·09	10·07	2·94	3·26	2·94	7·43	4·52	2·72	4·23	7·99	11·83	YEAR'S TOTAL 71·31
Rain Days.	~~14~~ 18	~~18~~ 20	~~26~~ 30	10	~~12~~ 13	~~8~~ 10	~~20~~ 22	~~13~~ 17	~~12~~ 13	~~13~~ 16	~~19~~ 20	~~22~~ 25	~~187~~ 214

W. 8,000. X. 14.

3965

FORM A.
BRITISH RAINFALL.

14. JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Laboratory (Tredegar)
in the County of Monmouthshire
by Wm Morgan (Analyst)

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Tredegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 950 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.72	0.63	0.06	0.10	0.75	Nil	Nil	Nil	0.02	0.40	0.01	0.33	1
2		0.45	0.43	0.17	Trace	0.01	0.03	2.11	0.08	0.06	Nil	0.10	2
3		0.59	0.29	0.32	0.10	Nil	0.27	0.02	Nil		Nil	0.35	3
4	0.16	0.49	0.04	Nil	0.21	Trace		Trace	Nil	Trace	Nil	1.20	4
5	0.11	0.88	0.02	Nil	Nil	Nil	0.03	0.21	Nil	Nil	Nil	1.30	5
6	0.34	1.07	Nil	0.40	Nil	Nil	0.82	0.73	Nil	Nil	Nil	0.58	6
7	0.40		Nil	0.04	Nil	Nil	0.09		Nil	0.01	Trace	0.57	7
8	1.01	0.38	Nil	0.03	Nil	Nil	Nil		Nil	Nil	0.38	Trace	8
9		0.36	Nil	0.12	Nil	Nil	Nil	Trace	Nil	Nil	0.50	1.35	9
10		Nil	0.07	0.12	Nil	Nil	0.03	0.03	Nil	0.15	0.26	0.14	10
11	0.11	0.01	Trace		Nil	Nil	Nil	0.01	Nil	0.02	1.22	0.05	11
12	0.24	Nil	Nil	0.10	0.61	Nil	Nil	Trace	Nil	0.17	0.40	Nil	12
13	0.03	1.47	Trace	Nil	0.83	Nil	Nil	Trace	Trace	0.02	Nil	0.15	13
14	0.22	Nil	Trace	Trace	Nil	Nil	Nil	0.42	0.27	0.02	Nil	1.06	14
15	0.78	0.02	Nil	Nil	0.65	Nil	0.16		0.08	0.15	0.10	0.33	15
16	0.04	2.02	Nil	Trace		Nil	1.57	0.01	0.01	0.01	Nil	0.03	16
17		0.40	0.02	Nil	0.33	Nil	0.02	0.01	Nil	Nil	Nil	0.02	17
18	0.01	0.64	0.01	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	18
19	0.08	0.38	Nil	0.17	0.41	Nil	0.48	Nil	Nil	Nil	Nil	Nil	19
20	0.61		Trace	Nil	Nil	Nil	0.03	Nil	Nil	0.18	Nil	0.04	20
21	0.19		Trace	0.04	0.01	Nil	0.40	Nil	Nil	0.15	Nil	0.02	21
22	0.08	0.02	0.39	0.10	Nil	Nil	0.86	Nil	Trace	0.06	Nil	0.95	22
23		0.02	0.02	Trace	Nil	0.21	0.22	Nil	0.07	1.66	Trace	0.66	23
24		Nil	0.01	0.03	Nil	Nil	0.11	Nil	0.09		Nil	3.01	24
25	0.01	Nil	Nil	Trace	Nil	0.42		Nil	Nil	0.01	0.07		25
26	Nil	0.87	Nil	Nil	Nil	0.15	0.15	Nil	Nil	Nil	Trace		26
27	Nil		Nil	Nil	Nil		0.18	Nil	0.02	0.78	Trace		27
28	Nil		Nil	Nil	Nil	0.09	Trace	Nil	0.40	0.07	Trace	0.04	28
29	0.33		Nil	Nil	Nil	0.56	0.07	0.01	Nil	0.03	0.43	0.25	29
30		X	Nil	0.24	Nil	0.11	0.07	Nil	0.03	2.36	0.51	0.80	30
31		X	Nil	X	Nil	X	Nil	0.15	X		X	1.24	31
Total	5.47	10.70	1.36	1.93	3.40	1.55	5.59	3.21	1.07	6.31	3.83	14.57	YEAR'S TOTAL 58.99
Rain Days.	22	19	11	15	10	8	21	14	10	22	10	26	188

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Laboratory, Tredegar
in the County of Monmouth
by Wm. Morgan.

Lat. Long.
Time of Observation 9. 0. am
Nearest Railway Station Tredegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 950 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·97	Trace	0·30	Nil	0·03	0·75	0·60	Nil	Nil	0·87	0·26	Nil	1
2		0·27		Nil	0·02	0·17		Nil	0·70	1·62	0·61	Trace	2
3	0·10	1·58	Nil	Nil	0·27	0·94	0·02	Nil		0·54	0·40	Trace	3
4	0·51	Nil	Nil	Nil	0·35		Nil	Nil	0·06	0·67	Nil	Trace	4
5	0·43	1·08	0·03	Nil	0·11	0·12	0·01	Nil	Nil	0·72	1·09	Nil	5
6	0·41		0·08	Nil	0·61	0·09	0·90	Nil	Nil	1·11	1·62	Nil	6
7	0·19	0·05	0·12	Nil		0·03	Trace	Nil	Nil	0·70	0·56	Trace	7
8	Nil	0·02	0·04	Trace	0·50	0·08	Nil	Nil	Nil		0·06	Nil	8
9	0·01	0·12	0·04	Trace	0·02	0·05	0·06	Nil	Nil	0·01	0·06	0·66	9
10	0·01	0·40	0·08	0·19	0·08	Nil	0·06	Nil	Nil	0·13	0·02		10
11	0·03	0·65	0·14	0·32	0·40	Nil	0·02	Nil	Nil	0·02	Nil	Nil	11
12	0·11			0·18	0·41	0·01	0·33	1·86	Trace	0·25	Nil	Nil	12
13	0·01		0·74	0·12	0·16	Nil	Trace		Trace	0·18	Nil	Trace	13
14	Nil	0·61	0·08	0·01		Nil	Nil	0·38	Nil	0·32	0·02	0·02	14
15	Nil	1·74	0·13	0·46	0·05	Nil	Nil	0·41	0·02		Nil	Nil	15
16	0·09	0·06	Nil		0·01	Nil	0·08	0·45	0·58	0·20	Nil	Nil	16
17	0·35	0·36	0·01	0·38	Nil	Nil	Nil	Trace		0·28	0·20	Nil	17
18	0·01	0·58	Nil	0·25	Nil	Nil	Nil	Trace	0·20	0·05	0·27	0·19	18
19	0·60		1·10	0·28	Nil	Nil	Nil	Nil	Trace	Nil		0·01	19
20	0·22		0·26	0·01	Trace	Nil	Nil	Nil	Nil	Nil	0·02	0·66	20
21	0·42	Nil	0·36	0·10	Trace	0·01	Trace	Nil	Nil	Nil	0·01	0·09	21
22	Nil	Nil	0·01	Nil	Nil	0·11	Nil	0·05	Nil	0·58	0·04	0·41	22
23	Nil	0·21	Trace	Nil	Nil	0·16	Nil	0·16	Nil	0·07	0·49	0·40	23
24	Trace	0·15	0·04	0·34	1·60	Nil	Nil	0·21	Nil	0·71	0·02	Nil	24
25	Nil	0·38	0·79	Nil	0·01	0·12	Nil	1·31	0·03	0·23	0·59	Nil	25
26	0·14			Nil	0·02	0·10	Nil	0·83	0·35	0·62		Nil	26
27	0·04		0·76	Nil	0·02	0·07	Nil		0·56	0·66	Trace	Trace	27
28	0·07	0·30	Nil	Nil	Nil	Trace	Nil	0·01	0·10	Nil	0·09	0·99	28
29	Nil	0·79	0·05	Nil	Nil	0·50	Nil	0·93	0·01	1·41	0·01	0·57	29
30	Nil	✕	Trace	Nil	Nil	0·09	Nil	Trace	Nil	0·68	Nil	0·79	30
31	Nil	✕	Nil	✕	Nil	✕	Nil	0·16	✕	0·73	✕		31
Total	4·52	8·85	3·66	2·64	4·67	2·90	2·08	6·76	2·61	13·36	6·44	4·79	YEAR'S TOTAL 62·78
Rain Days.	21	25	23	13	20	18	10	14	12	27	22	13	218

W. 8,000, VIII. 16

Exp MOS

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

2. 1. 19

Kept at Laboratory Tredegar
in the County of Monmouth
by Wm. Morgan.

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Tredegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 950 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	0.26	Trace	0.76	0.03	Nil	nil	0.22	0.16	0.04	1.26	0.07	1
2	nil	0.89	Nil	0.23	Nil	Nil	nil	0.45	nil	0.07	0.26	0.65	2
3	nil			0.15	0.79	0.06	nil		0.41	0.28		0.02	3
4	0.02	0.17	0.01	nil	0.09	Nil	nil	0.41	0.82	0.41	2.02	1.16	4
5	0.04	0.10	0.01	0.32		0.03	nil		0.23	1.32	0.22	0.15	5
6		0.72	nil	0.18	nil	0.04	nil		0.15		0.01	0.18	6
7	0.02	0.24	nil		0.33	0.05	nil	0.02	1.88	0.21	0.63	0.41	7
8	0.08	0.36	nil	nil	nil	0.61	0.03	nil		0.35	0.02		8
9	0.10	0.73	Nil	0.38	nil		0.20	nil	0.63	0.25	0.36	0.34	9
10	0.19			0.19	nil	nil	0.74	nil	0.28	0.17		0.47	10
11	0.06	0.20	0.17	0.04	0.72	nil	0.40	nil	0.59	0.15	0.06	0.35	11
12	0.09	0.35	0.13	nil		nil	0.21	nil	0.14	0.17	nil	0.26	12
13		0.05	0.01	nil	Trace	0.03	0.32	nil	0.54		Nil	0.40	13
14	0.84	Trace	0.08		0.06	0.03		nil	0.74	0.03	Nil	1.28	14
15	1.00	0.02	nil	0.02	Trace	0.09	0.72	nil		nil	Nil		15
16	0.50	Nil	0.11	0.57	nil		0.11	0.15	0.91	nil	nil	0.22	16
17	0.43			Trace	nil	0.03	0.10	0.08	1.08	0.08	nil	0.56	17
18	0.99	Nil	0.16	nil	nil	0.82	0.07		0.91	0.10	nil	0.55	18
19	0.83	0.11	0.21	0.03	nil	nil	0.22	0.01	0.08	0.10	nil	0.25	19
20		0.29	Nil	0.29	nil	0.17	0.70	nil	0.60		nil	0.02	20
21	0.34	0.31	Nil		nil	0.07		nil	1.42	Trace	nil	0.96	21
22	0.04	0.07	Nil	nil	0.49	nil	0.47	nil		0.03	nil		22
23	0.35	0.26	Nil	nil	0.60		0.15	nil	0.11	nil	0.46	0.02	23
24	0.16			nil	nil	nil	0.29	1.08	0.18	0.01		1.12	24
25	Trace	Trace	Nil	nil	0.08	nil	0.67		0.03	0.12	0.10		25
26	0.03	Trace	Nil	0.06	nil	nil	0.39	0.02	0.24	0.04	0.19		26
27		0.14	0.63	0.01	Trace	nil	0.01	0.41	0.50		0.16	0.22	27
28	nil	0.04	0.71		nil	nil		Trace	1.23	0.02	0.12	0.54	28
29	nil		0.27	nil	nil	nil	nil	nil		0.05	0.03		29
30	0.02	X	1.00	Nil	nil	nil	nil	Trace	0.04	0.17	nil	0.39	30
31	0.01	X		X	nil	X	nil	Trace	X	0.04	X	0.02	31
Total	6.14	5.31	3.50	3.23	2.19	2.03	5.80	2.85	13.90	4.21	5.90	10.61	YEAR'S TOTAL 65.67
Rain Days.	25	21	14	14	11	14	19	13	28	27	17	31	234

W. 8,000, IX. 17.

3539

8 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Laboratory. T. I.&C. Co Ld

in the County of Monmouth

by W. Morgan, (Analyst)

Lat. .... Long. ....

Time of Observation 9.0 AM

Nearest Railway Station Tredegar. L.n.w. Rly Co

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft 6 in.

" " " " Sea Level 950 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.62	Nil	0.60	Trace	0.38	Nil	1.22	Nil	0.27	0.55	0.07	0.74	1
2	0.29			Nil	0.10	Nil	0.17	Nil	0.32	0.03		0.30	2
3	0.07	Nil	0.11	Nil	0.06	Nil	Nil	Nil	0.05	Trace	0.04	0.95	3
4	0.10	0.21	0.43	Nil		0.32	0.31	0.10	0.67	0.01	Trace	0.42	4
5		0.33	0.11	Nil	Nil	Nil	Nil	Nil	0.06		0.03	0.63	5
6	0.93	0.07	0.77		Nil	Nil		Nil	Nil	Nil	0.11	0.50	6
7	0.35	Nil	0.48	0.13	Nil	0.11	Nil	Nil	0.04	Nil	Trace		7
8	0.58	Nil	0.31	0.01	Nil		Nil	Nil	Nil	Nil	0.41	Nil	8
9	1.08			0.22	Nil		Nil	Nil	Nil	Nil		Nil	9
10	0.12	Nil	1.21	0.09	0.32		Nil	Nil	Nil	0.04	Nil	1.23	10
11	0.13	Nil	1.03	0.13			0.19	Nil	Nil	0.10	Nil	0.24	11
12		Nil	0.15	1.07	0.02	0.87	Trace	Nil	Nil		Nil	0.01	12
13	0.40	Nil	Nil		Nil	Nil		Nil	0.31	0.15	Nil	0.50	13
14	0.84	0.09	Nil	0.36	0.02	Nil	0.09	Nil		0.02	Nil		14
15	0.60	1.02	Nil	0.11	Nil		Nil	0.19	Nil	0.10	0.79	0.35	15
16	0.13			Trace	Trace	0.05	Trace	0.16	Nil	Trace		0.02	16
17	0.01	0.49	Nil	Trace	Nil	0.06	Nil		Nil	Nil	0.66	0.03	17
18	0.77	Trace	0.69	Nil		Nil	0.31	0.33	0.01	0.01	0.48	0.15	18
19		0.63	0.55	Nil	Nil	0.25		0.52	0.04		0.28	0.03	19
20	0.72	0.20	0.39	Nil	Nil	0.01		0.06	0.25	Nil	0.09	0.60	20
21	0.01	1.42	0.05	Nil	Trace	0.03	0.16	0.04	Nil	Nil	0.04		21
22	Nil	0.13	Nil	Nil	Nil		Trace	Nil	0.47	Nil	0.53	0.96	22
23	Nil			Nil	Nil	Nil	Nil	0.03	Nil	0.94		0.17	23
24	Trace	Nil	Nil	0.12	Trace	0.12	Nil		0.03	0.57	0.40	0.57	24
25	0.20	Nil	Nil	0.08		Trace	Nil	1.20	Trace	Nil	0.10	0.09	25
26		Nil	0.35	0.45	Nil	0.04	0.09	0.03	0.16		Trace	0.69	26
27	0.42	Nil	0.13		Nil	Nil		0.75	Trace	Nil	0.08	Nil	27
28	0.03	Nil	0.14	0.01	Nil	Trace	Nil	0.25		Nil	0.20	0.75	28
29	0.04		0.02	0.10	Nil		Nil	Nil	Nil	0.23	0.81	0.81	29
30	Trace			0.10	Nil	0.15	Nil	0.57	Nil	Nil		0.83	30
31	0.03		0.01		Nil		0.09			Nil		0.15	31
TOTAL	8.47	4.59	7.53	2.98	0.90	2.01	2.63	4.23	2.68	2.75	4.62	11.72	YEAR'S TOTAL 55.11"
Days with ·01 in. or more	(27)	(12)	(21)	16	7	11	10	14	14	12	19	29	~~184~~ (192)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

7 JAN 192

REGISTER OF RAINFALL IN 1920.

Kept at Laboratory

in the County of Monmouth

by Wm Morgan (Analyst)

Lat. Long.

Time of Observation 9.0 A.M.

Nearest Railway Station Tredegar (L&NW Rly)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 950 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	0.01	0.02	0.40	0.77}	Nil	1.31	0.09	0.09	0.21	0.07	0.96	1
2	0.18	0.03	Nil	0.27		Nil	0.17	0.06	0.04	0.53	Nil	0.60	2
3	0.21	0.21	Nil	0.14	0.02	Nil	1.02	0.05	0.05	1.79	Nil	0.29	3
4	Nil	Nil	0.03	0.07	0.02	Nil	Nil	1.06	0.25}	0.35	Nil	Nil	4
5	Nil	0.01	0.28	0.05	0.39	Nil	0.32	0.08		0.32	Nil	Nil	5
6	Nil	Nil	0.51	Nil	0.48	Nil	0.09	Nil	Trace	0.32	Nil	0.02	6
7	0.08	Nil	Trace	0.23	0.08	Nil	0.25	0.74}	Nil	Nil	0.01	Nil	7
8	0.08	0.05	Nil	0.83	0.25	Nil	0.23		Nil	Nil	Nil	Nil	8
9	0.86	0.87	0.03	0.73	Nil	Nil	0.18	0.01	Nil	Trace	0.02	Nil	9
10	2.02}	0.58	0.20	0.91}	Nil	0.88	0.33}	Nil	Nil	Trace	0.02	Nil	10
11		0.06	0.63		0.53	0.06		Nil	Nil	Trace	0.02	Nil	11
12	0.52	0.30	0.08	0.46	0.04	0.93	0.15	0.08	Nil	0.02	Nil	Nil	12
13	0.13	0.12	1.56}	0.60	Nil	Nil	Trace	0.17	Nil	Trace	1.30}	Trace	13
14	0.21	0.41}		1.13	Nil	0.04	0.14	Trace	0.85	0.34		Trace	14
15	0.03		0.31	1.97	0.16}	0.14	Trace	Trace	0.02	0.14	0.31	Nil	15
16	0.01	0.02	0.19	0.20		0.69	0.31	0.01	0.58	1.38}	0.11	Nil	16
17	0.60}	Nil	0.09	0.05}	0.56	0.34	Nil	0.20	1.28		Nil	0.05	17
18		0.02	Nil		0.18	0.10	0.18	0.18	0.02	Nil	Nil	0.03	18
19	0.04	0.30	Nil	0.68	0.09	0.26}	Trace	Nil	Nil	Nil	Nil	Nil	19
20	0.07	Trace	Nil	0.88	Nil		0.01	Nil	Nil	Trace	Nil	0.62	20
21	Nil	Nil	Nil	0.06	Nil	Nil	0.09	Trace	Trace	0.16	Nil	0.25	21
22	0.12	Nil	Nil	0.25	Nil	0.04	0.26	0.09	Nil	Nil	Nil	0.43	22
23	0.10	Trace	0.03	Trace	Nil	Nil	0.51	0.02	Nil	Nil	Nil	0.78	23
24	0.32	0.02	0.75	0.05}	Nil	Nil	0.59}	Nil	Nil	Nil	0.15	1.29	24
25	Nil	0.08	0.47		Nil	Trace		Nil	Nil	Nil	Nil	Nil	25
26	0.29	0.18	0.49	0.10	Nil	0.65}	0.05	Nil	Nil	Nil	0.24	Nil	26
27	1.27	0.16	0.94}	0.43	0.07		0.08	Nil	Nil	Nil	0.01	Nil	27
28	0.60	0.02		0.02	0.17	0.27	0.03	Nil	Nil	Nil	Nil	0.20	28
29	1.13	Nil	0.24	0.22	0.22	0.03	0.45	Nil	Nil	Nil	0.35	1.27	29
30	0.41		0.11	0.10	Trace	0.38	0.17	Nil	0.62	Nil	0.44	0.85	30
31	0.34		0.53		Nil		0.05	Trace		0.77		0.30	31
Total	9.62	3.45	7.49	10.83	4.03	4.81	6.97	2.34	3.80	6.33	3.05	7.94	Year's Total 70.66
Days with ·01 in. or more	25	20	22	28	18	16	26	15	11	13	14	15	223
Days with ·04 in. or more	23	13	18	23	16	15	24	12	9	12	9	13	187

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

TREDEGAR

LLYSWEDOG

1914

R

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Llyswe … r.

in the County of Mon … egar

… in.

by … ound 1 ft. 3 in.

… ea Level 1050 ft.

IMPORTANT … e result entered to the previous day. If an Observer prefers not to con… al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·05	·05	·05	—	·09	·70	·80	—	—	·20	—	1
2	—	—	·03	—	·09	—	·72	·27	—	—	·35	·18	2
3	·05	—	·52	·34	·57	—	—	·22	—	—	·03	·57	3
4	·40	—	·22	·45	·35	—	1·05	·08	—	—	·85	·76	4
5	·02	—	·32	·45	·14	—	·03	·03	—	—	·32	·90	5
6	·17	·17	·12	·12	·15	·03	·02	·07	—	—	·05	·82	6
7	·04	·92	·48	·17	·55	·03	·59	·20	·10	—	·01	·40	7
8	·20	—	·40	·16	·31	·43	—	·65	·14	—	·01	·15	8
9	·27	·15	·13	·20	·09	1·63	—	·41	·09	—	·07	—	9
10	·02	·94	·07	·75	·12	·25	—	—	·35	—	·01	—	10
11	—	·28	·55	—	·18	·19	·15	—	—	—	·38	1·06	11
12	—	·88	·11	—	—	—	—	—	·20	—	·82	·46	12
13	—	1·27	·70	—	—	—	·24	—	·85	·40	·43	·23	13
14	—	1·05	·57	—	—	—	·03	·30	·04	·15	·53	·03	14
15	—	—	·71	—	—	—	·05	·30	·05	·03	·27	—	15
16	—	—	·09	—	—	—	·11	—	·78	—	—	·07	16
17	—	·43	·44	—	—	—	·04	—	—	—	—	1·40	17
18	—	·03	·15	—	—	—	·07	—	·06	—	—	·47	18
19	—	·12	·41	—	—	—	2·18	—	·07	—	·05	·32	19
20	—	·50	·11	—	—	·31	—	—	—	—	—	·22	20
21	—	·52	—	—	—	—	·19	—	—	·43	—	—	21
22	—	·25	·08	·05	—	·05	—	·27	—	·84	—	—	22
23	—	·11	·27	—	·09	—	·05	—	—	·37	—	—	23
24	·09	—	·14	—	—	—	—	·16	—	·02	·21	—	24
25	·20	·01	·20	—	—	—	·11	·61	—	·59	·18	·60	25
26	—	·04	·03	—	—	—	·14	·14	—	—	·62	·77	26
27	—	·05	—	—	—	—	·19	—	—	·27	·45	·69	27
28	·09	·14	·45	—	·13	—	—	—	—	·32	·17	·29	28
29	·37	✕	·74	—	·10	—	—	—	—	·23	1·35	—	29
30	·06	✕	·47	—	—	—	—	—	—	·30	·80	1·12	30
31	·92	✕	·02	✕	·07	✕	·69	·02	✕	1·00	✕	·28	31
Total	2·90	7·91	8·58	2·74	2·94	3·01	7·35	4·53	2·73	4·95	8·16	11·79	YEAR'S TOTAL 67·59
Rain Days.	14	20	29	10	14	9	20	16	11	13	23	22	201

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 6 JAN 1915

Kept at Llysvedog Tredegar.
in the County of Monmouthshire 2
by Mr Lionel Whitehead.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tredegar
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 1050 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·05	·05	·05	—	·09	·70	·80	—	—	·20	—	1
2	—	—	·03	—	·09	—	·72	·27	—	—	·35	·18	2
3	·05	—	·52	·34	·57	—	—	·22	—	—	·03	·57	3
4	·40	—	·22	·45	·35	—	1·05	·08	—	—	·85	·76	4
5	·02	—	·32	·45	·14	—	·03	·03	—	—	·32	·90	5
6	·17	·17	·12	·12	·15	·03	·02	·07	—	—	·05	·82	6
7	·04	·92	·48	·17	·55	·03	·59	·20	·10	—	·01	·40	7
8	·20	—	·40	·16	·31	·43	—	·65	·14	—	·01	·15	8
9	·27	·15	·13	·20	·09	1·63	—	·41	·09	—	·07	—	9
10	·02	·94	·07	·75	·12	·25	—	—	·35	—	·01	—	10
11	—	·28	·55	—	·18	·19	·15	—	—	—	·38	1·06	11
12	—	·88	·11	—	—	—	—	—	·20	—	·82	·46	12
13	—	1·27	·70	—	—	—	·24	—	·85	·40	·43	·23	13
14	—	1·05	·57	—	—	—	·03	·30	·04	·15	·53	·03	14
15	—	—	·71	—	—	—	·05	·30	·05	·03	·27	—	15
16	—	—	·09	—	—	—	·11	—	·78	—	—	·07	16
17	—	·43	·44	—	—	—	·04	—	—	—	—	1·40	17
18	—	·03	·15	—	—	—	·07	—	·06	—	—	·47	18
19	—	·12	·41	—	—	—	2·18	—	·07	—	·05	·32	19
20	—	·50	·11	—	—	·31	—	—	—	—	—	·22	20
21	—	·52	—	—	—	—	·19	—	—	·43	—	—	21
22	—	·25	·08	·05	—	·05	—	·27	—	·84	—	—	22
23	—	·11	·27	—	·09	—	·05	—	—	·37	—	—	23
24	·09	—	·14	—	—	—	—	·16	—	·02	·21	—	24
25	·20	·01	·20	—	—	—	·11	·61	—	·59	·18	·60	25
26	—	·04	·03	—	—	—	·14	·14	—	—	·62	·77	26
27	—	·05	—	—	—	—	·19	—	—	·27	·45	·69	27
28	·09	·14	·45	—	·13	—	—	—	—	·32	·17	·29	28
29	·37		·74	—	·10	—	—	—	—	·23	1·35	—	29
30	·06		·47	—	—	—	—	—	—	·30	·80	1·12	30
31	·92		·02		·07		·69	·02		1·00		·28	31
Total	2·90	7·91	8·58	2·74	2·94	3·01	7·35	4·53	2·73	4·95	8·16	11·79	YEAR'S TOTAL 67·59
Rain Days.	14	20	29	10	14	9	20	16	11	13	23	22	201

W. 8,000. X. 14.

TREDEGAR
REDESDALE
MONMOUTH
1911 - 20

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Llyn

in the County of M

by Mr Lionel

in.

und 1 ft. 3 in.

Level 1050 ft.

e Tredegar.

1912 MISSING

ance ¼ mile Direction West.

IMPORTANT N … and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·07	·05	·15	—	·07	·17	—	—	·32	·04	1
2	·02	—	·02	—	·57	—	—	·38	·01	·08	·18	·58	2
3	—	—	·04	·02	1·04	—	—	·07	·02	—	·20	·24	3
4	—	—	·12	·01	·01	—	—	·29	·02	·05	·44	1·14	4
5	·44	—	·06	·04	—	—	—	·34	—	·10	·12	·06	5
6	·44	—	·08	·04	—	—	—	·13	—	—	·31	1·20	6
7	·07	—	—	—	—	—	—	—	—	—	·83	·01	7
8	·07	—	·19	—	—	—	—	—	—	—	·66	1·56	8
9	·05	—	·03	—	—	—	—	—	—	—	·33	·85	9
10	·07	·07	·67	—	—	—	—	—	—	—	—	1·00	10
11	·22	—	—	—	·12	—	—	—	·02	—	·64	·17	11
12	—	·04	·39	—	—	—	—	—	·40	—	·93	·37	12
13	—	·01	—	—	·37	—	—	—	·19	·69	·16	·45	13
14	—	·12	·01	—	—	—	—	—	—	—	·12	1·23	14
15	—	·17	·03	—	—	·09	—	—	—	·06	·76	·26	15
16	—	·04	—	—	—	·38	—	—	—	—	·27	·97	16
17	—	·55	—	·04	—	1·08	—	—	—	—	·26	1·22	17
18	—	·75	·23	·44	—	·07	—	—	—	·09	·02	1·44	18
19	—	·15	—	·37	—	·22	—	—	1·62	1·12	·06	·80	19
20	·05	·09	·05	·42	—	·08	—	—	·31	·23	—	·71	20
21	·02	·74	·03	·05	—	·09	—	·61	·04	·76	—	·25	21
22	·02	·35	·04	·17	—	·08	—	—	·15	·29	·02	·97	22
23	·02	·32	·04	·01	·04	·08	—	—	·56	·36	—	·54	23
24	·01	·20	—	—	·01	·38	—	·33	·03	·09	—	·54	24
25	·11	·13	—	·29	—	·04	—	·01	·27	·10	—	·26	25
26	·01	·36	—	·49	·24	—	—	·14	—	·43	·04	·29	26
27	—	·99	·37	·22	—	—	—	·63	·25	—	·05	·19	27
28	—	·36	—	·40	—	·03	—	—	—	—	·51	·02	28
29	—		—	·05	—	·70	·09	—	·31	·74	·01	·02	29
30	—		—	—	—	·04	·20	—	—	·37	·38	·02	30
31	—		·01		—		·35	—		·09		·01	31
Total	1·62	5·44	2·48	3·11	2·55	3·36	·71	3·10	4·20	5·65	7·62	17·41	TOTAL for year 57·25
No. of Rain Days.	15.	18.	19.	17.	9.	14.	4.	11.	15.	17.	24.	31.	194.

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Llyswedog. Tredegar.

in the County of Monmouthshire. 2

by Wm Lionel Whitehead.

RAIN GAUGE
Pattern
Diameter of top 8½ in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 1050 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Tredegar.
Distance ¼ mile Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·07	·05	·15	—	·07	·17	—	—	·32	·04	1
2	·02	—	·02	—	·57	—	—	·38	·01	·08	·18	·58	2
3	—	—	·04	·02	1·04	—	—	·07	·02	—	·20	·24	3
4	—	—	·12	·01	·01	—	—	·29	·02	·05	·44	1·14	4
5	·44	—	·06	·04	—	—	—	·34	—	·10	·12	·06	5
6	·44	—	·08	·04	—	—	—	·13	—	—	·31	1·20	6
7	·07	—	—	—	—	—	—	—	—	—	·83	·01	7
8	·07	—	·19	—	—	—	—	—	—	—	·66	1·56	8
9	·05	—	·03	—	—	—	—	—	—	—	·33	·85	9
10	·07	·07	·67	—	—	—	—	—	—	—	—	1·00	10
11	·22	—	—	—	·12	—	—	—	·02	—	·64	·17	11
12	—	·04	·39	—	—	—	—	—	·40	—	·93	·37	12
13	—	·01	—	—	·37	—	—	—	·19	·69	·16	·45	13
14	—	·12	·01	—	—	—	—	—	—	—	·12	1·23	14
15	—	·17	·03	—	—	·09	—	—	—	·06	·76	·26	15
16	—	·04	—	—	—	·38	—	—	—	—	·27	·97	16
17	—	·55	—	·04	—	1·08	—	—	—	—	·26	1·22	17
18	—	·75	·23	·44	—	·07	—	—	—	·09	·02	1·44	18
19	—	·15	—	·37	—	·22	—	—	1·62	1·12	·06	·80	19
20	·05	·09	·05	·42	—	·08	—	—	·31	·23	—	·71	20
21	·02	·74	·03	·05	—	·09	—	·61	·04	·76	—	·25	21
22	·02	·35	·04	·17	—	·08	—	—	·15	·29	·02	·97	22
23	·02	·32	·04	·01	·04	·08	—	—	·56	·36	—	·54	23
24	·01	·20	—	—	·01	·38	—	·33	·03	·09	—	·54	24
25	·11	·13	—	·29	—	·04	—	·01	·27	·10	—	·26	25
26	·01	·36	—	·49	·24	—	—	·14	—	·43	·04	·29	26
27	—	·99	·37	·22	—	—	—	·63	·25	—	·05	·19	27
28	—	·36	—	·40	—	·03	—	—	—	—	·51	·02	28
29	—		—	·05	—	·70	·09	—	·31	·74	·01	·02	29
30	—		—	—	—	·04	·20	—	—	·37	·38	·02	30
31	—		·01		—		·35	—		·09		·01	31
Total	1·62	5·44	2·48	3·11	2·55	3·36	·71	3·10	4·20	5·65	7·62	17·41	TOTAL for year 57·25
No. of Rain Days.	15.	18.	19.	17.	9.	14.	4.	11.	15.	17.	24.	31.	194.

W. 8,000, X. '11.

√

Ex S.L.

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL

5 MAR 1914

Kept at Redesdale, Tredegar,

in the County of Monmouth

by D. Walter Davies.

Lat. 51°46′ N. Long. 3°15′ W.

Time of Observation 9 am

Nearest Railway Station Tredegar, L.N.W.Ry.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 963. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·21	·67	·12	—	—	—	—	·15	·04	·38	·03	1
2	·08	·38	·32	·32	·12	—	—	—	—	·83	·37	·10	2
3	·46	·15	·23	—	·39	—	—	—	—	·03	—	·17	3
4	1·20	·05	·28	—	·30	·04	—	—	1·40	·30	·13	·22	4
5	·21	·10	·11	—	·26	·34	—	—	·13	—	·31	·06	5
6	·35	·26	·36	—	·15	·25	·27	—	—	·61	·33	·45	6
7	·15	1·21	—	—	·95	·25	·03	—	—	·89	·32	·01	7
8	·12	·57	—	—	·51	·02	·04	—	—	·01	—	·02	8
9	—	·24	·19	—	·35	·62	·28	·17	·03	·01	·50	·05	9
10	·59	—	·11	·01	·11	—	—	·23	—	·59	·06	—	10
11	1·07	—	·02	·38	·16	·02	—	·01	—	·06	·93	·05	11
12	·02	—	—	—	·30	—	—	·03	·09	—	·61	—	12
13	·20	—	·55	·03	·01	—	·02	·06	·82	—	·33	—	13
14	·44	—	·61	·35	—	—	—	~~[illegible]~~	·05	·34	·06	·01	14
15	·19	·01	1·15	2·08	—	—	—	·13	—	—	·05	·08	15
16	·36	—	·87	·14	—	—	—	·38	—	—	·20	—	16
17	·38	—	·13	·34	·03	—	·01	—	—	—	·18	—	17
18	·21	—	·85	·50	·01	·01	·02	—	—	—	·18	—	18
19	·35	—	·08	·04	·05	·35	—	—	·13	·07	·04	·03	19
20	·48	—	·48	·26	·01	—	—	—	—	·16	·90	—	20
21	—	—	·35	·30	·23	—	·16	·16	—	·05	·23	—	21
22	·92	—	1·11	—	—	·16 ~~[illegible]~~	—	·67	·30	—	—	—	22
23	·06	—	·01	—	—	·12	—	·07	·03	—	·14	·09	23
24	·20	·24	—	·15	—	—	—	—	—	—	·10	·04	24
25	—	·09	—	·70	—	—	—	—	·09	·11	·10	·24	25
26	—	—	—	2·40	·12	·01	—	·03	—	·03	—	·45	26
27	·09	—	·23	·43	—	—	—	—	—	·98	—	·03	27
28	·35	—	·27	·60	·08	—	—	—	—	·50	—	·20	28
29	·01	. . .	·97	·41	—	—	—	·06	—	·30	·02	—	29
30	·63	. . .	—	—	—	—	—	—	—	·97	·21	—	30
31	·08	. . .	·27	. . .	·17	. . .	—	·05	. . .	·06	. . .	—	31
Total	9·25	3·51	10·22	9·56	4·31	2·19	·83	2·05	3·22	6·94	6·68	2·33	YEAR'S TOTAL 61·09
Rain Days.	27.	12	24	19	20	12	8	13	11	21.	24.	19	210.

W.7,000, XI. 13

En 8L

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

17 MAY 1915

Kept at Redesdale, Tredegar,

in the County of Monmouth. 2

by D. David Davies,

Lat. 51° 46' N. Long. 3° 15' W.

Time of Observation 9 a.m.

Nearest Railway Station Tredegar, LNW. Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 963. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·04	·20	·04	—	·14	·59	·80	—	—	·20	·13	1
2	—	—	·01	·07	·09	—	·61	·11	—	—	·25	·38	2
3	·04	—	·37	·33	·34	—	—	·34	—	—	·02	·43	3
4	·40	—	·18	·31	·38	—	·99	·08	—	—	·48	·70	4
5	·14	—	·18	·38	·14	—	—	—	—	—	·24	·03	5
6	—	·13	·10	·11	·08	·07	·02	·07	—	—	·03	·50	6
7	·09	1·02	·42	·16	·59	·02	·46	·15	·02	—	—	·38	7
8	·22	—	·22	·06	·28	·44	—	·33	·14	—	·03	·15	8
9	·32	·10	·14	·65	·15	1·43	—	·23	·05	—	·06	—	9
10	·02	·92	—	·30	·05	·27	—	—	·37	—	·07	—	10
11	—	·33	·50	·09	·20	·17	·12	—	·01	—	·27	·48	11
12	—	1·03	·12	—	—	—	—	—	·21	—	·19	·28 ~~·48~~	12
13	—	1·30	·69	—	—	—	·16	—	·77	·28	·41	·17 ~~·28~~	13
14	—	1·25	·50	—	—	—	·02	·28	·04	·13	·47	— ~~·17~~	14
15	·01	·04	·67	—	—	—	·05	·28	·07	·02	·21	·01	15
16	·02	—	·20	—	—	—	·11	—	·97	—	—	·03	16
17	·03	·75	·30	—	—	—	·04	—	·07	—	—	1·14	17
18	—	·03	·33	—	—	—	·10	—	·03	—	—	·43	18
19	—	·14	·37	—	—	—	1·70	—	·04	—	·05	·25	19
20	—	·24	·20	—	—	·31	·10	—	—	—	—	·25	20
21	—	·25	·05	—	—	—	·07	—	—	·23	—	—	21
22	—	·21	—	·03	·02	·06	—	·22	—	·60	—	—	22
23	—	·05	·18	—	·09	—	·05	—	—	·32	—	—	23
24	·07	—	·21	—	—	—	·09	·18	—	·02	·19	—	24
25	·17	—	·16	—	—	—	·18	·59	—	·27	·11	·23	25
26	—	·06	·03	—	—	—	·16	·13	—	·21	·58	·26	26
27	·01	·04	—	—	—	—	—	—	—	·05	·35	·28	27
28	·07	·16	·40	—	·12	—	—	—	—	·29	·15	·48	28
29	·47	✗	·69	—	·09	—	—	—	—	·18	·78	·02	29
30	·09	✗	·55	—	—	—	—	·01	—	·24	·59	·44	30
31	·70	✗	·02	✗	—	✗	·60	—	✗	·62	✗	·17	31
Total	2·87	8·09	7·99	2·53	2·62	2·91	6·22	3·80	2·79	3·46	5·67	7·92	YEAR'S TOTAL 56·87
Rain Days.	17	20	28	12	14	9	20	15	13	14	22	24	208

W. 8,000. X. 14.

3966

FORM A.
BRITISH RAINFALL.

18 JAN 16

REGISTER OF RAINFALL IN 1915.

Ent Lat

Kept at Redesdale, Tredegar,

in the County of Monmouth.

by D. David Davies.

Lat. 51°46' N. Long. 3°15' W.
Time of Observation 9. am.
Nearest Railway Station Tredegar, L N W Ry
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 963. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·32	—	—	·24	—	—	·40	—	·35	·01	·27	1
2	·25	·40	·30	·18	—	—	·01	1·04	·08	·09	—	·08	2
3	—	·28	·22	·10	·04	—	·10	·04	—	—	—	·30	3
4	·10	·68	·03	—	·27	—	·17	—	—	—	—	·51	4
5	·10	·38	·01	·17	—	—	·03	·16	—	—	—	·87	5
6	·24	·08	—	·33	—	—	·78	·02	—	—	—	·45	6
7	·20	·60	—	·03	—	—	·08	·11	—	—	—	·43	7
8	·22	·30	—	·03	—	—	—	·06	—	—	·23	—	8
9	·05	·30	—	·13	—	—	—	—	—	—	·51	1·05	9
10	·35	—	·25	·09	—	—	·02	·01	—	·11	·23	·06	10
11	·13	—	—	·03	—	—	—	—	—	·02	·80	·07	11
12	·14	·46	·06	·09	Heavy Snow ·28	—	—	·02	—	·13	·43	—	12
13	·02	·78	—	—	·97	—	—	—	·12	—	·01	·03	13
14	·05	·01	—	—	—	—	—	·28	·11	·01	—	·77	14
15	·42	—	—	—	·11	—	·10	·05	·06	·17	·08	·32	15
16	·10	1·43	—	—	·36	—	1·37	—	·01	—	—	·03	16
17	—	·26	—	—	·42	—	—	·02	—	—	—	—	17
18	—	·65	·03	—	·01	—	—	—	—	—	—	—	18
19	—	·02	—	·09	·40	—	·35	—	—	—	—	—	19
20	·45	—	—	·02	—	—	·03	—	—	·12	—	·03	20
21	·25	·24	—	·04	—	—	·20	—	—	·18	—	·03	21
22	·01	·04	·32	·11	—	—	·91	—	—	·03	—	·35	22
23	·07	·04	·09	—	—	·19	·21	—	·05	·64	—	·42	23
24	—	—	·02	·04	—	·03	·08	—	·07	·83	—	·62	24
25	—	—	—	—	—	·30	·04	—	—	—	—	·26	25
26	—	·39	—	—	—	·08	·10	—	·02	—	—	·53	26
27	—	·08	—	—	—	·07	·14	—	·02	·35	—	·12	27
28	—	·24	—	—	—	·07	—	—	·35	·08	—	·05	28
29	—	X	—	—	—	·41	·7	·01	·01	·03	·31	·19	29
30	·30	X	—	·13	—	·10	·08	—	—	·35	·41	·31	30
31	—	X	—	X	—	X	·23	·13	X	1·29	X	·55	31
Total	4·05	7·98	1·33	1·61	3·10	1·25	5·10	2·35	·90	4·78	3·02	8·70	YEAR'S TOTAL 44·17
Rain Days.	20	22	10	16	10	8	21	14	11	17	10	26	185

W. 8,000. X. 15.

2895

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at "Redesdale" Tredegar
in the County of Monmouth
by D. Walter Davies, Gas & Water Works Manager.

Lat. 51° 46' N Long. 3° 15' W.
Time of Observation 9 am
Nearest Railway Station Tredegar, L. N. W. Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 963 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	—	·02	—	·02	·18	·44	—	—	·46	·31	—	1
2	·20	·23	·26	—	·01	·13	·07	—	·45	1·61	·44	—	2
3	·02	·90	—	—	·11	·10	·04	—	·07	·33	·37	—	3
4	·25	·30	—	—	·43	·58	—	—	·05	·61	·65	—	4
5	·10	·13	·04	—	·09	·09	·02	—	—	·31	·15	—	5
6	·15	·30	—	—	·25	·08	·68	—	—	·63	·83	—	6
7	·15	·07	·17	—	·27	·03	—	—	—	·51	·48	·18	7
8	—	·13	·05	—	·38	·10	—	—	—	·02	·07	·11	8
9	·01	·04	—	—	·02	—	—	—	—	·11	·06	·10	9
10	·01	·29	—	·15	·07	—	·11	—	—	·10	·03	·13	10
11	·03	·02	·16	·21	·05	·04	·02	—	—	·01	—	·03	11
12	·13 ~~·02~~	·10	·05	·17	·70	—	·21	·14	—	·21	—	—	12
13	·02	·37	·16	·15	—	—	—	·98	—	·10	—	—	13
14	·02	·63	·06	·01	·15	—	—	·25	—	·13	—	·02	14
15	—	·66	·10	·11	·04	—	·06	·34	·01	·02	—	—	15
16	·05	·08	—	·18	·02	—	—	·45	—	·05	—	—	16
17	·25	·25	—	·24	—	—	—	—	·35	·40	·50	—	17
18	—	·29	·27	·19	—	—	—	—	·16	·05	·07	·18	18
19	·50	·01	·76	·24	—	—	—	—	—	—	·21	·03	19
20	·11	·05	·21	—	—	—	—	—	—	—	—	·48	20
21	·12	—	·27	·10	·03	—	—	—	—	—	·04	·14	21
22	—	—	—	—	—	·06	—	—	—	·44	·01	·25	22
23	·03	·41	—	·04	—	·10	—	·16	—	·05	·36	·31	23
24	—	·12	·04	·18	1·52	·12	—	·16	—	·30	·02	·19	24
25	—	·04	·26	—	·02	·01	—	1·20	·03	·23	·42	·03	25
26	·13	·38	·03	—	—	·11	—	·59	·35	·28	·09	—	26
27	·05	·20	·16	—	·05	·08	—	·16	·50	·41	—	—	27
28	·07	·36	·30	—	—	—	—	—	·10	·48	·05	·65	28
29	—	·27	·04	—	—	·43	—	·67	—	·40	·01	·27	29
30	—	✕	—	—	—	·05	—	·01	—	·64	—	·04	30
31	—	✕	—	✕	—	✕	—	·08	✕	·52	✕	·10	31
													YEAR'S TOTAL
Total	2·65	6·63	3·41	1·97	4·23	2·29	1·65	5·19	2·07	9·41	5·17	3·24	47·91
Rain Days.	22	26	20	13	19	17	9	13	10	28	21	18	216

W. 8,000, VIII. 16

Extd [illegible]

3730

FORM A. BRITISH RAINFALL.

7. FEB 1918

REGISTER OF RAINFALL IN 1917.

Kept at "Redesdale," Tredegar

in the County of Monmouth

by D. Walter Davies. Gas Water Works Manager

Lat. 51° 46' N. Long. 3° 15' W.

Time of Observation 9. a.m.

Nearest Railway Station Tredegar, LNW Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 963 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	·22	·53	—	·39	—	·13	·34	—	·06	·08	1
2	·03	—	·02	·12	—	·03	—	—	·01	·05	·20	·02	2
3	·06	·25	·03	·20	—	·02	·03	—	—	·79	·05	—	3
4	·03	·23	·53	—	—	—	·24	·04	—	·28	—	·05	4
5	·43	—	·62	·22	—	·07	—	—	·44	·35	·21	—	5
6	·01	—	·85	—	—	·15	—	—	—	—	·39	—	6
7	·41	—	—	—	—	—	·17	·14	—	1·28	·11	—	7
8	·27	—	·14	—	—	·05	·60	·48	·02		·16	·16	8
9	—	—	·26	·22	·16	—	—	·22	·10		·35	—	9
10	·20	—	·82	·26	·19	—	—	·48	·02	·01	·01	—	10
11	·08	—	·03	·62	·02	—	—	·65	—	·55	·10	—	11
12	·15	—	·02	·03	·75	—	—	·06	—	·32	—	·01	12
13	—	—	·24	·20	—	—	—	·73	·15	·10	·01	·01	13
14	·04	—	·09	·10	—	—	·02	·07	—	—	—	·03	14
15	—	—	—	·04	·13	—	·11	—	·05	·21	—	·22	15
16	—	·12	—	·19	—	·45	—	·07	—	·02	·01	·47	16
17	·02	·02	·04	·10	·21	—	·46	·80	·28	·14	·04	—	17
18	—	—	·02	—	·05	—	·70	·10	1·40	·01	—	—	18
19	·06	·30	·25	—	—	·45	—	·02	·02	—	·03 ~~·93~~	—	19
20	·05	·06	·07	—	·29	·12	·04	—	·19	—	·04	—	20
21	·02	·02	·08	—	·16	—	—	·09	—	·06	—	—	21
22	—	·01	·21	—	—	·01	—	·53	—	·10	·03	—	22
23	—	·16	—	—	·17	·10	—	·47	—	·10	·02	—	23
24	—	·08	—	—	—	·13	·18	·42	—	·67	·07	—	24
25	—	·05	·12	—	—	—	—	·50	·09	—	·07	—	25
26	—	—	—	—	·23	·07	—	·71	·22	·07	·11	—	26
27	—	—	—	—	·66	·37	·28	·70	—	·04	·03	—	27
28	—	·01	—	—	—	·11	—	·60	—	—	·05	—	28
29	—	—	·29	—	·06	·16	—	·05	—	·93	·02	·40	29
30	—	X	·09	—	—	—	—	·50	—	·11	·05	·03	30
31	—	X	·06	X	·23	X	—	·12	X	·06	X	·01	31
Total	1·92	1·31	5·10	2·83	3·31	2·68	2·83	8·68	3·33	6·25	2·22	1·49	YEAR'S TOTAL 41·95
Rain Days.	16	12	23	13	14	16	11	25	14	22	24	12	202

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exd MSS

Copy

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at Rhedesdale, Tredegar
in the County of Monmouth
by D W Davies
17

Lat. 51° 46' N. Long. 3° 15' W.
Time of Observation 9 a. m.
Nearest Railway Station Tredegar, L & N. W. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 963 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·15	·02	·10	·04	—	—	·20	·02	·02	1·15	—	1
2	—	·18	—	·26	—	—	—	·40	·01	·04	·06	·35	2
3	—	·34	—	·10	·23	·08	—	—	·34	·19	·11	·01	3
4	·02	·13	—	·01	—	—	—	·06	·81	·21	1·63	·78	4
5	·01	·05	·22	·13	·09	·02	—	·30	·20	·46	·12	·08	5
6	·03	·32	—	·23	—	·04	—	—	·12	·28	—	·13	6
7	·04	·14	—	·01	·21	·04	—	·02	1·29	·13	·50	·29	7
8	·02	·16	—	—	—	·01	·03	—	·17	·24	·03	·05	8
9	·08	·27	—	·30	—	·40	·18	—	·57	·15	·14	·37	9
10	·10	·11	—	·14	—	—	·60	—	·24	·09	·10	·42	10
11	·19	·14	·15	·03	·02	—	·36	—	·45	·13	·05	·24	11
12	·06	·21	·12	—	·16	—	·16	—	·10	—	—	·16	12
13	·09	·05	·01	—	—	·02	·04	—	·37	·09	—	·20	13
14	·84	—	·07	—	·05	·03	·23	—	·51	·06	—	·35	14
15	·60	—	—	—	—	·04	·60	—	·10	—	—	·64	15
16	·50	—	—	·49	—	·05	·10	·14	·85	—	—	·16 ~~·45~~	16
17	·43	—	·10	—	—	·03	·08	·08	·89	·08	—	·45	17
18	·84	—	·06	—	—	·75	·07	—	·75	·09	—	·43 ~~·22~~	18
19	·32	·08	—	·03	—	—	·22	·01	·05	·05	—	·22	19
20	·20	·20	—	·12	—	·11	·49	—	·49	—	—	—	20
21	·22	·18	—	·11	—	·05	·03	—	·94	·05	—	·15	21
22	·02	·04	—	—	·24	—	·28	—	·12	·02	—	·65	22
23	·24	·04	—	—	·53	—	·23	—	·10	—	·19	·08	23
24	·09	·15	—	—	—	—	·26	·20	·11	—	·17	·12	24
25	—	—	—	—	·07	—	·58	·80	—	·10	·06	—	25
26	·01	·01	—	·06	—	—	·36	·02	·10	·03	·18	·63	26
27	·01	·09	·26	—	—	—	·02	·34	·37	·01	·14	·14	27
28	—	·12	·60	—	—	—	—	—	·02	·02	·09	·25	28
29	—	X	·16	—	—	—	—	—	1·11	·05	—	·09	29
30	—	X	·63	—	—	—	—	·02	·03	·11	·05	·29	30
31	—	X	·39	X	—	X	—	·11	X	·05	X	·01	31
Total	4·96	3·16	2·79	2·12	1·64	1·67	4·92	2·70	11·23	2·75	4·77	7·73	YEAR'S TOTAL 50·44
Rain Days.	23	22	13	15	10	14	20	14	29	25	17	28	230

W. 6,500, VII 18. w w c

Exd

3540

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919

Kept at Redesdale, Tredegar.
in the County of Monmouthshire.
by D Walter Davies.

Lat. 51° 46′ N Long. 3° 15′ W
Time of Observation 9 a.m.
Nearest Railway Station Tredegar L&NWR.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 963 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	—	·31	—	·22	—	1·17	—	·25	·43	—	·65	1
2	·25	—	·17	—	·10	—	·16	·07	·31	·03	·04	·23	2
3	·06	—	·13	—	·05	—	—	—	·06	—	·05	·80	3
4	·06	·21	·40	—	—	·21	·26	·02	·55	—	·10	·33	4
5	·04	·25	·09	—	—	—	—	—	·06	—	·03	·51	5
6	·63	·02	·46	—	—	—	—	—	—	—	—	·44	6
7	·25	—	·29	·13	—	—	—	—	·04	—	—	·02	7
8	·27	—	·13	·01	—	·06	—	—	—	—	—	—	8
9	·57	—	·05	·17	—	—	—	—	—	—	·41	—	9
10	·09	—	—	·06	·01	—	—	—	—	·04	—	·72	10
11	·08	—	·82	·06	·22	—	·13	—	—	·02	·03	·18	11
12	·03	—	·16	·19	·02	·37	—	—	—	·02	·03	·01	12
13	·24	·02	—	·51	—	—	~~·07~~	—	·18	·13	—	·16	13
14	·54	·09	—	·29	·02	—	·07	—	·03	·02	—	·15	14
15	·38	·40	—	·08	—	—	—	·17	—	·07	—	·40	15
16	·16	·62	—	·01	—	·04	—	—	—	—	·21	—	16
17	·01	·39	—	—	—	·05	[illegible]	·09	—	—	·47	·03	17
18	·02	—	·48	—	—	—	·06	·20	·01	—	·24	·07	18
19	·53	·48	·36	—	—	·16	·19	·39	·03	—	·26	·05	19
20	·60	·19	·41	—	—	·02	~~·01~~	·10	·06	—	·07	·23	20
21	·01	·97	·07	—	·02	—	·10	·04	·08	—	·04	·07	21
22	—	·02	—	—	—	·01	·02	—	·39	—	·06	·41	22
23	—	·11	—	·03	—	—	[illegible]	·02	—	·74	·19	·12	23
24	·01	—	—	·16	—	·08	·03	—	·02	·42	·29	·38	24
25	·04	—	—	·05	—	—	—	·85	·03	—	·07	·09	25
26	·12	—	·25	·21	—	·04	[illegible]	·04	·08	—	—	·50	26
27	·29	—	·14	·20	—	—	·06	·60	—	—	·10	—	27
28	·03	—	·19	—	—	—	—	·27	—	—	·20	·56	28
29	·08	—	—	—	—	—	—	—	—	·20	·02	·69	29
30	·02	╳	·07	·17	—	·13	—	·45	—	·03	·64	·52	30
31	·02	╳	·04	╳	—	╳	·06	·01	╳	—	╳	·11	31
TOTAL	5·91	3·77	5·02	2·33	·66	1·47	2·31	3·32	2·18	2·15	3·55	8·43	YEAR'S TOTAL 40·80
Days with ·01 in. or more	29	13	20	16	8	11	12	15	16	12	21	27	200

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132. A.&E.W.**

W 3477

JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Redesdale, Tredegar.
in the County of Monmouth
by

Lat. 51°46′ N Long. 3°15′ W.
Time of Observation 9 a.m.
Nearest Railway Station Tredegar L&NWRy.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 963 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	(·04)	·27	·52	—	1·04	·07	·09	—	·06	·52	1
2	·08	·01	—	·14	·01	—	—	—	·03	·43	—	·27	2
3	·27	·09	—	·07	·03	—	·75	·06	·04	1·65	—	·22	3
4	—	—	(·02)	—	·02	—	—	·55	—	·26	—	—	4
5	—	·01	·20	·05	·29	—	·26	·05	·13	·25	—	—	5
6	—	·01	·32	—	·42	—	·09	—	·01	—	—	·01	6
7	·04	—	—	·18	·07	—	·21	—	—	·27	·02	—	7
8	·07	·04	—	·72	·20	—	·20	·15	—	—	—	—	8
9	·70	·32	·05	·58	—	—	·09	·06	·03	—	·02	—	9
10	·93	·35	— (·55)	·05	—	·73	·22	—	—	—	·02	·01	10
11	·19	·06	—	—	·41	·03	·06	—	—	—	—	—	11
12	·26	·13	·08	·41	·02	·76	·13	·06	—	—	·10	—	12
13	·09	·09	·73	·38	—	—	—	·13	—	·04	·12	·04	13
14	·17	·08	·41	·84	—	·04	·10	—	·59	·33	·64	·04	14
15	·02	·16	·38	1·43	·10	·12	—	—	·05	·13	·19	—	15
16	·01	·02	·10	·15	·03	·54	·19	—	·39	1·02	·12	—	16
17	·21	—	·04	—	·40	·25	—	·13	1·00	·12	—	—	17
18	·15	—	—	·05	·18	·08	·19	·16	·31	—	—	·06	18
19	·04	·20	—	·34	·08	·14	—	—	—	—	—	—	19
20	·05	·01	—	·74	—	·09	—	—	—	·01	—	·45	20
21	—	—	—	·04	—	—	·06	—	—	·15	—	·20	21
22	·06	—	—	·19	—	·03	·15	·08	—	—	—	·40	22
23	·06	—	·02	—	—	—	·33	—	—	—	—	·67	23
24	·06	·03	·70	·03	—	—	·03	·03	—	—	·12	·47	24
25	·03	·08	·38	·01	—	—	·37	—	—	—	—	·10	25
26	·32	·09	·34	·06	—	·08	·04	—	—	—	·18	·08	26
27	1·21	·08	·40	·21	·05	·45	·05	—	—	—	·02	·44	27
28	·47	·02	·24	·06	·19	·20	·02	—	—	—	—	·16	28
29	·78	—	·22	·15	·14	·03	·28	—	—	—	·25	·98	29
30	·24	✕	·10	·08	—	·29	·11	—	·42	·05	·29	·76	30
31	·22	✕	·41	✕	—	✕	·03	—	✕	·55	✕	·19	31
Total	6·73	1·89	5·73	4·23	3·16	3·86	5·00	1·53	3·09	6·26	2·15	6·07	Year's Total 51·70
Days with ·01 in. or more	26	21	22	25	18	16	24	12	12	14	14	20	224
Days with ·04 in. or more	23	13	20	23	13	13	21	11	9	13	10	18	187

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Smede ✓

2909

USK

CASTLE PARADE HSE

MONMOUTHSHIRE

1916 - 1920

RE

2·54 W.

FORM A.
BRITISH RAINFALL.

JAN 1917

Kept at Castle Pa ... m.

in the County of Mo ... Usk

by J Maitlan

Gauge 5 in.

Ground 1 ft. in.

Sea Level 75 ft.

IMPORTANT ... the result entered to the previous day. If a ... rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50				·13	·22	·24		·31	·31	·19		1
2	·30	·08			·08	·03				1·32	·03		2
3	·37	·84			·09					·49			3
4	·01	·21	·16			·60			·03	·18	·75		4
5	·30	·35			·61	·03	·04			·41	·17		5
6	·03	·40	·08		·28	·09	·80			·67	1·19		6
7	·02	·01			·21		·01			·25	·37		7
8	·05				·52	·10				·02		·35	8
9					·01	·24	·02			·10	·06		9
10		·44		·05	·08						·01	·04	10
11			·25	·09		·15			·01	·06			11
12		·08	·06	·01	·35		·12	·09		·07			12
13	·03	·39	·21	·08				·39		·06			13
14		·50			·02			·46		·22			14
15		·49	·45					·04		·01			15
16		·07		·38	·02		·01	·09					16
17	·04	·15		·12				·09	·10	·40	·15		17
18	·18	·03	·27	·02						·04	·23	·22	18
19	·03		·67	·06						·01	·09		19
20	·52		·35									·36	20
21	·11		·35		·10		·09	·01				·16	21
22	·05			·02		·15		·01		·23		·57	22
23				·02		·06		·19		·08	·52	·13	23
24	·01	·28		·17	1·16	·09		·11		·48	·01		24
25			·26					·54		·04	·18		25
26		·48	·01			·05		·20	·48	·23			26
27					·01	·15	·67	·32	·21	·83		·33	27
28	·05	·26	·99						·11	·31	·03		28
29		·25				·64		1·12		·48		·57	29
30								·03		·29			30
31								·06		·68		·02	31
Total	2·60 ✓	5·31 ✓	4·11 ✓	1·02 ✓	3·67 ✓	2·60 ✓	2·0 ✓	3·75 ✓	1·25 ✓	8·27 ✓	3·98 ✓	2·75 ✓	YEAR'S TOTAL 41·31 ✓
Rain Days.	17 ✓	18 ✓	13 ✓	11 ✓	15 ✓	14 ✓	9 ✓	16 ✓	7 ✓	27 ✓	15 ✓	10 ✓	172 ✓

W. 8,000, VIII. 16

Maitland Watkins. 1 Jany 1917

Smeade

3909

R

FORM A. BRITISH RAINFALL.

2 JAN 1917

Kept at Castle Parade House, Usk

in the County of Monmouth

by J Maitland Watkins

Lat. 2·54 W.

Time of Observation 9 a.m.

Nearest Railway Station Usk

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50				·13	·22	·24		·31	·31	·19		1
2	·30	·08			·08	·03				1·32	·03		2
3	·37	·84			·09					·49			3
4	·01	·21	·16			·60			·03	·18	·75		4
5	·30	·35			·61	·03	·04			·41	·17		5
6	·03	·40	·08		·28	·09	·80			·67	1·19		6
7	·02	·01			·21		·01			·25	·37		7
8	·05				·52	·10				·02		·35	8
9					·01	·24	·02			·10	·06		9
10		·44		·05	·08						·01	·04	10
11			·25	·09		·15			·01	·06			11
12		·08	·06	·01	·35		·12	·09		·07			12
13	·03	·39	·21	·08				·39		·06			13
14		·50			·02			·46		·22			14
15		·49	·45					·04		·01			15
16		·07		·38	·02		·01	·09					16
17	·04	·15		·12				·09	·10	·40	·15		17
18	·18	·03	·27	·02						·04	·23	·22	18
19	·03		·67	·06						·01	·09		19
20	·52		·35									·36	20
21	·11		·35		·10		·09	·01				·16	21
22	·05			·02		·15		·01		·23		·57	22
23				·02		·06		·19		·08	·52	·13	23
24	·01	·28		·17	1·16	·09		·11		·48	·01		24
25			·26					·54		·04	·18		25
26		·48	·01			·05		·20	·48	·23			26
27					·01	·15	·67	·32	·21	·83		·33	27
28	·05	·26	·99						·11	·31	·03		28
29		·25				·64		1·12		·48		·57	29
30		X						·03		·29			30
31		X		X		X		·06	X	·68	X	·02	31
Total	2·60	5·31	4·11	1·02	3·67	2·60	2·0	3·75	1·25	8·27	3·98	2·75	YEAR'S TOTAL 41·31
Rain Days.	17	18	13	11	15	14	9	16	7	27	15	10	172

W. 8,000, VIII. 16

J Maitland Watkins. 1 Jany 1917

Exd E7L

3746

FORM A.
8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Castle Parade House, Usk
in the County of Monmouth
by J. Maitland Watkins

Lat. 51·42 Long. 2·54W
Time of Observation 9 a.m.
Nearest Railway Station Usk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·01 ×

× This also put down under Dec 31 JMW

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·19	·46		·41		1·01	·21			·04	1
2			·01			·07		·03			·02		2
3				·05		·01	·05	·01		·75	·27		3
4		·02	·50				·23	·07		·19			4
5	·19	·28	·18	·23		·20		·06	·55	·33	·27		5
6			·59							·33	·28	·02	6
7	·23						·03	·15		·16	·10		7
8	·16		·39	·14		·01	·69	·52		·53	·21	·01	8
9				·09	·23			·14	·22	·03	·27	·01	9
10	·28		·35	·23	·20			·30				·01	10
11	·03		·23	·58	·12			1·04		·28	·04		11
12	·11				·56			·09		·30	·01	·01	12
13			·15	·12		·01		·24	·03	·10			13
14			·14					·02					14
15	·02			·07			·16	·24		·35		·35	15
16				·09		·01			·01	·01		·21	16
17					·37		·50	·24	·21	·09			17
18				·03	·03		·27	·02	1·74				18
19	·03	·52	·19			·30			·01				19
20	·02	·09			·40	·21			·02				20
21			·34		·05	·12				·05			21
22	·01		·01			·04		·43		·04			22
23					·07	·02		·69	·01	·03		·02	23
24						·09	·17	·33		·43	·01		24
25		·20	·06					·07	·06	·08	·01		25
26					·09			·72	·21		·03		26
27			·03		1·09	·31		·80					27
28			·09		·05	·79		·14				·01	28
29			·19			·39	·01	·01		·62		·24	29
30		×	·01				·01	·36		·31	·03		30
31		×	·03	×	·30	×		·15	×	·01	×	·01	× above 31
Total	1·09	1·11	3·68	2·09	3·56	2·99	2·12	7·88	3·28	5·02	1·55	·94	YEAR'S TOTAL 35·31
Rain Days.	11	5	19	11	13	16	10	26	12	21	13	12	169

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2.1.19

Kept at Castle Parade House. Usk.
in the County of Monmouth
by J Maitland Watkins

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Usk.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result has been entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.20		.06	.01			.19			.77	.01	1
2		.33						.46		.02	.01	.50	2
3		.22		.20	.55			.64	.23	.08	.05	.01	3
4		.07	.01		.20			.06	.28	.18	1.27	.74	4
5		.02		.15		.01		.18	.13	.59	.11	.04	5
6	.04	.35		.17				.01	.01	.31		.11	6
7		.17		.02	.55				.47	.13	.41	.08	7
8		.21				.08			.15	.22			8
9		.33		.29			.16		.60	.11		.20	9
10	.03			.25			.43		.54	.12		.40	10
11	.01	.01	.08	.02	.01		.14		.11		.06	.03	11
12		.18	.21		.13					.01			12
13	.01						.03		.55			.15	13
14	.84		.01		.07	.01	.08		.46	.14		.15	14
× 15							.39		.01	.14		.45	15
16	2.04			.86		.08		.07	.59			.08	16
17	.32		.10	.03			.17	.01		.05		.26	17
18	1.01					.55	.27		1.01			.34	18
19	.18	.04	.17				.13		.02	.03		.03	19
20	.08			.18			.04		.38				20
21	.10	.16		.06					.81	.03		.16	21
22	.04	.01			.60		.38		.28			.38	22
23	.13	.01			.23		.34			.05	.07		23
24	.02	.10					.43		.05		.05		24
25				.05	.10		.73	.22		.03	.05		25
26				.25			.42	.43	.13			.25	26
27		.01	.32				.01	.35	.18		.10		27
28		.11	.25							.01	.05	.07	28
29			.30						1.15			.03	29
30		×	.42						.03		.03	.16	30
31		×	.41	×		×		.01	×		×		31
Total	4.85	2.53	2.28	2.59	2.45	.73	4.15	2.63	8.17	2.25	3.03	4.63	YEAR'S TOTAL 40.29
Rain Days.	15	18	11	14	10	5	16	12	23	18	13	23	178

× Gauge frozen on 15th
count 2 days Inch.

W. 8,000, PK. 17.

Ex Md

3555

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Castle Parade House. Usk

in the County of Monmouth

by Maitland Watkins

Lat. 51½ Long. 3

Time of Observation 9 am

Nearest Railway Station Usk

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ „ „ „ Sea Level 73 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	~~Dec.~~	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.55		.15		.01		.15		.18	.19		.67	1
2	.24		.09	.02	.02		.15		.28			.10	2
3	.03		.24				.26				.18	.24	3
4	.08	.14			.01	.19	.12		.54			.20	4
5	.01	.24	.44		.01				.12		.06	.25	5
6	.16	.06	.34								.03	.11	6
7	.21		.03									.02	7
8	.16		.87	.07	.02	.01							8
9	.01		.13	.02							.20		9
10			.04	.03	.11					.03	.02	.55	10
11	.04		.71		.15		.48					.28	11
12			.65			.19	.08			.02			12
13	.30		.04	.04					.07	.03	.01	.20	13
14	.64	.09		.51			.04		.03			.20	14
15	.40	.13		.23						.07		.25	15
16	.18	1.25		.01							.06	.01	16
17	.07	.94						.03			.28		17
18				.01			.08	.43			.22	.03	18
19	.25	.73	.61			.15	1.12	.30	.06		.04	.02	19
20	.59	.06	.80			.04	.01	.14			.03	.04	20
21	.01	1.04	.42					.03				.08	21
22			.06				.01		.47		.01	.20	22
23							.02			1.09	.21	.06	23
24						.07				1.05	.33	.14	24
25	.07			.01	.05			.67				.01	25
26	.13	.04	.10					.02	.08			.50	26
27		.01	.05					.75				.05	27
28	.01			.31		.01		.43		.06	.38	.45	28
29	.01		.40	.05				.27				.32	29
30		X		.08							.55	.90	30
31	.01	X	.02	X		X			X		X	.03	31
TOTAL	4.18	4.73	6.19	1.39	.38	.66	2.52	3.27	1.83	2.54	2.63	5.91	YEAR'S TOTAL 36.23
Days with ·01 in. or more	23	12	20	13	8	7	12	10	9	8	16	27	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

For RL

3442

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Castle Parade House Usk
in the County of Monmouth
by John Maitland Watkins

Lat. 51¾ N Long. 3 W
Time of Observation 9 a.m
Nearest Railway Station Usk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03	.02	.49		.60			.12		.69	1
2	.14			.35	.01		.29	.04	.07	.26		.50	2
3	.04	.06		.13	.03		.50			.48		.01	3
4				.01				.84		.28			4
5			.36	.04	.03		.49	.01		.40			5
6			.13		.47		.14			.15			6
7	.03				.06		.06						7
8	.02	.03		.71	.06		.30						8
9	.36	.08		.46			.09	.01	.02				9
10	1.19	.15	.11	.10		.64	.25				.12		10
11	.36		.42	.64	.48	.10	.09						11
12	.18	.29	.03	.30	.01	1.05	.15	.02		.01	.16		12
13	.10	.02	.48	.28							.06		13
14	.06		.55	1.03		.07	.12		.40	.42	.90	.06	14
15		.08	.07	.73	.10	1.20			.10	.35	.09		15
16			.02		.05	.64	.30		.59	.45	.08		16
17	.01				.46	.06			.92	.35			17
18	.13				.15	.02		.24	.57				18
19				.51	.10	.09		.01					19
20		.24				.16			.01			.41	20
21				.15			.02			.08		.13	21
22	.06			.19			.29	.06				.34	22
23							.41					.54	23
24	.08		.53					.01			.01	.44	24
25		.05	.25				.82					.03	25
26	.22	.02	.47				.01				.10	.06	26
27	.70		.09	.03	.04	.39	.06					.36	27
28	.79				.20	.05	.01					.09	28
29	.53		.23	.05	.19	.05	.01				.35	.90	29
30	.35	╳	.06	.06		.22	.06		.48		.32	.75	30
31	.19	╳	.29	╳		╳			╳	.40	╳	.18	31
TOTAL	5.54	1.02	4.12	5.79	2.93	4.74	5.07	1.24	3.16	3.75	2.19	5.49	YEAR'S TOTAL 45.04
Days with ·01 in. or more	20	10	17	19	17	14	22	9	9	13	10	16	176
	17	7	14	16	13	13	18	4	7	12	9	14	144

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.